

# Alois Martan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5791409/publications.pdf>

Version: 2024-02-01

34  
papers

703  
citations

567281

15  
h-index

552781

26  
g-index

34  
all docs

34  
docs citations

34  
times ranked

695  
citing authors

#	ARTICLE	IF	CITATIONS
1	Is the fixation of single incision TVT-S tape as good as that of transobturator tape? An ultrasound study of randomized trial results. International Urogynecology Journal, 2021, 32, 141-148.	1.4	4
2	Laparoscopic removal of intravesically inserted transobturator tape. International Urogynecology Journal, 2021, 32, 3309-3312.	1.4	1
3	Colpocleisis with a skin flap. International Urogynecology Journal, 2020, 31, 1273-1276.	1.4	0
4	What is the optimal length for single-incision tape?. International Urogynecology Journal, 2019, 30, 2171-2175.	1.4	4
5	Surgical management of recurrent urethrovaginal fistula with a skin island flap. International Urogynecology Journal, 2019, 30, 839-841.	1.4	4
6	Effect of severity of urinary incontinence on quality of life in women. Neurourology and Urodynamics, 2018, 37, 1925-1930.	1.5	60
7	Is it possible to cure the symptoms of the overactive bladder in women?. International Urology and Nephrology, 2018, 50, 433-439.	1.4	4
8	Are the same tapes really the same? Ultrasound study of laser-cut and mechanically cut TVT-O post-operative behavior. International Urogynecology Journal, 2018, 29, 1335-1340.	1.4	5
9	Persistence in the treatment of overactive bladder syndrome (OAB) with mirabegron in a multicenter clinical study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 210, 247-250.	1.1	10
10	Comparison of the efficacy of tension-free vaginal tape obturator (TVT-O) and single-incision tension-free vaginal tape (Ajusta,®) in the treatment of female stress urinary incontinence: a 1-year follow-up randomized trial. International Urogynecology Journal, 2016, 27, 1497-1505.	1.4	27
11	Impact of body mass index on treatment efficacy of mirabegron for overactive bladder in females. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 196, 64-68.	1.1	18
12	TVT ABBREVO: cadaveric study of tape position in foramen obturatum and adductor region. International Urogynecology Journal, 2016, 27, 1047-1050.	1.4	4
13	Treatment of stress urinary incontinence using polyacrylamide hydrogel in women after radiotherapy: 1-year follow-up. International Urogynecology Journal, 2016, 27, 301-305.	1.4	20
14	Bleeding complication with the TVT-Exact procedure: a report of two cases. International Urogynecology Journal, 2015, 26, 303-305.	1.4	7
15	Prospective Randomized Study of MiniArc and Ajust Single Incision Sling Procedures. LUTS: Lower Urinary Tract Symptoms, 2014, 6, 172-174.	1.3	8
16	Pad Weight Testing in the Evaluation of Urinary Incontinence. Obstetrical and Gynecological Survey, 2014, 69, 655-656.	0.4	0
17	Transurethral injection of polyacrylamide hydrogel (Bulkamid®) for the treatment of female stress or mixed urinary incontinence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 178, 199-202.	1.1	17
18	Pad weight testing in the evaluation of urinary incontinence. Neurourology and Urodynamics, 2014, 33, 507-510.	1.5	133

#	ARTICLE	IF	CITATIONS
19	Actinomyces infection appearing five years after trocar-guided transvaginal mesh prolapse repair. International Urogynecology Journal, 2014, 25, 993-996.	1.4	5
20	Fixation of the Ajust minisling based upon cadaveric study. International Urogynecology Journal, 2013, 24, 2119-2123.	1.4	5
21	Women's quality of life and sexual function after transvaginal anterior repair with mesh insertion. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 167, 110-113.	1.1	18
22	Sacrospinous Ligaments Anterior Apical Anchoring for Needle-guided Mesh is a Safe Option: A Cadaveric Study. Urology, 2012, 79, 1020-1022.	1.0	7
23	Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT SECUR systems in the treatment of stress urinary incontinent womenâ€™2-year follow-up. International Urogynecology Journal, 2012, 23, 1403-1412.	1.4	38
24	Pudendal neuralgia following transobturator inside-out tape procedure (TVT-O)â€™case report and anatomical study. International Urogynecology Journal, 2012, 23, 505-507.	1.4	14
25	Anatomical study of position of the TVT-O to the obturator nerve influenced by the position of the legs during the procedure: based upon findings at formalin-embalmed and fresh-frozen bodies. Archives of Gynecology and Obstetrics, 2011, 284, 901-905.	1.7	15
26	TVT-S in the U positionâ€™anatomical study. International Urogynecology Journal, 2011, 22, 241-246.	1.4	12
27	Ultrasound appearances after mesh implantationâ€™evidence of mesh contraction or folding?. International Urogynecology Journal, 2011, 22, 529-533.	1.4	82
28	Multicenter inter-examiner agreement trial for the validation of simplified POPQ system. International Urogynecology Journal, 2011, 22, 645-650.	1.4	31
29	A serious bleeding complication with injury of the corona mortis with the TVT-Secur procedure: two cases of contact of TVT-S with the corona mortis during cadaver study. International Urogynecology Journal, 2010, 21, 1179-1180.	1.4	12
30	Anatomical relationship and fixation of tension-free vaginal tape Secur. International Urogynecology Journal, 2009, 20, 681-688.	1.4	31
31	Correlation between changes in ultrasound measurements and clinical curative effect of tension-free vaginal tape-SECUR* procedure. International Urogynecology Journal, 2009, 20, 533-539.	1.4	22
32	Initial experience with a short, tension-free vaginal tape (the tension-free vaginal tape secur system). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 143, 121-125.	1.1	17
33	Severe bleeding from internal obturator muscle following tension-free vaginal tape Secur hammock approach procedure. International Urogynecology Journal, 2008, 19, 1581-1583.	1.4	42
34	Reasons for and treatment of surgical complications with alloplastic slings. International Urogynecology Journal, 2006, 17, 3-13.	1.4	26