

Daniel E Lynch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/579365/publications.pdf>

Version: 2024-02-01

162
papers

1,533
citations

331259

21
h-index

433756

31
g-index

163
all docs

163
docs citations

163
times ranked

1466
citing authors

#	ARTICLE	IF	CITATIONS
1	Superstructural Variety from an Alkylated Triazine: Formation of One-Dimensional Hydrogen-Bonded Arrays or Cyclic Rosettes. <i>Crystal Growth and Design</i> , 2002, 2, 15-20.	1.4	70
2	Geometry of the 2-aminoheterocyclic carboxylic acid R ² 2(8) graph set: implications for crystal engineering. <i>Acta Crystallographica Section B: Structural Science</i> , 2004, 60, 748-754.	1.8	63
3	The utility of 4-aminobenzoic acid in promotion of hydrogen bonding in crystallization processes: the structures of the cocrystals with halo and nitro substituted aromatic compounds, and the crystal structures of the adducts with 4-nitroaniline (1:1), 4-(4-nitrobenzyl)pyridine (1:2), and (4-nitrophenyl)acetic acid (1:1). <i>Journal of Chemical Crystallography</i> , 1997, 27, 307-317.	0.5	50
4	Linear and non-linear optical properties of the different Langmuir-Blodgett phases of C _n H _{2n+1} Q3CNQ. <i>Journal of Materials Chemistry</i> , 1995, 5, 975-980.	6.7	44
5	2,4-Bis[4-(N,N-dibutylamino)phenyl] squaraine: X-ray crystal structure of a centrosymmetric dye and the second-order non-linear optical properties of its non-centrosymmetric Langmuir-Blodgett films. <i>Journal of Materials Chemistry</i> , 1996, 6, 23-26.	6.7	42
6	Croconaine Dyes – the Lesser Known Siblings of Squaraines. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 3897-3911.	1.2	40
7	Microwave-Assisted Synthesis of Cyclopentadienyl Cobalt Sandwich Complexes from Diaryl Acetylenes. <i>Organometallics</i> , 2008, 27, 1653-1656.	1.1	38
8	Preparation of Sub-micrometer Silica Shells Using Poly(1-methylpyrrol-2-yl)squaraine). <i>Langmuir</i> , 2005, 21, 6572-6575.	1.6	36
9	Oxidized activated carbon as support for titanium dioxide in UV-assisted degradation of 3-chlorophenol. <i>Separation and Purification Technology</i> , 2007, 54, 117-123.	3.9	36
10	Aza-substituted squaraines for the fluorescent detection of albumins. <i>Dyes and Pigments</i> , 2011, 90, 41-47.	2.0	33
11	Molecular Cocrystals of Carboxylic Acids. XXVIII. Nitro-Substituted Carboxylic Acids with Lewis Bases: the Crystal Structures of the Adducts of 3,5-Dinitrobenzoic Acid with N-Methylaniline (1 : 1), (4-Nitrophenyl)acetic Acid with Cyclohexane-1,4-diamine (2 : 1), and 5-Nitrosalicylic Acid with 2-Imidazolidone (2 : 1). <i>Australian Journal of Chemistry</i> , 1998, 51, 159.	0.5	30
12	Preparation and crystal structure of polymeric ammonium silver(I) citrate hydrate, {NH ₄ [Ag ₂ (C ₆ H ₅ O ₇)(H ₂ O)]} _n . <i>Polyhedron</i> , 1993, 12, 709-713.	1.0	28
13	Molecular Cocrystals of Carboxylic Acids. XXXII The Crystal Structures of the Adducts of 2-Aminobenzothiazole with 3,5-Dinitrobenzoic Acid (Adduct Hydrate) and 3-Aminobenzoic Acid, and 2-Amino-2-thiazoline with 2-Aminobenzoic Acid. <i>Australian Journal of Chemistry</i> , 1998, 51, 587.	0.5	28
14	Molecular co-crystals of 2-aminothiazole derivatives. <i>Acta Crystallographica Section B: Structural Science</i> , 1999, 55, 758-766.	1.8	28
15	The synthesis and non-linear optical properties of (N-alkylpyrrol-2-yl)squaraine derivatives. Part 1. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 827-832.	0.9	27
16	Conformational Comparisons Between Phenoxyacetic Acid Derivatives in Adducts and in the Free Form. <i>Australian Journal of Chemistry</i> , 1999, 52, 695.	0.5	27
17	Mercury(II) methylene blue interactions: Complexation and metallate formation. <i>Inorganica Chimica Acta</i> , 2007, 360, 1799-1808.	1.2	27
18	Molecular Cocrystals of Carboxylic Acids. XXXI Adducts of 2-Aminopyrimidine and 3-Amino-1,2,4-triazole with Heterocyclic Carboxylic Acids. <i>Australian Journal of Chemistry</i> , 1998, 51, 403.	0.5	25

#	ARTICLE	IF	CITATIONS
19	Metal phenoxyalkanoic acid interactions ³⁶ . The preparation and crystal structures of tetraaquabis(2-phenoxybenzoato)nickel(ii) dihydrate, diaquabis(4-fluorophenoxyacetato)zinc(ii), catena-diaquabis(phenoxyacetato)cobalt(ii) and tetrakis-1/4-[(pentafluorophenoxy)acetato(o,o ²)] bis[aquacopper(ii)]. <i>Polyhedron</i> , 1993, 12, 203-208.	1.0	24
20	Molecular co-crystals of carboxylic acids, part 29. The effect of competitive interactions on adduct formation involving 2-aminopyrimidine: the crystal structure of the 1:1 adduct of 2-aminopyrimidine with indole-2-carboxylic acid. <i>Journal of Chemical Crystallography</i> , 1997, 27, 567-575.	0.5	23
21	A Neutral Donor-Acceptor p-Stack: Solid-State Structures of 1 : 1 Pyromellitic Diimide-Dialkoxynaphthalene Cocrystals. <i>Australian Journal of Chemistry</i> , 1997, 50, 439.	0.5	22
22	Crystal structures of a benzoselenazole-derived squarylium cyanine dye and three derivatives substituted at the central squaric ring. <i>CrystEngComm</i> , 2011, 13, 1333-1338.	1.3	21
23	The unique occurrence of an organic tri-heteromolecular adduct: the crystal structure of the (3:1:1) 4-aminobenzoic acid ² ,4,6-trinitrobenzoic acid ¹ ,3,5-trinitrobenzene cocrystal. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 300-301.	2.0	20
24	An investigation into the electrical conduction properties of poly(oligo(1-methylpyrrol-2-yl)squaraine)s. <i>Synthetic Metals</i> , 2001, 124, 385-391.	2.1	20
25	Pyrrolyl Squaraines ⁵⁶ Fifty Golden Years. <i>Metals</i> , 2015, 5, 1349-1370.	1.0	20
26	Structure of polymeric antimony silver(I)(+)-tartrate. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 361.	1.1	19
27	Synthesis and non-linear optical properties of (N-alkylpyrrol-2-yl)squaraine derivatives. Part 2 ⁵⁶ . <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 779-784.	0.9	19
28	1 : 1 Molecular Complexes of 4-Amino-N-(4,6-dimethylpyrimidin-2-yl)benzene-sulfonamide (Sulfamethazine) with Indole-2-carboxylic Acid and 2,4-Dinitrobenzoic Acid. <i>Australian Journal of Chemistry</i> , 2000, 53, 383.	0.5	18
29	R22(8) motifs in Aminopyrimidine sulfonate/carboxylate interactions: Crystal structures of pyrimethaminium benzenesulfonate monohydrate (2:2:1) and 2-amino-4,6-dimethylpyrimidinium sulfosalicylate dihydrate (4:2:2). <i>Chemistry Central Journal</i> , 2007, 1, 28.	2.6	17
30	The role of C-H ⁺ O hydrogen-bonding interactions in the solid-state packing of squaraine dyes. <i>Crystal Engineering</i> , 1999, 2, 225-239.	0.7	16
31	Group 15 complexes with carboxylic acids ^{VI} . Preparation and crystal structures of potassium antimony(III) citrate, {[K ₂ Sb ₄ (citrate) ₈ (H ₂ O) ₂]} and lithium antimony(III) citrate, {[LiSb(citrate) ₂ (H ₂ O)] ₂ ·2H ₂ O}. <i>Polyhedron</i> , 1993, 12, 1491-1497.	1.0	15
32	Crystallographic evidence for the presence of both (2 ⁺) and (3 ⁺) citrate species in a mixed-metal complex, [CuSb(C ₆ H ₆ O ₇ 2 ⁺)(C ₆ H ₅ O ₇ 3 ⁺)(H ₂ O) ₂] ₂ ·2.5H ₂ O. <i>Polyhedron</i> , 1992, 11, 631-634.	1.0	14
33	An investigation into the synthesis of polycarbazole squaraine derivatives. <i>Polymer Bulletin</i> , 1997, 38, 493-499.	1.7	14
34	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1999, 29, 67-73.	0.5	14
35	Characterisation of hollow Russian doll microspheres. <i>Journal of Materials Science</i> , 2010, 45, 3697-3706.	1.7	14
36	Water soluble squaraine dyes for use as colorimetric stains in gel electrophoresis. <i>Dyes and Pigments</i> , 2012, 94, 393-402.	2.0	14

#	ARTICLE	IF	CITATIONS
37	Designing polymeric hydrogen-bonded networks using 4,4-dipyridyl and aromatic carboxylic acids containing N-H substituents. <i>Crystal Engineering</i> , 1999, 2, 137-144.	0.7	13
38	Molecular cocrystals of 2-amino-5-chlorobenzooxazole. <i>Crystal Engineering</i> , 2000, 3, 71-79.	0.7	13
39	Hydrogen-bonded supramolecular motifs in 2-amino-4,6-dimethoxypyrimidinium 4-hydroxybenzoate monohydrate, 2-amino-4,6-dimethoxypyrimidinium 6-carboxypyridine-2-carboxylate monohydrate and 2-amino-4,6-dimethoxypyrimidinium hydrogen (2R,3R)-tartrate 2-amino-4,6-dimethoxypyrimidine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, o295-o300.	0.4	13
40	2-Amino-4-(4-pyridyl)pyrimidine and the 1:1 adduct with 4-aminobenzoic acid. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 830-832.	0.4	12
41	The solid-state packing of sulfur substituted 2-aminopyrimidines and the occurrence of N-H...S hydrogen-bonding associations. <i>Crystal Engineering</i> , 2002, 5, 79-94.	0.7	12
42	The hydrogen-bonding networks of 2-amino-4-phenyl-1,3-thiazole derivatives. <i>Crystal Engineering</i> , 2002, 5, 123-136.	0.7	12
43	2-Amino-4,6-dimethylpyrimidine...4-hydroxybenzoic acid (1/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o2907-o2909.	0.2	12
44	Water soluble bis(indolenine)squaraine salts for use as fluorescent protein-sensitive probes. <i>Dyes and Pigments</i> , 2013, 96, 116-124.	2.0	12
45	N-Alkylation of Pyromellitic Diimide: Solid-State Structure of the 1 : 1 N,N'-Diethylpyromellitic Diimide/2,6-Dimethoxynaphthalene Cocrystal. <i>Australian Journal of Chemistry</i> , 1998, 51, 441.	0.5	12
46	Molecular Cocrystals of Carboxylic Acids. XXVI Adducts of the Amino-Substituted Benzoic Acids with Nitroaromatic Lewis Bases: the Influence of Associative Polyfunctional Substituents on Self-Assembly of Molecules in Cocrystallization Processes. <i>Australian Journal of Chemistry</i> , 1997, 50, 977.	0.5	11
47	The (1:1) adducts of (2,4-dichlorophenoxy)acetic acid with 4-aminobenzoic acid and triphenylphosphine oxide *. <i>Zeitschrift für Kristallographie</i> , 1992, 200, 73-82.	1.1	10
48	The Use of Activated Carbons with Basic Properties for the Treatment of 2-Chlorophenol. <i>Adsorption Science and Technology</i> , 2004, 22, 451-465.	1.5	10
49	One-step deposition of Au nanoparticles onto chemically modified ceramic hollow spheres via self-assembly. <i>Journal of Experimental Nanoscience</i> , 2012, 7, 1-16.	1.3	10
50	Molecular Cocrystals of Carboxylic Acids. XXXIII The Crystal Structure of the 1 : 1 Adduct of Indole-2-carboxylic Acid with 5-Nitroquinoline. <i>Australian Journal of Chemistry</i> , 1998, 51, 813.	0.5	10
51	Designing Linear Hydrogen-Bonded Arrays by Using Substituted Charge-Transfer Complexes. The Crystal Structure of the 1 : 1 Adduct of Indole-2-carboxylic Acid with 3,5-Dinitrobenzoic Acid. <i>Australian Journal of Chemistry</i> , 1998, 51, 1019.	0.5	10
52	Towards processible poly(pyrrol-2-ylsquaraines). <i>Polymer Bulletin</i> , 1998, 40, 373-380.	1.7	9
53	Thin-Film Characterization of Neutral H ⁺ -Associated Assemblies Incorporating Putative Pseudo-Rotaxanes. <i>Langmuir</i> , 1999, 15, 5600-5605.	1.6	9
54	Hydrogen-bonding patterns in 2-amino-4,6-dimethoxypyrimidinium salicylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o4555-o4556.	0.2	9

#	ARTICLE	IF	CITATIONS
55	Adsorptive Properties of Poly(1-methylpyrrol-2-ylsquaraine) Particles for the Removal of Endocrine-Disrupting Chemicals from Aqueous Solutions: Batch and Fixed-Bed Column Studies. Processes, 2018, 6, 155.	1.3	9
56	The preparation and crystal structure of the calcium complex with the herbicide endothall, Catena-[diaqua(7-oxabicyclo-[2.2.1]-Heptane-2,3- dicarboxylato)calcium(II)]. Polyhedron, 1991, 10, 1569-1572.	1.0	8
57	Tetrakis(2-amino-5-methyl-1,3,4-thiadiazole-N3)chlorocopper(II) chloride monohydrate and tetrakis(2-amino-5-ethyl-1,3,4-thiadiazole-N3)chlorocopper(II) chloride. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 1032-1035.	0.4	8
58	2,4-Bis(3,3-dimethyl-1-octylindolin-2-ylidenemethyl)cyclobutenediylidene-1,3-diolate. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, o1025-o1027.	0.2	8
59	2-Amino-6-nitrobenzo-1,3-thiazole hydrate. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, o1139-o1141.	0.2	8
60	Conformational comparisons between phenoxyacetic acid derivatives in adducts and those in the free form. Part 2. Crystal Engineering, 2003, 6, 109-122.	0.7	8
61	Hydrogen-bonding patterns in 2-amino-4,6-dimethoxypyrimidine-4-aminobenzoic acid (1/1). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2976-o2978.	0.2	8
62	Synthesis and activity of four (<i>N</i>,<i>N</i>-dimethylamino)benzamide nonsteroidal anti-inflammatory drugs based on thiazole and thiazoline. Journal of Heterocyclic Chemistry, 2006, 43, 191-197.	1.4	8
63	Investigating the binding properties of porous drug delivery systems using nuclear sensors (radiotracers) and positron annihilation lifetime spectroscopy- Predicting conditions for optimum performance. Dalton Transactions, 2011, 40, 6278.	1.6	8
64	Cyclic heterotetrameric and low-dimensional hydrogen-bonded polymeric structures in the morpholinium salts of ring-substituted benzoic acid analogues. Acta Crystallographica Section C, Structural Chemistry, 2016, 72, 105-111.	0.2	8
65	Microreview: Pyrrol-yl squaraines (including indol-yl squaraines). Journal of Heterocyclic Chemistry, 2018, 55, 1249-1262.	1.4	8
66	Synthesis, structure and herbicidal activity of pyrazol-4-yl alkyl ketone derivatives. Pest Management Science, 1992, 36, 247-253.	0.7	7
67	Molecular complexes of 3-hydroxypyridine with nitro-substituted aromatic and heterocyclic carboxylic acids. Crystal Engineering, 1999, 2, 65-77.	0.7	7
68	3,7-Bis(dimethylamino)phenothiazin-5-ium nitrate dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o1367-o1369.	0.2	7
69	Hydrogen-bonded supramolecular motifs in 2-amino-4,6-dimethoxypyrimidinium picrate and pyrimethaminium picrate dimethyl sulfoxide solvate. Acta Crystallographica Section C: Crystal Structure Communications, 2009, 65, o42-o45.	0.4	7
70	Charge-assisted hydrogen-bonded supramolecular networks in acetoguanaminium hydrogen phthalate, acetoguanaminium hydrogen maleate and acetoguanaminium 3-hydroxypicolinate monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2010, 66, o324-o328.	0.4	7
71	Two-dimensional coordination polymeric structures in caesium complexes with ring-substituted phenoxyacetic acids. Acta Crystallographica Section C, Structural Chemistry, 2014, 70, 606-612.	0.2	7
72	The History of Azulenyl Squaraines. Australian Journal of Chemistry, 2017, 70, 857.	0.5	7

#	ARTICLE	IF	CITATIONS
73	The 1:1 adduct of 4-aminobenzoic acid with 4-aminobenzonitrile. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1155-1156.	0.4	6
74	Tetrakis[$\frac{1}{4}$ -(4-nitrophenyl)acetato-O:O ϵ^2]bis[(2-aminopyrimidine-N1)copper(II)]. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 158-159.	0.4	6
75	trans-Bis(2-amino-6-nitro-1,3-benzothiazole-N)dichloroplatinum(II) tetrakis(N,N ϵ^2 -dimethylformamide) solvate and tetrakis(2-amino-5-methyl-1,3,4-thiadiazole-N4)platinum(II) hexachloroplatinate(IV) bis(N,N ϵ^2 -dimethylformamide) solvate. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 1036-1038.	0.4	6
76	Hydrogen-bonding patterns in 2-amino-4,6-dimethoxypyrimidine ϵ phthalic acid (1/1). Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o4212-o4212.	0.2	6
77	Statistical analysis of the effect of a single O H hydrogen-bonding interaction on carbonyl bond lengths. Journal of Molecular Structure, 2019, 1180, 158-162.	1.8	6
78	Structures of [tBucpFe(CO) $_2$] $_2$ and [tBu $_2$ cpFe(CO) $_2$] $_2$. Journal of Organometallic Chemistry, 1993, 462, 243-246.	0.8	5
79	2-Chloro-3-(3-dimethylaminopropylamino)-1,4-naphthoquinone. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1427-o1428.	0.2	5
80	2-Amino-5-chloro-1,3-benzoxazole. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o1715-o1716.	0.2	5
81	Hydrogen-bonding patterns in trimethoprim tetrafluoroborate. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4107-o4109.	0.2	5
82	Hydrogen-bonding patterns in the cocrystal 2,4-diamino-6-phenyl-1,3,5-triazine ϵ sorbic acid (1/1). Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o4450-o4451.	0.2	5
83	Water soluble squaraine dyes for use as colorimetric stains in gel electrophoresis. Part 2. Dyes and Pigments, 2013, 99, 160-167.	2.0	5
84	1-Allyl-2-aminopyridin-1-ium bromide. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o884-o884.	0.2	5
85	Development of ternary squaraine-tryptamine-nitroaromatic charge-transfer complexes for potential use as colorimetric stains in gel electrophoresis. Dyes and Pigments, 2015, 121, 385-393.	2.0	5
86	Molecular Cocrystals of Carboxylic Acids. XXVII An Investigation into the Use of Triphenylphosphine Oxide Cocrystals for Non-Linear Optics: the Crystal Structure of the Adduct of Triphenylphosphine Oxide with N-Methylpyrrole-2-carboxylic Acid. Australian Journal of Chemistry, 1997, 50, 1191.	0.5	5
87	2-Amino-5-chloro-1,3-benzoxazol-3-ium 2-(3,4-dichlorophenoxy)acetate. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1478-1479.	0.4	4
88	Short Communication: The 1 :1 Co-Crystal of 2-Amino-5-nitro-1,3-thiazole with 4-Aminobenzoic Acid. Australian Journal of Chemistry, 2001, 54, 493.	0.5	4
89	The solid-state packing of chloro substituted 2-aminopyrimidines and the occurrence of N ϵ "H ϵ "CL hydrogen-bonding associations. Crystal Engineering, 2003, 6, 1-14.	0.7	4
90	2-Amino-2-thiazoline and its 1:1 organic salt with 2-naphthoxyacetic acid. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o677-o679.	0.4	4

#	ARTICLE	IF	CITATIONS
91	2-(2-Methylphenyl)-4,5-diphenyl-1H-imidazole. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2803-o2804.	0.2	4
92	2-Amino-4,6-dimethylpyrimidinium 3,5-dinitrobenzoate dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o426-o426.	0.2	4
93	2-[(3,3-Dimethylindolin-2-ylidene)methyl]-4-[(3,3-dimethyl-3H-indol-1-ium-2-yl)methylidene]-3-oxocyclobut-1-en-1-olate chloroform disolvate. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o786-o787.	0.2	4
94	Crystal structures and hydrogen bonding in the morpholinium salts of four phenoxyacetic acid analogues. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, 1392-1396.	0.2	4
95	Two Crystal Polymorphs of 3-(Dimethylamino)benzoic Anhydride. Australian Journal of Chemistry, 2000, 53, 593.	0.5	3
96	Four trifluoromethylnitrobenzene analogues. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o1-o5.	0.4	3
97	2-Acetamido-4-p-tolyl-1,3-thiazole and 2-amino-4-p-tolyl-1,3-thiazolium chloride dihydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o815-o817.	0.4	3
98	Ethyl 2-(2-chloro-1,4-dihydro-1,4-dioxonaphthalen-3-ylamino)-4-phenylthiazole-5-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o790-o791.	0.2	3
99	5-tert-Butyl-4-nitro-1H-pyrazol-3-ol. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o2347-o2348.	0.2	3
100	1-Ethyl-4-hydroxy-2,6-dimethylpyridinium bromide dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o599-o601.	0.2	3
101	Hydrogen-bonding patterns in the cocrystal 2-amino-4,6-dimethoxypyrimidine- α -anthranilic acid (1/1). Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o107-o108.	0.2	3
102	Novel magneto-optic behaviour from a polysquaraine. Synthetic Metals, 2013, 171, 15-22.	2.1	3
103	Crystal structures of two erbium(III) complexes with 4-aminobenzoic acid and 4-chloro-3-nitrobenzoic acid. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, 1457-1461.	0.2	3
104	Examination of tryptamine-squaraine complexes as both colorimetric and fluorometric stains in gel electrophoresis. Journal of Photochemistry and Photobiology A: Chemistry, 2016, 324, 87-95.	2.0	3
105	The uptake of metal elements into poly(1-methylpyrrol-2-ylsquaraine) particles and a study of their porosity. Adsorption Science and Technology, 2016, 34, 176-192.	1.5	3
106	2-Amino-5-methyl-1,3,4-thiadiazole and 2-amino-5-ethyl-1,3,4-thiadiazole. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 1201-1203.	0.4	2
107	Molecular co-crystals of 2,6-di-t-butyl-4-nitrophenol. Crystal Engineering, 2003, 6, 99-107.	0.7	2
108	Three 2-aminopurine derivatives. Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, o53-o56.	0.4	2

#	ARTICLE	IF	CITATIONS
109	2-Amino-4-(4-chlorophenylthio)-5-phenyl-6-(1-piperidyl)pyrimidine. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o222-o224.	0.2	2
110	Tris(2-ammonioethyl)amine benzene-1,3,5-tricarboxylate 5.5-hydrate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1076-o1078.	0.2	2
111	Tris(2-ammonioethyl)amine tris({2-[(2,6-dichlorophenyl)amino]phenyl}acetate) hexahydrate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1314-o1317.	0.2	2
112	[4-(N,N-Dimethylamino)phenyl]diphenylphosphine Oxide and its Partial Oxides: An Isomorphous Crystal Series. Australian Journal of Chemistry, 2003, 56, 1135.	0.5	2
113	2-(Benzoylmethylsulfanyl)-6-methoxy-1H-benzimidazole. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o363-o364.	0.2	2
114	N,Nâ€²-Di-n-tetradecylpyromellitic diimide. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o597-o598.	0.2	2
115	5-tert-Butyl-4-bromo-1,2-dihydro-1H-pyrazol-3(2H)-one monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o2349-o2351.	0.2	2
116	10-Methoxy-5H-dibenz[b,f]azepine. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1757-o1759.	0.2	2
117	Hydrogen-bonding patterns in pyrimethamine tetrafluoroborate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o2966-o2966.	0.2	2
118	The structure/property relationship in a series of pyrrolic polysquaraines. Synthetic Metals, 2013, 183, 40-49.	2.1	2
119	4-Hydroxy-1,2,6-trimethylpyridinium chloride monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o835-o836.	0.2	2
120	Crystal structures of the co-crystalline adduct 5-(4-bromophenyl)-1,3,4-thiadiazol-2-amineâ€™4-nitrobenzoic acid (1/1) and the salt 2-amino-5-(4-bromophenyl)-1,3,4-thiadiazol-3-ium 2-carboxy-4,6-dinitrophenolate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, 294-297.	0.2	2
121	Crystal structures and hydrogen bonding in the co-crystalline adducts of 3,5-dinitrobenzoic acid with 4-aminosalicylic acid and 2-hydroxy-3-(1<i>H</i>-indol-3-yl)propenoic acid. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, 183-187.	0.2	2
122	Comments on Lynch. Pyrrolyl Squarainesâ€™Fifty Golden Years. Metals 2015, 5, 1349â€™1370. Metals, 2015, 5, 2370-2371.	1.0	2
123	Metal complexes of dual-pendant sulfonate bis(indolenine)squaraines. Dyes and Pigments, 2015, 118, 192-198.	2.0	2
124	Crystal structures and hydrogen bonding in the anhydrous tryptaminium salts of the isomeric (2,4-dichlorophenoxy)acetic and (3,5-dichlorophenoxy)acetic acids. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, 671-674.	0.2	2
125	Examination of dual-pendant sulfonate bis(indolenine)squaraine with 1,8-diazabicyclo[5.4.0]undec-7-enium cations. Journal of Photochemistry and Photobiology A: Chemistry, 2018, 360, 224-230.	2.0	2
126	The use of poly(1-methylpyrrol-2-ylsquaraine) particles as a sacrificial template for the preparation of core-shell materials. Materials Chemistry and Physics, 2019, 227, 163-169.	2.0	2

#	ARTICLE	IF	CITATIONS
127	The Preparation and Crystal Structures of the 1 : 1 Adducts of 5-Nitrosalicylic Acid and 2-Chloro-3,5-dinitrobenzoic Acid with Triphenylphosphine Oxide. <i>Australian Journal of Chemistry</i> , 1998, 51, 437.	0.5	2
128	The Synthesis and X-Ray Crystal Structure of t-Butyldimethylsilyl 2-[4-{4-(Hex-5-enyloxy)-phenylazo}phenyl]ethyl Ether. <i>Australian Journal of Chemistry</i> , 1998, 51, 1053.	0.5	2
129	2-Amino-6-chloro-4-(1-phenylethylamino)pyrimidine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, e534-e534.	0.4	1
130	2-Amino-4-chloro-6-(4-carbamoylpiperidin-1-yl)pyrimidine hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, o50-o51.	0.2	1
131	1-(2-Pyridyl)ethan-1-one 8-quinolyldihydrazone and 1-(1H-pyrrol-2-yl)ethan-1-one 8-quinolyldihydrazone. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o642-o644.	0.4	1
132	Diethyl (4-tert-butyl-1,3-thiazol-2-ylaminomethylene)malonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o242-o243.	0.2	1
133	2,2â€²-Dihydroxy-[2,2â€²-bi-1H-indene]-1,1â€²,3,3â€²-(2H,2â€²H)-tetrone dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1133-o1134.	0.2	1
134	4-Hydroxy-6-methyl-2-(sulfonatoethylsulfanyl)pyrimidin-1-ium monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o376-o377.	0.2	1
135	2-tert-Butyl-4,6-dinitrophenol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1288-o1289.	0.2	1
136	2-Butyl-4-chloro-1-(4-nitrobenzyl)-1H-imidazole-5-carboxaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o2520-o2521.	0.2	1
137	Diethyl 2-aminothiazole-4,5-dicarboxylate hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o824-o826.	0.2	1
138	Molecular cocrystals of 5-(4-bromophenyl)-1,3,4-thiadiazol-2-amine: hydrogen bonding in the structures of the 1:1 adduct with 2-(naphthalen-2-yloxy)acetic acid and the salt with 3,5-dinitrobenzoic acid. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 1034-1038.	0.4	1
139	Crystal structure and hydrogen bonding in the hydrated cocrystalline salt tryptaminiumâ€³,5-dinitrobenzoateâ€³ quinolineâ€³ water (3/3/2/2). <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 738-742.	0.2	1
140	Crystal Structures of Cobalt Sandwich Complexes in the Î·5-Cyclopentadienyl/Î·4-Cyclobutadiene and Î·5-Cyclopentadienyl/Î·4-Cyclopentadienone Families. <i>Journal of Chemical Crystallography</i> , 2020, 50, 338-347.	0.5	1
141	4-Hydroxy-1,2,6-trimethylpyridinium bromide monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o941-o942.	0.2	1
142	N,Nâ€²-Bis(1-ethynylcyclohexyl)pyromellitic diimide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2122-o2122.	0.2	1
143	2-(Pyrrolidin-1-yl)-1,4-naphthoquinone and 2-phenylsulfanyl-3-(pyrrolidin-1-yl)-1,4-naphthoquinone. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o704-o707.	0.4	0
144	1-(4-Chlorophenylsulfanyl)-2-nitro-4-(trifluoromethyl)benzene and 1-(4-chlorophenylsulfanyl)-4-nitro-2-(trifluoromethyl)benzene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o641-o643.	0.4	0

#	ARTICLE	IF	CITATIONS
145	2-Phenylmalonpiperadide and 2-phenylmalonmorpholide. Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, o715-o718.	0.4	0
146	2-(4-Methoxyphenyl)-5-(4-methylpent-3-enyl)-2,3,3a,4,7,7a-hexahydro-1H-isoindole-1,3-dione. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o198-o199.	0.2	0
147	Ethane-1,2-diammonium bis(4-nitrobenzoate) dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1058-o1059.	0.2	0
148	Tris(2-ethylammonio)amineâ€“4-nitrobenzoateâ€“water (1/3/2). Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1157-o1158.	0.2	0
149	2-(2,4-Dichlorophenoxy)-N-(4,6-dimethylpyridin-2-yl)acetamide. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1299-o1300.	0.2	0
150	Ethyl 2-amino-4-tert-butyl-1,3-thiazole-5-carboxylate and 6-methylimidazo[2,1-b]thiazoleâ€“2-amino-1,3-thiazole (1/1). Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, o592-o594.	0.4	0
151	2,2â€“Dinitrodibenzyl. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o2455-o2456.	0.2	0
152	4-(2-Chloroethyl)morpholinium chloride. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o849-o850.	0.2	0
153	1-(Carbamoylmethyl)cyclohexanecarboxylic acid. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o884-o885.	0.2	0
154	6,6,8a-Trimethyl-3a,6,7,8a-tetrahydrobenzo[b]furo[3,2-d]furan-2,4(3H,5H)-dione. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1041-o1042.	0.2	0
155	1-(10,11-Dihydrodibenz[b,f]azepin-5-yl)ethanone. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1609-o1610.	0.2	0
156	10-Methoxydibenz[b,f]azepine-5-carboxamide. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1760-o1761.	0.2	0
157	Hydrogen-bonding patterns in trimethoprim picolinate and 2-amino-4,6-dimethylpyrimidinium picolinate hemihydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2006, 62, o107-o110.	0.4	0
158	Crystal structures of three anhydrous salts of the Lewis base 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) with the ring-substituted benzoic acid analogues 4-aminobenzoic acid, 3,5-dinitrobenzoic acid and 3,5-dinitrosalicylic acid. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 382-386.	0.2	0
159	An investigation into the preparation of poly(1â€“methylpyrrolâ€“2â€“ylsquaraine) particles. Journal of Heterocyclic Chemistry, 2020, 57, 1616-1624.	1.4	0
160	N,Nâ€“Bis(1-acetylcyclohexyl)-1,8:4,5-naphthalenetetracarboximide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2184-o2184.	0.2	0
161	Bis(2-thienyl)acetylene. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2484-o2484.	0.2	0
162	X-Ray Crystal Structure of N-[3-(Diethylaminomethyl)-4-hydroxyphenyl]acetamide and its Hydrochloride Salt. Two Forms of an Important Precursor in the Synthesis of Anti-Tuberculosis Drugs. Australian Journal of Chemistry, 1999, 52, 909.	0.5	0