Henrik Balslev

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5794467/publications.pdf

Version: 2024-02-01

| | | 50170 | 62479 |
|----------|----------------|--------------|----------------|
| 173 | 7,806 | 46 | 80 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 179 | 179 | 179 | 8292 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Phylogenomic relationships and historical biogeography in the South American vegetable ivory palms (Phytelepheae). Molecular Phylogenetics and Evolution, 2022, 166, 107314. | 1.2 | 3 |
| 2 | Three Amazonian palms as underestimated and little-known sources of nutrients, bioactive compounds and edible insects. Food Chemistry, 2022, 372, 131273. | 4.2 | 11 |
| 3 | Linking high diversification rates of rapidly growing Amazonian plants to geophysical landscape transformations promoted by Andean uplift. Botanical Journal of the Linnean Society, 2022, 199, 36-52. | 0.8 | 3 |
| 4 | Palm functional trait responses to local environmental factors in the Colombian Amazon. Journal of Tropical Ecology, 2022, 38, 39-47. | 0.5 | 3 |
| 5 | Ethnobotany and Ecosystem Services in a Tidal Forest in Thailand. Sustainability, 2022, 14, 6322. | 1.6 | O |
| 6 | Hmong Medicinal Plant Knowledge Transmission and Retention in Social Modernity. Human Ecology, 2022, 50, 419-433. | 0.7 | 1 |
| 7 | Genomic and niche divergence in an Amazonian palm species complex. Botanical Journal of the Linnean Society, 2021, 197, 498-512. | 0.8 | 8 |
| 8 | Six new species of Maesa (Primulaceae) from Papua New Guinea . Phytotaxa, 2021, 505, 245-261. | 0.1 | 3 |
| 9 | Medicinal Plants Used for Treating Mild Covid-19 Symptoms Among Thai Karen and Hmong. Frontiers in Pharmacology, 2021, 12, 699897. | 1.6 | 10 |
| 10 | Palm Functional Traits, Soil Fertility and Hydrology Relationships in Western Amazonia. Frontiers in Forests and Global Change, 2021, 4, . | 1.0 | 3 |
| 11 | Revealing floristic variation and map uncertainties for different plant groups in western Amazonia. Journal of Vegetation Science, 2021, 32, e13081. | 1.1 | 4 |
| 12 | Prioritization of Loita Maasai medicinal plants for conservation. Biodiversity and Conservation, 2021, 30, 761-780. | 1.2 | 1 |
| 13 | Pleistocene climatic fluctuations promoted alternative evolutionary histories in <i>Phytelephas aequatorialis</i> , an endemic palm from western Ecuador. Journal of Biogeography, 2021, 48, 1023-1037. | 1.4 | 8 |
| 14 | Edaphic heterogeneity and the evolutionary trajectory of Amazonian plant communities. Ecology and Evolution, 2021, 11, 17672-17685. | 0.8 | 1 |
| 15 | Ethnomedicinal plants of the Loita Maasai of Kenya. Environment, Development and Sustainability, 2020, 22, 2569-2589. | 2.7 | 26 |
| 16 | Medicinal Plants of the Maasai of Kenya: A Review. Plants, 2020, 9, 44. | 1.6 | 61 |
| 17 | Using ICPC-2 Standard to Identify Thai Zingiberaceae of Pharmacological Interest. Plants, 2020, 9, 906. | 1.6 | 4 |
| 18 | Medicinal Plants for Treating Musculoskeletal Disorders among Karen in Thailand. Plants, 2020, 9, 811. | 1.6 | 6 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Post-Dispersal Seed Removal in a Large-Seeded Palm by Frugivore Mammals in Western Ecuador. Tropical Conservation Science, 2020, 13, 194008292094704. | 0.6 | 5 |
| 20 | Ethnomedicinal Knowledge of Traditional Healers in Roi Et, Thailand. Plants, 2020, 9, 1177. | 1.6 | 13 |
| 21 | Nutrient and Mineral Compositions of Wild Leafy Vegetables of the Karen and Lawa Communities in Thailand. Foods, 2020, 9, 1748. | 1.9 | 16 |
| 22 | Biased-corrected richness estimates for the Amazonian tree flora. Scientific Reports, 2020, 10, 10130. | 1.6 | 53 |
| 23 | Anti-Infectious Plants of the Thai Karen: A Meta-Analysis. Antibiotics, 2020, 9, 298. | 1.5 | 8 |
| 24 | The global abundance of tree palms. Global Ecology and Biogeography, 2020, 29, 1495-1514. | 2.7 | 62 |
| 25 | Ethnomedicinal Plant Knowledge of the Karen in Thailand. Plants, 2020, 9, 813. | 1.6 | 11 |
| 26 | Traditional knowledge of wild food plants of Thai Karen and Lawa (Thailand). Genetic Resources and Crop Evolution, 2020, 67, 1277-1299. | 0.8 | 27 |
| 27 | Revision of Otoba (Myristicaceae) . Phytotaxa, 2020, 441, 143-175. | 0.1 | 4 |
| 28 | <p>A synopsis of Lasianthus (Lasiantheae, Rubiaceae) in Thailand and two additionalÂnew species</p> . Phytotaxa, 2020, 439, 1-38. | 0.1 | 2 |
| 29 | Targeted Capture of Hundreds of Nuclear Genes Unravels Phylogenetic Relationships of the Diverse Neotropical Palm Tribe Geonomateae. Frontiers in Plant Science, 2019, 10, 864. | 1.7 | 40 |
| 30 | Palm community transects and soil properties in western Amazonia. Ecology, 2019, 100, e02841. | 1.5 | 8 |
| 31 | Diversidad de comunidades de palmas en el Chocó biogeográfico y su relación con la precipitación. Caldasia, 2019, 41, 358-369. | 0.1 | 4 |
| 32 | Fine-Scale Plant Richness Mapping of the Andean P \tilde{A}_i ramo According to Macroclimate. Frontiers in Ecology and Evolution, 2019, 7, . | 1.1 | 12 |
| 33 | PalmTraits 1.0, a species-level functional trait database of palms worldwide. Scientific Data, 2019, 6, 178. | 2.4 | 51 |
| 34 | Rarity of monodominance in hyperdiverse Amazonian forests. Scientific Reports, 2019, 9, 13822. | 1.6 | 28 |
| 35 | Important Medicinal Plant Families in Thailand. Frontiers in Pharmacology, 2019, 10, 1125. | 1.6 | 19 |
| 36 | Soil fertility and flood regime are correlated with phylogenetic structure of Amazonian palm communities. Annals of Botany, 2019, 123, 641-655. | 1.4 | 23 |

| # | Article | IF | CITATIONS |
|----|--|-------------|----------------|
| 37 | Cross-cultural Comparison of Medicinal Plants Used to Treat Infections in Northern Thailand. Economic Botany, 2019, 73, 86-95. | 0.8 | 7 |
| 38 | A Review of the Economic Botany of Sesbania (Leguminosae). Botanical Review, The, 2019, 85, 185-251. | 1.7 | 17 |
| 39 | Medicinal plants in homegardens of four ethnic groups in Thailand. Journal of Ethnopharmacology, 2019, 239, 111927. | 2.0 | 29 |
| 40 | Could coastal plants in western Amazonia be relicts of past marine incursions?. Journal of Biogeography, 2019, 46, 1749-1759. | 1.4 | 26 |
| 41 | Sustainability of the Loita Maasai Childrens' Ethnomedicinal Knowledge. Sustainability, 2019, 11, 5530. | 1.6 | 59 |
| 42 | Exotic Plants Used by the Hmong in Thailand. Plants, 2019, 8, 500. | 1.6 | 9 |
| 43 | Traditional Uses of Leguminosae among the Karen in Thailand. Plants, 2019, 8, 600. | 1.6 | 23 |
| 44 | Use of Medicinal Plants Among Thai Ethnic Groups: A Comparison. Economic Botany, 2019, 73, 64-75. | 0.8 | 22 |
| 45 | Species Distribution Modelling: Contrasting presence-only models with plot abundance data. Scientific Reports, 2018, 8, 1003. | 1.6 | 113 |
| 46 | Karen Homegardens: Characteristics, Functions, and Species Diversity. Economic Botany, 2018, 72, 1-19. | 0.8 | 25 |
| 47 | Ethnomedicinal plant diversity in Thailand. Journal of Ethnopharmacology, 2018, 214, 90-98. | 2.0 | 69 |
| 48 | Endemism and conservation of Amazon palms. Biodiversity and Conservation, 2018, 27, 765-784. | 1.2 | 14 |
| 49 | Beyond climate control on species range: The importance of soil data to predict distribution of Amazonian plant species. Journal of Biogeography, 2018, 45, 190-200. | 1.4 | 81 |
| 50 | Palm species richness, latitudinal gradients, sampling effort, and deforestation in the Amazon region. Acta Botanica Brasilica, 2018, 32, 527-539. | 0.8 | 11 |
| 51 | Genetic structuring in a Neotropical palm analyzed through an Andean orogenesisâ€scenario. Ecology and Evolution, 2018, 8, 8030-8042. | 0.8 | 10 |
| 52 | Taxonomic revision, distribution and ecology of <i>Wendlandiella</i> (Arecaceae: Arecoideae:) Tj ETQq0 0 0 rgB | T /Oyerlock | ≀ 10 Tf 50 142 |
| 53 | Thai Ethnomedicinal Plants Used for Diabetes Treatment. OBM Integrative and Complementary Medicine, 2018, 3, 1-1. | 0.1 | 13 |
| 54 | Phytoregionalisation of the Andean páramo. PeerJ, 2018, 6, e4786. | 0.9 | 41 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Seasonal drought limits tree species across the Neotropics. Ecography, 2017, 40, 618-629. | 2.1 | 143 |
| 56 | Fundamental species traits explain provisioning services of tropical American palms. Nature Plants, 2017, 3, 16220. | 4.7 | 59 |
| 57 | Weed Diversity and Uses: a Case Study from Tea Plantations in Northern Thailand. Economic Botany, 2017, 71, 147-159. | 0.8 | 13 |
| 58 | <p align="center" class="Body">Crotalaria L. (Fabaceae: Faboideae) in continental Southeast Asia. Phytotaxa, 2017, 320, 1.</p> | 0.1 | 8 |
| 59 | Modelling responses of western Amazonian palms to soil nutrients. Journal of Ecology, 2017, 105, 367-381. | 1.9 | 40 |
| 60 | Stability in a changing world – palm community dynamics in the hyperdiverse western Amazon over 17Âyears. Global Change Biology, 2017, 23, 1232-1239. | 4.2 | 8 |
| 61 | Availability, diversification and versatility explain human selection of introduced plants in Ecuadorian traditional medicine. PLoS ONE, 2017, 12, e0184369. | 1.1 | 41 |
| 62 | Phylogenetics of Iriarteeae (Arecaceae), cross-Andean disjunctions and convergence of clustered infructescence morphology in <i>Wettinia</i> Botanical Journal of the Linnean Society, 2016, 182, 272-286. | 0.8 | 18 |
| 63 | Local knowledge about palms (Arecaceae) among children in Bolivia. Botanical Journal of the Linnean Society, 2016, 182, 505-516. | 0.8 | 6 |
| 64 | Medicinal palms (Arecaceae) in Madagascar-undocumented or underutilized?. Botanical Journal of the Linnean Society, 2016, 182, 517-525. | 0.8 | 4 |
| 65 | Demography of <i>Oenocarpus bataua</i> and implications for sustainable harvest of its fruit in western Amazon. Population Ecology, 2016, 58, 463-476. | 0.7 | 13 |
| 66 | Low genetic variation and high differentiation across sky island populations of Lupinus alopecuroides (Fabaceae) in the northern Andes. Alpine Botany, 2016, 126, 135-142. | 1.1 | 49 |
| 67 | Amerindian and Afro-American Perceptions of Their Traditional Knowledge in the ${\sf Choc} \tilde{\sf A}^3$ Biodiversity Hotspot. Economic Botany, 2016, 70, 160-175. | 0.8 | 14 |
| 68 | The demography of a dominant Amazon liana species exhibits little environmental sensitivity. Journal of Tropical Ecology, 2016, 32, 79-82. | 0.5 | 3 |
| 69 | A compositional turnover zone of biogeographical magnitude within lowland Amazonia. Journal of Biogeography, 2016, 43, 2400-2411. | 1.4 | 50 |
| 70 | Palms - emblems of tropical forests. Botanical Journal of the Linnean Society, 2016, 182, 195-200. | 0.8 | 18 |
| 71 | Woody Plant Diversity in Urban Homegardens in Northern Thailand. Economic Botany, 2016, 70, 285-302. | 0.8 | 23 |
| 72 | Global-change vulnerability of a key plant resource, the African palms. Scientific Reports, 2015, 5, 12611. | 1.6 | 34 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Management of the palm Astrocaryum chambira Burret (Arecaceae) in northwest Amazon. Acta Botanica Brasilica, 2015, 29, 45-57. | 0.8 | 14 |
| 74 | SE Asian Palms for Agroforestry and Home Gardens. Forests, 2015, 6, 4607-4616. | 0.9 | 16 |
| 75 | Effects of Warming and Drought on the Vegetation and Plant Diversity in the Amazon Basin. Botanical Review, The, 2015, 81, 42-69. | 1.7 | 37 |
| 76 | Human impact on tropical-alpine plant diversity in the northern Andes. Biodiversity and Conservation, 2015, 24, 2673-2683. | 1.2 | 53 |
| 77 | Ash \tilde{A}_i ninka Palm Management and Domestication in the Peruvian Amazon. Human Ecology, 2015, 43, 451-466. | 0.7 | 13 |
| 78 | African palm ethno-medicine. Journal of Ethnopharmacology, 2015, 165, 227-237. | 2.0 | 36 |
| 79 | Ethnomedicinal survey and in vitro anti-plasmodial activity of the palm Borassus aethiopum Mart. Journal of Ethnopharmacology, 2015, 175, 356-369. | 2.0 | 11 |
| 80 | Estimating the global conservation status of more than 15,000 Amazonian tree species. Science Advances, 2015, 1, e1500936. | 4.7 | 122 |
| 81 | Ethnobotanical Knowledge Is Vastly Under-Documented in Northwestern South America. PLoS ONE, 2014, 9, e85794. | 1.1 | 57 |
| 82 | Productivity and management of (i) Phytelephas aequatorialis (i) ((i) Arecaceae (i)) in Ecuador. Annals of Applied Biology, 2014, 164, 257-269. | 1.3 | 14 |
| 83 | Karen and Lawa medicinal plant use: Uniformity or ethnic divergence?. Journal of Ethnopharmacology, 2014, 151, 517-527. | 2.0 | 35 |
| 84 | Geospatial patterns in traditional knowledge serve in assessing intellectual property rights and benefit-sharing in northwest South America. Journal of Ethnopharmacology, 2014, 158, 58-65. | 2.0 | 19 |
| 85 | New categories for traditional medicine in the Economic Botany Data Collection Standard. Journal of Ethnopharmacology, 2014, 155, 1388-1392. | 2.0 | 36 |
| 86 | Ecological community traits and traditional knowledge shape palm ecosystem services in northwestern South America. Forest Ecology and Management, 2014, 334, 28-42. | 1.4 | 34 |
| 87 | Phylogenetic structure of a palm community in the central Amazon: changes along a hydro-edaphic gradient. Plant Ecology, 2014, 215, 1173-1185. | 0.7 | 4 |
| 88 | Ritual uses of palms in traditional medicine in sub-Saharan Africa: a review. Journal of Ethnobiology and Ethnomedicine, 2014, 10, 60. | 1.1 | 50 |
| 89 | Medicinal plants from swidden fallows and sacred forest of the Karen and the Lawa in Thailand. Journal of Ethnobiology and Ethnomedicine, 2013, 9, 44. | 1.1 | 21 |
| 90 | Spatial distribution and environmental preferences of 10 economically important forest palms in western South America. Forest Ecology and Management, 2013, 307, 284-292. | 1.4 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|------------|--------------|
| 91 | Hyperdominance in the Amazonian Tree Flora. Science, 2013, 342, 1243092. | 6.0 | 873 |
| 92 | Separating environmental and geographical determinants of phylogenetic community structure in Amazonian palms (Arecaceae). Botanical Journal of the Linnean Society, 2013, 171, 244-259. | 0.8 | 36 |
| 93 | Dispersal and niche evolution jointly shape the geographic turnover of phylogenetic clades across continents. Scientific Reports, 2013, 3, 1164. | 1.6 | 66 |
| 94 | Multimillionâ€year climatic effects on palm species diversity in Africa. Ecology, 2013, 94, 2426-2435. | 1.5 | 44 |
| 95 | Floral structure and organogenesis of the wax palm <i>Ceroxylon ceriferum</i> (Arecaceae;) Tj ETQq1 1 0.784314 | 1 rgBT /Ov | eglock 10 Ti |
| 96 | Socratea Karstenii F. W. Stauffer & Salslev (Arecaceae), a New Species from Venezuela. Candollea, 2012, 67, 285. | 0.1 | 1 |
| 97 | Palm species richness, abundance and diversity in the Yucatan Peninsula, in a neotropical context. Nordic Journal of Botany, 2012, 30, 613-622. | 0.2 | 6 |
| 98 | Topographic separation of two sympatric palms in the central Amazon – does dispersal play a role?. Acta Oecologica, 2012, 39, 128-135. | 0.5 | 9 |
| 99 | Medicinal plants used in Hmong women's healthcare in northern Thailand. Journal of Ethnopharmacology, 2012, 139, 119-135. | 2.0 | 55 |
| 100 | A Biodiversity Informatics Approach to Ethnobotany: Meta-analysis of Plant Use Patterns in Ecuador. Ecology and Society, 2012, 17, . | 1.0 | 17 |
| 101 | Cenozoic imprints on the phylogenetic structure of palm species assemblages worldwide. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 7379-7384. | 3.3 | 209 |
| 102 | Plant Diversity in Hmong and Mien Homegardens in Northern Thailand. Economic Botany, 2012, 66, 192-206. | 0.8 | 25 |
| 103 | Environment versus dispersal in the assembly of western Amazonian palm communities. Journal of Biogeography, 2012, 39, 1318-1332. | 1.4 | 61 |
| 104 | Can phylogenetic signal, character displacement, or random phenotypic drift explain the morphological variation in the genus Geonoma (Arecaceae)?. Biological Journal of the Linnean Society, 2012, 106, 528-539. | 0.7 | 31 |
| 105 | Quaternary and preâ€Quaternary historical legacies in the global distribution of a major tropical plant lineage. Global Ecology and Biogeography, 2012, 21, 909-921. | 2.7 | 91 |
| 106 | Light Converts Endosymbiotic Fungus to Pathogen, Influencing Seedling Survival and Niche-Space Filling of a Common Tropical Tree, Iriartea deltoidea. PLoS ONE, 2011, 6, e16386. | 1.1 | 136 |
| 107 | Geographical ecology of the palms (Arecaceae): determinants of diversity and distributions across spatial scales. Annals of Botany, 2011, 108, 1391-1416. | 1.4 | 234 |
| 108 | Phylogeny and divergence times of Bactridinae (Arecaceae, Palmae) based on plastid and nuclear DNA sequences. Taxon, 2011, 60, 485-498. | 0.4 | 44 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Local and regional palm (Arecaceae) species richness patterns and their cross-scale determinants in the western Amazon. Journal of Ecology, 2011, 99, 1001-1015. | 1.9 | 41 |
| 110 | A Dated Phylogeny Complements Macroecological Analysis to Explain the Diversity Patterns in Geonoma (Arecaceae). Biotropica, 2011, 43, 324-334. | 0.8 | 32 |
| 111 | Tropical and Temperate: Evolutionary History of $P\tilde{A}_i$ ramo Flora. Botanical Review, The, 2011, 77, 71-108. | 1.7 | 92 |
| 112 | Palm Harvest Impacts in North-Western South America. Botanical Review, The, 2011, 77, 370-380. | 1.7 | 22 |
| 113 | Species Diversity and Growth Forms in Tropical American Palm Communities. Botanical Review, The, 2011, 77, 381-425. | 1.7 | 60 |
| 114 | Disturbance and Resilience in Tropical American Palm Populations and Communities. Botanical Review, The, 2011, 77, 426-461. | 1.7 | 43 |
| 115 | Palm Uses in Northwestern South America: A Quantitative Review. Botanical Review, The, 2011, 77, 462-570. | 1.7 | 100 |
| 116 | Palm Management in South America. Botanical Review, The, 2011, 77, 607-646. | 1.7 | 64 |
| 117 | Testing the Water–Energy Theory on American Palms (Arecaceae) Using Geographically Weighted Regression. PLoS ONE, 2011, 6, e27027. | 1.1 | 34 |
| 118 | Traditional Knowledge, Use, and Management of Aphandra natalia (Arecaceae) in Amazonian Peru. Economic Botany, 2010, 64, 55-67. | 0.8 | 19 |
| 119 | Determinants of palm species distributions across Africa: the relative roles of climate, nonâ€climatic environmental factors, and spatial constraints. Ecography, 2010, 33, 380-391. | 2.1 | 86 |
| 120 | Topographic and spatial controls of palm species distributions in a montane rain forest, southern Ecuador. Biodiversity and Conservation, 2009, 18, 219-228. | 1.2 | 39 |
| 121 | Contrasting palm species and use diversity in the Yucatan Peninsula and the Ecuadorian Amazon. Biodiversity and Conservation, 2009, 18, 2837-2853. | 1.2 | 19 |
| 122 | Land-use history affects understorey plant species distributions in a large temperate-forest complex, Denmark. Plant Ecology, 2009, 201, 221-234. | 0.7 | 26 |
| 123 | Management and use of Nelumbo nucifera Gaertn. in Thai wetlands. Wetlands Ecology and Management, 2009, 17, 279-289. | 0.7 | 20 |
| 124 | American palm ethnomedicine: A meta-analysis. Journal of Ethnobiology and Ethnomedicine, 2009, 5, 43. | 1.1 | 61 |
| 125 | Medicinal plant knowledge and its erosion among the Mien (Yao) in northern Thailand. Journal of Ethnopharmacology, 2009, 123, 335-342. | 2.0 | 278 |
| 126 | Commonness of Amazonian palm (Arecaceae) species: Cross-scale links and potential determinants. Acta Oecologica, 2009, 35, 554-562. | 0.5 | 28 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | A synopsis of Thai Nymphaeaceae. Nordic Journal of Botany, 2009, 27, 97-114. | 0.2 | 14 |
| 128 | Impacts of 21st century climate changes on flora and vegetation in Denmark. IOP Conference Series: Earth and Environmental Science, 2009, 8, 012015. | 0.2 | 4 |
| 129 | New species of Geonoma (Palmae) from Ecuador. Brittonia, 2008, 60, 190-201. | 0.8 | 3 |
| 130 | To what extent does Tobler's 1st law of geography apply to macroecology? A case study using American palms (Arecaceae). BMC Ecology, 2008, 8, 11. | 3.0 | 44 |
| 131 | High tropical net diversification drives the New World latitudinal gradient in palm (Arecaceae) species richness. Journal of Biogeography, 2008, 35, 394-406. | 1.4 | 105 |
| 132 | Cloud frequency correlates to plant species composition in the high Andes of Ecuador. Basic and Applied Ecology, 2008, 9, 504-513. | 1.2 | 24 |
| 133 | A comparative study on medicinal plants used in Akha's traditional medicine in China and Thailand, cultural coherence or ecological divergence?. Journal of Ethnopharmacology, 2008, 116, 508-517. | 2.0 | 92 |
| 134 | Light converts endosymbiotic fungus to pathogen, influencing seedling survival and host tree recruitment. Nature Precedings, 2008, , . | 0.1 | 7 |
| 135 | Land-use history affects understorey plant species distributions in a large temperate-forest complex, Denmark. , 2008, , 221-234. | | 1 |
| 136 | Geographic flora elements in the Ecuadorian superp \tilde{A}_i ramo. Flora: Morphology, Distribution, Functional Ecology of Plants, 2007, 202, 50-61. | 0.6 | 26 |
| 137 | Influence of diversity and road access on palm extraction at landscape scale in SE Ecuador. Biodiversity and Conservation, 2007, 16, 631-642. | 1.2 | 25 |
| 138 | Edge effects on palm diversity in rain forest fragments in western Ecuador. Biodiversity and Conservation, 2007, 16, 2201-2211. | 1.2 | 20 |
| 139 | Diversity of palm uses in the western Amazon. Biodiversity and Conservation, 2007, 16, 2771-2787. | 1.2 | 75 |
| 140 | Historical legacies in the geographical diversity patterns of New World palm (Arecaceae) subfamilies. Botanical Journal of the Linnean Society, 2006, 151, 113-125. | 0.8 | 74 |
| 141 | Edaphic and Floristic Variation within a 1-ha Plot of Lowland Amazonian Rain Forest1. Biotropica, 2006, 38, 468-478. | 0.8 | 81 |
| 142 | Using the useful: characteristics of used palms in south-eastern Ecuador. Environment, Development and Sustainability, 2006, 8, 495-506. | 2.7 | 31 |
| 143 | Geographical and environmental controls of palm beta diversity in paleo-riverine terrace forests in Amazonian Peru. Plant Ecology, 2006, 186, 161-176. | 0.7 | 72 |
| 144 | Palms in Indigenous and Settler Communities in Southeastern Ecuador: Farmers' Perceptions and Cultivation Practices. Agroforestry Systems, 2006, 67, 147-158. | 0.9 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Environmental and spatial controls of palm (Arecaceae) species richness across the Americas. Global Ecology and Biogeography, 2005, 14, 423-429. | 2.7 | 101 |
| 146 | Overstorey Control of Understorey Species Composition in a Near-natural Temperate Broadleaved Forest in Denmark. Plant Ecology, 2005, 181, 113-126. | 0.7 | 45 |
| 147 | Spatial distribution and environmental preferences of the piassaba palm Aphandra natalia (Arecaceae) along the Pastaza and Urituyacu rivers in Peru. Forest Ecology and Management, 2005, 213, 175-183. | 1.4 | 39 |
| 148 | Superp \tilde{A}_i ramo plant species diversity and phytogeography in Ecuador. Flora: Morphology, Distribution, Functional Ecology of Plants, 2005, 200, 416-433. | 0.6 | 55 |
| 149 | Tree species distributions and local habitat variation in the Amazon: large forest plot in eastern Ecuador. Journal of Ecology, 2004, 92, 214-229. | 1.9 | 443 |
| 150 | Diversity and dominance in palm (Arecaceae) communities in terra firme forests in the western Amazon basin. Journal of Ecology, 2004, 92, 577-588. | 1.9 | 156 |
| 151 | Landscape diversity patterns and endemism of Araceae in Ecuador. Biodiversity and Conservation, 2004, 13, 1755-1779. | 1.2 | 9 |
| 152 | The influence of past landâ€use on understory plant distributions in a nearâ€natural deciduous forest in Denmark. Nordic Journal of Botany, 2003, 23, 69-81. | 0.2 | 10 |
| 153 | Culinary Herbs for Short-Season Gardeners. Economic Botany, 2002, 56, 95-95. | 0.8 | 0 |
| 154 | Two new species of Geonoma sect. Taenianthera (Arecaceae) from the western Amazon. Nordic Journal of Botany, 2001, 21, 341-347. | 0.2 | 8 |
| 155 | Two new Myristicaceae from Ecuador. Nordic Journal of Botany, 2001, 21, 561-566. | 0.2 | 2 |
| 156 | Traditional knowledge of Dypsis Fibrosa (Arecaceae) in Eastern Madagascar. Economic Botany, 2001, 55, 263-275. | 0.8 | 45 |
| 157 | Title is missing!. Biodiversity and Conservation, 2001, 10, 1579-1593. | 1.2 | 30 |
| 158 | Myristicaceae novelties from Ecuador. Nordic Journal of Botany, 2000, 20, 443-447. | 0.2 | 4 |
| 159 | Use and management of Totora (Schoenoplectus Californicus, Cyperaceae) in Ecuador. Economic Botany, 2000, 54, 82-89. | 0.8 | 22 |
| 160 | Vascular plant species count in a wet forest in the Choc \tilde{A}^3 area on the Pacific coast of Colombia. Biodiversity and Conservation, 1998, 7, 1563-1575. | 1.2 | 49 |
| 161 | Useful lianas of the Siona-Secoya Indians from Amazonian Ecuador. Economic Botany, 1995, 49, 269-275. | 0.8 | 29 |
| 162 | Ethnobotany of the fiber palmAstrocaryum chambira (Arecaceae) in Amazonian Ecuador. Economic Botany, 1995, 49, 309-319. | 0.8 | 33 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Growth rates and mortality patterns of tropical lowland tree species and the relation to forest structure in Amazonian Ecuador. Journal of Tropical Ecology, 1994, 10, 151-166. | 0.5 | 92 |
| 164 | High tree alpha-diversity in Amazonian Ecuador. Biodiversity and Conservation, 1994, 3, 21-28. | 1.2 | 322 |
| 165 | Growth and mortality of trees in Amazonian tropical rain forest in Ecuador. Journal of Vegetation Science, 1994, 5, 77-86. | 1.1 | 94 |
| 166 | The composition and structure of a dry, semideciduous forest in western Ecuador. Nordic Journal of Botany, 1994, 14, 425-434. | 0.2 | 17 |
| 167 | Abundance and cover of ground herbs in an Amazonian rain forest. Journal of Vegetation Science, 1991, 2, 315-322. | 1.1 | 101 |
| 168 | Attalea colenda (Arecaceae), a potential lauric oil resource. Economic Botany, 1990, 44, 360-368. | 0.8 | 8 |
| 169 | A revision of Hyospathe (Arecaceae). Nordic Journal of Botany, 1989, 9, 189-202. | 0.2 | 16 |
| 170 | DISTRIBUTION PATTERNS OF ECUADOREAN PLANT SPECIES. Taxon, 1988, 37, 567-577. | 0.4 | 51 |
| 171 | A New Ammandra (Palmae) from Ecuador. Systematic Botany, 1987, 12, 501. | 0.2 | 11 |
| 172 | A Note on the Pollination of Phytelephas microcarpa (Palmae). Biotropica, 1987, 19, 191. | 0.8 | 25 |
| 173 | Intraspecific genetic consequences of Pleistocene climate change on Lupinus microphyllus (Fabaceae) in the Andes. Alpine Botany, 0 , 1 . | 1.1 | 2 |