
Laura Dazzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5794627/publications.pdf Version: 2024-02-01



Ι ΛΙΙΡΛ ΠΛ77Ι

#	Article	IF	CITATIONS
1	Vagus nerve stimulation increases norepinephrine concentration and the gene expression of BDNF and bFGF in the rat brain. Brain Research, 2007, 1179, 28-34.	2.2	273
2	Estrous Cycle-Dependent Changes in Basal and Ethanol-Induced Activity of Cortical Dopaminergic Neurons in the Rat. Neuropsychopharmacology, 2007, 32, 892-901.	5.4	85
3	Inhibition of basal and stress-induced dopamine release in the cerebral cortex and nucleus accumbens of freely moving rats by the neurosteroid allopregnanolone. Journal of Psychopharmacology, 1996, 10, 266-272.	4.0	72
4	Opposite effects of short- versus long-term administration of fluoxetine on the concentrations of neuroactive steroids in rat plasma and brain. Psychopharmacology, 2001, 158, 48-54.	3.1	63
5	Reduced prefrontal cortical dopamine, but not acetylcholine, release in vivo after repeated, intermittent phencyclidine administration to rats. Neuroscience Letters, 1998, 258, 175-178.	2.1	55
6	Inhibition of hippocampal acetylcholine release by benzodiazepines: antagonism by flumazenil. European Journal of Pharmacology, 1993, 238, 135-137.	3.5	47
7	Depletion of cortical allopregnanolone potentiates stress-induced increase in cortical dopamine output. Brain Research, 2002, 932, 135-139.	2.2	47
8	Progesterone enhances ethanol-induced modulation of mesocortical dopamine neurons: antagonism by finasteride. Journal of Neurochemistry, 2002, 83, 1103-1109.	3.9	46
9	Chronic treatment with imipramine or mirtazapine antagonizes stress- and FG7142-induced increase in cortical norepinephrine output in freely moving rats. Synapse, 2002, 43, 70-77.	1.2	46
10	Inhibition of stress- or anxiogenic-drug-induced increases in dopamine release in the rat prefrontal cortex by long-term treatment with antidepressant drugs. Journal of Neurochemistry, 2001, 76, 1212-1220.	3.9	44
11	Inhibition by the neurosteroid allopregnanolone of basal and stress-induced acetylcholine release in the brain of freely moving rats. Brain Research, 1996, 710, 275-280.	2.2	42
12	The benzodiazepine receptor antagonist flumazenil increases acetylcholine release in rat hippocampus. Brain Research, 1994, 647, 167-171.	2.2	40
13	Effect of Pentylenetetrazoleâ€Induced Kindling on Acetylcholine Release in the Hippocampus of Freely Moving Rats. Journal of Neurochemistry, 1997, 68, 313-318.	3.9	40
14	Novel L-Dopa and Dopamine Prodrugs Containing a 2-Phenyl-imidazopyridine Moiety. Pharmaceutical Research, 2007, 24, 1309-1324.	3.5	39
15	Enhancement of basal and pentylenetetrazol (PTZ)-stimulated dopamine release in the brain of freely moving rats by PTZ-induced kindling. Synapse, 1997, 26, 351-358.	1.2	38
16	Molecular mechanisms of tolerance to and withdrawal of GABAA receptor modulators. European Neuropsychopharmacology, 2003, 13, 411-423.	0.7	38
17	Prevention of the stress-induced increase in the concentration of neuroactive steroids in rat brain by long-term administration of mirtazapine but not of fluoxetine. Journal of Psychopharmacology, 2002, 16, 133-138.	4.0	34
18	Characterization of the electrophysiological and pharmacological effects of 4-iodo-2,6-diisopropylphenol, a propofol analogue devoid of sedative-anaesthetic properties. British Journal of Pharmacology, 1999, 126, 1444-1454.	5.4	32

Laura Dazzi

#	Article	IF	CITATIONS
19	Prevention of the stress-induced increase in frontal cortical dopamine efflux of freely moving rats by long-term treatment with antidepressant drugs. European Neuropsychopharmacology, 2001, 11, 343-349.	0.7	31
20	Systemic, but not local, administration of cannabinoid CB1 receptor agonists modulate prefrontal cortical acetylcholine efflux in the rat. Synapse, 2003, 48, 178-183.	1.2	29
21	Inhibition by venlafaxine of the increase in norepinephrine output in rat prefrontal cortex elicited by acute stress or by the anxiogenic drug FG 7142. Journal of Psychopharmacology, 2002, 16, 125-131.	4.0	27
22	Synthesis and Pharmacological Evaluation of 1-[(1,2-Diphenyl-1H-4-imidazolyl)methyl]-4-phenylpiperazines with Clozapine-Like Mixed Activities at Dopamine D2, Serotonin, and GABAAReceptors. Journal of Medicinal Chemistry, 2002, 45, 4655-4668.	6.4	27
23	Rapid increase in basal acetylcholine release in the hippocampus of freely moving rats induced by withdrawal from long-term ethanol intoxication. Brain Research, 1998, 784, 347-350.	2.2	26
24	Antagonism by Abecarnil of Enhanced Acetylcholine Release in the Rat Brain During Anticipation But Not Consumption of Food. Pharmacology Biochemistry and Behavior, 1998, 59, 657-662.	2.9	23
25	Does dopamine exert a tonic inhibitory control on the release of striatal acetylcholine in vivo?. European Journal of Pharmacology, 1994, 251, 271-279.	3.5	22
26	Antagonism of the stress-induced increase in cortical norepinephrine output by the selective norepinephrine reuptake inhibitor reboxetine. European Journal of Pharmacology, 2003, 476, 55-61.	3.5	21
27	Involvement of the Cannabinoid CB1 Receptor in Modulation of Dopamine Output in the Prefrontal Cortex Associated with Food Restriction in Rats. PLoS ONE, 2014, 9, e92224.	2.5	21
28	Enhanced Glutamatergic Synaptic Plasticity in the Hippocampal CA1 Field of Food-Restricted Rats: Involvement of CB1 Receptors. Neuropsychopharmacology, 2016, 41, 1308-1318.	5.4	20
29	Neuroleptics cause stimulation of dopamine D1 receptors and their desensitization after chronic treatment. European Journal of Pharmacology, 1994, 264, 55-60.	3.5	18
30	Chronic administration of the SSRI fluvoxamine markedly and selectively reduces the sensitivity of cortical serotonergic neurons to footshock stress. European Neuropsychopharmacology, 2005, 15, 283-290.	0.7	17
31	Differential effects of abecarnil on basal release of acetylcholine and dopamine in the rat brain. European Journal of Pharmacology, 1994, 261, 205-208.	3.5	16
32	Dopamine-loaded lipid based nanocarriers for intranasal administration of the neurotransmitter: A comparative study. European Journal of Pharmaceutics and Biopharmaceutics, 2021, 167, 189-200.	4.3	15
33	A rapid method for obtaining finasteride, a 5α-reductase inhibitor, from commercial tablets. Brain Research Protocols, 2002, 9, 130-134.	1.6	14
34	Inhibition of stress-induced dopamine output in the rat prefrontal cortex by chronic treatment with olanzapine. Biological Psychiatry, 2004, 55, 477-483.	1.3	14
35	Effects of propofol, pentobarbital and alphaxalone on binding in rat cerebral cortex. European Journal of Pharmacology, 1994, 267, 207-213.	2.6	13
36	Social Isolation Blunted the Response of Mesocortical Dopaminergic Neurons to Chronic Ethanol Voluntary Intake. Frontiers in Cellular Neuroscience, 2016, 10, 155.	3.7	9

Laura Dazzi

#	Article	IF	CITATIONS
37	Role of ionotropic glutamate receptors in the regulation of hippocampal norepinephrine output in vivo. Brain Research, 2011, 1386, 41-49.	2.2	8
38	Changes in stress-stimulated allopregnanolone levels induced by neonatal estradiol treatment are associated with enhanced dopamine release in adult female rats: reversal by progesterone administration. Psychopharmacology, 2017, 234, 749-760.	3.1	8
39	Reversal by flunarizine of the decrease in hippocampal acetylcholine release in pentylenetetrazole-kindled rats. Biochemical Pharmacology, 1999, 58, 145-149.	4.4	7
40	Reversal of a selective decrease in hippocampal acetylcholine release, but not of the persistence of kindling, after discontinuation of long-term pentylenetetrazol administration in rats. Brain Research, 1997, 751, 175-179.	2.2	6
41	Allopregnanolone Modulates the Action of Ethanol and Stress on the Activity of Mesocortical Dopaminergic Neurons and HPA Axis. Frontiers in Neuroscience, 2003, , .	0.0	Ο