Kenneth Michael Cummings

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5795433/publications.pdf

Version: 2024-02-01

283 papers

11,958 citations

28190 55 h-index 96 g-index

287 all docs

287 docs citations

times ranked

287

8503 citing authors

#	Article	IF	CITATIONS
1	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. Tobacco Control, 2017, 26, 371-378.	1.8	642
2	Electronic Nicotine Delivery Systems. American Journal of Preventive Medicine, 2013, 44, 207-215.	1.6	563
3	Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. New England Journal of Medicine, 2017, 376, 342-353.	13.9	545
4	Predictors of cessation in a cohort of current and former smokers followed over 13 years. Nicotine and Tobacco Research, 2004, 6, 363-369.	1.4	324
5	Flavored Tobacco Product Use in Youth and Adults: Findings From the First Wave of the PATH Study (2013–2014). American Journal of Preventive Medicine, 2017, 53, 139-151.	1.6	266
6	2018 ACC Expert Consensus Decision Pathway on Tobacco Cessation Treatment. Journal of the American College of Cardiology, 2018, 72, 3332-3365.	1.2	219
7	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, 12219.	2.4	217
8	The Impact of Cigarette Pack Design, Descriptors, and Warning Labels on Risk Perception in the U.S American Journal of Preventive Medicine, 2011, 40, 674-682.	1.6	194
9	How much unsuccessful quitting activity is going on among adult smokers? Data from the International Tobacco Control Four Country cohort survey. Addiction, 2012, 107, 673-682.	1.7	194
10	Stop-smoking medications: Who uses them, who misuses them, and who is misinformed about them?. Nicotine and Tobacco Research, 2004, 6, 303-310.	1.4	191
11	A Longitudinal Assessment of the Impact of Smoke-Free Worksite Policies on Tobacco Use. American Journal of Public Health, 2005, 95, 1024-1029.	1.5	187
12	Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four country project. Nicotine and Tobacco Research, 2010, 12, S4-S11.	1.4	187
13	Are smokers adequately informed about the health risks of smoking and medicinal nicotine?. Nicotine and Tobacco Research, 2004, 6, 333-340.	1.4	175
14	Gender Differences in Medication Use and Cigarette Smoking Cessation: Results From the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2015, 17, 463-472.	1.4	164
15	Smoking Topography, Brand Switching, and Nicotine Delivery: Results from an In vivo Study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1370-1375.	1.1	155
16	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. Tobacco Control, 2019, 28, 629-635.	1.8	155
17	Cigarette Warning Label Policy Alternatives and Smoking-Related Health Disparities. American Journal of Preventive Medicine, 2012, 43, 590-600.	1.6	147
18	Reach, Efficacy, and Cost-effectiveness of Free Nicotine Medication Giveaway Programs. Journal of Public Health Management and Practice, 2006, 12, 37-43.	0.7	133

#	Article	IF	CITATIONS
19	Adherence to and Reasons for Premature Discontinuation From Stop-Smoking Medications: Data From the ITC Four-Country Survey. Nicotine and Tobacco Research, 2011, 13, 94-102.	1.4	132
20	A framework for evaluating the public health impact of e-cigarettes and other vaporized nicotine products. Addiction, 2017, 112, 8-17.	1.7	131
21	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. International Journal of Environmental Research and Public Health, 2014, 11, 11691-11704.	1.2	129
22	Indicators of dependence for different types of tobacco product users: Descriptive findings from Wave 1 (2013–2014) of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2017, 178, 257-266.	1.6	118
23	The Changing Public Image of Smoking in the United States: 1964–2014. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 32-36.	1.1	111
24	Functional brain imaging predicts public health campaign success. Social Cognitive and Affective Neuroscience, 2016, 11, 204-214.	1.5	106
25	Transitions in electronic cigarette use among adults in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1 and 2 (2013–2015). Tobacco Control, 2018, 28, tobaccocontrol-2017-054174.	1.8	105
26	Association of Flavored Tobacco Use With Tobacco Initiation and Subsequent Use Among US Youth and Adults, 2013-2015. JAMA Network Open, 2019, 2, e1913804.	2.8	103
27	Mediational pathways of the impact of cigarette warning labels on quit attempts Health Psychology, 2014, 33, 1410-1420.	1.3	102
28	Attitudes and beliefs about secondhand smoke and smoke-free policies in four countries: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2009, 11, 642-649.	1.4	100
29	Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005. Nicotine and Tobacco Research, 2008, 10, 1209-1214.	1.4	95
30	Toxic Metal Concentrations in Cigarettes Obtained from U.S. Smokers in 2009: Results from the International Tobacco Control (ITC) United States Survey Cohort. International Journal of Environmental Research and Public Health, 2014, 11, 202-217.	1.2	95
31	Trends in use of electronic nicotine delivery systems by adolescents. Addictive Behaviors, 2014, 39, 338-340.	1.7	94
32	An Outbreak of Invasive Aspergillosis Among Allogeneic Bone Marrow Transplants: A Case-Control Study. Infection Control, 1985, 6, 347-355.	0.5	91
33	Use of and beliefs about light cigarettes in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. Nicotine and Tobacco Research, 2004, 6, 311-321.	1.4	85
34	The Application of a Decision-Theoretic Model to Estimate the Public Health Impact of Vaporized Nicotine Product Initiation in the United States. Nicotine and Tobacco Research, 2017, 19, 149-159.	1.4	83
35	Accuracy of self-reported tobacco use in newly diagnosed cancer patients. Cancer Causes and Control, 2013, 24, 1223-1230.	0.8	82
36	Socio-Economic Variation in Price Minimizing Behaviors: Findings from the International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 234-252.	1.2	81

#	Article	IF	CITATIONS
37	Alternate Tobacco Product and Drug Use Among Adolescents Who Use Electronic Cigarettes, Cigarettes Only, and Never Smokers. Journal of Adolescent Health, 2014, 55, 588-591.	1.2	80
38	Cigarette Filter Ventilation and its Relationship to Increasing Rates of Lung Adenocarcinoma. Journal of the National Cancer Institute, $2017, 109, \ldots$	3.0	79
39	Environmental Influences on Tobacco Use: Evidence from Societal and Community Influences on Tobacco Use and Dependence. Annual Review of Clinical Psychology, 2009, 5, 433-458.	6.3	76
40	Effectiveness of stopâ€smoking medications: findings from the <scp>I</scp> nternational <scp>T</scp> obacco <scp>C</scp> ontrol (<scp>ITC</scp>) <scp>F</scp> our <scp>C</scp> ountry <scp>S</scp> urvey. Addiction, 2013, 108, 193-202.	1.7	76
41	What would menthol smokers do if menthol in cigarettes were banned? Behavioral intentions and simulated demand. Addiction, 2012, 107, 1330-1338.	1.7	75
42	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	1.7	74
43	Reasons for regular vaping and for its discontinuation among smokers and recent exâ€smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 35-48.	1.7	74
44	Cigarette brands with flavour capsules in the filter: trends in use and brand perceptions among smokers in the USA, Mexico and Australia, 2012–2014. Tobacco Control, 2016, 25, 275-283.	1.8	72
45	Identifying Targeted Strategies to Improve Smoking Cessation Support for Cancer Patients. Journal of Thoracic Oncology, 2015, 10, 1532-1537.	0.5	67
46	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2015, 17, 1203-1211.	1.4	66
47	Prevalence of awareness, everâ€use and current use of nicotine vaping products (NVPs) among adult current smokers and exâ€smokers in 14 countries with differing regulations on sales and marketing of NVPs: crossâ€sectional findings from the ITC Project. Addiction, 2019, 114, 1060-1073.	1.7	66
48	Automated tobacco assessment and cessation support for cancer patients. Cancer, 2014, 120, 562-569.	2.0	64
49	Programs and policies to discourage the use of tobacco products. Oncogene, 2002, 21, 7349-7364.	2.6	63
50	The Quitting Rollercoaster: How Recent Quitting History Affects Future Cessation Outcomes (Data) Tj ETQq0 0 0 2013, 15, 1578-1587.	rgBT /Ove 1.4	erlock 10 Tf ! 63
51	Accuracy of self-reported tobacco assessments in a head and neck cancer treatment population. Radiotherapy and Oncology, 2012, 103, 45-48.	0.3	62
52	Clinical Strategies to Enhance the Efficacy of Nicotine Replacement Therapy for Smoking Cessation: A Review of the Literature. Drugs, 2013, 73, 407-426.	4.9	61
53	What Do Cigarette Pack Colors Communicate to Smokers in the U.S.?. American Journal of Preventive Medicine, 2011, 40, 683-689.	1.6	59
54	Systematic Biases in Cross-sectional Community Studies may Underestimate the Effectiveness of Stop-Smoking Medications. Nicotine and Tobacco Research, 2012, 14, 1483-1487.	1.4	58

#	Article	IF	Citations
55	US smokers' reactions to a brief trial of oral nicotine products. Harm Reduction Journal, 2011, 8, 1.	1.3	57
56	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (soâ€called â€dual use'): findings from the ITCâ€4 Country Smoking and Vaping wave 1 Survey. Addiction, 2019, 114, 24-34.	1.7	57
57	Feasibility of Implementing a Hospital-Based "Opt-Out―Tobacco-Cessation Service. Nicotine and Tobacco Research, 2017, 19, 937-943.	1.4	56
58	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. Nicotine and Tobacco Research, 2017, 19, 1268-1276.	1.4	56
59	A Naturalistic, Randomized Pilot Trial of E-Cigarettes: Uptake, Exposure, and Behavioral Effects. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1795-1803.	1.1	56
60	Influence of smoking on the development of lung metastases from breast cancer. Cancer, 1995, 75, 2693-2699.	2.0	55
61	Cigarettes sold in China: design, emissions and metals. Tobacco Control, 2010, 19, i47-i53.	1.8	54
62	Impact of the removal of misleading terms on cigarette pack on smokers' beliefs about â€light/mild' cigarettes: crossâ€country comparisons. Addiction, 2011, 106, 2204-2213.	1.7	54
63	Patient willingness and barriers to receiving a CT scan for lung cancer screening. Lung Cancer, 2014, 84, 307-309.	0.9	51
64	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2017, 19, 258-263.	1.4	51
65	Mental Health Problems and Onset of Tobacco Use Among 12- to 24-Year-Olds in the PATH Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 944-954.e4.	0.3	51
66	Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2019, 16, 4630.	1.2	51
67	Evaluating the Effect of Access to Free Medication to Quit Smoking: A Clinical Trial Testing the Role of Motivation. Nicotine and Tobacco Research, 2014, 16, 992-999.	1.4	49
68	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. Preventive Medicine, 2016, 88, 59-65.	1.6	49
69	The Cigarette Controversy. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1070-1076.	1.1	48
70	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. PLoS ONE, 2020, 15, e0237938.	1.1	48
71	Evaluating the impact of menthol cigarette bans on cessation and smoking behaviours in Canada: longitudinal findings from the Canadian arm of the 2016–2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2022, 31, 556-563.	1.8	48
72	Smokers' cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. PLoS ONE, 2021, 16, e0252427.	1.1	48

#	Article	IF	CITATIONS
73	Lung cancer histologic types and family history of cancer. Analysis of histologic subtypes of 872 patients with primary lung cancer. Cancer, 1993, 72, 1192-1198.	2.0	47
74	Attributable Failure of First-line Cancer Treatment and Incremental Costs Associated With Smoking by Patients With Cancer. JAMA Network Open, 2019, 2, e191703.	2.8	47
75	E-Cigarettes and Cancer Patients. Journal of Thoracic Oncology, 2014, 9, 438-441.	0.5	46
76	Does Reactance against Cigarette Warning Labels Matter? Warning Label Responses and Downstream Smoking Cessation amongst Adult Smokers in Australia, Canada, Mexico and the United States. PLoS ONE, 2016, 11, e0159245.	1.1	46
77	Cannabis Use, Lung Cancer, and Related Issues. Journal of Thoracic Oncology, 2018, 13, 480-487.	0.5	46
78	Longitudinal associations between youth tobacco and substance use in waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Drug and Alcohol Dependence, 2018, 191, 25-36.	1.6	45
79	Incidence of Nosocomial Aspergillosis in Patients with Leukemia Over a Twenty-Year Period. Infection Control and Hospital Epidemiology, 1989, 10, 299-305.	1.0	44
80	Assessing Consumer Responses to Potential Reduced-Exposure Tobacco Products: A Review of Tobacco Industry and Independent Research Methods. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3225-3240.	1.1	44
81	The U.S. National <i>Tips From Former Smokers</i> Antismoking Campaign. Health Education and Behavior, 2015, 42, 480-486.	1.3	43
82	Do predictors of smoking relapse change as a function of duration of abstinence? Findings from the United States, Canada, United Kingdom and Australia. Addiction, 2018, 113, 1295-1304.	1.7	43
83	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. Addictive Behaviors, 2020, 106, 106337.	1.7	43
84	The Association of E-cigarette Flavors With Satisfaction, Enjoyment, and Trying to Quit or Stay Abstinent From Smoking Among Regular Adult Vapers From Canada and the United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2020, 22, 1831-1841.	1.4	42
85	The Effectiveness of Tobacco Marketing Regulations on Reducing Smokers' Exposure to Advertising and Promotion: Findings from the International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 321-340.	1.2	41
86	Behavioral economic substitution between conventional cigarettes and e-cigarettes differs as a function of the frequency of e-cigarette use. Drug and Alcohol Dependence, 2017, 177, 14-22.	1.6	41
87	What do Marlboro Lights smokers know about low-tar cigarettes?. Nicotine and Tobacco Research, 2004, 6, 323-332.	1.4	40
88	Perceptions of "Natural―and "Additive-Free―Cigarettes and Intentions to Purchase. Health Education and Behavior, 2017, 44, 222-226.	1.3	40
89	Longitudinal e-Cigarette and Cigarette Use Among US Youth in the PATH Study (2013–2015). Journal of the National Cancer Institute, 2019, 111, 1088-1096.	3.0	40
90	Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Preventive Medicine, 2019, 123, 185-191.	1.6	40

#	Article	IF	CITATIONS
91	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013–14 baseline wave 1 of the path study. Addictive Behaviors, 2019, 91, 180-187.	1.7	40
92	Switching Between Menthol and Nonmenthol Cigarettes: Findings From the U.S. Cohort of the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2014, 16, 1255-1265.	1.4	39
93	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. Nicotine and Tobacco Research, 2015, 17, 870-875.	1.4	39
94	Trends in market share of leading cigarette brands in the USA: national survey on drug use and health 2002–2013. BMJ Open, 2016, 6, e008813.	0.8	39
95	Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. Tobacco Control, 2016, 25, 181-187.	1.8	38
96	Where Do Vapers Buy Their Vaping Supplies? Findings from the International Tobacco Control (ITC) 4 Country Smoking and Vaping Survey. International Journal of Environmental Research and Public Health, 2019, 16, 338.	1.2	37
97	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. Nicotine and Tobacco Research, 2019, 21, 887-895.	1.4	36
98	A randomized trial for hazardous drinking and smoking cessation for callers to a quitline Journal of Consulting and Clinical Psychology, 2015, 83, 445-454.	1.6	35
99	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2010, 12, S64-S71.	1.4	33
100	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. Nicotine and Tobacco Research, 2012, 14, 1474-1482.	1.4	33
101	The Association of Exposure to Point-of-Sale Tobacco Marketing with Quit Attempt and Quit Success: Results from a Prospective Study of Smokers in the United States. International Journal of Environmental Research and Public Health, 2016, 13, 203.	1.2	33
102	The Impact of E-liquid Propylene Glycol and Vegetable Glycerin Ratio on Ratings of Subjective Effects, Reinforcement Value, and Use in Current Smokers. Nicotine and Tobacco Research, 2020, 22, 791-797.	1.4	33
103	Tobacco expenditure, smokingâ€induced deprivation and financial stress: Results from the International Tobacco Control (ITC) Fourâ€Country Survey. Drug and Alcohol Review, 2012, 31, 664-671.	1.1	32
104	Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 2098.	1.2	32
105	Nosocomial Infection Rates at an Oncology Center. Infection Control and Hospital Epidemiology, 1988, 9, 13-19.	1.0	31
106	Effect of an Evidence-based Inpatient Tobacco Dependence Treatment Service on 30-, 90-, and 180-Day Hospital Readmission Rates. Medical Care, 2018, 56, 358-363.	1.1	31
107	Nicotine replacement therapy sampling for smoking cessation within primary care: results from a pragmatic cluster randomized clinical trial. Addiction, 2020, 115, 1358-1367.	1.7	31
108	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. International Journal of Drug Policy, 2020, 79, 102754.	1.6	31

#	Article	IF	Citations
109	Usage Patterns of Stop Smoking Medications in Australia, Canada, the United Kingdom, and the United States: Findings from the 2006–2008 International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 222-233.	1.2	30
110	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light,―"Mild,―or "Low― Nicotine and Tobacco Research, 2016, 18, 2115-2123.	1.4	30
111	What Is Accounting for the Rapid Decline in Cigarette Sales in Japan?. International Journal of Environmental Research and Public Health, 2020, 17, 3570.	1.2	30
112	Costs of Giving Out Free Nicotine Patches Through a Telephone Quit Line. Journal of Public Health Management and Practice, 2011, 17, E16-E23.	0.7	29
113	Australian smokers' support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. Tobacco Control, 2015, 24, 616-621.	1.8	29
114	Association of e-Cigarette Use With Discontinuation of Cigarette Smoking Among Adult Smokers Who Were Initially Never Planning to Quit. JAMA Network Open, 2021, 4, e2140880.	2.8	29
115	Cancer surveillance in a northeastern native American population. Cancer, 1989, 64, 191-195.	2.0	28
116	The potential impact of a low-nitrosamine smokeless tobacco product on cigarette smoking in the United States: Estimates of a panel of experts. Addictive Behaviors, 2006, 31, 1190-1200.	1.7	28
117	Promoting cessation resources through cigarette package warning labels: a longitudinal survey with adult smokers in Canada, Australia and Mexico. Tobacco Control, 2015, 24, e23-e31.	1.8	28
118	Behavioral Economic Purchase Tasks to Estimate Demand for Novel Nicotine/tobacco Products and Prospectively Predict Future Use: Evidence From The Netherlands. Nicotine and Tobacco Research, 2019, 21, 784-791.	1.4	28
119	Australian smokers support stronger regulatory controls on tobacco: findings from the ITC Four-Country Survey. Australian and New Zealand Journal of Public Health, 2007, 31, 164-169.	0.8	27
120	Relationship of Cigarette-Related Perceptions to Cigarette Design Features: Findings From the 2009 ITC U.S. Survey. Nicotine and Tobacco Research, 2013, 15, 1943-1947.	1.4	27
121	Effect of an Evidence-based Inpatient Tobacco Dependence Treatment Service on 1-Year Postdischarge Health Care Costs. Medical Care, 2018, 56, 883-889.	1.1	27
122	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 15-23.	1.7	27
123	Transitions in Tobacco Product Use by U.S. Adults between 2013–2014 and 2014–2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2515.	1.2	26
124	Nicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings From ITC Surveys in Five Countries. Nicotine and Tobacco Research, 2017, 19, 1040-1047.	1.4	25
125	Predictive validity of the adult tobacco dependence index: Findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2020, 214, 108134.	1.6	25
126	An Economic Analysis of the Pre-Deeming US Market for Nicotine Vaping Products. Tobacco Regulatory Science (discontinued), 2019, 5, 169-181.	0.2	24

#	Article	IF	CITATIONS
127	Menthol and Mint Cigarettes and Cigars: Initiation and Progression in Youth, Young Adults and Adults in Waves 1–4 of the PATH Study, 2013–2017. Nicotine and Tobacco Research, 2021, 23, 1318-1326.	1.4	24
128	Hospital admissions for acute myocardial infarction before and after implementation of a comprehensive smoke-free policy in Uruguay: experience through 2010. Tobacco Control, 2014, 23, 471-472.	1.8	23
129	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1611-1616.	1.4	23
130	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Fourâ€Country survey (2002–14). Addiction, 2021, 116, 2509-2520.	1.7	22
131	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1699-1707.	1.4	22
132	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2020, , tobaccocontrol-2020-055985.	1.8	21
133	Smoking Cessation After a Cancer Diagnosis Is Associated With Improved Survival. Journal of Thoracic Oncology, 2020, 15, 705-708.	0.5	21
134	Risk factor and behavioral correlates of willingness to participate in cancer prevention trials. Nutrition and Cancer, 1985, 7, 189-198.	0.9	20
135	Trends in cigarette pricing and purchasing patterns in a sample of US smokers: findings from the ITC US Surveys (2002-2011). Tobacco Control, 2015, 24, iii4-iii10.	1.8	20
136	A Novel Method for Evaluating the Acceptability of Substitutes for Cigarettes: The Experimental Tobacco Marketplace. Tobacco Regulatory Science (discontinued), 2017, 3, 266-279.	0.2	20
137	Filter presence and tipping paper color influence consumer perceptions of cigarettes. BMC Public Health, 2015, 15, 1279.	1.2	19
138	The association of point-of-sale cigarette marketing with cravings to smoke: results from a cross-sectional population-based study. Tobacco Control, 2016, 25, 402-405.	1.8	19
139	Evaluation of modified risk claim advertising formats for Camel Snus. Health Education Journal, 2017, 76, 971-985.	0.6	19
140	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 49-60.	1.7	19
141	Cannabis use among a nationally representative cross-sectional sample of smokers and non-smokers in the Netherlands: results from the 2015 ITC Netherlands Gold Magic Survey. BMJ Open, 2019, 9, E024497.	0.8	19
142	Flavour types used by youth and adult tobacco users in wave 2 of the Population Assessment of Tobacco and Health (PATH) Study 2014–2015. Tobacco Control, 2019, 29, tobaccocontrol-2018-054852.	1.8	18
143	How are adolescents getting their vaping products? Findings from the international tobacco control (ITC) youth tobacco and vaping survey. Addictive Behaviors, 2020, 105, 106345.	1.7	18
144	The Illegal Experimental Tobacco Marketplace I: Effects of Vaping Product Bans. Nicotine and Tobacco Research, 2021, 23, 1744-1753.	1.4	18

#	Article	IF	CITATIONS
145	Increasing Cannabis Use Is Associated With Poorer Cigarette Smoking Cessation Outcomes: Findings From the ITC Four Country Smoking and Vaping Surveys, 2016–2018. Nicotine and Tobacco Research, 2022, 24, 53-59.	1.4	18
146	Responses to potential nicotine vaping product flavor restrictions among regular vapers using non-tobacco flavors: Findings from the 2020 ITC Smoking and Vaping Survey in Canada, England and the United States. Addictive Behaviors, 2022, 125, 107152.	1.7	18
147	Cancer mortality in a northeastern native American population. Cancer, 1989, 64, 187-190.	2.0	17
148	Does Extended Pre Quit Bupropion Aid in Extinguishing Smoking Behavior?. Nicotine and Tobacco Research, 2015, 17, 1377-1384.	1.4	17
149	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. International Journal of Drug Policy, 2016, 29, 73-79.	1.6	17
150	Internalized Smoking Stigma in Relation to Quit Intentions, Quit Attempts, and Current E-Cigarette Use. Substance Abuse, 2017, 38, 330-336.	1.1	17
151	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 71-85.	1.7	17
152	How Does the Use of Flavored Nicotine Vaping Products Relate to Progression Toward Quitting Smoking? Findings From the 2016 and 2018 ITC 4CV Surveys. Nicotine and Tobacco Research, 2021, 23, 1490-1497.	1.4	17
153	Support for tobacco control interventions: do country of origin and socioeconomic status make a difference?. International Journal of Public Health, 2012, 57, 777-786.	1.0	16
154	"Teachable Moment―Interventions in Lung Cancer: Why Action Matters. Journal of Thoracic Oncology, 2018, 13, 603-605.	0.5	16
155	A modeling approach to gauging the effects of nicotine vaping product use on cessation from cigarettes: what do we know, what do we need to know?. Addiction, 2019, 114, 86-96.	1.7	16
156	College Students' Expectancies for Light Cigarettes and Potential Reduced Exposure Products. American Journal of Health Behavior, 2007, 31, 402-410.	0.6	15
157	Adult interest in using a hypothetical modified risk tobacco product: findings from wave 1 of the Population Assessment of Tobacco and Health Study (2013–14). Addiction, 2018, 113, 113-124.	1.7	15
158	Does Adding Information on Toxic Constituents to Cigarette Pack Warnings Increase Smokers' Perceptions About the Health Risks of Smoking? A Longitudinal Study in Australia, Canada, Mexico, and the United States. Health Education and Behavior, 2018, 45, 32-42.	1.3	15
159	Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013–2014 and 2014–2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2556.	1.2	15
160	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. Nicotine and Tobacco Research, 2021, 23, 276-285.	1.4	15
161	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 678-686.	1.4	15
162	Which tobacco control policies do smokers support? Findings from the International Tobacco Control Four Country Smoking and Vaping Survey. Preventive Medicine, 2021, 149, 106600.	1.6	15

#	Article	IF	CITATIONS
163	College students' expectancies for light cigarettes and potential reduced exposure products. American Journal of Health Behavior, 2007, 31, 402-10.	0.6	15
164	Consumer acceptable risk: how cigarette companies have responded to accusations that their products are defective. Tobacco Control, 2006, 15, iv84-iv89.	1.8	14
165	Delay discounting and e-cigarette use: An investigation in current, former, and never cigarette smokers. Drug and Alcohol Dependence, 2018, 191, 165-173.	1.6	14
166	Costs of vaping: evidence from ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2021, 30, 94-97.	1.8	14
167	Biomarkers of Inflammation and Oxidative Stress among Adult Former Smoker, Current E-Cigarette Usersâ€"Results from Wave 1 PATH Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1947-1955.	1.1	14
168	The prevalence of brand switching among adult smokers in the USA, 2006–2011: findings from the ITC US surveys. Tobacco Control, 2015, 24, 609-615.	1.8	13
169	Tobacco Use Prevalence and Outcomes Among Perinatal Patients Assessed Through an "Opt-out― Cessation and Follow-Up Clinical Program. Maternal and Child Health Journal, 2017, 21, 1790-1797.	0.7	13
170	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: crossâ€sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 97-106.	1.7	13
171	Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2019, 16, 4862.	1.2	13
172	Validation of the Wave 1 and Wave 2 Population Assessment of Tobacco and Health (PATH) Study Indicators of Tobacco Dependence Using Biomarkers of Nicotine Exposure Across Tobacco Products. Nicotine and Tobacco Research, 2022, 24, 10-19.	1.4	13
173	Tobacco Use and Respiratory Symptoms Among Adults: Findings From the Longitudinal Population Assessment of Tobacco and Health (PATH) Study 2014–2016. Nicotine and Tobacco Research, 2022, 24, 1607-1618.	1.4	13
174	Brief, Instructional Smokeless Tobacco Use Among Cigarette Smokers Who Do Not Intend to Quit: A Pilot Randomized Clinical Trial. Nicotine and Tobacco Research, 2014, 16, 397-405.	1.4	12
175	Effectiveness of Switching Smoking-Cessation Medications Following Relapse. American Journal of Preventive Medicine, 2017, 53, e63-e70.	1.6	12
176	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002–2015. Tobacco Control, 2017, 26, 641-648.	1.8	12
177	The past is not the future in tobacco control. Preventive Medicine, 2020, 140, 106183.	1.6	12
178	The Public Health Gains Had Cigarette Companies Chosen to Sell Very Low Nicotine Cigarettes. Nicotine and Tobacco Research, 2021, 23, 438-446.	1.4	12
179	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. Tobacco Prevention and Cessation, 2019, 5, 49.	0.2	12
180	Impact of Canada's menthol cigarette ban on quitting among menthol smokers: pooled analysis of pre–post evaluation from the ITC Project and the Ontario Menthol Ban Study and projections of impact in the USA. Tobacco Control, 2023, 32, 734-738.	1.8	12

#	Article	IF	Citations
181	The impact of vaping and regulatory environment on cigarette demand: behavioral economic perspective across four countries. Addiction, 2019, 114, 123-133.	1.7	11
182	Do Smokers' Perceptions of the Harmfulness of Nicotine Replacement Therapy and Nicotine Vaping Products as Compared to Cigarettes Influence Their Use as an Aid for Smoking Cessation? Findings from the ITC Four Country Smoking and Vaping Surveys. Nicotine and Tobacco Research, 2022, 24, 1413-1421.	1.4	11
183	Report of the Tobacco Policy Research Study Group on Tobacco Marketing and Promotion. Tobacco Control, 1992, 1, S19-S23.	1.8	10
184	Impact of a brief telephone referral on quitline use, quit attempts and abstinence. Health Education Research, 2015, 30, 134-139.	1.0	10
185	State Tobacco Policies as Predictors of Evidence-Based Cessation Method Usage: Results From a Large, Nationally Representative Dataset. Nicotine and Tobacco Research, 2018, 20, 1336-1343.	1.4	10
186	Awareness and interest in lung cancer screening among current and former smokers: findings from the ITC United States Survey. Cancer Causes and Control, 2019, 30, 733-745.	0.8	10
187	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 134-143.	1.7	10
188	Impact of Cigarette Filter Ventilation on U.S. Smokers' Perceptions and Biomarkers of Exposure and Potential Harm. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 38-44.	1.1	10
189	E-cigarette use and change in plans to quit cigarette smoking among adult smokers in the United States: Longitudinal findings from the PATH Study 2014–2019. Addictive Behaviors, 2022, 124, 107124.	1.7	10
190	Follow the money: a closer look at US tobacco industry marketing expenditures. Tobacco Control, 2023, 32, 575-582.	1.8	10
191	Effects of tobacco control policies on smoking prevalence and tobacco-attributable deaths in Mexico: the SimSmoke model. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 316-25.	0.6	10
192	Vitamin A and tumor recurrence in bladder cancer. Nutrition and Cancer, 1987, 9, 143-146.	0.9	9
193	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. International Journal of Environmental Research and Public Health, 2019, 16, 1412.	1.2	9
194	Cardiovascular Risk Factor and Disease Measures from the Population Assessment of Tobacco and Health (PATH) Study. International Journal of Environmental Research and Public Health, 2021, 18, 7692.	1.2	9
195	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. Tobacco Control, 2023, 32, 153-162.	1.8	9
196	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. Nicotine and Tobacco Research, 2021, , .	1.4	9
197	Cost and Effectiveness of Combination Nicotine Replacement Therapy Among Heavy Smokers Contacting a Quitline. Journal of Smoking Cessation, 2016, 11, 50-59.	0.3	8
198	A longitudinal, naturalistic study of U.S. smokers' trial and adoption of snus. Addictive Behaviors, 2016, 63, 82-88.	1.7	8

#	Article	IF	CITATIONS
199	Relapse-Prevention Booklets as an Adjunct to a Tobacco Quitline: A Randomized Controlled Effectiveness Trial. Nicotine and Tobacco Research, 2016, 18, 298-305.	1.4	8
200	Who Opted Out of an Opt-Out Smoking-Cessation Programme for Hospitalised Patients?. Journal of Smoking Cessation, 2017, 12, 199-204.	0.3	8
201	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2019, 29, tobaccocontrol-2018-054650.	1.8	8
202	Support for Minimum Legal Sales Age Laws Set to Age 21 Across Australia, Canada, England, and United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2020, 22, 2266-2270.	1.4	8
203	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	1.2	8
204	E-cigarettes: striking the right balance. Lancet Public Health, The, 2020, 5, e180-e181.	4.7	8
205	Trends in Social Norms Towards Smoking Between 2002 and 2015 Among Daily Smokers: Findings From the International Tobacco Control Four Country Survey (ITC 4C). Nicotine and Tobacco Research, 2021, 23, 203-211.	1.4	8
206	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2022, 31, e66-e73.	1.8	8
207	Tobacco Product Use and Functionally Important Respiratory Symptoms Among US Adolescents/Young Adults. Academic Pediatrics, 2022, 22, 1006-1016.	1.0	8
208	Oral Nicotine Product Awareness and Use Among People Who Smoke and Vape in the U.S American Journal of Preventive Medicine, 2022, 63, 611-618.	1.6	8
209	Validation of a Measure of Normative Beliefs About Smokeless Tobacco Use. Nicotine and Tobacco Research, 2016, 18, 801-808.	1.4	7
210	Prices, use restrictions and electronic cigarette useâ€"evidence from wave 1 (2016) US data of the ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 115-122.	1.7	7
211	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. Drug and Alcohol Dependence, 2020, 207, 107818.	1.6	7
212	What kind of smoking identity following quitting would elevate smokers relapse risk?. Addictive Behaviors, 2021, 112, 106654.	1.7	7
213	An Analysis of the FTC's Attempt to Stop the Altria-Juul Labs Deal. Tobacco Regulatory Science (discontinued), 2020, 6, 302-305.	0.2	7
214	Identfying barriers to providing tobacco cessation support for cancer patients Journal of Clinical Oncology, 2014, 32, 1578-1578.	0.8	7
215	The need for a comprehensive framework. Addiction, 2017, 112, 22-24.	1.7	6
216	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 107-114.	1.7	6

#	Article	IF	Citations
217	Self-Reported Exposure to Secondhand Smoke and Support for Complete Smoking Bans in Multiunit Housing Among Smokers in the United States, Canada, and the United Kingdom. Preventing Chronic Disease, 2020, 17, E147.	1.7	6
218	Identifying factors that conjointly influence nicotine vaping product relative harm perception among smokers and recent ex-smokers: Findings from the 2016 ITC Four Country Smoking and Vaping Survey. Drug and Alcohol Dependence, 2021, 218, 108370.	1.6	6
219	Associations between cancer diagnosis and patients' responses to an inpatient tobacco treatment intervention. Cancer Medicine, 2021, 10, 5329-5337.	1.3	6
220	Validation of an Index for Functionally Important Respiratory Symptoms among Adults in the Nationally Representative Population Assessment of Tobacco and Health Study, 2014–2016. International Journal of Environmental Research and Public Health, 2021, 18, 9688.	1.2	6
221	Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016–2018). Tobacco Prevention and Cessation, 2020, 6, 1-10.	0.2	6
222	Can Capitalism Advance the Goals of Tobacco Control?. Addiction, 2002, 97, 957-958.	1.7	5
223	Application of the Smokeless Tobacco Expectancies Questionnaire to Snus. American Journal of Health Behavior, 2016, 40, 652-658.	0.6	5
224	Smoking Isn't Cool Anymore. Journal of Public Health Management and Practice, 2016, 22, 5-8.	0.7	5
225	The differential impact of state tobacco control policies on cessation treatment utilization across established tobacco disparities groups. Preventive Medicine, 2017, 105, 319-325.	1.6	5
226	Longer duration of smoking abstinence is associated with waning cessation fatigue. Behaviour Research and Therapy, 2019, 115, 12-18.	1.6	5
227	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016†2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2020, , tobaccocontrol-2020-055739.	1.8	5
228	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2023, 32, 51-59.	1.8	5
229	Smokers' awareness of filter ventilation, and how they believe it affects them: findings from the ITC Four Country Survey. Tobacco Control, 2023, 32, 93-98.	1.8	5
230	Differences in Cigarette Design and Metal Content across Five Countries: Results from the International Tobacco Control (ITC) Project. Tobacco Regulatory Science (discontinued), 2016, 2, 166-175.	0.2	5
231	Association of Electronic Nicotine Delivery System Use With Cigarette Smoking Progression or Reduction Among Young Adults. JAMA Network Open, 2020, 3, e2015893.	2.8	5
232	Do number of smoking friends and changes over time predict smoking relapse? Findings from the International Tobacco Control Four-Country Survey. Journal of Substance Abuse Treatment, 2022, 138, 108763.	1.5	5
233	Predictors of E-cigarette and Cigarette Use Trajectory Classes from Early Adolescence to Emerging Adulthood Across Four Years (2013–2017) of the PATH Study. Nicotine and Tobacco Research, 2023, 25, 421-429.	1.4	5
234	Mexico <i>SimSmoke</i> : how changes in tobacco control policies would impact smoking prevalence and smoking attributable deaths in Mexico. Global Public Health, 2017, 12, 830-845.	1.0	4

#	Article	IF	CITATIONS
235	Nicotine Replacement Therapy Use Predicts Smoking and Drinking Outcomes among Heavy-Drinking Smokers Calling a Tobacco Quitline. Journal of Smoking Cessation, 2017, 12, 99-104.	0.3	4
236	Another Article About Eâ€Cigarettes: Why Should I Care?. Journal of the American Heart Association, 2018, 7, .	1.6	4
237	Smokeless Tobacco Use and Prevalence of Cardiovascular Disease Among Males in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1–4. Preventive Medicine Reports, 2022, 25, 101650.	0.8	4
238	Was COVID-19 associated with increased cigarette purchasing, consumption, and smoking at home among US smokers in early 2020? Findings from the US arm of the International Tobacco Control (ITC) Four Country Smoking and Vaping Survey. Addictive Behaviors, 2022, 129, 107276.	1.7	4
239	Cardiovascular Outcomes among Combustible-Tobacco and Electronic Nicotine Delivery System (ENDS) Users in Waves 1 through 5 of the Population Assessment of Tobacco and Health (PATH) Study, 2013–2019. International Journal of Environmental Research and Public Health, 2022, 19, 4137.	1.2	4
240	The current status of early detection and screening for colorectal cancer. Journal of Surgical Oncology, 1986, 2, 215-224.	1.4	3
241	Involving older americans in the war on tobacco. The American stop smoking intervention study for cancer prevention. Cancer, 1994, 74, 2062-2066.	2.0	3
242	Business as usual is not acceptable. Cancer, 2015, 121, 2864-2865.	2.0	3
243	Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al Nicotine and Tobacco Research, 2017, 19, 268-270.	1.4	3
244	Patient Cessation Activity after Automatic Referral to a Dedicated Cessation Support Service. Journal of Smoking Cessation, 2018, 13, 78-86.	0.3	3
245	Behavioral Outcomes of Nicotine Reduction in Current Adult Smokers. Nicotine and Tobacco Research, 2019, 21, S125-S127.	1.4	3
246	A Collaborative Model for Facilitating the Delivery of Smoking Cessation Treatments to Cancer Patients: Results From Three Oncology Practices in South Carolina. Journal of Smoking Cessation, 2019, 14, 112-124.	0.3	3
247	What's in a number?. Addiction, 2020, 115, 814-815.	1.7	3
248	Estimating the Impact of Tobacco Parity and Harm Reduction Tax Proposals Using the Experimental Tobacco Marketplace. International Journal of Environmental Research and Public Health, 2021, 18, 7835.	1.2	3
249	Age-Related Interactions on Key Theoretical Determinants of Smoking Cessation: Findings from the ITC Four Country Smoking and Vaping Surveys (2016–2020). Nicotine and Tobacco Research, 2022, 24, 679-689.	1.4	3
250	Risk perceptions and continued smoking as a function of cigarette filter ventilation level among US youth and young adults who smoke. Tobacco Control, 2023, 32, 473-479.	1.8	3
251	Do postâ€quitting experiences predict smoking relapse among former smokers in Australia and the United Kingdom? Findings from the International Tobacco Control Surveys. Drug and Alcohol Review, 2022, 41, 883-889.	1.1	3
252	Tobacco Treatment Outcomes for Hospital Patients With and Without Mental Health Diagnoses. Frontiers in Psychiatry, 2022, 13, .	1.3	3

#	Article	IF	CITATIONS
253	Correlates of tobacco product initiation among youth and young adults between waves $1\hat{a}\in$ 4 of the population assessment of tobacco and Health (PATH) study (2013 $\hat{a}\in$ 2018). Addictive Behaviors, 2022, 134, 107396.	1.7	3
254	Perceptions of Snus among US Adult Smokers Given Free Product. Nicotine and Tobacco Research, 2016, 20, ntw392.	1.4	2
255	Selling smoking cessation. Lancet, The, 2017, 389, 768-770.	6.3	2
256	E-Cigarette and COPD: Unreliable Conclusion About Health Risks. Journal of General Internal Medicine, 2018, 33, 784-785.	1.3	2
257	Smokers' perceptions of different classes of cigarette brand descriptors. Tobacco Prevention and Cessation, 2021, 7, 1-11.	0.2	2
258	"Don't Know―Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2021, 18, 7928.	1.2	2
259	Addressing tobacco use and cessation in cancer patients: Practices, perceptions, and barriers reported by oncology providers Journal of Clinical Oncology, 2013, 31, 1561-1561.	0.8	2
260	Smokers Awareness and Risk Perceptions of Filter Ventilation. Tobacco Regulatory Science (discontinued), 2020, 6, 213-223.	0.2	2
261	Poland is not replicating the HTP experience in Japan: a cautionary note. Tobacco Control, 2023, 32, 524-525.	1.8	2
262	A Daily Assessment Study of Smoking Cessation After a Head and Neck Cancer Diagnosis. Nicotine and Tobacco Research, 2022, 24, 1781-1788.	1.4	2
263	Assumption of Risk and the Role of Health Warnings Labels in the United States. Nicotine and Tobacco Research, 2020, 22, 975-983.	1.4	1
264	Increasing access to tobacco cessation support for cancer patients: Results of an institution-wide screening and referral program in an NCI-designated comprehensive cancer center Journal of Clinical Oncology, 2013, 31, 1566-1566.	0.8	1
265	The Use of Expert Elicitation among Computational Modeling Studies in Health Research: A Systematic Review. Medical Decision Making, 2021, , 0272989X2110537.	1.2	1
266	The Predictive Utility of Valuing the Future for Smoking Cessation: Findings from the ITC 4 Country Surveys. International Journal of Environmental Research and Public Health, 2022, 19, 631.	1.2	1
267	History of the Evolution of Tobacco Products. , 2022, , 1-47.		1
268	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2022, 24, 1020-1027.	1.4	1
269	Adult smokers' discussions about vaping with health professionals and subsequent behavior change: a cohort study. Addiction, 0, , .	1.7	1
270	Response to Letter to the Editor by Benmarhnia T, Leas E, Hendrickson E, Trinidad D, Strong D, Pierce J. The Potential Influence of Regulatory Environment for e-cigarettes on the Effectiveness of e-cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. Nicotine and Tobacco Research, 2018, 20, 660-661.	1.4	O

#	Article	IF	CITATIONS
271	Predicting the future of smoking in a rapidly evolving nicotine marketâ€place. Addiction, 2019, 114, 3-5.	1.7	О
272	State-Level Affordability of Factory-Made Cigarettes among Current US Smokers: Findings from the ITC US Survey, 2003–2015. International Journal of Environmental Research and Public Health, 2019, 16, 2439.	1.2	0
273	Indeed, Nuance Matters. Journal of Thoracic Oncology, 2019, 14, e16-e17.	0.5	O
274	Evaluating the Impact of Nicotine Regulatory Policies in a Rapidly Changing Market: Findings From the ITC Project in the United States, Canada, United Kingdom, and Australia. JCO Global Oncology, 2020, 6, 22-22.	0.8	0
275	Outcomes from an electronic medical record (EMR)-based standardized tobacco assessment and cessation program in a NCI-designated comprehensive cancer center Journal of Clinical Oncology, 2012, 30, 1529-1529.	0.8	0
276	Evaluation of a dedicated institutional tobacco cessation service for thoracic clinic cancer patients Journal of Clinical Oncology, 2013, 31, 1603-1603.	0.8	0
277	Addressing findings from the 2014 Surgeon General's Report: Physician preference for supporting tobacco cessation in cancer patients Journal of Clinical Oncology, 2014, 32, e17508-e17508.	0.8	0
278	The effect of current smoking on mortality in cancer patients Journal of Clinical Oncology, 2014, 32, 1580-1580.	0.8	0
279	Standardizing measurement of tobacco use in cancer clinical trials Journal of Clinical Oncology, 2014, 32, e17658-e17658.	0.8	0
280	A Good Idea May Not Be Good Enough: Stakeholder Buy In to QuitConnect, a National Smokers' Registry. American Journal of Health Promotion, 2018, 32, 1187-1195.	0.9	0
281	Use of electronic cigarettes (e-cigarettes) by cancer patients Journal of Clinical Oncology, 2018, 36, e13545-e13545.	0.8	0
282	Attributable failure and costs associated with continued smoking by cancer patients Journal of Clinical Oncology, 2018, 36, 1559-1559.	0.8	0
283	Efficiency of identifying cancer patients who need smoking cessation support Journal of Clinical Oncology, 2018, 36, e13542-e13542.	0.8	O