

Kenneth Michael Cummings

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5795433/publications.pdf>

Version: 2024-02-01

283
papers

11,958
citations

28274

55
h-index

37204

96
g-index

287
all docs

287
docs citations

287
times ranked

8503
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2023, 32, 51-59.	3.2	5
2	Smokersâ€™ awareness of filter ventilation, and how they believe it affects them: findings from the ITC Four Country Survey. Tobacco Control, 2023, 32, 93-98.	3.2	5
3	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. Tobacco Control, 2023, 32, 153-162.	3.2	9
4	Risk perceptions and continued smoking as a function of cigarette filter ventilation level among US youth and young adults who smoke. Tobacco Control, 2023, 32, 473-479.	3.2	3
5	Follow the money: a closer look at US tobacco industry marketing expenditures. Tobacco Control, 2023, 32, 575-582.	3.2	10
6	Poland is not replicating the HTP experience in Japan: a cautionary note. Tobacco Control, 2023, 32, 524-525.	3.2	2
7	Impact of Canadaâ€™s menthol cigarette ban on quitting among menthol smokers: pooled analysis of preâ€“post evaluation from the ITC Project and the Ontario Menthol Ban Study and projections of impact in the USA. Tobacco Control, 2023, 32, 734-738.	3.2	12
8	Predictors of E-cigarette and Cigarette Use Trajectory Classes from Early Adolescence to Emerging Adulthood Across Four Years (2013â€“2017) of the PATH Study. Nicotine and Tobacco Research, 2023, 25, 421-429.	2.6	5
9	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2022, 31, e66-e73.	3.2	8
10	Evaluating the impact of menthol cigarette bans on cessation and smoking behaviours in Canada: longitudinal findings from the Canadian arm of the 2016â€“2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2022, 31, 556-563.	3.2	48
11	Increasing Cannabis Use Is Associated With Poorer Cigarette Smoking Cessation Outcomes: Findings From the ITC Four Country Smoking and Vaping Surveys, 2016â€“2018. Nicotine and Tobacco Research, 2022, 24, 53-59.	2.6	18
12	Validation of the Wave 1 and Wave 2 Population Assessment of Tobacco and Health (PATH) Study Indicators of Tobacco Dependence Using Biomarkers of Nicotine Exposure Across Tobacco Products. Nicotine and Tobacco Research, 2022, 24, 10-19.	2.6	13
13	E-cigarette use and change in plans to quit cigarette smoking among adult smokers in the United States: Longitudinal findings from the PATH Study 2014â€“2019. Addictive Behaviors, 2022, 124, 107124.	3.0	10
14	Responses to potential nicotine vaping product flavor restrictions among regular vapers using non-tobacco flavors: Findings from the 2020 ITC Smoking and Vaping Survey in Canada, England and the United States. Addictive Behaviors, 2022, 125, 107152.	3.0	18
15	Age-Related Interactions on Key Theoretical Determinants of Smoking Cessation: Findings from the ITC Four Country Smoking and Vaping Surveys (2016â€“2020). Nicotine and Tobacco Research, 2022, 24, 679-689.	2.6	3
16	Smokeless Tobacco Use and Prevalence of Cardiovascular Disease Among Males in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1â€“4. Preventive Medicine Reports, 2022, 25, 101650.	1.8	4
17	The Predictive Utility of Valuing the Future for Smoking Cessation: Findings from the ITC 4 Country Surveys. International Journal of Environmental Research and Public Health, 2022, 19, 631.	2.6	1
18	History of the Evolution of Tobacco Products. , 2022, , 1-47.		1

#	ARTICLE	IF	CITATIONS
19	Was COVID-19 associated with increased cigarette purchasing, consumption, and smoking at home among US smokers in early 2020? Findings from the US arm of the International Tobacco Control (ITC) Four Country Smoking and Vaping Survey. <i>Addictive Behaviors</i> , 2022, 129, 107276.	3.0	4
20	Cardiovascular Outcomes among Combustible-Tobacco and Electronic Nicotine Delivery System (ENDS) Users in Waves 1 through 5 of the Population Assessment of Tobacco and Health (PATH) Study, 2013â€“2019. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4137.	2.6	4
21	Tobacco Product Use and Functionally Important Respiratory Symptoms Among US Adolescents/Young Adults. <i>Academic Pediatrics</i> , 2022, 22, 1006-1016.	2.0	8
22	Do number of smoking friends and changes over time predict smoking relapse? Findings from the International Tobacco Control Four-Country Survey. <i>Journal of Substance Abuse Treatment</i> , 2022, 138, 108763.	2.8	5
23	Tobacco Use and Respiratory Symptoms Among Adults: Findings From the Longitudinal Population Assessment of Tobacco and Health (PATH) Study 2014â€“2016. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1607-1618.	2.6	13
24	Do Smokersâ€™ Perceptions of the Harmfulness of Nicotine Replacement Therapy and Nicotine Vaping Products as Compared to Cigarettes Influence Their Use as an Aid for Smoking Cessation? Findings from the ITC Four Country Smoking and Vaping Surveys. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1413-1421.	2.6	11
25	Do postâ€“quitting experiences predict smoking relapse among former smokers in Australia and the United Kingdom? Findings from the International Tobacco Control Surveys. <i>Drug and Alcohol Review</i> , 2022, 41, 883-889.	2.1	3
26	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1020-1027.	2.6	1
27	A Daily Assessment Study of Smoking Cessation After a Head and Neck Cancer Diagnosis. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1781-1788.	2.6	2
28	Tobacco Treatment Outcomes for Hospital Patients With and Without Mental Health Diagnoses. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	3
29	Oral Nicotine Product Awareness and Use Among People Who Smoke and Vape in the U.S.. <i>American Journal of Preventive Medicine</i> , 2022, 63, 611-618.	3.0	8
30	Correlates of tobacco product initiation among youth and young adults between waves 1â€“4 of the population assessment of tobacco and Health (PATH) study (2013â€“2018). <i>Addictive Behaviors</i> , 2022, 134, 107396.	3.0	3
31	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 276-285.	2.6	15
32	The Public Health Gains Had Cigarette Companies Chosen to Sell Very Low Nicotine Cigarettes. <i>Nicotine and Tobacco Research</i> , 2021, 23, 438-446.	2.6	12
33	What kind of smoking identity following quitting would elevate smokers relapse risk?. <i>Addictive Behaviors</i> , 2021, 112, 106654.	3.0	7
34	Identifying factors that conjointly influence nicotine vaping product relative harm perception among smokers and recent ex-smokers: Findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108370.	3.2	6
35	Costs of vaping: evidence from ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2021, 30, 94-97.	3.2	14
36	Impact of Cigarette Filter Ventilation on U.S. Smokers' Perceptions and Biomarkers of Exposure and Potential Harm. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 38-44.	2.5	10

#	ARTICLE	IF	CITATIONS
37	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 678-686.	2.6	15
38	Trends in Social Norms Towards Smoking Between 2002 and 2015 Among Daily Smokers: Findings From the International Tobacco Control Four Country Survey (ITC 4C). <i>Nicotine and Tobacco Research</i> , 2021, 23, 203-211.	2.6	8
39	Smokers'™ perceptions of different classes of cigarette brand descriptors. <i>Tobacco Prevention and Cessation</i> , 2021, 7, 1-11.	0.4	2
40	How Does the Use of Flavored Nicotine Vaping Products Relate to Progression Toward Quitting Smoking? Findings From the 2016 and 2018 ITC 4CV Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1490-1497.	2.6	17
41	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Four Country survey (2002-14). <i>Addiction</i> , 2021, 116, 2509-2520.	3.3	22
42	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1611-1616.	2.6	23
43	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1699-1707.	2.6	22
44	The Illegal Experimental Tobacco Marketplace I: Effects of Vaping Product Bans. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1744-1753.	2.6	18
45	Smokers'™ cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. <i>PLoS ONE</i> , 2021, 16, e0252427.	2.5	48
46	Estimating the Impact of Tobacco Parity and Harm Reduction Tax Proposals Using the Experimental Tobacco Marketplace. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7835.	2.6	3
47	Cardiovascular Risk Factor and Disease Measures from the Population Assessment of Tobacco and Health (PATH) Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7692.	2.6	9
48	Biomarkers of Inflammation and Oxidative Stress among Adult Former Smoker, Current E-Cigarette Users'™Results from Wave 1 PATH Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1947-1955.	2.5	14
49	Don't Know'™ Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7928.	2.6	2
50	Associations between cancer diagnosis and patients'™ responses to an inpatient tobacco treatment intervention. <i>Cancer Medicine</i> , 2021, 10, 5329-5337.	2.8	6
51	Which tobacco control policies do smokers support? Findings from the International Tobacco Control Four Country Smoking and Vaping Survey. <i>Preventive Medicine</i> , 2021, 149, 106600.	3.4	15
52	Validation of an Index for Functionally Important Respiratory Symptoms among Adults in the Nationally Representative Population Assessment of Tobacco and Health Study, 2014-2016. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9688.	2.6	6
53	Menthol and Mint Cigarettes and Cigars: Initiation and Progression in Youth, Young Adults and Adults in Waves 1-4 of the PATH Study, 2013-2017. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1318-1326.	2.6	24
54	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, . .	2.6	9

#	ARTICLE	IF	CITATIONS
55	The Use of Expert Elicitation among Computational Modeling Studies in Health Research: A Systematic Review. Medical Decision Making, 2021, , 0272989X2110537.	2.4	1
56	Association of e-Cigarette Use With Discontinuation of Cigarette Smoking Among Adult Smokers Who Were Initially Never Planning to Quit. JAMA Network Open, 2021, 4, e2140880.	5.9	29
57	Assumption of Risk and the Role of Health Warnings Labels in the United States. Nicotine and Tobacco Research, 2020, 22, 975-983.	2.6	1
58	The Impact of E-liquid Propylene Glycol and Vegetable Glycerin Ratio on Ratings of Subjective Effects, Reinforcement Value, and Use in Current Smokers. Nicotine and Tobacco Research, 2020, 22, 791-797.	2.6	33
59	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. Drug and Alcohol Dependence, 2020, 207, 107818.	3.2	7
60	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2020, , tobaccocontrol-2020-055985.	3.2	21
61	Predictive validity of the adult tobacco dependence index: Findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2020, 214, 108134.	3.2	25
62	Smoking Cessation After a Cancer Diagnosis Is Associated With Improved Survival. Journal of Thoracic Oncology, 2020, 15, 705-708.	1.1	21
63	Support for Minimum Legal Sales Age Laws Set to Age 21 Across Australia, Canada, England, and United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2020, 22, 2266-2270.	2.6	8
64	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016â€”2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2020, , tobaccocontrol-2020-055739.	3.2	5
65	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. PLoS ONE, 2020, 15, e0237938.	2.5	48
66	Self-Reported Exposure to Secondhand Smoke and Support for Complete Smoking Bans in Multiunit Housing Among Smokers in the United States, Canada, and the United Kingdom. Preventing Chronic Disease, 2020, 17, E147.	3.4	6
67	Evaluating the Impact of Nicotine Regulatory Policies in a Rapidly Changing Market: Findings From the ITC Project in the United States, Canada, United Kingdom, and Australia. JCO Global Oncology, 2020, 6, 22-22.	1.8	0
68	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	2.6	8
69	The Association of E-cigarette Flavors With Satisfaction, Enjoyment, and Trying to Quit or Stay Abstinent From Smoking Among Regular Adult Vapers From Canada and the United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2020, 22, 1831-1841.	2.6	42
70	The past is not the future in tobacco control. Preventive Medicine, 2020, 140, 106183.	3.4	12
71	What's in a number?. Addiction, 2020, 115, 814-815.	3.3	3
72	How are adolescents getting their vaping products? Findings from the international tobacco control (ITC) youth tobacco and vaping survey. Addictive Behaviors, 2020, 105, 106345.	3.0	18

#	ARTICLE	IF	CITATIONS
73	E-cigarettes: striking the right balance. <i>Lancet Public Health</i> , The, 2020, 5, e180-e181.	10.0	8
74	Nicotine replacement therapy sampling for smoking cessation within primary care: results from a pragmatic cluster randomized clinical trial. <i>Addiction</i> , 2020, 115, 1358-1367.	3.3	31
75	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. <i>Addictive Behaviors</i> , 2020, 106, 106337.	3.0	43
76	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>International Journal of Drug Policy</i> , 2020, 79, 102754.	3.3	31
77	Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2098.	2.6	32
78	Smokers Awareness and Risk Perceptions of Filter Ventilation. <i>Tobacco Regulatory Science</i> (discontinued), 2020, 6, 213-223.	0.2	2
79	An Analysis of the FTC's Attempt to Stop the Altria-Juul Labs Deal. <i>Tobacco Regulatory Science</i> (discontinued), 2020, 6, 302-305.	0.2	7
80	What Is Accounting for the Rapid Decline in Cigarette Sales in Japan?. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3570.	2.6	30
81	Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016â€“2018). <i>Tobacco Prevention and Cessation</i> , 2020, 6, 1-10.	0.4	6
82	Association of Electronic Nicotine Delivery System Use With Cigarette Smoking Progression or Reduction Among Young Adults. <i>JAMA Network Open</i> , 2020, 3, e2015893.	5.9	5
83	Predicting the future of smoking in a rapidly evolving nicotine marketplace. <i>Addiction</i> , 2019, 114, 3-5.	3.3	0
84	State-Level Affordability of Factory-Made Cigarettes among Current US Smokers: Findings from the ITC US Survey, 2003â€“2015. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2439.	2.6	0
85	Association of Flavored Tobacco Use With Tobacco Initiation and Subsequent Use Among US Youth and Adults, 2013-2015. <i>JAMA Network Open</i> , 2019, 2, e1913804.	5.9	103
86	The impact of vaping and regulatory environment on cigarette demand: behavioral economic perspective across four countries. <i>Addiction</i> , 2019, 114, 123-133.	3.3	11
87	Prevalence of awareness, ever-use and current use of nicotine vaping products (NVPs) among adult current smokers and ex-smokers in 14 countries with differing regulations on sales and marketing of NVPs: cross-sectional findings from the ITC Project. <i>Addiction</i> , 2019, 114, 1060-1073.	3.3	66
88	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). <i>Addiction</i> , 2019, 114, 6-14.	3.3	74
89	Longitudinal e-Cigarette and Cigarette Use Among US Youth in the PATH Study (2013â€“2015). <i>Journal of the National Cancer Institute</i> , 2019, 111, 1088-1096.	6.3	40
90	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so-called "dual use"): findings from the ITC 4 Country Smoking and Vaping wave 1 Survey. <i>Addiction</i> , 2019, 114, 24-34.	3.3	57

#	ARTICLE	IF	CITATIONS
91	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 15-23.	3.3	27
92	Prices, use restrictions and electronic cigarette use—evidence from wave 1 (2016) US data of the ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 115-122.	3.3	7
93	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. <i>BMJ: British Medical Journal</i> , 2019, 365, l2219.	2.3	217
94	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	3.3	19
95	Awareness and interest in lung cancer screening among current and former smokers: findings from the ITC United States Survey. <i>Cancer Causes and Control</i> , 2019, 30, 733-745.	1.8	10
96	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2019, 29, tobaccocontrol-2018-054650.	3.2	8
97	An Economic Analysis of the Pre-Deeming US Market for Nicotine Vaping Products. <i>Tobacco Regulatory Science (discontinued)</i> , 2019, 5, 169-181.	0.2	24
98	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: cross-sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 97-106.	3.3	13
99	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	2.6	9
100	Reasons for regular vaping and for its discontinuation among smokers and recent ex-smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 35-48.	3.3	74
101	Cannabis use among a nationally representative cross-sectional sample of smokers and non-smokers in the Netherlands: results from the 2015 ITC Netherlands Gold Magic Survey. <i>BMJ Open</i> , 2019, 9, E024497.	1.9	19
102	Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. <i>Preventive Medicine</i> , 2019, 123, 185-191.	3.4	40
103	Attributable Failure of First-line Cancer Treatment and Incremental Costs Associated With Smoking by Patients With Cancer. <i>JAMA Network Open</i> , 2019, 2, e191703.	5.9	47
104	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 107-114.	3.3	6
105	Where Do Vapers Buy Their Vaping Supplies? Findings from the International Tobacco Control (ITC) 4 Country Smoking and Vaping Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 338.	2.6	37
106	Flavour types used by youth and adult tobacco users in wave 2 of the Population Assessment of Tobacco and Health (PATH) Study 2014–2015. <i>Tobacco Control</i> , 2019, 29, tobaccocontrol-2018-054852.	3.2	18
107	Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4862.	2.6	13
108	Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4630.	2.6	51

#	ARTICLE	IF	CITATIONS
109	Behavioral Outcomes of Nicotine Reduction in Current Adult Smokers. <i>Nicotine and Tobacco Research</i> , 2019, 21, S125-S127.	2.6	3
110	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 71-85.	3.3	17
111	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. <i>Tobacco Control</i> , 2019, 28, 629-635.	3.2	155
112	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. <i>Nicotine and Tobacco Research</i> , 2019, 21, 887-895.	2.6	36
113	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 134-143.	3.3	10
114	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013-14 baseline wave 1 of the path study. <i>Addictive Behaviors</i> , 2019, 91, 180-187.	3.0	40
115	Indeed, Nuance Matters. <i>Journal of Thoracic Oncology</i> , 2019, 14, e16-e17.	1.1	0
116	A Collaborative Model for Facilitating the Delivery of Smoking Cessation Treatments to Cancer Patients: Results From Three Oncology Practices in South Carolina. <i>Journal of Smoking Cessation</i> , 2019, 14, 112-124.	1.0	3
117	Longer duration of smoking abstinence is associated with waning cessation fatigue. <i>Behaviour Research and Therapy</i> , 2019, 115, 12-18.	3.1	5
118	A modeling approach to gauging the effects of nicotine vaping product use on cessation from cigarettes: what do we know, what do we need to know?. <i>Addiction</i> , 2019, 114, 86-96.	3.3	16
119	Behavioral Economic Purchase Tasks to Estimate Demand for Novel Nicotine/tobacco Products and Prospectively Predict Future Use: Evidence From The Netherlands. <i>Nicotine and Tobacco Research</i> , 2019, 21, 784-791.	2.6	28
120	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>Tobacco Prevention and Cessation</i> , 2019, 5, 49.	0.4	12
121	Effect of an Evidence-based Inpatient Tobacco Dependence Treatment Service on 30-, 90-, and 180-Day Hospital Readmission Rates. <i>Medical Care</i> , 2018, 56, 358-363.	2.4	31
122	Cannabis Use, Lung Cancer, and Related Issues. <i>Journal of Thoracic Oncology</i> , 2018, 13, 480-487.	1.1	46
123	Do predictors of smoking relapse change as a function of duration of abstinence? Findings from the United States, Canada, United Kingdom and Australia. <i>Addiction</i> , 2018, 113, 1295-1304.	3.3	43
124	Transitions in electronic cigarette use among adults in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1 and 2 (2013-2015). <i>Tobacco Control</i> , 2018, 28, tobaccocontrol-2017-054174.	3.2	105
125	E-Cigarette and COPD: Unreliable Conclusion About Health Risks. <i>Journal of General Internal Medicine</i> , 2018, 33, 784-785.	2.6	2
126	Response to Letter to the Editor by Benmarhnia T, Leas E, Hendrickson E, Trinidad D, Strong D, Pierce J. The Potential Influence of Regulatory Environment for e-cigarettes on the Effectiveness of e-cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. <i>Nicotine and Tobacco Research</i> , 2018, 20, 660-661.	2.6	0

#	ARTICLE	IF	CITATIONS
127	Adult interest in using a hypothetical modified risk tobacco product: findings from wave 1 of the Population Assessment of Tobacco and Health Study (2013â€“14). <i>Addiction</i> , 2018, 113, 113-124.	3.3	15
128	Does Adding Information on Toxic Constituents to Cigarette Pack Warnings Increase Smokersâ€™ Perceptions About the Health Risks of Smoking? A Longitudinal Study in Australia, Canada, Mexico, and the United States. <i>Health Education and Behavior</i> , 2018, 45, 32-42.	2.5	15
129	Effect of an Evidence-based Inpatient Tobacco Dependence Treatment Service on 1-Year Postdischarge Health Care Costs. <i>Medical Care</i> , 2018, 56, 883-889.	2.4	27
130	Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013â€“2014 and 2014â€“2015: Findings from the PATH Study Wave 1 and Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2556.	2.6	15
131	Transitions in Tobacco Product Use by U.S. Adults between 2013â€“2014 and 2014â€“2015: Findings from the PATH Study Wave 1 and Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2515.	2.6	26
132	State Tobacco Policies as Predictors of Evidence-Based Cessation Method Usage: Results From a Large, Nationally Representative Dataset. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1336-1343.	2.6	10
133	2018 ACC Expert Consensus Decision Pathway on Tobacco Cessation Treatment. <i>Journal of the American College of Cardiology</i> , 2018, 72, 3332-3365.	2.8	219
134	Mental Health Problems and Onset of Tobacco Use Among 12- to 24-Year-Olds in the PATH Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 944-954.e4.	0.5	51
135	â€œTeachable Momentâ€•Interventions in Lung Cancer: Why Action Matters. <i>Journal of Thoracic Oncology</i> , 2018, 13, 603-605.	1.1	16
136	Longitudinal associations between youth tobacco and substance use in waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. <i>Drug and Alcohol Dependence</i> , 2018, 191, 25-36.	3.2	45
137	Another Article About Eâ€™Cigarettes: Why Should I Care?. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	4
138	Delay discounting and e-cigarette use: An investigation in current, former, and never cigarette smokers. <i>Drug and Alcohol Dependence</i> , 2018, 191, 165-173.	3.2	14
139	Patient Cessation Activity after Automatic Referral to a Dedicated Cessation Support Service. <i>Journal of Smoking Cessation</i> , 2018, 13, 78-86.	1.0	3
140	A Good Idea May Not Be Good Enough: Stakeholder Buy In to QuitConnect, a National Smokersâ€™ Registry. <i>American Journal of Health Promotion</i> , 2018, 32, 1187-1195.	1.7	0
141	Use of electronic cigarettes (e-cigarettes) by cancer patients.. <i>Journal of Clinical Oncology</i> , 2018, 36, e13545-e13545.	1.6	0
142	Attributable failure and costs associated with continued smoking by cancer patients.. <i>Journal of Clinical Oncology</i> , 2018, 36, 1559-1559.	1.6	0
143	Efficiency of identifying cancer patients who need smoking cessation support.. <i>Journal of Clinical Oncology</i> , 2018, 36, e13542-e13542.	1.6	0
144	Feasibility of Implementing a Hospital-Based â€œOpt-Outâ€•Tobacco-Cessation Service. <i>Nicotine and Tobacco Research</i> , 2017, 19, 937-943.	2.6	56

#	ARTICLE	IF	CITATIONS
145	Mexico <i>SimSmoke</i>: how changes in tobacco control policies would impact smoking prevalence and smoking attributable deaths in Mexico. Global Public Health, 2017, 12, 830-845.	2.0	4
146	Perceptions of “Natural” and “Additive-Free” Cigarettes and Intentions to Purchase. Health Education and Behavior, 2017, 44, 222-226.	2.5	40
147	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2017, 19, 258-263.	2.6	51
148	A framework for evaluating the public health impact of e-cigarettes and other vaporized nicotine products. Addiction, 2017, 112, 8-17.	3.3	131
149	Selling smoking cessation. Lancet, The, 2017, 389, 768-770.	13.7	2
150	Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. New England Journal of Medicine, 2017, 376, 342-353.	27.0	545
151	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. Tobacco Control, 2017, 26, 371-378.	3.2	642
152	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. Nicotine and Tobacco Research, 2017, 19, 1268-1276.	2.6	56
153	Behavioral economic substitution between conventional cigarettes and e-cigarettes differs as a function of the frequency of e-cigarette use. Drug and Alcohol Dependence, 2017, 177, 14-22.	3.2	41
154	Internalized Smoking Stigma in Relation to Quit Intentions, Quit Attempts, and Current E-Cigarette Use. Substance Abuse, 2017, 38, 330-336.	2.3	17
155	Cigarette Filter Ventilation and its Relationship to Increasing Rates of Lung Adenocarcinoma. Journal of the National Cancer Institute, 2017, 109, .	6.3	79
156	Effectiveness of Switching Smoking-Cessation Medications Following Relapse. American Journal of Preventive Medicine, 2017, 53, e63-e70.	3.0	12
157	Nicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings From ITC Surveys in Five Countries. Nicotine and Tobacco Research, 2017, 19, 1040-1047.	2.6	25
158	Flavored Tobacco Product Use in Youth and Adults: Findings From the First Wave of the PATH Study (2013–2014). American Journal of Preventive Medicine, 2017, 53, 139-151.	3.0	266
159	The need for a comprehensive framework. Addiction, 2017, 112, 22-24.	3.3	6
160	The differential impact of state tobacco control policies on cessation treatment utilization across established tobacco disparities groups. Preventive Medicine, 2017, 105, 319-325.	3.4	5
161	Tobacco Use Prevalence and Outcomes Among Perinatal Patients Assessed Through an “Opt-out” Cessation and Follow-Up Clinical Program. Maternal and Child Health Journal, 2017, 21, 1790-1797.	1.5	13
162	A Naturalistic, Randomized Pilot Trial of E-Cigarettes: Uptake, Exposure, and Behavioral Effects. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1795-1803.	2.5	56

#	ARTICLE	IF	CITATIONS
163	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002â€“2015. Tobacco Control, 2017, 26, 641-648.	3.2	12
164	Indicators of dependence for different types of tobacco product users: Descriptive findings from Wave 1 (2013â€“2014) of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2017, 178, 257-266.	3.2	118
165	Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al.. Nicotine and Tobacco Research, 2017, 19, 268-270.	2.6	3
166	The Application of a Decision-Theoretic Model to Estimate the Public Health Impact of Vaporized Nicotine Product Initiation in the United States. Nicotine and Tobacco Research, 2017, 19, 149-159.	2.6	83
167	Evaluation of modified risk claim advertising formats for Camel Snus. Health Education Journal, 2017, 76, 971-985.	1.2	19
168	A Novel Method for Evaluating the Acceptability of Substitutes for Cigarettes: The Experimental Tobacco Marketplace. Tobacco Regulatory Science (discontinued), 2017, 3, 266-279.	0.2	20
169	Who Opted Out of an Opt-Out Smoking-Cessation Programme for Hospitalised Patients?. Journal of Smoking Cessation, 2017, 12, 199-204.	1.0	8
170	Nicotine Replacement Therapy Use Predicts Smoking and Drinking Outcomes among Heavy-Drinking Smokers Calling a Tobacco Quitline. Journal of Smoking Cessation, 2017, 12, 99-104.	1.0	4
171	The Association of Exposure to Point-of-Sale Tobacco Marketing with Quit Attempt and Quit Success: Results from a Prospective Study of Smokers in the United States. International Journal of Environmental Research and Public Health, 2016, 13, 203.	2.6	33
172	Application of the Smokeless Tobacco Expectancies Questionnaire to Snus. American Journal of Health Behavior, 2016, 40, 652-658.	1.4	5
173	Does Reactance against Cigarette Warning Labels Matter? Warning Label Responses and Downstream Smoking Cessation amongst Adult Smokers in Australia, Canada, Mexico and the United States. PLoS ONE, 2016, 11, e0159245.	2.5	46
174	Smoking Isn't Cool Anymore. Journal of Public Health Management and Practice, 2016, 22, 5-8.	1.4	5
175	Trends in market share of leading cigarette brands in the USA: national survey on drug use and health 2002â€“2013. BMJ Open, 2016, 6, e008813.	1.9	39
176	Perceptions of Snus among US Adult Smokers Given Free Product. Nicotine and Tobacco Research, 2016, 20, ntw392.	2.6	2
177	Cost and Effectiveness of Combination Nicotine Replacement Therapy Among Heavy Smokers Contacting a Quitline. Journal of Smoking Cessation, 2016, 11, 50-59.	1.0	8
178	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. International Journal of Drug Policy, 2016, 29, 73-79.	3.3	17
179	A longitudinal, naturalistic study of U.S. smokers' trial and adoption of snus. Addictive Behaviors, 2016, 63, 82-88.	3.0	8
180	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light," "Mild," or "Low". Nicotine and Tobacco Research, 2016, 18, 2115-2123.	2.6	30

#	ARTICLE	IF	CITATIONS
181	Smokersâ€™ reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. Tobacco Control, 2016, 25, 181-187.	3.2	38
182	Cigarette brands with flavour capsules in the filter: trends in use and brand perceptions among smokers in the USA, Mexico and Australia, 2012â€“2014. Tobacco Control, 2016, 25, 275-283.	3.2	72
183	The association of point-of-sale cigarette marketing with cravings to smoke: results from a cross-sectional population-based study. Tobacco Control, 2016, 25, 402-405.	3.2	19
184	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. Preventive Medicine, 2016, 88, 59-65.	3.4	49
185	Functional brain imaging predicts public health campaign success. Social Cognitive and Affective Neuroscience, 2016, 11, 204-214.	3.0	106
186	Validation of a Measure of Normative Beliefs About Smokeless Tobacco Use. Nicotine and Tobacco Research, 2016, 18, 801-808.	2.6	7
187	Relapse-Prevention Booklets as an Adjunct to a Tobacco Quitline: A Randomized Controlled Effectiveness Trial. Nicotine and Tobacco Research, 2016, 18, 298-305.	2.6	8
188	Differences in Cigarette Design and Metal Content across Five Countries: Results from the International Tobacco Control (ITC) Project. Tobacco Regulatory Science (discontinued), 2016, 2, 166-175.	0.2	5
189	A randomized trial for hazardous drinking and smoking cessation for callers to a quitline.. Journal of Consulting and Clinical Psychology, 2015, 83, 445-454.	2.0	35
190	Identifying Targeted Strategies to Improve Smoking Cessation Support for Cancer Patients. Journal of Thoracic Oncology, 2015, 10, 1532-1537.	1.1	67
191	Filter presence and tipping paper color influence consumer perceptions of cigarettes. BMC Public Health, 2015, 15, 1279.	2.9	19
192	Business as usual is not acceptable. Cancer, 2015, 121, 2864-2865.	4.1	3
193	The prevalence of brand switching among adult smokers in the USA, 2006â€“2011: findings from the ITC US surveys. Tobacco Control, 2015, 24, 609-615.	3.2	13
194	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. Nicotine and Tobacco Research, 2015, 17, 870-875.	2.6	39
195	Trends in cigarette pricing and purchasing patterns in a sample of US smokers: findings from the ITC US Surveys (2002-2011). Tobacco Control, 2015, 24, iii4-iii10.	3.2	20
196	The U.S. National <i>Tips From Former Smokers</i> Antismoking Campaign. Health Education and Behavior, 2015, 42, 480-486.	2.5	43
197	Does Extended Pre Quit Bupropion Aid in Extinguishing Smoking Behavior?. Nicotine and Tobacco Research, 2015, 17, 1377-1384.	2.6	17
198	Gender Differences in Medication Use and Cigarette Smoking Cessation: Results From the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2015, 17, 463-472.	2.6	164

#	ARTICLE	IF	CITATIONS
199	Impact of a brief telephone referral on quitline use, quit attempts and abstinence. Health Education Research, 2015, 30, 134-139.	1.9	10
200	Promoting cessation resources through cigarette package warning labels: a longitudinal survey with adult smokers in Canada, Australia and Mexico. Tobacco Control, 2015, 24, e23-e31.	3.2	28
201	Australian smokers' support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. Tobacco Control, 2015, 24, 616-621.	3.2	29
202	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2015, 17, 1203-1211.	2.6	66
203	Effects of tobacco control policies on smoking prevalence and tobacco-attributable deaths in Mexico: the SimSmoke model. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 316-25.	1.1	10
204	Toxic Metal Concentrations in Cigarettes Obtained from U.S. Smokers in 2009: Results from the International Tobacco Control (ITC) United States Survey Cohort. International Journal of Environmental Research and Public Health, 2014, 11, 202-217.	2.6	95
205	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. International Journal of Environmental Research and Public Health, 2014, 11, 11691-11704.	2.6	129
206	Evaluating the Effect of Access to Free Medication to Quit Smoking: A Clinical Trial Testing the Role of Motivation. Nicotine and Tobacco Research, 2014, 16, 992-999.	2.6	49
207	Automated tobacco assessment and cessation support for cancer patients. Cancer, 2014, 120, 562-569.	4.1	64
208	Mediational pathways of the impact of cigarette warning labels on quit attempts.. Health Psychology, 2014, 33, 1410-1420.	1.6	102
209	E-Cigarettes and Cancer Patients. Journal of Thoracic Oncology, 2014, 9, 438-441.	1.1	46
210	Hospital admissions for acute myocardial infarction before and after implementation of a comprehensive smoke-free policy in Uruguay: experience through 2010. Tobacco Control, 2014, 23, 471-472.	3.2	23
211	The Changing Public Image of Smoking in the United States: 1964-2014. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 32-36.	2.5	111
212	Switching Between Menthol and Nonmenthol Cigarettes: Findings From the U.S. Cohort of the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2014, 16, 1255-1265.	2.6	39
213	Brief, Instructional Smokeless Tobacco Use Among Cigarette Smokers Who Do Not Intend to Quit: A Pilot Randomized Clinical Trial. Nicotine and Tobacco Research, 2014, 16, 397-405.	2.6	12
214	Trends in use of electronic nicotine delivery systems by adolescents. Addictive Behaviors, 2014, 39, 338-340.	3.0	94
215	Alternate Tobacco Product and Drug Use Among Adolescents Who Use Electronic Cigarettes, Cigarettes Only, and Never Smokers. Journal of Adolescent Health, 2014, 55, 588-591.	2.5	80
216	Patient willingness and barriers to receiving a CT scan for lung cancer screening. Lung Cancer, 2014, 84, 307-309.	2.0	51

#	ARTICLE	IF	CITATIONS
217	Addressing findings from the 2014 Surgeon General's Report: Physician preference for supporting tobacco cessation in cancer patients.. Journal of Clinical Oncology, 2014, 32, e17508-e17508.	1.6	0
218	The effect of current smoking on mortality in cancer patients.. Journal of Clinical Oncology, 2014, 32, 1580-1580.	1.6	0
219	Identifying barriers to providing tobacco cessation support for cancer patients.. Journal of Clinical Oncology, 2014, 32, 1578-1578.	1.6	7
220	Standardizing measurement of tobacco use in cancer clinical trials.. Journal of Clinical Oncology, 2014, 32, e17658-e17658.	1.6	0
221	Clinical Strategies to Enhance the Efficacy of Nicotine Replacement Therapy for Smoking Cessation: A Review of the Literature. Drugs, 2013, 73, 407-426.	10.9	61
222	Electronic Nicotine Delivery Systems. American Journal of Preventive Medicine, 2013, 44, 207-215.	3.0	563
223	Accuracy of self-reported tobacco use in newly diagnosed cancer patients. Cancer Causes and Control, 2013, 24, 1223-1230.	1.8	82
224	Effectiveness of stop-smoking medications: findings from the International Tobacco Control (ITC) Four Country Survey. Addiction, 2013, 108, 193-202.	3.3	76
225	Relationship of Cigarette-Related Perceptions to Cigarette Design Features: Findings From the 2009 ITC U.S. Survey. Nicotine and Tobacco Research, 2013, 15, 1943-1947.	2.6	27
226	The Quitting Rollercoaster: How Recent Quitting History Affects Future Cessation Outcomes (Data) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2013, 15, 1578-1587.	2.6	63
227	Addressing tobacco use and cessation in cancer patients: Practices, perceptions, and barriers reported by oncology providers.. Journal of Clinical Oncology, 2013, 31, 1561-1561.	1.6	2
228	Increasing access to tobacco cessation support for cancer patients: Results of an institution-wide screening and referral program in an NCI-designated comprehensive cancer center.. Journal of Clinical Oncology, 2013, 31, 1566-1566.	1.6	1
229	Evaluation of a dedicated institutional tobacco cessation service for thoracic clinic cancer patients.. Journal of Clinical Oncology, 2013, 31, 1603-1603.	1.6	0
230	Systematic Biases in Cross-sectional Community Studies may Underestimate the Effectiveness of Stop-Smoking Medications. Nicotine and Tobacco Research, 2012, 14, 1483-1487.	2.6	58
231	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. Nicotine and Tobacco Research, 2012, 14, 1474-1482.	2.6	33
232	Support for tobacco control interventions: do country of origin and socioeconomic status make a difference?. International Journal of Public Health, 2012, 57, 777-786.	2.3	16
233	Accuracy of self-reported tobacco assessments in a head and neck cancer treatment population. Radiotherapy and Oncology, 2012, 103, 45-48.	0.6	62
234	Cigarette Warning Label Policy Alternatives and Smoking-Related Health Disparities. American Journal of Preventive Medicine, 2012, 43, 590-600.	3.0	147

#	ARTICLE	IF	CITATIONS
235	How much unsuccessful quitting activity is going on among adult smokers? Data from the International Tobacco Control Four Country cohort survey. <i>Addiction</i> , 2012, 107, 673-682.	3.3	194
236	What would menthol smokers do if menthol in cigarettes were banned? Behavioral intentions and simulated demand. <i>Addiction</i> , 2012, 107, 1330-1338.	3.3	75
237	Tobacco expenditure, smoking-induced deprivation and financial stress: Results from the International Tobacco Control (ITC) Four-Country Survey. <i>Drug and Alcohol Review</i> , 2012, 31, 664-671.	2.1	32
238	Outcomes from an electronic medical record (EMR)-based standardized tobacco assessment and cessation program in a NCI-designated comprehensive cancer center.. <i>Journal of Clinical Oncology</i> , 2012, 30, 1529-1529.	1.6	0
239	What Do Cigarette Pack Colors Communicate to Smokers in the U.S.?. <i>American Journal of Preventive Medicine</i> , 2011, 40, 683-689.	3.0	59
240	The Impact of Cigarette Pack Design, Descriptors, and Warning Labels on Risk Perception in the U.S.. <i>American Journal of Preventive Medicine</i> , 2011, 40, 674-682.	3.0	194
241	Usage Patterns of Stop Smoking Medications in Australia, Canada, the United Kingdom, and the United States: Findings from the 2006-2008 International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 222-233.	2.6	30
242	Socio-Economic Variation in Price Minimizing Behaviors: Findings from the International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 234-252.	2.6	81
243	The Effectiveness of Tobacco Marketing Regulations on Reducing Smokers' Exposure to Advertising and Promotion: Findings from the International Tobacco Control (ITC) Four Country Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 321-340.	2.6	41
244	Costs of Giving Out Free Nicotine Patches Through a Telephone Quit Line. <i>Journal of Public Health Management and Practice</i> , 2011, 17, E16-E23.	1.4	29
245	Impact of the removal of misleading terms on cigarette pack on smokers' beliefs about "light/mild" cigarettes: cross-country comparisons. <i>Addiction</i> , 2011, 106, 2204-2213.	3.3	54
246	US smokers' reactions to a brief trial of oral nicotine products. <i>Harm Reduction Journal</i> , 2011, 8, 1.	3.2	57
247	Adherence to and Reasons for Premature Discontinuation From Stop-Smoking Medications: Data From the ITC Four-Country Survey. <i>Nicotine and Tobacco Research</i> , 2011, 13, 94-102.	2.6	132
248	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2010, 12, S64-S71.	2.6	33
249	Cigarettes sold in China: design, emissions and metals. <i>Tobacco Control</i> , 2010, 19, i47-i53.	3.2	54
250	Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four country project. <i>Nicotine and Tobacco Research</i> , 2010, 12, S4-S11.	2.6	187
251	Assessing Consumer Responses to Potential Reduced-Exposure Tobacco Products: A Review of Tobacco Industry and Independent Research Methods. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3225-3240.	2.5	44
252	Attitudes and beliefs about secondhand smoke and smoke-free policies in four countries: Findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2009, 11, 642-649.	2.6	100

#	ARTICLE	IF	CITATIONS
253	Environmental Influences on Tobacco Use: Evidence from Societal and Community Influences on Tobacco Use and Dependence. <i>Annual Review of Clinical Psychology</i> , 2009, 5, 433-458.	12.3	76
254	Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005. <i>Nicotine and Tobacco Research</i> , 2008, 10, 1209-1214.	2.6	95
255	The Cigarette Controversy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1070-1076.	2.5	48
256	College Students' Expectancies for Light Cigarettes and Potential Reduced Exposure Products. <i>American Journal of Health Behavior</i> , 2007, 31, 402-410.	1.4	15
257	Australian smokers support stronger regulatory controls on tobacco: findings from the ITC Four-Country Survey. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 164-169.	1.8	27
258	College students' expectancies for light cigarettes and potential reduced exposure products. <i>American Journal of Health Behavior</i> , 2007, 31, 402-10.	1.4	15
259	The potential impact of a low-nitrosamine smokeless tobacco product on cigarette smoking in the United States: Estimates of a panel of experts. <i>Addictive Behaviors</i> , 2006, 31, 1190-1200.	3.0	28
260	Reach, Efficacy, and Cost-effectiveness of Free Nicotine Medication Giveaway Programs. <i>Journal of Public Health Management and Practice</i> , 2006, 12, 37-43.	1.4	133
261	Consumer acceptable risk: how cigarette companies have responded to accusations that their products are defective. <i>Tobacco Control</i> , 2006, 15, iv84-iv89.	3.2	14
262	A Longitudinal Assessment of the Impact of Smoke-Free Worksite Policies on Tobacco Use. <i>American Journal of Public Health</i> , 2005, 95, 1024-1029.	2.7	187
263	Smoking Topography, Brand Switching, and Nicotine Delivery: Results from an In vivo Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1370-1375.	2.5	155
264	Are smokers adequately informed about the health risks of smoking and medicinal nicotine?. <i>Nicotine and Tobacco Research</i> , 2004, 6, 333-340.	2.6	175
265	What do Marlboro Lights smokers know about low-tar cigarettes?. <i>Nicotine and Tobacco Research</i> , 2004, 6, 323-332.	2.6	40
266	Stop-smoking medications: Who uses them, who misuses them, and who is misinformed about them?. <i>Nicotine and Tobacco Research</i> , 2004, 6, 303-310.	2.6	191
267	Use of and beliefs about light cigarettes in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. <i>Nicotine and Tobacco Research</i> , 2004, 6, 311-321.	2.6	85
268	Predictors of cessation in a cohort of current and former smokers followed over 13 years. <i>Nicotine and Tobacco Research</i> , 2004, 6, 363-369.	2.6	324
269	Can Capitalism Advance the Goals of Tobacco Control?. <i>Addiction</i> , 2002, 97, 957-958.	3.3	5
270	Programs and policies to discourage the use of tobacco products. <i>Oncogene</i> , 2002, 21, 7349-7364.	5.9	63

#	ARTICLE	IF	CITATIONS
271	Influence of smoking on the development of lung metastases from breast cancer. Cancer, 1995, 75, 2693-2699.	4.1	55
272	Involving older americans in the war on tobacco. The American stop smoking intervention study for cancer prevention. Cancer, 1994, 74, 2062-2066.	4.1	3
273	Lung cancer histologic types and family history of cancer. Analysis of histologic subtypes of 872 patients with primary lung cancer. Cancer, 1993, 72, 1192-1198.	4.1	47
274	Report of the Tobacco Policy Research Study Group on Tobacco Marketing and Promotion. Tobacco Control, 1992, 1, S19-S23.	3.2	10
275	Cancer mortality in a northeastern native American population. Cancer, 1989, 64, 187-190.	4.1	17
276	Cancer surveillance in a northeastern native American population. Cancer, 1989, 64, 191-195.	4.1	28
277	Incidence of Nosocomial Aspergillosis in Patients with Leukemia Over a Twenty-Year Period. Infection Control and Hospital Epidemiology, 1989, 10, 299-305.	1.8	44
278	Nosocomial Infection Rates at an Oncology Center. Infection Control and Hospital Epidemiology, 1988, 9, 13-19.	1.8	31
279	Vitamin A and tumor recurrence in bladder cancer. Nutrition and Cancer, 1987, 9, 143-146.	2.0	9
280	The current status of early detection and screening for colorectal cancer. Journal of Surgical Oncology, 1986, 2, 215-224.	1.4	3
281	An Outbreak of Invasive Aspergillosis Among Allogeneic Bone Marrow Transplants: A Case-Control Study. Infection Control, 1985, 6, 347-355.	0.1	91
282	Risk factor and behavioral correlates of willingness to participate in cancer prevention trials. Nutrition and Cancer, 1985, 7, 189-198.	2.0	20
283	Adult smokersâ€™ discussions about vaping with health professionals and subsequent behavior change: a cohort study. Addiction, 0, , .	3.3	1