

# Menha Swellam

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5795916/menha-swellam-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53  
papers

709  
citations

16  
h-index

24  
g-index

58  
ext. papers

810  
ext. citations

3.3  
avg, IF

4.08  
L-index

#	Paper	IF	Citations
53	Noninvasive diagnosis of bladder cancer by detection of matrix metalloproteinases (MMP-2 and MMP-9) and their inhibitor (TIMP-2) in urine. <i>European Urology</i> , <b>2007</b> , 52, 1388-96	10.2	77
52	Comparative Evaluation of the Nuclear Matrix Protein, Fibronectin, Urinary Bladder Cancer Antigen and Voided Urine Cytology in the Detection of Bladder Tumors. <i>Journal of Urology</i> , <b>2002</b> , 168, 465-469	2.5	45
51	Detection of telomerase in urine by 3 methods: evaluation of diagnostic accuracy for bladder cancer. <i>Journal of Urology</i> , <b>2007</b> , 178, 1068-72	2.5	40
50	Expression of HYAL1 and survivin RNA as diagnostic molecular markers for bladder cancer. <i>Journal of Urology</i> , <b>2010</b> , 183, 493-8	2.5	37
49	Aberrant methylation of RARbeta2 and APC genes in voided urine as molecular markers for early detection of bilharzial and nonbilharzial bladder cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 1657-64	4	36
48	Comparison of CD44 and cytokeratin 20 mRNA in voided urine samples as diagnostic tools for bladder cancer. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 1335-41	3.5	33
47	Aberrant methylation of APC and RAR $\alpha$ genes in breast cancer patients. <i>IUBMB Life</i> , <b>2015</b> , 67, 61-8	4.7	31
46	Association of nonalcoholic fatty liver disease with a single nucleotide polymorphism on the gene encoding leptin receptor. <i>IUBMB Life</i> , <b>2012</b> , 64, 180-6	4.7	27
45	Potential diagnostic role of circulating MiRNAs in breast cancer: Implications on clinicopathological characters. <i>Clinical Biochemistry</i> , <b>2018</b> , 56, 47-54	3.5	21
44	Metronomic chemotherapy in metastatic breast cancer: impact on VEGF. <i>Journal of the Egyptian National Cancer Institute</i> , <b>2012</b> , 24, 15-22	1.9	21
43	A panel of angiogenic factors for early bladder cancer detection: enzyme immunoassay and Western blot. <i>Journal of Urology</i> , <b>2009</b> , 181, 1353-60	2.5	21
42	miRNA-155 and miRNA-181a as prognostic biomarkers for pediatric acute lymphoblastic leukemia. <i>Journal of Cellular Biochemistry</i> , <b>2019</b> , 120, 6315-6321	4.7	21
41	Clinical impact of circulating microRNAs as blood-based marker in childhood acute lymphoblastic leukemia. <i>Tumor Biology</i> , <b>2016</b> , 37, 10571-6	2.9	20
40	Clinical impact of circulating oncogenic MiRNA-221 and MiRNA-222 in glioblastoma multiform. <i>Journal of Neuro-Oncology</i> , <b>2019</b> , 144, 545-551	4.8	20
39	Aberrant Expression of Some Circulating miRNAs in Childhood Acute Lymphoblastic Leukemia. <i>Biochemical Genetics</i> , <b>2018</b> , 56, 283-294	2.4	16
38	Comparison of cytokeratin 20 RNA and angiogenin in voided urine samples as diagnostic tools for bladder carcinoma. <i>Clinical Biochemistry</i> , <b>2004</b> , 37, 803-10	3.5	16
37	The clinical relevance of urine-based markers for diagnosis of bladder cancer. <i>Medical Oncology</i> , <b>2011</b> , 28, 513-8	3.7	15

36	Diagnosis of hepatitis C virus infection by enzyme-linked immunosorbent assay and reverse transcriptase-nested polymerase chain reaction: a comparative evaluation. <i>IUBMB Life</i> , <b>2011</b> , 63, 430-4	4.7	13
35	Emerging role of p53, bcl-2 and telomerase activity in Egyptian breast cancer patients. <i>IUBMB Life</i> , <b>2004</b> , 56, 483-90	4.7	13
34	Clinical significance of blood-based miRNAs as diagnostic and prognostic nucleic acid markers in breast cancer: Comparative to conventional tumor markers. <i>Journal of Cellular Biochemistry</i> , <b>2019</b> , 120, 12321-12330	4.7	13
33	Clinical Implications of Adiponectin and Inflammatory Biomarkers in Type 2 Diabetes Mellitus. <i>Disease Markers</i> , <b>2009</b> , 27, 269-278	3.2	12
32	Diagnostic value of urinary molecular markers in bladder cancer. <i>Anticancer Research</i> , <b>2003</b> , 23, 4347-55	2.3	12
31	Role of some circulating MiRNAs on breast cancer diagnosis. <i>Archives of Physiology and Biochemistry</i> , <b>2019</b> , 125, 456-464	2.2	11
30	Incidence of Bcl-2 expression in bladder cancer: relation to schistosomiasis. <i>Clinical Biochemistry</i> , <b>2004</b> , 37, 798-802	3.5	11
29	Clinical aspects of circulating miRNA-335 in breast cancer patients: A prospective study. <i>Journal of Cellular Biochemistry</i> , <b>2019</b> , 120, 8975-8982	4.7	11
28	Prognostic value of cell-cycle regulators and cellular biomarkers in laryngeal squamous cell carcinoma. <i>Clinical Biochemistry</i> , <b>2008</b> , 41, 1059-66	3.5	10
27	Emerging Role of Endothelial and Inflammatory Markers in Preeclampsia. <i>Disease Markers</i> , <b>2009</b> , 26, 127-133	3.2	9
26	Soluble cytokeratin-19 and E-selectin biomarkers: their relevance for lung cancer detection when tested independently or in combinations. <i>Cancer Biomarkers</i> , <b>2008</b> , 4, 43-54	3.8	9
25	Interleukin-1 receptor antagonist gene polymorphism and hepcidin in rheumatoid arthritis: Correlations with clinical and laboratory indices of disease activity. <i>IUBMB Life</i> , <b>2013</b> , 65, 883-8	4.7	8
24	Deletions of p15 and p16 in schistosomal bladder cancer correlate with transforming growth factor-alpha expression. <i>Clinical Biochemistry</i> , <b>2004</b> , 37, 1098-104	3.5	8
23	Potential Influence of Interleukin-1 Receptor Antagonist Gene Polymorphism on Knee Osteoarthritis Risk. <i>Disease Markers</i> , <b>2010</b> , 28, 299-305	3.2	7
22	Serum MiRNA-27a as potential diagnostic nucleic marker for breast cancer. <i>Archives of Physiology and Biochemistry</i> , <b>2021</b> , 127, 90-96	2.2	7
21	Clinical implications of adiponectin and inflammatory biomarkers in type 2 diabetes mellitus. <i>Disease Markers</i> , <b>2009</b> , 27, 269-78	3.2	6
20	Apolipoprotein E genotyping in Egyptian diabetic nephropathy patients. <i>IUBMB Life</i> , <b>2016</b> , 68, 58-64	4.7	6
19	Clinical role of MiRNA 29a and MiRNA 335 on breast cancer management: their relevance to MMP2 protein level. <i>Archives of Physiology and Biochemistry</i> , <b>2020</b> , 1-8	2.2	6

18	Clinical implications of HER-2/neu overexpression and proteolytic activity imbalance in breast cancer. <i>IUBMB Life</i> , <b>2007</b> , 59, 394-401	4.7	5
17	Anti-mullerian and androgens hormones in women with polycystic ovary syndrome undergoing IVF/ICSI. <i>Iranian Journal of Reproductive Medicine</i> , <b>2013</b> , 11, 883-90		5
16	Emerging role of endothelial and inflammatory markers in preeclampsia. <i>Disease Markers</i> , <b>2009</b> , 26, 127-33	3.3	4
15	Impact of circulating miRNA-373 on breast cancer diagnosis through targeting VEGF and cyclin D1 genes. <i>Journal of Genetic Engineering and Biotechnology</i> , <b>2021</b> , 19, 84	3.1	4
14	Emerging role of miRNAs as liquid biopsy markers for prediction of glioblastoma multiforme prognosis. <i>Journal of Molecular Neuroscience</i> , <b>2021</b> , 71, 836-844	3.3	4
13	Alterations of PTEN and SMAD4 methylation in diagnosis of breast cancer: implications of methyl II PCR assay. <i>Journal of Genetic Engineering and Biotechnology</i> , <b>2021</b> , 19, 54	3.1	3
12	Clinical impact of LncRNA XIST and LncRNA NEAT1 for diagnosis of high-risk group breast cancer patients. <i>Current Problems in Cancer</i> , <b>2021</b> , 45, 100709	2.3	3
11	Next generation sequencing of genes in glioblastoma multiform Egyptian patients: a pilot study. <i>Archives of Physiology and Biochemistry</i> , <b>2020</b> , 1-9	2.2	2
10	Clinical implications of proteolytic activity imbalance in breast cancer diagnosis. <i>Cancer Biomarkers</i> , <b>2014</b> , 14, 409-17	3.8	2
9	Potential influence of interleukin-1 receptor antagonist gene polymorphism on knee osteoarthritis risk. <i>Disease Markers</i> , <b>2010</b> , 28, 299-305	3.2	2
8	Expression of MiR-335 and its target metalloproteinase genes: clinical significance in breast cancer. <i>Archives of Physiology and Biochemistry</i> , <b>2020</b> , 1-7	2.2	2
7	Assessment of maintenance oral etoposide following induction chemotherapy with gemcitabine and cisplatin in chemo-naïve extensive small cell lung cancer. <i>Chinese-German Journal of Clinical Oncology</i> , <b>2010</b> , 9, 569-573		1
6	Clinical impact of PTEN methylation status as a prognostic marker for breast cancer. <i>Journal of Genetic Engineering and Biotechnology</i> , <b>2021</b> , 19, 66	3.1	1
5	Relevance of circulating MiRNA-21 and MiRNA-181 in prediction of glioblastoma multiforme prognosis. <i>Archives of Physiology and Biochemistry</i> , <b>2020</b> , 1-6	2.2	1
4	Skeletal events of Anastrozole versus Tamoxifen on bone mineral density and bone biomarker osteocalcin in postmenopausal women with early breast cancer. <i>Chinese-German Journal of Clinical Oncology</i> , <b>2010</b> , 9, 574-578		
3	Clinical Impact of Oncomirs 221 and 222 on Breast Cancer Diagnosis <b>2020</b> , 1-9		
2	Implications of targeted next-generation sequencing for bladder cancer: report of four cases. <i>Journal of Genetic Engineering and Biotechnology</i> , <b>2021</b> , 19, 91	3.1	
1	Evaluation of Osteopontin and Pokhōn genes expression in hepatitis C virus-associated hepatocellular carcinoma. <i>Journal of Cellular Biochemistry</i> , <b>2018</b> , 120, 7439	4.7	

