Arnaud Perrot

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5796250/publications.pdf

Version: 2024-02-01

96 3,529 28 56 papers citations h-index g-index

112 112 112 1630

times ranked

citing authors

docs citations

all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Unconventional tools for the study of the flow properties of concrete equivalent mortar based on recycled concrete aggregates. Environmental Science and Pollution Research, 2022, 29, 26739-26758. | 2.7 | 6 |
| 2 | Printable Cement-Based Materials: Fresh Properties Measurements and Control. RILEM State-of-the-Art Reports, 2022, , 99-136. | 0.3 | 3 |
| 3 | Digital Fabrication with Cement-Based Materials: Underlying Physics. RILEM State-of-the-Art Reports, 2022, , 49-98. | 0.3 | 5 |
| 4 | M&S highlight: Le et al. (2012), Mix design and fresh properties for high-performance printing concrete. Materials and Structures/Materiaux Et Constructions, 2022, 55, 1. | 1.3 | 0 |
| 5 | Digital Fabrication with Cement-Based Materials: Process Classification and Case Studies. RILEM State-of-the-Art Reports, 2022, , 11-48. | 0.3 | 10 |
| 6 | Influence of nanoclay on the fresh and rheological behaviour of 3D printing mortar. Materials Today: Proceedings, 2022, 58, 1063-1068. | 0.9 | 12 |
| 7 | Material-process interactions in particle bed 3D printing and the underlying physics. Cement and Concrete Research, 2022, 156, 106748. | 4.6 | 23 |
| 8 | Fluid intrusion in powder beds for selective cement activation – An experimental and analytical study. Cement and Concrete Research, 2022, 156, 106771. | 4.6 | 12 |
| 9 | Microfibrillated cellulose as a new approach to develop lightweight cementitious composites: Rheological, Mechanical, and microstructure perspectives. Construction and Building Materials, 2022, 342, 128008. | 3.2 | 5 |
| 10 | Assessing the fresh properties of printable cement-based materials: High potential tests for quality control. Cement and Concrete Research, 2022, 158, 106836. | 4.6 | 20 |
| 11 | Mechanical Performance of 3-D Printed Concrete Containing Fly Ash, Metakaolin and Nanoclay. RILEM Bookseries, 2022, , 111-116. | 0.2 | 2 |
| 12 | Processing methods for optimising the mechanical strength of raw earth-based materials. Proceedings of Institution of Civil Engineers: Construction Materials, 2021, 174, 150-160. | 0.7 | 7 |
| 13 | Effect of metakaolin and natural fibres on three-dimensional printing mortar. Proceedings of Institution of Civil Engineers: Construction Materials, 2021, 174, 115-128. | 0.7 | 12 |
| 14 | Assessment of asymmetrical rheological behavior of cementitious material for 3D printing application. Cement and Concrete Research, 2021, 140, 106305. | 4.6 | 24 |
| 15 | Experimental approach on a moving formwork. Construction and Building Materials, 2021, 270, 121472. | 3.2 | 5 |
| 16 | Valorization of glass powder waste, crushed and dune sands in the mix design of ultra-high performance fiber reinforced concrete: Assessing effect of waste variability. Materiaux Et Techniques, 2021, 109, 103. | 0.3 | 3 |
| 17 | Impact of the nature of fibers on the physicomechanical behavior and durability of cement matrices. Iranian Journal of Science and Technology - Transactions of Civil Engineering, 2021, 45, 1467-1482. | 1.0 | 3 |
| 18 | Mortar pore pressure prediction during the first hours of cement hydration. Cement and Concrete Composites, 2021, 119, 103998. | 4.6 | 4 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Combined and synergic effect of algerian natural fibres and biopolymers on the reinforcement of extruded raw earth. Construction and Building Materials, 2021, 289, 123211. | 3.2 | 18 |
| 20 | From analytical methods to numerical simulations: A process engineering toolbox for 3D concrete printing. Cement and Concrete Composites, 2021, 122, 104164. | 4.6 | 55 |
| 21 | Penetration of Cement Pastes into Particle-Beds: A Comparison of Penetration Models. Materials, 2021, 14, 389. | 1.3 | 13 |
| 22 | Additive Manufacturing of Cementitious Materials by Selective Paste Intrusion: Numerical Modeling of the Flow Using a 2D Axisymmetric Phase Field Method. Materials, 2020, 13, 5024. | 1.3 | 11 |
| 23 | Optimisation of rheological parameters, induced bleeding, permeability and mechanical properties of supersulfated cement grouts. Construction and Building Materials, 2020, 262, 120078. | 3.2 | 21 |
| 24 | Effect of bio-stabilizers on capillary absorption and water vapour transfer into raw earth. Materials and Structures/Materiaux Et Constructions, 2020, 53, 1. | 1.3 | 11 |
| 25 | Extrusion-based additive manufacturing with cement-based materials $\hat{a} \in \text{``Production steps, processes,}$ and their underlying physics: A review. Cement and Concrete Research, 2020, 132, 106037. | 4.6 | 297 |
| 26 | Characterization of the shear behavior of mineral suspensions at controlled negative pressure conditions. Powder Technology, 2020, 364, 60-69. | 2.1 | 3 |
| 27 | Nailing of Layers: A Promising Way to Reinforce Concrete 3D Printing Structures. Materials, 2020, 13, 1518. | 1.3 | 61 |
| 28 | Effect of Metakaolin, Fly Ash and Polypropylene Fibres on Fresh and Rheological Properties of 3D Printing Based Cement Materials. RILEM Bookseries, 2020, , 206-215. | 0.2 | 7 |
| 29 | Gravity Driven Tests to Assess Mechanical Properties of Printable Cement-Based Materials at Fresh State. RILEM Bookseries, 2020, , 280-289. | 0.2 | 5 |
| 30 | Effect of Limestone Powder Addition Quality on SCC Rheology. RILEM Bookseries, 2020, , 500-507. | 0.2 | 0 |
| 31 | Effect of Metallic Fibers on the Print Quality and Strength of 3D Printed Concrete. RILEM Bookseries, 2020, , 439-448. | 0.2 | 2 |
| 32 | Water absorption measurements on WPCs: Assessment of size and direction dependencies in order to design fast and accurate quality control tests. Polymer Testing, 2019, 77, 105899. | 2.3 | 10 |
| 33 | Underwater 3D printing of cement-based mortar. Construction and Building Materials, 2019, 214, 458-467. | 3.2 | 64 |
| 34 | Effect of mix proportions on rheology and permeability of cement grouts containing viscosity modifying admixture. Construction and Building Materials, 2019, 212, 687-697. | 3.2 | 25 |
| 35 | Strategies for optimizing the mechanical strengths of raw earth-based mortars. Construction and Building Materials, 2018, 167, 496-504. | 3.2 | 30 |
| 36 | Field-oriented tests to evaluate the workability of cob and adobe. Materials and Structures/Materiaux Et Constructions, 2018, 51, 1. | 1.3 | 11 |

3

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | 3D printing of earth-based materials: Processing aspects. Construction and Building Materials, 2018, 172, 670-676. | 3.2 | 148 |
| 38 | Penetration of cement pastes into sand packings during 3D printing: analytical and experimental study. Materials and Structures/Materiaux Et Constructions, 2018, 51, 1. | 1.3 | 49 |
| 39 | A localization analysis of a non-uniform damage lattice in presence of strength gradient. International Journal of Fracture, 2018, 210, 29-43. | 1.1 | 1 |
| 40 | Properties of an industrial extruded HDPE-WPC: The effect of the size distribution of wood flour particles. Construction and Building Materials, 2018, 162, 543-552. | 3.2 | 54 |
| 41 | Static and Dynamic Behaviors of Microstructured Membranes within Nonlocal Mechanics. Journal of Engineering Mechanics - ASCE, 2018, 144, . | 1.6 | 9 |
| 42 | Particle-bed 3D printing in concrete construction – Possibilities and challenges. Cement and Concrete Research, 2018, 112, 50-65. | 4.6 | 274 |
| 43 | Non-linear modeling of yield stress increase due to SCC structural build-up at rest. Cement and Concrete Research, 2017, 92, 92-97. | 4.6 | 86 |
| 44 | Effects of mix design parameters on consolidation behaviour of fresh cement-based materials. Materials and Structures/Materiaux Et Constructions, 2017, 50, 1. | 1.3 | 12 |
| 45 | A study on the limitations of a vane rheometer for mineral suspensions using image processing. Rheologica Acta, 2017, 56, 351-367. | 1.1 | 22 |
| 46 | The plate test carried out on fresh cement-based materials: How and why?. Cement and Concrete Research, 2017, 93, 1-7. | 4.6 | 8 |
| 47 | On the failure of a discrete axial chain using a continualized nonlocal Continuum Damage Mechanics approach. International Journal for Numerical and Analytical Methods in Geomechanics, 2016, 40, 436-466. | 1.7 | 7 |
| 48 | Nonlocal continuum analysis of a nonlinear uniaxial elastic lattice system under non-uniform axial load. Physica E: Low-Dimensional Systems and Nanostructures, 2016, 83, 378-388. | 1.3 | 6 |
| 49 | A nonlocal Fourier's law and its application to the heat conduction of one-dimensional and two-dimensional thermal lattices. Comptes Rendus - Mecanique, 2016, 344, 388-401. | 2.1 | 55 |
| 50 | Linking rheological and geotechnical properties of kaolinite materials for earthen construction. Materials and Structures/Materiaux Et Constructions, 2016, 49, 4647-4655. | 1.3 | 31 |
| 51 | Scale effects in the static response of a one-dimensional quasi-brittle damage lattice. European Journal of Environmental and Civil Engineering, 2016, 20, 1233-1248. | 1.0 | 0 |
| 52 | Mechanical enhancement of cement-stabilized soil by flax fibre reinforcement and extrusion processing. Materials and Structures/Materiaux Et Constructions, 2016, 49, 1143-1156. | 1.3 | 29 |
| 53 | Structural built-up of cement-based materials used for 3D-printing extrusion techniques. Materials and Structures/Materiaux Et Constructions, 2016, 49, 1213-1220. | 1.3 | 569 |
| 54 | The Plate Test carried out on Fresh Self- Compacting Concrete. , 2016, , . | | 0 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | A novel pull-out device used to study the influence of pressure during processing of cement-based material reinforced with coir. Construction and Building Materials, 2015, 78, 224-233. | 3.2 | 30 |
| 56 | Two-scale nonlocal shear rate formulation of Bingham plastic fluid. Applied Mathematical Modelling, 2015, 39, 4075-4094. | 2.2 | 0 |
| 57 | Rheological properties of calcium sulfate suspensions. Cement and Concrete Research, 2015, 76, 70-81. | 4.6 | 13 |
| 58 | Cellulose ethers and cement paste permeability. Cement and Concrete Research, 2015, 72, 117-127. | 4.6 | 37 |
| 59 | Nonlocal Continuum Damage Mechanics Approach of a Discrete Axial Chain under Non-Uniform Axial Load. Applied Mechanics and Materials, 2015, 784, 317-324. | 0.2 | 0 |
| 60 | Toward modeling anisotropic yield stress and consistency induced by fiber in fiber-reinforced viscoplastic fluids. Journal of Non-Newtonian Fluid Mechanics, 2015, 220, 69-76. | 1.0 | 19 |
| 61 | Determination of the consolidation coefficient of low compressibility materials: application to fresh cement-based materials. Materials and Structures/Materiaux Et Constructions, 2015, 48, 1475-1483. | 1.3 | 11 |
| 62 | Effect of coarse particle volume fraction on the hydraulic conductivity of fresh cement based material. Materials and Structures/Materiaux Et Constructions, 2015, 48, 2291-2297. | 1.3 | 17 |
| 63 | Prediction of lateral form pressure exerted by concrete at low casting rates. Materials and Structures/Materiaux Et Constructions, 2015, 48, 2315-2322. | 1.3 | 101 |
| 64 | Poiseuille flow of nonlocal microstructured fluid. Mechanics Research Communications, 2014, 59, 51-57. | 1.0 | 6 |
| 65 | Field validation of models for predicting lateral form pressure exerted by SCC. Cement and Concrete Composites, 2014, 54, 70-79. | 4.6 | 50 |
| 66 | Structural build-up of rigid fiber reinforced cement-based materials. Materials and Structures/Materiaux Et Constructions, 2013, 46, 1561-1568. | 1.3 | 56 |
| 67 | Design of clay/cement mixtures for extruded building products. Materials and Structures/Materiaux Et Constructions, 2013, 46, 999-1010. | 1.3 | 30 |
| 68 | Prediction of extrusion load and liquid phase filtration during ram extrusion of high solid volume fraction pastes. Powder Technology, 2013, 249, 258-268. | 2.1 | 57 |
| 69 | Hydro-mechanical properties of fresh cement pastes containing polycarboxylate superplasticizer. Cement and Concrete Research, 2013, 53, 221-228. | 4.6 | 29 |
| 70 | Study of tribological behaviour of fresh mortar against a rigid plane wall. European Journal of Environmental and Civil Engineering, 2013, 17, 419-429. | 1.0 | 14 |
| 71 | Use of ram extruder as a combined rheo-tribometer to study the behaviour of high yield stress fluids at low strain rate. Rheologica Acta, 2012, 51, 743-754. | 1.1 | 69 |
| 72 | Cement-based mixes: Shearing properties and pore pressure. Cement and Concrete Research, 2012, 42, 139-147. | 4.6 | 42 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Yield stress and bleeding of fresh cement pastes. Cement and Concrete Research, 2012, 42, 937-944. | 4.6 | 196 |
| 74 | Permeability measurement of fresh cement paste. Cement and Concrete Research, 2011, 41, 330-338. | 4.6 | 55 |
| 75 | A new look at the measurement of cementitious paste setting by Vicat test. Cement and Concrete Research, 2010, 40, 681-686. | 4.6 | 67 |
| 76 | Vibro-extrusion: a new forming process for cement-based materials. Advances in Cement Research, 2009, 21, 125-133. | 0.7 | 18 |
| 77 | SCC formwork pressure: Influence of steel rebars. Cement and Concrete Research, 2009, 39, 524-528. | 4.6 | 45 |
| 78 | Energy distribution in the squeezing of particles in concentrated suspension. Granular Matter, 2008, 10, 81-87. | 1.1 | 1 |
| 79 | Processing the Couette viscometry data using a Bingham approximation in shear rate calculation. Journal of Non-Newtonian Fluid Mechanics, 2008, 154, 31-38. | 1.0 | 71 |
| 80 | Extrusion Criterion for Firm Cement-Based Materials. AIP Conference Proceedings, 2008, , . | 0.3 | 2 |
| 81 | A novel settling and structural build-up measurement method. Measurement Science and Technology, 2008, 19, 105702. | 1.4 | 31 |
| 82 | Couette Rheometry from Differential Approach: Comparative Study and Experimental Application. AIP Conference Proceedings, 2008, , . | 0.3 | 1 |
| 83 | Multi-Scale Analysis to Study the Rheological Behavior of Natural Mud Suspensions. AIP Conference Proceedings, 2008, , . | 0.3 | O |
| 84 | Squeezing Flow of Suspensions: Flow Regime Evaluation from Energy Approach. AIP Conference Proceedings, 2008, , . | 0.3 | 0 |
| 85 | Processing the Vane Shear Flow Data from Couette Analogy. Applied Rheology, 2008, 18, 34037-1-34037-6. | 3.5 | 36 |
| 86 | Mortar physical properties evolution in extrusion flow. Rheologica Acta, 2007, 46, 1065-1073. | 1.1 | 45 |
| 87 | Slipping zone location in squeeze flow. Rheologica Acta, 2006, 45, 444-448. | 1.1 | 25 |
| 88 | Ram extrusion force for a frictional plastic material: model prediction and application to cement paste. Rheologica Acta, 2006, 45, 457-467. | 1.1 | 46 |
| 89 | Tensile Characteristics of Coconut Fibers Reinforced Mortar Composites. Advanced Materials Research, 0, 651, 269-273. | 0.3 | 7 |
| 90 | Effect of Coconut Fibers Addition to early Age Unfired Soil Lime Bricks Strength. Key Engineering Materials, 0, 594-595, 471-476. | 0.4 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Effect of Fibers Content on the Tensile Properties of Coconut Fibers Reinforced Cement Mortar Composites. Advanced Materials Research, 0, 742, 92-97. | 0.3 | 5 |
| 92 | Extrusion of cement-based materials - an overview. RILEM Technical Letters, 0, 3, 91-97. | 0.0 | 68 |
| 93 | Gravity induced flow to characterize rheological properties of printable cement-based materials. RILEM Technical Letters, 0, 5, 150-156. | 0.0 | 5 |
| 94 | Linseed Oil and Xanthan Gum: Promising Stabilisers for Earthen Building Materials., 0,,. | | 0 |
| 95 | Bio-Stabilised Earthen Blocks: A Critical Study on Compression Tests of Immersed Samples. , 0, , . | | 0 |
| 96 | Erosion Behaviour of Bio-Stabilised Earthen Materials. , 0, , . | | 2 |