

Fariborz Mobarrez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5796866/publications.pdf>

Version: 2024-02-01

61
papers

1,629
citations

279798

23
h-index

315739

38
g-index

61
all docs

61
docs citations

61
times ranked

2710
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Plasma levels of S100B and neurofilament light chain protein in stress-related mental disorders. <i>Scientific Reports</i> , 2022, 12, 8339. | 3.3 | 7 |
| 2 | High Thrombin Generation after Acute Ischemic Stroke or Transient Ischemic Attack Is Associated with a Reduced Risk of Recurrence: An Observational Cohort Study. <i>Thrombosis and Haemostasis</i> , 2021, 121, 584-593. | 3.4 | 2 |
| 3 | Leakage of astrocyte-derived extracellular vesicles in stress-induced exhaustion disorder: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 2009. | 3.3 | 25 |
| 4 | Isoforms of soluble vascular endothelial growth factor in stress-related mental disorders: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 16693. | 3.3 | 10 |
| 5 | Phosphatidylserine Exposing Extracellular Vesicles in Pre-eclamptic Patients. <i>Frontiers in Medicine</i> , 2021, 8, 761453. | 2.6 | 5 |
| 6 | Microparticles Expressing Myeloperoxidase and Complement C3a and C5a as Markers of Renal Involvement in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Rheumatology</i> , 2020, 47, 714-721. | 2.0 | 14 |
| 7 | Changes in the plasma microvesicle proteome during the ovarian hyperstimulation phase of assisted reproductive technology. <i>Scientific Reports</i> , 2020, 10, 13645. | 3.3 | 1 |
| 8 | High levels of endothelial and platelet microvesicles in patients with type 1 diabetes irrespective of microvascular complications. <i>Thrombosis Research</i> , 2020, 196, 78-86. | 1.7 | 5 |
| 9 | Extracellular miR-574-5p Induces Osteoclast Differentiation via TLR 7/8 in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2020, 11, 585282. | 4.8 | 30 |
| 10 | Phosphatidylserine positive microparticles improve hemostasis in in-vitro hemophilia A plasma models. <i>Scientific Reports</i> , 2020, 10, 7871. | 3.3 | 11 |
| 11 | Electronic cigarettes containing nicotine increase endothelial and platelet derived extracellular vesicles in healthy volunteers. <i>Atherosclerosis</i> , 2020, 301, 93-100. | 0.8 | 32 |
| 12 | The binding of SLE autoantibodies to mitochondria. <i>Clinical Immunology</i> , 2020, 212, 108349. | 3.2 | 16 |
| 13 | Prognostic Value of Circulating Microvesicle Subpopulations in Ischemic Stroke and TIA. <i>Translational Stroke Research</i> , 2020, 11, 708-719. | 4.2 | 13 |
| 14 | Incidence of pulmonary and venous thromboembolism in pregnancies after in vitro fertilization with fresh respectively frozen-thawed embryo transfer: Nationwide cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1965-1973. | 3.8 | 22 |
| 15 | Changes in microparticle profiles by vitamin D receptor activation in chronic kidney disease – a randomized trial. <i>BMC Nephrology</i> , 2019, 20, 290. | 1.8 | 5 |
| 16 | Microvesicles from patients with acute coronary syndrome enhance platelet aggregation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 507-512. | 1.2 | 1 |
| 17 | Neuromyelitis optica spectrum disorder with increased aquaporin-4 microparticles prior to autoantibodies in cerebrospinal fluid: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 27. | 0.8 | 11 |
| 18 | Circulating Levels of Interferon Regulatory Factor-5 Associates With Subgroups of Systemic Lupus Erythematosus Patients. <i>Frontiers in Immunology</i> , 2019, 10, 1029. | 4.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Microparticles in the blood of patients with SLE: Size, content of mitochondria and role in circulating immune complexes. <i>Journal of Autoimmunity</i> , 2019, 102, 142-149. | 6.5 | 38 |
| 20 | Increased concentrations of platelet- and endothelial-derived microparticles in patients with myocardial infarction and reduced renal function- a descriptive study. <i>BMC Nephrology</i> , 2019, 20, 71. | 1.8 | 31 |
| 21 | Acute effects of haemodialysis on circulating microparticles. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 456-462. | 2.9 | 11 |
| 22 | Meal intake increases circulating procoagulant microparticles in patients with type 1 and type 2 diabetes mellitus. <i>Platelets</i> , 2019, 30, 348-355. | 2.3 | 10 |
| 23 | AA-02...The expression of autoantibodies to mitochondria in the blood of patients with SLE. , 2018, , . | | 0 |
| 24 | Phosphatidylserine expressing microvesicles in relation to microvascular complications in type 1 diabetes. <i>Thrombosis Research</i> , 2018, 172, 158-164. | 1.7 | 16 |
| 25 | Microparticles as autoantigens in systemic lupus erythematosus. <i>European Journal of Clinical Investigation</i> , 2018, 48, e13010. | 3.4 | 34 |
| 26 | Circulating H3Cit is elevated in a human model of endotoxemia and can be detected bound to microvesicles. <i>Scientific Reports</i> , 2018, 8, 12641. | 3.3 | 34 |
| 27 | Acute effects of e-cigarette inhalation with or without nicotine on levels of microvesicles in the blood of human volunteers. , 2018, , . | | 0 |
| 28 | Reply to: "Endothelial progenitor cell release is usually considered a beneficial effect: Problems in interpreting the acute effects of e-cigarette use" • <i>Atherosclerosis</i> , 2017, 258, 164-165. | 0.8 | 2 |
| 29 | Altered Î²2â€glycoproteinÂI expression on microparticles in the presence of antiphospholipid antibodies. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1799-1806. | 3.8 | 17 |
| 30 | The expression of microvesicles in the blood of patients with Graves' disease and its relationship to treatment. <i>Clinical Endocrinology</i> , 2016, 84, 729-735. | 2.4 | 14 |
| 31 | Deletion of mPGES-1 affects platelet functions in mice. <i>Clinical Science</i> , 2016, 130, 2295-2303. | 4.3 | 9 |
| 32 | Corrigendum to "Measurement of microparticle tissue factor activity in clinical samples: A summary of two tissue factor-dependent FXa generation assays" [Thromb. Res. 139 (2016) 90-97]. <i>Thrombosis Research</i> , 2016, 147, 63. | 1.7 | 0 |
| 33 | Electronic cigarettes increase endothelial progenitor cells in the blood of healthy volunteers. <i>Atherosclerosis</i> , 2016, 255, 179-185. | 0.8 | 98 |
| 34 | Microparticles in the blood of patients with systemic lupus erythematosus (SLE): phenotypic characterization and clinical associations. <i>Scientific Reports</i> , 2016, 6, 36025. | 3.3 | 83 |
| 35 | Microparticles reveal cell activation during IVF " a possible early marker of a prothrombotic state during the first trimester. <i>Thrombosis and Haemostasis</i> , 2016, 116, 517-523. | 3.4 | 11 |
| 36 | Measurement of microparticle tissue factor activity in clinical samples: A summary of two tissue factor-dependent FXa generation assays. <i>Thrombosis Research</i> , 2016, 139, 90-97. | 1.7 | 70 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of lipid-lowering treatment on circulating microparticles in patients with diabetes mellitus and chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 944-952. | 0.7 | 23 |
| 38 | Possible Biomarkers of Chronic Stress Induced Exhaustion - A Longitudinal Study. <i>PLoS ONE</i> , 2016, 11, e0153924. | 2.5 | 15 |
| 39 | A new gold nanoparticle based rapid immunochromatographic assay for screening EBV-VCA specific IgA in nasopharyngeal carcinomas. <i>Journal of Applied Biomedicine</i> , 2015, 13, 123-129. | 1.7 | 9 |
| 40 | Association between platelet reactivity and circulating platelet-derived microvesicles in patients with acute coronary syndrome. <i>Platelets</i> , 2015, 26, 467-473. | 2.3 | 25 |
| 41 | CD40L expression in plasma of volunteers following LPS administration: A comparison between assay of CD40L on platelet microvesicles and soluble CD40L. <i>Platelets</i> , 2015, 26, 486-490. | 2.3 | 32 |
| 42 | The Effects of Smoking on Levels of Endothelial Progenitor Cells and Microparticles in the Blood of Healthy Volunteers. <i>PLoS ONE</i> , 2014, 9, e90314. | 2.5 | 74 |
| 43 | Lipid-lowering treatment and inflammatory mediators in diabetes and chronic kidney disease. <i>European Journal of Clinical Investigation</i> , 2014, 44, 276-284. | 3.4 | 26 |
| 44 | Studies of fibrin formation and fibrinolytic function in patients with the antiphospholipid syndrome. <i>Thrombosis Research</i> , 2014, 133, 936-944. | 1.7 | 23 |
| 45 | Formation of Microparticles in the Injured Brain of Patients with Severe Isolated Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2014, 31, 1927-1933. | 3.4 | 63 |
| 46 | Trousseau's Syndrome, a Previously Unrecognized Condition in Acute Ischemic Stroke Associated With Myocardial Injury. <i>Journal of Investigative Medicine High Impact Case Reports</i> , 2014, 2, 232470961453928. | 0.6 | 7 |
| 47 | Is a decrease of microparticles related to improvement of hemostasis after FVIII injection in hemophilia A patients treated on demand?. <i>Journal of Thrombosis and Haemostasis</i> , 2013, 11, 697-703. | 3.8 | 7 |
| 48 | Effect of Lipopolysaccharide Administration on the Number, Phenotype and Content of Nuclear Molecules in Blood Microparticles of Normal Human Subjects. <i>Scandinavian Journal of Immunology</i> , 2013, 78, 205-213. | 2.7 | 43 |
| 49 | Microparticles and microscopic structures in three fractions of fresh cerebrospinal fluid in schizophrenia: Case report of twins. <i>Schizophrenia Research</i> , 2013, 143, 192-197. | 2.0 | 19 |
| 50 | Impaired endothelium-dependent skin microvascular function during high-dose atorvastatin treatment in patients with type 1 diabetes. <i>Diabetes and Vascular Disease Research</i> , 2013, 10, 483-488. | 2.0 | 24 |
| 51 | High-Dose Aspirin Is Required to Influence Plasma Fibrin Network Structure in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 404-408. | 8.6 | 20 |
| 52 | Platelet-derived microparticles during and after acute coronary syndrome. <i>Thrombosis and Haemostasis</i> , 2012, 107, 1122-1129. | 3.4 | 65 |
| 53 | Low plasma vascular endothelial growth factor (VEGF) associated with completed suicide. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 468-473. | 2.6 | 86 |
| 54 | Release of endothelial microparticles in vivo during atorvastatin treatment; a randomized double-blind placebo-controlled study. <i>Thrombosis Research</i> , 2012, 129, 95-97. | 1.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Leukocyte-derived microparticles and scanning electron microscopic structures in two fractions of fresh cerebrospinal fluid in amyotrophic lateral sclerosis: a case report. <i>Journal of Medical Case Reports</i> , 2012, 6, 274. | 0.8 | 16 |
| 56 | Pro-inflammatory cytokines are elevated in adolescent females with emotional disorders not treated with SSRIs. <i>Journal of Affective Disorders</i> , 2012, 136, 716-723. | 4.1 | 60 |
| 57 | Comparison of venous and arterial blood sampling for the assessment of platelet aggregation with whole blood impedance aggregometry. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 637-640. | 1.2 | 13 |
| 58 | Atorvastatin reduces thrombin generation and expression of tissue factor, P-selectin and GPIIIa on platelet-derived microparticles in patients with peripheral arterial occlusive disease. <i>Thrombosis and Haemostasis</i> , 2011, 106, 344-352. | 3.4 | 83 |
| 59 | A multicolor flow cytometric assay for measurement of platelet-derived microparticles. <i>Thrombosis Research</i> , 2010, 125, e110-e116. | 1.7 | 106 |
| 60 | Atorvastatin has antithrombotic effects in patients with type 1 diabetes and dyslipidemia. <i>Thrombosis Research</i> , 2010, 126, e225-e231. | 1.7 | 56 |
| 61 | Inflammation and thrombin generation cause increased thrombin activatable fibrinolysis inhibitor levels in experimental human endotoxemia. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 611-613. | 1.0 | 3 |