

Ting Pan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5796915/ting-pan-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

1,236
citations

17
h-index

34
g-index

62
ext. papers

1,952
ext. citations

10.8
avg, IF

4.37
L-index

| # | Paper | IF | Citations |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 60 | Glycopeptide Antibiotics Potently Inhibit Cathepsin L in the Late Endosome/Lysosome and Block the Entry of Ebola Virus, Middle East Respiratory Syndrome Coronavirus (MERS-CoV), and Severe Acute Respiratory Syndrome Coronavirus (SARS-CoV). <i>Journal of Biological Chemistry</i> , 2016 , 291, 9218-32 | 5.4 | 188 |
| 59 | The ORF8 protein of SARS-CoV-2 mediates immune evasion through down-regulating MHC-II <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 112 |
| 58 | Nanoparticle Vaccines Based on the Receptor Binding Domain (RBD) and Heptad Repeat (HR) of SARS-CoV-2 Elicit Robust Protective Immune Responses. <i>Immunity</i> , 2020 , 53, 1315-1330.e9 | 32.3 | 99 |
| 57 | An Lnc RNA (GAS5)/SnoRNA-derived piRNA induces activation of TRAIL gene by site-specifically recruiting MLL/COMPASS-like complexes. <i>Nucleic Acids Research</i> , 2015 , 43, 3712-25 | 20.1 | 76 |
| 56 | A SnoRNA-derived piRNA interacts with human interleukin-4 pre-mRNA and induces its decay in nuclear exosomes. <i>Nucleic Acids Research</i> , 2015 , 43, 10474-91 | 20.1 | 71 |
| 55 | Teicoplanin potently blocks the cell entry of 2019-nCoV | | 58 |
| 54 | IL-4 Inhibits the Biogenesis of an Epigenetically Suppressive PIWI-Interacting RNA To Upregulate CD1a Molecules on Monocytes/Dendritic Cells. <i>Journal of Immunology</i> , 2016 , 196, 1591-603 | 5.3 | 52 |
| 53 | Development of benzimidazole derivatives to inhibit HIV-1 replication through protecting APOBEC3G protein. <i>European Journal of Medicinal Chemistry</i> , 2015 , 95, 500-13 | 6.8 | 48 |
| 52 | SARS-CoV-2 Omicron strain exhibits potent capabilities for immune evasion and viral entrance.. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 430 | 21 | 44 |
| 51 | Necroptosis takes place in human immunodeficiency virus type-1 (HIV-1)-infected CD4+ T lymphocytes. <i>PLoS ONE</i> , 2014 , 9, e93944 | 3.7 | 44 |
| 50 | Myeloid-derived suppressor cells are essential for maintaining feto-maternal immunotolerance via STAT3 signaling in mice. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 499-511 | 6.5 | 41 |
| 49 | Targeting liquid-liquid phase separation of SARS-CoV-2 nucleocapsid protein promotes innate antiviral immunity by elevating MAVS activity. <i>Nature Cell Biology</i> , 2021 , 23, 718-732 | 23.4 | 38 |
| 48 | TRIM28 promotes HIV-1 latency by SUMOylating CDK9 and inhibiting P-TEFb. <i>ELife</i> , 2019 , 8, | 8.9 | 34 |
| 47 | The mechanism of mA methyltransferase METTL3-mediated autophagy in reversing gefitinib resistance in NSCLC cells by ElemenE. <i>Cell Death and Disease</i> , 2020 , 11, 969 | 9.8 | 34 |
| 46 | Nonsteroidal Anti-inflammatory Drugs Potently Inhibit the Replication of Zika Viruses by Inducing the Degradation of AXL. <i>Journal of Virology</i> , 2018 , 92, | 6.6 | 32 |
| 45 | Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis. <i>PLoS Pathogens</i> , 2020 , 16, e1008334 | 7.6 | 19 |
| 44 | Development of an Attenuated Tat Protein as a Highly-effective Agent to Specifically Activate HIV-1 Latency. <i>Molecular Therapy</i> , 2016 , 24, 1528-37 | 11.7 | 19 |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 43 | USP49 potently stabilizes APOBEC3G protein by removing ubiquitin and inhibits HIV-1 replication. <i>ELife</i> , 2019 , 8, | 8.9 | 16 |
| 42 | Engineering Extracellular Vesicles Enriched with Palmitoylated ACE2 as COVID-19 Therapy. <i>Advanced Materials</i> , 2021 , 33, e2103471 | 24 | 16 |
| 41 | Identification of an HIV-1 replication inhibitor which rescues host restriction factor APOBEC3G in Vif-APOBEC3G complex. <i>Antiviral Research</i> , 2015 , 122, 20-7 | 10.8 | 15 |
| 40 | Infection of wild-type mice by SARS-CoV-2 B.1.351 variant indicates a possible novel cross-species transmission route.. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 420 | 21 | 13 |
| 39 | The interferon-stimulated exosomal hACE2 potently inhibits SARS-CoV-2 replication through competitively blocking the virus entry. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 189 | 21 | 12 |
| 38 | Host factor SMYD3 is recruited by Ebola virus nucleoprotein to facilitate viral mRNA transcription. <i>Emerging Microbes and Infections</i> , 2019 , 8, 1347-1360 | 18.9 | 11 |
| 37 | Moloney leukemia virus 10 (MOV10) inhibits the degradation of APOBEC3G through interference with the Vif-mediated ubiquitin-proteasome pathway. <i>Retrovirology</i> , 2017 , 14, 56 | 3.6 | 11 |
| 36 | Recovered COVID-19 patients with recurrent viral RNA exhibit lower levels of anti-RBD antibodies. <i>Cellular and Molecular Immunology</i> , 2020 , 17, 1098-1100 | 15.4 | 10 |
| 35 | Engineering a Reliable and Convenient SARS-CoV-2 Replicon System for Analysis of Viral RNA Synthesis and Screening of Antiviral Inhibitors. <i>MBio</i> , 2021 , 12, | 7.8 | 10 |
| 34 | CUL7 E3 Ubiquitin Ligase Mediates the Degradation of Activation-Induced Cytidine Deaminase and Regulates the Ig Class Switch Recombination in B Lymphocytes. <i>Journal of Immunology</i> , 2019 , 203, 269-281 | 5.3 | 8 |
| 33 | Finasteride Enhances the Generation of Human Myeloid-Derived Suppressor Cells by Up-Regulating the COX2/PGE2 Pathway. <i>PLoS ONE</i> , 2016 , 11, e0156549 | 3.7 | 8 |
| 32 | Histone chaperone CAF-1 promotes HIV-1 latency by leading the formation of phase-separated suppressive nuclear bodies. <i>EMBO Journal</i> , 2021 , 40, e106632 | 13 | 8 |
| 31 | Baicalin Induces Apoptosis and Suppresses the Cell Cycle Progression of Lung Cancer Cells Through Downregulating Akt/mTOR Signaling Pathway. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 602282 | 5.6 | 8 |
| 30 | Design and synthesis of aminothiazole based Hepatitis B Virus (HBV) capsid inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2019 , 166, 480-501 | 6.8 | 7 |
| 29 | UHRF1 Controls Thymocyte Fate Decisions through the Epigenetic Regulation of EGR1 Expression. <i>Journal of Immunology</i> , 2020 , 204, 3248-3261 | 5.3 | 7 |
| 28 | Autophagy Contributes to Host Immunity and Protection against Zika Virus Infection via Type I IFN Signaling. <i>Mediators of Inflammation</i> , 2020 , 2020, 9527147 | 4.3 | 6 |
| 27 | A recombinant chimeric protein specifically induces mutant KRAS degradation and potently inhibits pancreatic tumor growth. <i>Oncotarget</i> , 2016 , 7, 44299-44309 | 3.3 | 6 |
| 26 | The enhancing antibiofilm activity of curcumin on <i>Streptococcus mutans</i> strains from severe early childhood caries. <i>BMC Microbiology</i> , 2020 , 20, 286 | 4.5 | 5 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 25 | Baicalin induces ferroptosis in bladder cancer cells by downregulating FTH1.. <i>Acta Pharmaceutica Sinica B</i> , 2021 , 11, 4045-4054 | 15.5 | 5 |
| 24 | Identification of a novel compound targeting the nuclear export of influenza A virus nucleoprotein. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 1826-1839 | 5.6 | 5 |
| 23 | Broadly neutralizing antibody-derived CAR T cells reduce viral reservoir in individuals infected with HIV-1. <i>Journal of Clinical Investigation</i> , 2021 , 131, | 15.9 | 5 |
| 22 | IL-21 Expands HIV-1-Specific CD8 T Memory Stem Cells to Suppress HIV-1 Replication In Vitro. <i>Journal of Immunology Research</i> , 2019 , 2019, 1801560 | 4.5 | 4 |
| 21 | USP10 regulates B cell response to SARS-CoV-2 or HIV-1 nanoparticle vaccines through deubiquitinating AID.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 7 | 21 | 4 |
| 20 | Curcumenol triggered ferroptosis in lung cancer cells via lncRNA H19/miR-19b-3p/FTH1 axis.. <i>Bioactive Materials</i> , 2022 , 13, 23-36 | 16.7 | 4 |
| 19 | The broad-spectrum antibiofilm activity of amyloid-forming hexapeptides. <i>Microbial Biotechnology</i> , 2021 , 14, 656-667 | 6.3 | 4 |
| 18 | PIWIL4 Maintains HIV-1 Latency by Enforcing Epigenetically Suppressive Modifications on the 5V Long Terminal Repeat. <i>Journal of Virology</i> , 2020 , 94, | 6.6 | 3 |
| 17 | Preferential Homing of Tumor-specific and Functional CD8+ Stem Cell-like Memory T Cells to the Bone Marrow. <i>Journal of Immunotherapy</i> , 2019 , 42, 197-207 | 5 | 3 |
| 16 | Combination of lysine-specific demethylase 6A (KDM6A) and mismatch repair (MMR) status is a potential prognostic factor in colorectal cancer. <i>Cancer Medicine</i> , 2021 , 10, 317-324 | 4.8 | 3 |
| 15 | SARS-CoV-2 ORF3a induces RETREG1/FAM134B-dependent reticulophagy and triggers sequential ER stress and inflammatory responses during SARS-CoV-2 infection.. <i>Autophagy</i> , 2022 , 1-17 | 10.2 | 3 |
| 14 | A bivalent nanoparticle vaccine exhibits potent cross-protection against the variants of SARS-CoV-2.. <i>Cell Reports</i> , 2021 , 110256 | 10.6 | 2 |
| 13 | Significantly reduced abilities to cross-neutralize SARS-CoV-2 variants by sera from convalescent COVID-19 patients infected by Delta or early strains. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 2560-2562 | 15.4 | 2 |
| 12 | Development of Receptor Binding Domain (RBD)-Conjugated Nanoparticle Vaccines with Broad Neutralization against SARS-CoV-2 Delta and Other Variants.. <i>Advanced Science</i> , 2022 , e2105378 | 13.6 | 1 |
| 11 | Brd4 Regulates the Homeostasis of CD8 T-Lymphocytes and Their Proliferation in Response to Antigen Stimulation. <i>Frontiers in Immunology</i> , 2021 , 12, 728082 | 8.4 | 1 |
| 10 | Glycopeptide Antibiotic Teicoplanin Inhibits Cell Entry of SARS-CoV-2 by Suppressing the Proteolytic Activity of Cathepsin L.. <i>Frontiers in Microbiology</i> , 2022 , 13, 884034 | 5.7 | 1 |
| 9 | Engineering Extracellular Vesicles Enriched with Palmitoylated ACE2 as COVID-19 Therapy (Adv. Mater. 49/2021). <i>Advanced Materials</i> , 2021 , 33, 2170388 | 24 | |
| 8 | Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis 2020 , 16, e1008334 | | |

- 7 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334
- 6 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334
- 5 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334
- 4 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334
- 3 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334
- 2 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334
- 1 Two waves of pro-inflammatory factors are released during the influenza A virus (IAV)-driven pulmonary immunopathogenesis **2020**, 16, e1008334