Roger Olsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5797237/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-------------------|---------------|
| 1 | The role of M1 muscarinic receptor agonism of N-desmethylclozapine in the unique clinical effects of clozapine. Psychopharmacology, 2004, 177, 207-216. | 3.1 | 217 |
| 2 | Intrinsic Efficacy of Antipsychotics at Human D2, D3, and D4 Dopamine Receptors: Identification of the Clozapine Metabolite N-Desmethylclozapine as a D2/D3 Partial Agonist. Journal of Pharmacology and Experimental Therapeutics, 2005, 315, 1278-1287. | 2.5 | 163 |
| 3 | Liver damage from flucloxacillin, cloxacillin and dicloxacillin. Journal of Hepatology, 1992, 15, 154-161. | 3.7 | 133 |
| 4 | A Novel Metal Iodide Promoted Three-Component Synthesis of Substituted Pyrrolidines. Organic Letters, 2002, 4, 3147-3150. | 4.6 | 127 |
| 5 | Synthesis of 2-Substituted Pyridines via a Regiospecific Alkylation, Alkynylation, and Arylation of PyridineN-Oxides. Organic Letters, 2007, 9, 1335-1337. | 4.6 | 114 |
| 6 | Organic electrochemical neurons and synapses with ion mediated spiking. Nature Communications, 2022, 13, 901. | 12.8 | 110 |
| 7 | Low Dose Bexarotene Treatment Rescues Dopamine Neurons and Restores Behavioral Function in Models of Parkinson's Disease. ACS Chemical Neuroscience, 2013, 4, 1430-1438. | 3.5 | 104 |
| 8 | Iron-Catalyzed Cross-Coupling of Imidoyl Chlorides with Grignard Reagents. Organic Letters, 2006, 8, 1771-1773. | 4.6 | 95 |
| 9 | Discovery of a Potent, Orally Available, and Isoform-Selective Retinoic Acid β2 Receptor Agonist. Journal of Medicinal Chemistry, 2005, 48, 7517-7519. | 6.4 | 68 |
| 10 | Discovery of the First Nonpeptide Agonist of the GPR14/Urotensin-II Receptor:Â 3-(4-Chlorophenyl)-3-(2-) Tj ETQc | 0 0 0 rgBT 6.4 | - /Overlock 1 |

| 11 | Reactions between Grignard reagents and heterocyclic N-oxides: Stereoselective synthesis of substituted pyridines, piperidines, and piperazines. Organic and Biomolecular Chemistry, 2011, 9, 337-346. | 2.8 | 59 |
|----|---|-----|----|
| 12 | Efficient, mild and completely regioselective synthesis of substituted pyridines. Chemical Communications, 2010, 46, 3384. | 4.1 | 56 |
| 13 | Nonsteroidal Selective Androgen Receptor Modulators and Selective Estrogen Receptor β Agonists Moderate Cognitive Deficits and Amyloid-β Levels in a Mouse Model of Alzheimer's Disease. ACS Chemical Neuroscience, 2013, 4, 1537-1548. | 3.5 | 50 |
| 14 | Small molecules increase direct neural conversion of human fibroblasts. Scientific Reports, 2016, 6, 38290. | 3.3 | 48 |
| 15 | Neuropeptide FF Receptors Have Opposing Modulatory Effects on Nociception. Journal of Pharmacology and Experimental Therapeutics, 2010, 334, 244-254. | 2.5 | 47 |
| 16 | Characterization of Highly Efficacious Allosteric Agonists of the Human Calcium-Sensing Receptor. Journal of Pharmacology and Experimental Therapeutics, 2011, 337, 275-284. | 2.5 | 47 |
| 17 | Microwave-assisted solvent-free parallel synthesis of thioamides. Tetrahedron Letters, 2000, 41, 7947-7950. | 1.4 | 46 |
| 18 | Design, parallel synthesis and SAR of novel urotensin II receptor agonists. European Journal of Medicinal Chemistry, 2007, 42, 276-285. | 5.5 | 46 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Behavioral Analysis of Dopaminergic Activation in Zebrafish and Rats Reveals Similar Phenotypes. ACS Chemical Neuroscience, 2016, 7, 633-646. | 3.5 | 46 |
| 20 | Simultaneous videoradiography and pharyngeal solid state manometry (videomanometry) in 25 nondysphagic volunteers. Dysphagia, 1995, 10, 36-41. | 1.8 | 45 |
| 21 | Identification and Characterization of Novel Small-Molecule Protease-Activated Receptor 2 Agonists. Journal of Pharmacology and Experimental Therapeutics, 2008, 327, 799-808. | 2.5 | 43 |
| 22 | Identification of the First Synthetic Steroidogenic Factor 1 Inverse Agonists: Pharmacological Modulation of Steroidogenic Enzymes. Molecular Pharmacology, 2008, 73, 900-908. | 2.3 | 43 |
| 23 | The Regio―and Stereoselective Synthesis of <i>trans</i> â€2,3â€Dihydropyridine <i>N</i> â€oxides and Piperidines. Angewandte Chemie - International Edition, 2009, 48, 3288-3291. | 13.8 | 43 |
| 24 | An enantiospecific synthesis of D-erythro-sphingosine from D-tartaric acid. Tetrahedron, 1993, 49, 6645-6650. | 1.9 | 42 |
| 25 | Solid-state computerized manometry improves diagnostic yield in pharyngeal dysphagia: simultaneous videoradiography and manometry in dysphagia patients with normal barium swallows. Abdominal Imaging, 1995, 20, 230-235. | 2.0 | 42 |
| 26 | lsochromanone-based urotensin-II receptor agonists. Bioorganic and Medicinal Chemistry, 2005, 13, 3057-3068. | 3.0 | 41 |
| 27 | Complete Regioselective Addition of Grignard Reagents to Pyrazine <i>N</i> -Oxides, Toward an Efficient Enantioselective Synthesis of Substituted Piperazines. Organic Letters, 2010, 12, 284-286. | 4.6 | 40 |
| 28 | Novel Potent and Efficacious Nonpeptidic Urotensin II Receptor Agonists. Journal of Medicinal Chemistry, 2006, 49, 2232-2240. | 6.4 | 38 |
| 29 | Discovery of Potent and Selective Small-Molecule PAR-2 Agonists. Journal of Medicinal Chemistry, 2008, 51, 5490-5493. | 6.4 | 36 |
| 30 | Synthesis, Structureâ^'Activity Relationships, and Characterization of Novel Nonsteroidal and Selective Androgen Receptor Modulators. Journal of Medicinal Chemistry, 2009, 52, 7186-7191. | 6.4 | 36 |
| 31 | Broad modulation of neuropathic pain states by a selective estrogen receptor beta agonist. European Journal of Pharmacology, 2008, 590, 423-429. | 3.5 | 35 |
| 32 | General combinatorial synthesis of tertiary amines on solid support. A novel conditional release strategy based on traceless linking at nitrogen. Tetrahedron Letters, 2001, 42, 133-136. | 1.4 | 34 |
| 33 | Reaction of pyridine N-oxides with Grignard reagents: a stereodefined synthesis of substituted dienal oximes. Tetrahedron Letters, 2007, 48, 6941-6944. | 1.4 | 33 |
| 34 | Synthesis and Evaluation of Dibenzothiazepines: A Novel Class of Selective Cannabinoid-1 Receptor Inverse Agonists. Journal of Medicinal Chemistry, 2009, 52, 1975-1982. | 6.4 | 33 |
| 35 | Selective synthesis of 2-substituted pyridine N-oxides via directed ortho-metallation using Grignard reagents. Tetrahedron Letters, 2008, 49, 6901-6903. | 1.4 | 32 |
| 36 | One-Pot Three-Component Reaction for the Synthesis of α-(Aminoethyl)-α,β-enones. Organic Letters, 2002, 4, 4333-4336. | 4.6 | 31 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Using visual lateralization to model learning and memory in zebrafish larvae. Scientific Reports, 2015, 5, 8667. | 3.3 | 31 |
| 38 | Combined videomanometric identification of abnormalities related to pharyngeal retention. Academic Radiology, 1997, 4, 349-354. | 2.5 | 30 |
| 39 | Temporary in Situ Aluminum and Zinc Tethering in Dielsâ^'Alder Reactions. Organic Letters, 2000, 2, 1283-1286. | 4.6 | 29 |
| 40 | Efficient Solution-Phase Parallel Synthesis of 4-SubstitutedN-Protected Piperidines. European Journal of Organic Chemistry, 2003, 2003, 4586-4592. | 2.4 | 29 |
| 41 | Identification of novel subtype selective RAR agonists. Biochemical Pharmacology, 2005, 71, 156-162. | 4.4 | 29 |
| 42 | Design, Synthesis, and Structureâ^'Activity Analysis of Isoform-Selective Retinoic Acid Receptor β Ligands. Journal of Medicinal Chemistry, 2009, 52, 1540-1545. | 6.4 | 29 |
| 43 | Estrogen Receptor Beta Selective Agonists as Agents to Treat Chemotherapeutic-Induced Neuropathic Pain. ACS Chemical Neuroscience, 2016, 7, 1180-1187. | 3.5 | 29 |
| 44 | Alcohol Consumption Pattern and Serum Lipids in Alcoholic Cirrhosis and Pancreatitis. Scandinavian Journal of Gastroenterology, 1984, 19, 582-587. | 1.5 | 28 |
| 45 | Videomanometry of the pharynx in dysphagic patients with a posterior cricopharyngeal indentation. Academic Radiology, 1995, 2, 597-601. | 2.5 | 28 |
| 46 | Enantioselective Synthesis of Substituted Piperidines by Addition of Aryl Grignard Reagents to Pyridine <i>N</i> -Oxides. Organic Letters, 2013, 15, 54-57. | 4.6 | 28 |
| 47 | Videomanometric aspects of pharyngeal constrictor activity. Dysphagia, 1996, 11, 83-86. | 1.8 | 27 |
| 48 | A Combinatorial Scaffold Approach Based upon a Multicomponent Reaction. Organic Letters, 2003, 5, 1551-1554. | 4.6 | 27 |
| 49 | Discovery of Selective Nonpeptidergic Neuropeptide FF2 Receptor Agonists. Journal of Medicinal Chemistry, 2009, 52, 6511-6514. | 6.4 | 27 |
| 50 | AC-186, a Selective Nonsteroidal Estrogen Receptor β Agonist, Shows Gender Specific Neuroprotection in a Parkinson's Disease Rat Model. ACS Chemical Neuroscience, 2013, 4, 1249-1255. | 3.5 | 26 |
| 51 | A Biomimetic Evolvable Organic Electrochemical Transistor. Advanced Electronic Materials, 2021, 7, 2001126. | 5.1 | 26 |
| 52 | Pharmacology and Signaling Properties of Epidermal Growth Factor Receptor Isoforms Studied by Bioluminescence Resonance Energy Transfer. Molecular Pharmacology, 2007, 71, 508-518. | 2.3 | 24 |
| 53 | Differential modulation of inflammatory pain by a selective estrogen receptor beta agonist. European Journal of Pharmacology, 2008, 592, 158-159. | 3.5 | 23 |
| 54 | Pharmacological characterization of AC-262536, a novel selective androgen receptor modulator. Journal of Steroid Biochemistry and Molecular Biology, 2008, 109, 129-137. | 2.5 | 23 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | THE DIAGNOSTIC SIGNIFICANCE OF A HIGH ASAT/ALAT (GOT/GPT) RATIO IN PATIENTS WITH VERY HIGH SERUM AMINOTRANSFERASE LEVELS. Acta Medica Scandinavica, 2009, 195, 227-229. | 0.0 | 23 |
| 56 | Discovery of non-peptidergic MrgX1 and MrgX2 receptor agonists and exploration of an initial SAR using solid-phase synthesis. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 1729-1732. | 2.2 | 23 |
| 57 | An ex Vivo Model for Evaluating Blood–Brain Barrier Permeability, Efflux, and Drug Metabolism. ACS Chemical Neuroscience, 2016, 7, 668-680. | 3.5 | 19 |
| 58 | Ligand Dependent Switch from RXR Homo- to RXR-NURR1 Heterodimerization. ACS Chemical Neuroscience, 2017, 8, 2065-2077. | 3.5 | 19 |
| 59 | Tumourâ€suppressive effect of oestrogen receptor β in colorectal cancer patients, colon cancer cells, and a zebrafish model. Journal of Pathology, 2020, 251, 297-309. | 4.5 | 19 |
| 60 | Endocyclic cleavage of glycosides. VI. Substituent effects of the alkylative endocyclic cleavage of glycosides. Tetrahedron, 1998, 54, 3935-3954. | 1.9 | 18 |
| 61 | Selective Mode of Action of Guanidine-Containing Non-Peptides at Human NPFF Receptors. Journal of Medicinal Chemistry, 2012, 55, 6124-6136. | 6.4 | 18 |
| 62 | Synthesis and Biological Evaluation of Second-Generation Tropanol-Based Androgen Receptor Modulators. Journal of Medicinal Chemistry, 2015, 58, 1569-1574. | 6.4 | 18 |
| 63 | Evaluation of Drug Exposure and Metabolism in Locust and Zebrafish Brains Using Mass Spectrometry Imaging. ACS Chemical Neuroscience, 2018, 9, 1994-2000. | 3.5 | 18 |
| 64 | Observations of Increased Levels of Blood Coagulation Factors and Other Plasma Proteins in Cholestatic Liver Disease. Scandinavian Journal of Gastroenterology, 1976, 11, 391-396. | 1.5 | 18 |
| 65 | Asymmetric synthesis of a tricyclic benzofuran motif: a privileged core structure in biologically active molecules. Organic and Biomolecular Chemistry, 2010, 8, 4831. | 2.8 | 17 |
| 66 | Action sequencing in the spontaneous swimming behavior of zebrafish larvae - implications for drug development. Scientific Reports, 2017, 7, 3191. | 3.3 | 17 |
| 67 | Solution-Phase Parallel Wittig Olefination:  Synthesis of Substituted 1,2-Diarylethanes. ACS Combinatorial Science, 2003, 5, 606-609. | 3.3 | 16 |
| 68 | Impact of estrogen receptor beta activation on functional recovery after experimental stroke. Behavioural Brain Research, 2014, 261, 282-288. | 2.2 | 14 |
| 69 | Chiral Dihydrobenzofuran Acids Show Potent Retinoid X Receptor–Nuclear Receptor Related 1 Protein Dimer Activation. Journal of Medicinal Chemistry, 2016, 59, 1232-1238. | 6.4 | 14 |
| 70 | Bexarotene prodrugs: Targeting through cleavage by NQO1 (DT-diaphorase). Bioorganic and Medicinal Chemistry Letters, 2014, 24, 1944-1947. | 2.2 | 13 |
| 71 | Therapeutic Targeting of Nuclear Î ³ -Tubulin in RB1-Negative Tumors. Molecular Cancer Research, 2015, 13, 1073-1082. | 3.4 | 13 |
| 72 | Prevalence of Markers of Hepatotrophic Viruses in Alcoholics with Symptomatic Liver Cirrhosis or Pancreatitis. Scandinavian Journal of Gastroenterology, 1984, 19, 588-590. | 1.5 | 11 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Identification of the Atypical L-Type Ca2+ Channel Blocker Diltiazem and Its Metabolites As Ghrelin Receptor Agonists. Molecular Pharmacology, 2007, 72, 380-386. | 2.3 | 11 |
| 74 | Optimization of isochromanone based urotensin II receptor agonists. Bioorganic and Medicinal Chemistry, 2010, 18, 4844-4854. | 3.0 | 11 |
| 75 | Can α-synuclein be targeted in novel therapies for Parkinson's disease?. Expert Review of Neurotherapeutics, 2011, 11, 917-919. | 2.8 | 11 |
| 76 | Pharyngeal Solid-State Manometry Catheter Movement During Swallowing in Dysphagic and Nondysphagic Participants. Academic Radiology, 1994, 1, 339-344. | 2.5 | 10 |
| 77 | Organotitanium-induced stereoselective alkylative endo-cleavage of benzyl pentopyranosides. Carbohydrate Research, 1998, 307, 13-18. | 2.3 | 10 |
| 78 | Chelation-controlled regioselective endo cleavage and stereoselective C-1 alkylation of pentofuranosides. Journal of the Chemical Society Perkin Transactions 1, 1998, , 785-790. | 0.9 | 10 |
| 79 | Multistep solution-Phase parallel synthesis of spiperone analogues. Bioorganic and Medicinal Chemistry Letters, 2000, 10, 2435-2439. | 2.2 | 10 |
| 80 | Diamond Blackfan anemia is mediated by hyperactive Nemo-like kinase. Nature Communications, 2020, 11, 3344. | 12.8 | 10 |
| 81 | Seamless integration of bioelectronic interface in an animal model via in vivo polymerization of conjugated oligomers. Bioactive Materials, 2022, 10, 107-116. | 15.6 | 10 |
| 82 | Apicidin sensitizes pancreatic cancer cells to gemcitabine by epigenetically regulating MUC4 expression. Anticancer Research, 2014, 34, 5269-76. | 1.1 | 10 |
| 83 | Is a hydrogen-bonded carbene an intermediate in the organoaluminum-induced ring opening of pyranosides? ring opening of pyranosides?. Tetrahedron Letters, 1997, 38, 5701-5704. | 1.4 | 9 |
| 84 | Design of a Highly Selective and Potent Class of Nonâ€planar Estrogen Receptor β Agonists. ChemMedChem, 2013, 8, 1283-1294. | 3.2 | 9 |
| 85 | Regio- and Stereoselective Alkylation of Pyridine- <i>N</i> -oxides: Synthesis of Substituted Piperidines and Pyridines. Organic Letters, 2016, 18, 6228-6231. | 4.6 | 9 |
| 86 | A Phenotypic Screening Assay Identifies Modulators of Diamond Blackfan Anemia. SLAS Discovery, 2019, 24, 304-313. | 2.7 | 9 |
| 87 | Tumour suppressor 15-hydroxyprostaglandin dehydrogenase induces differentiation in colon cancer via GLI1 inhibition. Oncogenesis, 2020, 9, 74. | 4.9 | 9 |
| 88 | Anticonvulsant-induced liver damage. American Journal of Gastroenterology, 1988, 83, 576-7. | 0.4 | 9 |
| 89 | Discovery of a class of calcium sensing receptor positive allosteric modulators; 1-(benzothiazol-2-yl)-1-phenylethanols. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 5918-5921. | 2.2 | 8 |
| 90 | Simultaneous videoradiography and computerized pharyngeal manometryvideomanometry. Acta Radiologica, 1994, 35, 30-4. | 1.1 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Clinical Experience with Isolated Hyperbilirubinemia. Scandinavian Journal of Gastroenterology, 1989, 24, 617-622. | 1.5 | 7 |
| 92 | Novel and potent small-molecule urotensin II receptor agonists. Bioorganic and Medicinal Chemistry, 2009, 17, 4657-4665. | 3.0 | 7 |
| 93 | Synthesis of substituted 4-pyridones and 4-aminopyridinium salts via a one-pot pyridine synthesis. Tetrahedron Letters, 2010, 51, 4218-4220. | 1.4 | 7 |
| 94 | Discovery of potential antipsychotic agents possessing pro-cognitive properties. Naunyn-Schmiedeberg's Archives of Pharmacology, 2012, 385, 313-323. | 3.0 | 7 |
| 95 | Identification of potential chemical compounds enhancing generation of enucleated cells from immortalized human erythroid cell lines. Communications Biology, 2021, 4, 677. | 4.4 | 7 |
| 96 | Release of immunoreactive canine leukocyte elastase normally and in endotoxin and pancreatitic shock. Scandinavian Journal of Clinical and Laboratory Investigation, 1990, 50, 35-42. | 1.2 | 7 |
| 97 | High PGD2 receptor 2 levels are associated with poor prognosis in colorectal cancer patients and induce VECF expression in colon cancer cells and migration in a zebrafish xenograft model. British Journal of Cancer, 2022, 126, 586-597. | 6.4 | 7 |
| 98 | Identification of novel selective V2 receptor non-peptide agonists. Biochemical Pharmacology, 2008, 76, 1134-1141. | 4.4 | 6 |
| 99 | FRET-Based Screening Identifies p38 MAPK and PKC Inhibition as Targets for Prevention of Seeded α-Synuclein Aggregation. Neurotherapeutics, 2021, 18, 1692-1709. | 4.4 | 6 |
| 100 | Rational Materials Design for In Operando Electropolymerization of Evolvable Organic Electrochemical Transistors. Advanced Functional Materials, 2022, 32, . | 14.9 | 6 |
| 101 | Videophlebography with Foot Venous Pressure Measurements: Description of a Technique for Diagnosing Venous Dysfunction. Phlebology, 1997, 12, 100-106. | 1.2 | 5 |
| 102 | Small molecule screen identifies differentiationâ€promoting compounds targeting genetically diverse acute myeloid leukaemia. British Journal of Haematology, 2016, 175, 342-346. | 2.5 | 5 |
| 103 | Enantiomeric N-substituted phthalimides with excitatory amino acids protect zebrafish larvae against PTZ-induced seizures. European Journal of Pharmacology, 2020, 888, 173489. | 3.5 | 5 |
| 104 | Method Matters: Exploring Alkoxysulfonate-Functionalized Poly(3,4-ethylenedioxythiophene) and Its Unintentional Self-Aggregating Copolymer toward Injectable Bioelectronics. Chemistry of Materials, 2022, 34, 2752-2763. | 6.7 | 5 |
| 105 | The A-CD analogue of 16β,17α-estriol is a potent and highly selective estrogen receptor β agonist. MedChemComm, 2013, 4, 1439. | 3.4 | 4 |
| 106 | Identification of V-ATPase as a molecular sensor of SOX11-levels and potential therapeutic target for mantle cell lymphoma. BMC Cancer, 2016, 16, 493. | 2.6 | 4 |
| 107 | Bortezomib prevents cytarabine resistance in MCL, which is characterized by down-regulation of dCK and up-regulation of SPIB resulting in high NF-κB activity. BMC Cancer, 2018, 18, 466. | 2.6 | 4 |
| 108 | Hepatitis and Cancer: Genetic Aspects. Scandinavian Journal of Gastroenterology, 1996, 31, 115-120. | 1.5 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Osmotic Concentration of Zebrafish (Danio rerio) Body Fluids Is Lower in Larvae than in Adults. Zebrafish, 2018, 15, 9-14. | 1.1 | 3 |
| 110 | Discovery of Procognitive Antipsychotics by Combining Muscarinic M1 Receptor Structure–Activity Relationship with Systems Response Profiles in Zebrafish Larvae. ACS Chemical Neuroscience, 2020, 11, 173-183. | 3.5 | 3 |
| 111 | Alkylative Cleavage of the Endo-Cyclic CO Bond in Lactol Ethers Employing Organometallic Reagents Acta Chemica Scandinavica, 1998, 52, 172-174. | 0.7 | 3 |
| 112 | Ciclopirox Ethanolamine Is a Novel Modifier of Human Hematopoietic Stem Cell Ex Vivo Expansion. Blood, 2015, 126, 36-36. | 1.4 | 3 |
| 113 | Gilbert's syndromedoes it exist? A study of the prevalence of symptoms in Gilbert's syndrome. Acta Medica Scandinavica, 1988, 224, 485-90. | 0.0 | 2 |
| 114 | Surgical removal of a skin cancer involving the superior sagittal sinus: gradual obstruction of the sinus using miniature tissue expanders. European Journal of Plastic Surgery, 1997, 20, 89-91. | 0.6 | 1 |
| 115 | Small Molecule Screens Identify CDK8-Inhibitors As Candidate Diamond-Blackfan Anemia Drugs. Blood, 2018, 132, 753-753. | 1.4 | 1 |
| 116 | Resistance to Cytarabine in Mantle Cell Lymphoma Is Mediated By Down-Regulation of Deoxycytidine Kinase at the Protein Level. Blood, 2016, 128, 1769-1769. | 1.4 | 1 |
| 117 | Identification of Potential Chemical Compounds Able to Trigger Enucleation of Immortalized Human Erythroid Cell Lines. Blood, 2019, 134, 951-951. | 1.4 | 1 |
| 118 | A Novel Metal Iodide Promoted Three-Component Synthesis of Substituted Pyrrolidines ChemInform, 2003, 34, no. | 0.0 | 0 |
| 119 | One-Pot Three-Component Reaction for the Synthesis of α-(Aminoethyl)-α,β-enones ChemInform, 2003, 34, no. | 0.0 | 0 |
| 120 | Solution-Phase Parallel Wittig Olefination: Synthesis of Substituted 1,2-Diarylethanes ChemInform, 2004, 35, no. | 0.0 | 0 |
| 121 | Efficient Solution-Phase Parallel Synthesis of 4-Substituted N-Protected Piperidines ChemInform, 2004, 35, no. | 0.0 | 0 |
| 122 | Differentiation targeted compound screen of acute myeloid leukemia. Experimental Hematology, 2015, 43, S52. | 0.4 | 0 |
| 123 | BORTEZOMIB PREVENTS DEVELOPMENT OF CYTARABINE RESISTANCE IN A MANTLE CELL LYMPHOMA <i>IN VITRO</i> | 1.7 | 0 |
| 124 | Funcational assay platform to identify novel inhibitors of receptor tyrosine kinases. Journal of Clinical Oncology, 2005, 23, 3144-3144. | 1.6 | 0 |
| 125 | A Robust Screening Assay For Diamond Blackfan Anemia Candidate Drugs. Blood, 2013, 122, 2472-2472. | 1.4 | 0 |
| 126 | Therapeutic Targeting of Nuclear γâ€ŧubulin in RB1â€negative Tumors. FASEB Journal, 2015, 29, 897.14. | 0.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 127 | Abstract 2997: 15-hydroxyprostaglandin dehydrogenase induced differentiation in colon cancer cells is regulated via Gli1. , 2019, , . | | 0 |