
Kristi R Griffiths

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5797650/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brainmarker-I Differentially Predicts Remission to Various Attention-Deficit/Hyperactivity Disorder Treatments: A Discovery, Transfer, and Blinded Validation Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2023, 8, 52-60.	1.5	11
2	Cognitive and Executive Contributions to Trail-Making Task Performance on Adolescents With and Without Attention Deficit Hyperactivity Disorder. Journal of Attention Disorders, 2022, 26, 881-892.	2.6	1
3	Intrinsic Functional Connectomes Characterize Neuroticism in Major Depressive Disorder and Predict Antidepressant Treatment Outcomes. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 276-284.	1.5	3
4	The Neural Bases of Action-Outcome Learning in Humans. Journal of Neuroscience, 2022, 42, 3636-3647.	3.6	13
5	Inhibition-related modulation of salience and frontoparietal networks predicts cognitive control ability and inattention symptoms in children with ADHD. Molecular Psychiatry, 2021, 26, 4016-4025.	7.9	48
6	Attention Deficit Hyperactivity Disorder (ADHD). , 2021, , .		0
7	Investigating neural circuits of emotion regulation to distinguish euthymic patients with bipolar disorder and major depressive disorder. Bipolar Disorders, 2021, 23, 284-294.	1.9	12
8	Structural brain network topology underpinning ADHD and response to methylphenidate treatment. Translational Psychiatry, 2021, 11, 150.	4.8	23
9	No support for white matter connectivity differences in the combined and inattentive ADHD presentations. PLoS ONE, 2021, 16, e0245028.	2.5	4
10	Impulsivity and Its Relationship With Lisdexamfetamine Dimesylate Treatment in Binge Eating Disorder. Frontiers in Psychology, 2021, 12, 716010.	2.1	9
11	Effects of dietary omega-3 intake on vigilant attention and resting-state functional connectivity in neurotypical children and adolescents. Nutritional Neuroscience, 2021, , 1-10.	3.1	0
12	Age-related resting-state functional connectivity of the Vigilant Attention network in children and adolescents. Brain and Cognition, 2021, 154, 105791.	1.8	1
13	Default-mode and fronto-parietal network connectivity during rest distinguishes asymptomatic patients with bipolar disorder and major depressive disorder. Translational Psychiatry, 2021, 11, 547.	4.8	29
14	Intrinsic functional connectivity of the default mode and cognitive control networks relate to change in behavioral performance over two years. Cortex, 2020, 132, 180-190.	2.4	8
15	White matter microstructural differences in underweight adolescents with anorexia nervosa and a preliminary longitudinal investigation of change following short-term weight restoration. Eating and Weight Disorders, 2020, 26, 1903-1914.	2.5	6
16	Meta-analysis of the neural correlates of vigilant attention in children and adolescents. Cortex, 2020, 132, 374-385.	2.4	11
17	A Systematic Review of Imaging Studies in the Combined and Inattentive Subtypes of Attention Deficit Hyperactivity Disorder. Frontiers in Integrative Neuroscience, 2020, 14, 31.	2.1	46
18	Understanding the neural mechanisms of lisdexamfetamine dimesylate (LDX) pharmacotherapy in Binge Eating Disorder (BED): a study protocol. Journal of Eating Disorders, 2019, 7, 23.	2.7	15

KRISTI R GRIFFITHS

#	Article	IF	CITATIONS
19	Models that learn how humans learn: The case of decision-making and its disorders. PLoS Computational Biology, 2019, 15, e1006903.	3.2	33
20	A Signature of Attention-Elicited Electrocortical Activity Distinguishes Response From Non-Response to the Non-Stimulant Atomoxetine in Children and Adolescents With ADHD. Journal of Attention Disorders, 2019, 23, 744-753.	2.6	3
21	Response inhibition and emotional cognition improved by atomoxetine in children and adolescents with ADHD: The ACTION randomized controlled trial. Journal of Psychiatric Research, 2018, 102, 57-64.	3.1	18
22	Sustained attention and heart rate variability in children and adolescents with ADHD. Biological Psychology, 2017, 124, 11-20.	2.2	57
23	Regional brain network organization distinguishes the combined and inattentive subtypes of Attention Deficit Hyperactivity Disorder. NeuroImage: Clinical, 2017, 15, 383-390.	2.7	54
24	Grey matter abnormalities in children and adolescents with functional neurological symptom disorder. NeuroImage: Clinical, 2017, 15, 306-314.	2.7	49
25	Identification of biotypes in Attention-Deficit/Hyperactivity Disorder, a report from a randomized, controlled trial. Personalized Medicine in Psychiatry, 2017, 3, 8-17.	0.1	9
26	Impaired causal awareness and associated cortical–basal ganglia structural changes in youth psychiatric disorders. NeuroImage: Clinical, 2016, 12, 285-292.	2.7	4
27	Corticostriatal Control of Goal-Directed Action Is Impaired in Schizophrenia. Biological Psychiatry, 2015, 77, 187-195.	1.3	168
28	Action-value comparisons in the dorsolateral prefrontal cortex control choice between goal-directed actions. Nature Communications, 2014, 5, 4390.	12.8	41
29	A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of Psychiatric Research, 2014, 57, 1-11.	3.1	135
30	Translational studies of goal-directed action as a framework for classifying deficits across psychiatric disorders. Frontiers in Systems Neuroscience, 2014, 8, 101.	2.5	97
31	Intrinsic Functional Connectivity in the Default Mode Network Differentiates the Combined and Inattentive Attention Deficit Hyperactivity Disorder Types. Frontiers in Human Neuroscience, 0, 16, .	2.0	4