

Tao Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/579801/publications.pdf>

Version: 2024-02-01

242
papers

6,240
citations

57758

44
h-index

85541

71
g-index

244
all docs

244
docs citations

244
times ranked

4255
citing authors

#	ARTICLE	IF	CITATIONS
1	2F-TP: Learning Flexible Spatiotemporal Dependency for Flexible Traffic Prediction. IEEE Transactions on Intelligent Transportation Systems, 2023, 24, 15379-15391.	8.0	11
2	A Longitude-Purification Mechanism for Tunable Fiber Laser Based on Distributed Feedback. Journal of Lightwave Technology, 2022, 40, 206-214.	4.6	11
3	Side mode suppression of SOA fiber hybrid laser based on distributed self-injection feedback. Optics and Laser Technology, 2022, 147, 107619.	4.6	7
4	In-Fiber Auxiliary Interferometer to Compensate Laser Nonlinear Tuning in Simplified OFDR. Journal of Lightwave Technology, 2022, 40, 837-843.	4.6	10
5	Experimental revealing of fiber laser soliton build-up activated by shaking-soliton triplets. Optics and Laser Technology, 2022, 147, 107677.	4.6	1
6	Tunable Narrow-Linewidth Fiber Laser Based on the Acoustically Controlled Polarization Conversion in Dispersion Compensation Fiber. Journal of Lightwave Technology, 2022, 40, 2971-2979.	4.6	6
7	Lactic Acid Bacteria Mixture Isolated From Wild Pig Alleviated the Gut Inflammation of Mice Challenged by Escherichia coli. Frontiers in Immunology, 2022, 13, 822754.	4.8	7
8	Two-Dimensional Tapered Optical Fiber Core for Whispering Gallery Mode Excitation. IEEE Photonics Technology Letters, 2022, 34, 235-238.	2.5	5
9	High speed surface defects detection of mirrors based on ultrafast single-pixel imaging. Optics Express, 2022, 30, 15037.	3.4	4
10	Enhancing spatial resolution of BOTDR sensors using image deconvolution. Optics Express, 2022, 30, 19652.	3.4	8
11	High-Resolution and Large-Sensing-Range Liquid-Level Sensor Based on Optical Frequency Domain Reflectometry and No-Core Fiber. Sensors, 2022, 22, 4480.	3.8	0
12	A self-adjuvanting anti-tumor nanoliposomal vaccine based on fluorine-substituted MUC1 glycopeptide. Chemical Communications, 2022, 58, 8642-8645.	4.1	6
13	Effect of Initial Orientation on Corrosion Behavior of AZ80 Magnesium Alloy in Simulated Body Fluid. Metals and Materials International, 2021, 27, 2645-2655.	3.4	13
14	Single shot OCC-BOTDA based on polarization diversity and image denoising. Optics and Lasers in Engineering, 2021, 137, 106368.	3.8	3
15	Experimental revealing of asynchronous transient-soliton buildup dynamics. Optics and Laser Technology, 2021, 133, 106512.	4.6	6
16	Synthesis and immunogenicity of Brucella monovalent neoglycoconjugate. Carbohydrate Research, 2021, 499, 108196.	2.3	2
17	Hydrophilic AgInZnS quantum dots as a fluorescent turn-on probe for Cd ²⁺ detection. Journal of Alloys and Compounds, 2021, 864, 158109.	5.5	23
18	In-fiber wavelength-selective reflector based on Y-junction coupled whispering gallery mode resonator. Optics and Lasers in Engineering, 2021, 137, 106329.	3.8	2

#	ARTICLE	IF	CITATIONS
19	A Fiber-Attached Coupler for Transmission Bandpass Whispering Gallery Mode Resonator. Journal of Lightwave Technology, 2021, 39, 2454-2459.	4.6	5
20	High-Precision Temperature-Compensated Magnetic Field Sensor Based on Optoelectronic Oscillator. Journal of Lightwave Technology, 2021, 39, 2559-2564.	4.6	37
21	Distributed Optical Fiber Sensor for Dynamic Measurement. Journal of Lightwave Technology, 2021, 39, 3801-3811.	4.6	12
22	In-Fiber Butt-Coupled Spherical Microcavity With Whispering Gallery Mode and Fabry-Perot Resonances. IEEE Photonics Technology Letters, 2021, 33, 553-556.	2.5	4
23	An Improved Vibration Controller for Precision Manufacture Based on Youla Parametrization and Fuzzy Logic. , 2021, , .		0
24	A Novel Tunable Electromagnetic Gravity Compensator with Low Natural Frequency for Precision Assembly. , 2021, , .		0
25	Trace copper detection using in-line optical fiber Mach-Zehnder interferometer combined with an optoelectronic oscillator. Optics Express, 2021, 29, 23430.	3.4	20
26	Optimal Design of 6-DOF Parallel Manipulator with Workspace Maximization using a Constrained Differential Evolution. , 2021, , .		1
27	Accelerated Fast BOTDA Assisted by Compressed Sensing and Image Denoising. IEEE Sensors Journal, 2021, 21, 25723-25729.	4.7	9
28	L. reuteri ZJ617 inhibits inflammatory and autophagy signaling pathways in gut-liver axis in piglet induced by lipopolysaccharide. Journal of Animal Science and Biotechnology, 2021, 12, 110.	5.3	9
29	A simplified OFDR system with an integrated in-fiber auxiliary interferometer. , 2021, , .		0
30	Large dynamic strain sensing for μ -OTDR with frequency modulation pulse and frequency interrogation. , 2021, , .		0
31	Vector optical-chirp-chain Brillouin Optical Time-Domain Analyzer. , 2021, , .		0
32	Enhanced sensitivity of optical fiber vibration sensor based on radio-frequency Michelson interferometer. Optics Letters, 2021, 46, 6079.	3.3	20
33	Single shot BOTDA based on optical chirp chain and image denoising. , 2021, , .		0
34	Long range μ -OTDR based on full wave rectification and Raman amplification. , 2021, , .		0
35	DC-Biased Optofluidic Biolaser for Uric Acid Detection. Journal of Lightwave Technology, 2020, 38, 1557-1563.	4.6	9
36	1310 nm Narrow Linewidth Laser Assisted by the Feedback of Double-FBGs. IEEE Photonics Journal, 2020, 12, 1-12.	2.0	1

#	ARTICLE	IF	CITATIONS
37	Fast Spectral Characterization of Optical Passive Devices Based on Dissipative Soliton Fiber Laser Assisted Dispersive Fourier Transform. <i>Physical Review Applied</i> , 2020, 14, .	3.8	5
38	Graphene Quantum Dots Assisted Optically Tunable In-Core Mach-Zehnder Interferometer. <i>IEEE Photonics Technology Letters</i> , 2020, 32, 799-802.	2.5	2
39	<i>Lactobacillus rhamnosus</i> GG Attenuates Lipopolysaccharide-Induced Inflammation and Barrier Dysfunction by Regulating MAPK/NF- κ B Signaling and Modulating Metabolome in the Piglet Intestine. <i>Journal of Nutrition</i> , 2020, 150, 1313-1323.	2.9	37
40	Ultra wideband measurement for arbitrary spectral response using double sideband modulation and low-frequency detection. <i>Optics Communications</i> , 2020, 460, 125198.	2.1	3
41	A fluorometric optical fiber nanoprobe for copper(II) by using AgInZnS quantum dots. <i>Mikrochimica Acta</i> , 2020, 187, 146.	5.0	8
42	Experimental observation of bound states of Q-switched fiber lasers mode-locked by carbon nanotubes. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 050905.	1.5	2
43	Distributed directional torsion sensing based on an optical frequency domain reflectometer and a helical multicore fiber. <i>Optics Express</i> , 2020, 28, 16140.	3.4	37
44	Vector optical-chirp-chain Brillouin optical time-domain analyzer based on complex principal component analysis. <i>Optics Express</i> , 2020, 28, 28831.	3.4	8
45	Real-time spectroscopy characterization for acousto-optical dynamics analysis in fiber. , 2020, , .		0
46	Optical polarization rogue waves and their identifications. <i>JPhys Photonics</i> , 2020, 2, 032004.	4.6	6
47	OFDR with local spectrum matching method for optical fiber shape sensing. <i>Applied Physics Express</i> , 2019, 12, 082010.	2.4	24
48	Polarization-dependent pulse dynamics of mode-locked fiber laser with near-zero net dispersion. <i>Applied Physics Express</i> , 2019, 12, 112001.	2.4	2
49	Dual-wavelength narrowband all-fiber acousto-optic tunable bandpass filter based on dispersion-compensating fiber. <i>Applied Physics Express</i> , 2019, 12, 122008.	2.4	5
50	Rayleigh scattering assisted ultra-narrow linewidth linear-cavity laser. <i>Applied Physics Express</i> , 2019, 12, 082001.	2.4	10
51	80 km Fading Free Phase-Sensitive Reflectometry Based on Multi-Carrier NLFM Pulse Without Distributed Amplification. <i>Journal of Lightwave Technology</i> , 2019, 37, 4748-4754.	4.6	53
52	Synthesis and immunogenicity of the <i>Mycobacterium tuberculosis</i> arabinomannan- α -CRM197 conjugate. <i>MedChemComm</i> , 2019, 10, 543-553.	3.4	11
53	Model Tests on the Frequency Responses of Offshore Monopiles. <i>Journal of Marine Science and Engineering</i> , 2019, 7, 430.	2.6	6
54	Experimental study on linewidth compression based on Rayleigh backscattering in 1064-nm fiber laser. <i>Optics Communications</i> , 2019, 430, 268-272.	2.1	2

#	ARTICLE	IF	CITATIONS
55	Tunable Narrow-Linewidth Fiber Laser Based on Light-Controlled Graphene. Journal of Lightwave Technology, 2019, 37, 1338-1344.	4.6	10
56	Nitrogen doped graphene quantum dots as a fluorescent probe for mercury(II) ions. Mikrochimica Acta, 2019, 186, 140.	5.0	64
57	Optical polarization rogue waves from supercontinuum generation in zero dispersion fiber pumped by dissipative soliton. Optics Express, 2019, 27, 23830.	3.4	10
58	High-precision strain-insensitive temperature sensor based on an optoelectronic oscillator. Optics Express, 2019, 27, 37532.	3.4	22
59	Coherent optical modulation of graphene based on coherent population oscillation. Optics Letters, 2019, 44, 223.	3.3	2
60	Orbital angular momentum generation in two-mode fiber, based on the modal interference principle. Optics Letters, 2019, 44, 999.	3.3	9
61	Distributed vibration measurement based on a coherent multi-slope-assisted BOTDA with a large dynamic range. Optics Letters, 2019, 44, 1245.	3.3	24
62	Acousto-optic tunable ultrafast laser with vector-mode-coupling-induced polarization conversion. Photonics Research, 2019, 7, 798.	7.0	15
63	Polarization evolution dynamics of dissipative soliton fiber lasers. Photonics Research, 2019, 7, 1331.	7.0	24
64	Polarization dynamics of dissipative soliton fiber laser. , 2019, , .		0
65	Experimental observation of coherent population oscillation in graphene. , 2019, , .		0
66	Frequency response enhancement for long-range μ -OTDR system by additive random sampling and nonlinear frequency modulation. , 2019, , .		3
67	Polydimethylsiloxane optical microring resonator by nano-imprint lithography on MgF2 substrate. , 2019, , .		0
68	Orbital angular momentum generation in two mode fiber. , 2019, , .		0
69	Selective and sensitive detection of copper(II) based on fluorescent zinc-doped AgInS2 quantum dots. Journal of Luminescence, 2018, 201, 182-188.	3.1	27
70	Photothermal Interferometry Gas Sensor Based on the First Harmonic Signal. IEEE Photonics Journal, 2018, 10, 1-7.	2.0	7
71	All-inorganic CsPbBr ₃ perovskite quantum dots as a photoluminescent probe for ultrasensitive Cu ²⁺ detection. Journal of Materials Chemistry C, 2018, 6, 4793-4799.	5.5	98
72	Graphene-Assisted All-Fiber Optical-Controllable Laser. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-9.	2.9	13

#	ARTICLE	IF	CITATIONS
73	Graphene-based all-optical multi-parameter regulations for an ultrafast fiber laser. Optics Letters, 2018, 43, 4378.	3.3	7
74	One-step aqueous synthesis of highly luminescent hydrophilic AgInZnS quantum dots. Journal of Luminescence, 2018, 202, 71-76.	3.1	26
75	Flexible Timbo-Like Triboelectric Nanogenerator as Self-Powered Force and Bend Sensor for Wireless and Distributed Landslide Monitoring. Advanced Materials Technologies, 2018, 3, 1800144.	5.8	50
76	16 $\frac{1}{4}$ m dissipative soliton fiber laser mode-locked by cesium lead halide perovskite quantum dots. Optics Express, 2018, 26, 7155.	3.4	27
77	Optical puff mediated laminar-turbulent polarization transition. Optics Express, 2018, 26, 6103.	3.4	7
78	Intensity-modulated directional torsion sensor based on in-line optical fiber Mach-Zehnder interferometer. Optics Letters, 2018, 43, 2414.	3.3	40
79	Polarization independent fast BOTDA based on pump frequency modulation and cyclic coding. Optics Express, 2018, 26, 18270.	3.4	18
80	Fast distributed Brillouin optical fiber sensing based on pump frequency modulation. Applied Physics Express, 2018, 11, 072502.	2.4	12
81	Optically controlled tunable ultra-narrow linewidth fiber laser with Rayleigh backscattering and saturable absorption ring. Optics Express, 2018, 26, 26896.	3.4	23
82	All-fiber narrow-linewidth ring laser with continuous and large tuning range based on microsphere resonator and fiber Bragg grating. Optics Express, 2018, 26, 32652.	3.4	15
83	Distributed fiber sparse-wideband vibration sensing by sub-Nyquist additive random sampling. Optics Letters, 2018, 43, 2022.	3.3	32
84	Acousto-optic tunable bandpass filter based on acoustic-flexural-wave-induced fiber birefringence. Optics Letters, 2018, 43, 5431.	3.3	17
85	Long range fading free phase-sensitive reflectometry based on multi-tone NLFM pulse. , 2018, , .		8
86	Electrical Thermo-Optic Tuning of Whispering Gallery Mode Microtube Resonator. IEEE Photonics Technology Letters, 2017, 29, 169-172.	2.5	6
87	Breaking through the bandwidth barrier in distributed fiber vibration sensing by sub-Nyquist randomized sampling. Proceedings of SPIE, 2017, , .	0.8	5
88	Magnetic field measurement by using a multilongitudinal mode fiber laser. , 2017, , .		0
89	Precise measurement of ultra-narrow laser linewidths using the strong coherent envelope. Scientific Reports, 2017, 7, 41988.	3.3	51
90	Hydroxysulfonylation of Quinones with Aryl(alkyl)sulfonyl Hydrazides for the Synthesis of 1,4-Dihydroxy-2-aryl(alkyl)sulfonylbenzenes. European Journal of Organic Chemistry, 2017, 2017, 6081-6084.	2.4	11

#	ARTICLE	IF	CITATIONS
91	Dual-cavity feedback assisted DFB narrow linewidth laser. Scientific Reports, 2017, 7, 1185.	3.3	20
92	Sortase A-mediated on-resin peptide cleavage and in situ ligation: an efficient one-pot strategy for the synthesis of functional peptides and proteins. Organic Chemistry Frontiers, 2017, 4, 2058-2062.	4.5	10
93	The synthesis of water-dispersible zinc doped AgInS ₂ quantum dots and their application in Cu ²⁺ detection. Journal of Luminescence, 2017, 192, 547-554.	3.1	38
94	Experimental research on space charge of linear / nonlinear double-layered composites. , 2017, , .		0
95	Watt-level, ultrafast fiber laser functioned with ultraweak evanescent field. , 2017, , .		0
96	Incoherent optical modulation of graphene based on inline fiber Mach-Zehnder interferometer. , 2017, , .		1
97	Multi-channel mode converters based on in-line fiber modal interferometer. , 2017, , .		0
98	Tens of hertz narrow-linewidth laser based on stimulated Brillouin and Rayleigh scattering. Optics Letters, 2017, 42, 5286.	3.3	27
99	Highly sensitive temperature sensor based on an ultra-compact Mach-Zehnder interferometer with side-opened channels. Optics Letters, 2017, 42, 3549.	3.3	35
100	Incoherent optical modulation of graphene based on an in-line fiber Mach-Zehnder interferometer. Optics Letters, 2017, 42, 1708.	3.3	16
101	In-fiber Mach-Zehnder interferometer and sphere whispering gallery mode resonator coupling structure. Optics Letters, 2017, 42, 167.	3.3	17
102	Multi-channel mode converter based on a modal interferometer in a two-mode fiber. Optics Letters, 2017, 42, 3757.	3.3	20
103	Evanescent field-assisted mode-locked laser based on short single-wall carbon nanotubes and photonic crystal fiber. , 2017, , .		0
104	All-fiber mode-locked laser via short single-wall carbon nanotubes interacting with evanescent wave in photonic crystal fiber. Optics Express, 2016, 24, 23450.	3.4	24
105	High spatial resolution distributed fiber system for multi-parameter sensing based on modulated pulses. Optics Express, 2016, 24, 27482.	3.4	42
106	Copper-catalyzed Regioselective Sulfenylation of Indoles with Arylsulfonyl Chlorides. Asian Journal of Organic Chemistry, 2016, 5, 625-628.	2.7	43
107	Efficient synthesis of thioglycosylated kojic acid by <i>l</i> -glycosyl isothiuronium salts. Journal of Carbohydrate Chemistry, 2016, 35, 355-366.	1.1	1
108	Electrical thermo-optic tuning of integrated polymethyl methacrylate sphere whispering gallery mode resonator. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
109	Coherence loss of partially mode-locked fibre laser. Scientific Reports, 2016, 6, 24995.	3.3	22
110	Highly-sensitive magnetic field sensor based on fiber ring laser. Optics Express, 2016, 24, 645.	3.4	27
111	Luminescent AlZS-GO nanocomposites as fluorescent probe for detecting copper(II) ion. Sensors and Actuators B: Chemical, 2016, 233, 25-30.	7.8	49
112	Thermo-Optic Tuning of Integrated Polymethyl Methacrylate Sphere Whispering Gallery Mode Resonator. IEEE Photonics Journal, 2016, 8, 1-7.	2.0	11
113	All-inorganic perovskite CsPb(Br/I) ₃ nanorods for optoelectronic application. Nanoscale, 2016, 8, 15158-15161.	5.6	123
114	Interferometric Fiber-Optic Tilt Sensor Exploiting Taper and Lateral-Offset Fusing Splicing. IEEE Photonics Technology Letters, 2016, 28, 2225-2228.	2.5	12
115	Tunable dual-wavelength fiber laser with ultra-narrow linewidth based on Rayleigh backscattering. Optics Express, 2016, 24, 1324.	3.4	62
116	Laser Linewidth Measurement Based on Amplitude Difference Comparison of Coherent Envelope. IEEE Photonics Technology Letters, 2016, 28, 759-762.	2.5	55
117	Watt-Level Ultrafast Fiber Laser Based on Weak Evanescent Interaction With Reduced Graphene Oxide. IEEE Photonics Technology Letters, 2016, 28, 1245-1248.	2.5	26
118	Hybrid Distributed Multi-Parameter Fiber Sensing System Based on Modulated Pulses \hat{I} /B-OTDR. , 2016, , .		0
119	Tunable dual-wavelength fiber laser with ultra-narrow linewidth based on Rayleigh backscattering. , 2016, , .		0
120	Optical polarization rogue waves in fiber laser. , 2016, , .		0
121	An Integrated All Fiber Whispering Gallery Mode Resonator. , 2016, , .		0
122	High sensitive space electric field sensing based on micro fiber interferometer with field force driven gold nanofilm. Scientific Reports, 2015, 5, 15802.	3.3	9
123	High-sensitivity distributed transverse load sensor with an elliptical-core fiber based on Brillouin dynamic gratings. Optics Letters, 2015, 40, 5003.	3.3	25
124	In-fiber whispering gallery mode resonator fabricated by femtosecond laser micromaching. Proceedings of SPIE, 2015, , .	0.8	0
125	Perpendicular coupling glass capillary based interferometric real-time microfluidic sensor. Proceedings of SPIE, 2015, , .	0.8	0
126	Thermo-optically tunable switching in an electro-microtube ring resonator. Proceedings of SPIE, 2015, , .	0.8	0

#	ARTICLE	IF	CITATIONS
127	Cross-Phase Modulation Instability in Mode-Locked Laser Based on Reduced Graphene Oxide. IEEE Photonics Technology Letters, 2015, 27, 38-41.	2.5	7
128	Stable, Ultrafast Pulse Mode-Locked by Topological Insulator Bi_2Se_3 Nanosheets Interacting With Photonic Crystal Fiber: From Anomalous Dispersion to Normal Dispersion. IEEE Photonics Journal, 2015, 7, 1-8.	2.0	27
129	All fiber magnetic field sensor with Ferrofluid-filled tapered microstructured optical fiber interferometer. Optics Express, 2015, 23, 20668.	3.4	69
130	In-fiber whispering-gallery-mode resonator fabricated by femtosecond laser micromachining. Optics Letters, 2015, 40, 3770.	3.3	32
131	Bend-insensitive distributed sensing in singlemode-multimode-singlemode optical fiber structure by using Brillouin optical time-domain analysis. Optics Express, 2015, 23, 22714.	3.4	31
132	Polarization Switching in a Mode-Locked Fiber Laser Based on Reduced Graphene Oxide. IEEE Photonics Technology Letters, 2015, 27, 2535-2538.	2.5	6
133	Frequency Response Enhancement by Periodical Nonuniform Sampling in Distributed Sensing. IEEE Photonics Technology Letters, 2015, 27, 2158-2161.	2.5	42
134	Optical inclinometer based on a single long-period fiber grating combined with a large lateral offset. Proceedings of SPIE, 2015, , .	0.8	0
135	Synthesis, α -glucosidase inhibitory and molecular docking studies of prenylated and geranylated flavones, isoflavones and chalcones. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 4567-4571.	2.2	50
136	Nanocomposites of AgInZnS and graphene nanosheets as efficient photocatalysts for hydrogen evolution. Nanoscale, 2015, 7, 18498-18503.	5.6	23
137	Rayleigh backscattering: a method to highly compress laser linewidth. Science Bulletin, 2014, 59, 4631-4636.	1.7	37
138	Temperature-Insensitive Real-Time Inclinometer Based on an Etched Fiber Bragg Grating. IEEE Photonics Technology Letters, 2014, 26, 1049-1052.	2.5	17
139	Effect of laser linewidth on phase-OTDR based distributed vibration sensing regime. Proceedings of SPIE, 2014, , .	0.8	6
140	Real distributed vibration sensing with high frequency response based on pulse pair. Proceedings of SPIE, 2014, , .	0.8	2
141	A real-time inclinometer based on an etched fiber Bragg grating connected to hollow-core fiber. , 2014, , .		0
142	Synthesis of Ag-In-Zn-S alloyed nanorods and their biological application. Nanotechnology, 2014, 25, 485702.	2.6	6
143	High Voltage Sensing Based on Fiber Fabry-Perot Interferometer Driven by Electric Field Forces. Journal of Lightwave Technology, 2014, 32, 3337-3343.	4.6	6
144	Vector rectangular-shape laser based on reduced graphene oxide interacting with a long fiber taper. Applied Optics, 2014, 53, 6452.	1.8	11

#	ARTICLE	IF	CITATIONS
145	Q-switched mode-locked erbium-doped fiber laser based on topological insulator Bi ₂ Se ₃ deposited fiber taper. Applied Optics, 2014, 53, 5117.	1.8	47
146	Remote high temperature sensing with a reflective bandpass long-period fiber grating and a fiber ring laser. Measurement Science and Technology, 2013, 24, 094023.	2.6	4
147	Enhancement of SNR and Spatial Resolution in φ -OTDR System by Using Two-Dimensional Edge Detection Method. Journal of Lightwave Technology, 2013, 31, 2851-2856.	4.6	108
148	Micro-Fiber-Based FBG Sensor for Simultaneous Measurement of Vibration and Temperature. IEEE Photonics Technology Letters, 2013, 25, 1751-1753.	2.5	45
149	A Passively Mode-Locked Fiber Laser Only Based on D-Shaped Fiber. IEEE Photonics Technology Letters, 2013, 25, 2427-2430.	2.5	6
150	Temporal Response Measurement of Magnetic Fluids Based on D-Shaped Fiber Intermodal Interferometer. Applied Physics Express, 2013, 6, 052502.	2.4	5
151	Propylene Carbonate Based Compact Fiber Mach-Zehnder Interferometric Electric Field Sensor. Journal of Lightwave Technology, 2013, 31, 1566-1572.	4.6	14
152	All-fiber bandpass filter based on asymmetrical modes exciting and coupling. Optics Communications, 2013, 286, 161-165.	2.1	2
153	Intrinsic fiber-optic Fabry-Perot interferometer based on arc discharge and single-mode fiber. Applied Optics, 2013, 52, 2670.	1.8	28
154	Modulated pulses based distributed vibration sensing with high frequency response and spatial resolution. Optics Express, 2013, 21, 2953.	3.4	159
155	All Fiber Distributed Vibration Sensing Using Modulated Time-Difference Pulses. IEEE Photonics Technology Letters, 2013, 25, 1955-1957.	2.5	53
156	Distributed vibration sensing based on time-difference pulses. , 2013, , .		0
157	Micro-fiber inclinometer based on deformation of FBG. Proceedings of SPIE, 2013, , .	0.8	0
158	All-fiber vibration sensor based on a Fabry-Perot interferometer and a microstructure beam. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 1211.	2.1	42
159	In-Line Fiber Optic Interferometric Sensors in Single-Mode Fibers. Sensors, 2012, 12, 10430-10449.	3.8	128
160	All-fiber acceleration sensor with temperature self-compensation. , 2012, , .		0
161	Pressure-assisted low-loss fusion splicing between photonic crystal fiber and single-mode fiber. Optics Express, 2012, 20, 24465.	3.4	25
162	In-line single-mode fiber interferometers based on peanut-shape fiber structure. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
163	Nanocomposite polyacrylamide based open cavity fiber Fabry-Pérot humidity sensor. Applied Optics, 2012, 51, 7643.	1.8	17
164	High sensitivity gas refractometer based on all-fiber open-cavity Fabry-Pérot interferometer formed by large lateral offset splicing. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 912.	2.1	78
165	Microbubble based fiber-optic Fabry-Pérot interferometer formed by fusion splicing single-mode fibers for strain measurement. Applied Optics, 2012, 51, 1033.	1.8	121
166	A high temperature sensor based on a peanut structure-based Michelson interferometer. , 2012, , .		1
167	Long-Period Fiber Grating Within D-Shaped Fiber Using Magnetic Fluid for Magnetic-Field Detection. IEEE Photonics Journal, 2012, 4, 2095-2104.	2.0	58
168	Remote sensing based on reflective bandpass long-period fiber grating and fiber ring laser. , 2012, , .		1
169	Fiber ring laser incorporating a pair of rotary long-period fiber gratings for torsion measurement. , 2012, , .		0
170	Pressure-assisted low-loss fusion splicing between photonic crystal fibers and single-mode fiber. Proceedings of SPIE, 2012, , .	0.8	1
171	A high temperature sensor based on a peanut-shape structure Michelson interferometer. Optics Communications, 2012, 285, 5085-5088.	2.1	51
172	Sensing and Demodulation of Special Long-Period Fiber Gratings Induced by Scanning \cos^2 Laser Pulses. Journal of Sensors, 2012, 2012, 1-17.	1.1	3
173	A self-gain random distributed feedback fiber laser based on stimulated Rayleigh scattering. Optics Communications, 2012, 285, 1371-1374.	2.1	24
174	All Single-Mode Fiber Mach-Zehnder Interferometer Based on Two Peanut-Shape Structures. Journal of Lightwave Technology, 2012, 30, 805-810.	4.6	110
175	Tunable filter based on a pair of special long-period fiber gratings and its application in fiber ring laser. Laser Physics, 2012, 22, 575-578.	1.2	15
176	PCF-Based Fabry-Pérot Interferometric Sensor for Strain Measurement at High Temperatures. IEEE Photonics Technology Letters, 2011, 23, 700-702.	2.5	56
177	High Sensitivity Distributed Vibration Sensor Based on Polarization-Maintaining Configurations of Phase-OTDR. IEEE Photonics Technology Letters, 2011, 23, 1091-1093.	2.5	168
178	In-line all-fiber Fabry-Perot and Mach-Zehnder interferometers formed by hollow fiber with lateral offset. Proceedings of SPIE, 2011, , .	0.8	0
179	Tunable narrow linewidth and stable frequency laser based on stimulated Rayleigh scattering in non-uniform optical fiber. Proceedings of SPIE, 2011, , .	0.8	0
180	A Single Longitudinal-Mode Tunable Fiber Ring Laser Based on Stimulated Rayleigh Scattering in a Nonuniform Optical Fiber. Journal of Lightwave Technology, 2011, 29, 1802-1807.	4.6	56

#	ARTICLE	IF	CITATIONS
181	Refractive index sensing based on Mach-Zehnder interferometer formed by three cascaded single-mode fiber tapers. Applied Optics, 2011, 50, 1548.	2.1	143
182	Highly sensitive refractive index sensor based on two cascaded special long-period fiber gratings with rotary refractive index modulation. Applied Optics, 2011, 50, 4604.	2.1	58
183	Tunable Fabry-Perot filter using hollow-core photonic bandgap fiber and micro-fiber for a narrow-linewidth laser. Optics Express, 2011, 19, 9617.	3.4	18
184	Tunable Fabry-Perot filter based on hollow-core photonic bandgap fiber and micro-fiber and its application. , 2011, , .		1
185	Highly sensitive refractive index sensor based on two cascaded long period gratings with rotary refractive index modulation. Proceedings of SPIE, 2011, , .	0.8	1
186	PCF-based Fabry-Perot interferometric sensor for strain measurement under high-temperature. Proceedings of SPIE, 2011, , .	0.8	0
187	Curvature measurement with photonic crystal fiber based Mach-Zehnder interferometer. , 2011, , .		0
188	Torsion sensing with a fiber ring laser incorporating a pair of rotary long-period fiber gratings. Optics Communications, 2011, 284, 5299-5302.	2.1	61
189	In-Fiber Fabry-Perot and Mach-Zehnder interferometers based on hollow optical fiber fabricated by arc fusion splicing with small lateral offsets. Optics Communications, 2011, 284, 5311-5314.	2.1	27
190	In-fiber Mach-Zehnder interferometer formed by large lateral offset fusion splicing for gases refractive index measurement with high sensitivity. Sensors and Actuators B: Chemical, 2011, 160, 1198-1202.	7.8	85
191	A multifunctional all-fiber device with a magnetic nanoparticles core mode blocker for wavelength bandpass filtering and multi-to-single mode conversion. Microwave and Optical Technology Letters, 2011, 53, 740-744.	1.4	1
192	Fiber optic accelerometer based on long period fiber grating induced by CO ₂ laser pulses. Microwave and Optical Technology Letters, 2011, 53, 841-845.	1.4	3
193	Fabrication and characteristics of phase-shifted beat gratings induced by CO ₂ laser. Microwave and Optical Technology Letters, 2011, 53, 2526-2530.	1.4	1
194	Highly sensitive bend sensor based on Mach-Zehnder interferometer using photonic crystal fiber. Optics Communications, 2011, 284, 2849-2853.	2.1	113
195	Refractive index sensing based on Mach-Zehnder interferometer formed by three cascaded single-mode fiber tapers. Proceedings of SPIE, 2011, , .	0.8	5
196	Characteristics of stimulated Rayleigh scattering in optical fibers. Proceedings of SPIE, 2011, , .	0.8	3
197	In-line all-fibre Fabry-Perot interferometer high temperature sensor formed by large lateral offset splicing. Electronics Letters, 2011, 47, 401.	1.0	21
198	Accelerometer based on all-fiber Fabry-Perot interferometer formed by hollow-core photonic crystal fiber. Microwave and Optical Technology Letters, 2010, 52, 2531-2535.	1.4	24

#	ARTICLE	IF	CITATIONS
199	Fabry-Perot optical fiber tip sensor for high temperature measurement. Optics Communications, 2010, 283, 3683-3685.	2.1	108
200	Refractive index measurement using photonic crystal fiber-based Fabry-Perot interferometer. Applied Optics, 2010, 49, 1593.	2.1	78
201	Experimental study on stimulated Rayleigh scattering in optical fibers. Optics Express, 2010, 18, 22958.	3.4	69
202	Distributed Vibration Sensor Based on Coherent Detection of Phase-OTDR. Journal of Lightwave Technology, 2010, , .	4.6	168
203	In-line fiber-optic Fabry-Perot ultrasound sensor formed by hollow-core photonic-crystal fiber. , 2009, , .		0
204	Tunable band-rejection filter based on twisting a rotary long-period fiber grating. , 2009, , .		0
205	In-line fiber-optic Fabry-Perot ultrasound sensor formed by hollow-core photonic-crystal fiber. , 2009, , .		1
206	Effects of group-delay difference on ultrashort pulse propagation in an active nonlinear LPFG. Optics Communications, 2009, 282, 4796-4799.	2.1	0
207	In-Line Fabry-Perot Etalons Based on Hollow-Core Photonic Bandgap Fibers for High-Temperature Applications. Journal of Lightwave Technology, 2009, 27, 4360-4365.	4.6	45
208	Characterization of Long-Period Fiber Gratings Written by CO ₂ Laser in Twisted Single-Mode Fibers. Journal of Lightwave Technology, 2009, 27, 4863-4869.	4.6	42
209	All-fiber bandwidth-tunable band-rejection filter based on a composite grating induced by CO ₂ laser pulses. Optics Express, 2009, 17, 16750.	3.4	7
210	Dual-wavelength FBG inscribed by femtosecond laser for simultaneous measurement of high temperature and strain. Chinese Optics Letters, 2009, 7, 675-678.	2.9	12
211	Glass Structure Changes in CO ₂ -Laser Writing of Long-Period Fiber Gratings in Boron-Doped Single-Mode Fibers. Journal of Lightwave Technology, 2009, 27, 857-863.	4.6	81
212	Highly Sensitive Temperature-Independent Strain Sensor Based on a Long-Period Fiber Grating With a CO ₂ -Laser Engraved Rotary Structure. IEEE Photonics Technology Letters, 2009, 21, 543-545.	2.5	25
213	Highly Sensitive Optical Refractometer Based on Edge-Written Ultra-Long-Period Fiber Grating Formed by Periodic Grooves. IEEE Sensors Journal, 2009, 9, 678-681.	4.7	24
214	In-line Fabry-Perot sensors based on hollow-core photonic bandgap fibers for high temperature applications. , 2009, , .		0
215	Theory and experiment of refractive index change of long-period fiber grating induced by CO ₂ laser pulses. Wuli Xuebao/Acta Physica Sinica, 2009, 58, 6316.	0.5	1
216	In-line fiber Fabry-Perot refractive-index tip sensor based on endlessly photonic crystal fiber. Sensors and Actuators A: Physical, 2008, 148, 33-38.	4.1	153

#	ARTICLE	IF	CITATIONS
217	Miniaturized fiber-optic Fabry-Perot interferometer for highly sensitive refractive index measurement. , 2008, , .		2
218	Novel all-fiber band pass filter and multimode-single-mode converter for interconnection between multimode fiber and single mode fiber network. Proceedings of SPIE, 2008, , .	0.8	2
219	Strain sensor without temperature compensation based on LPFG with strongly rotary refractive index modulation. Electronics Letters, 2007, 43, 1132.	1.0	15
220	A Highly Sensitive Fiber-Optic Refractive Index Sensor Based on An Edge-written Long-Period Fiber Grating. , 2007, , JWA53.		3
221	In-line fiber-optic etalon formed by hollow-core photonic crystal fiber. Optics Letters, 2007, 32, 2662.	3.3	100
222	Micro Fabry-Perot interferometers in silica fibers machined by femtosecond laser. Optics Express, 2007, 15, 14123.	3.4	243
223	Light coupling between two parallel CO ₂ -laser written long-period fiber gratings. Optics Express, 2007, 15, 17645.	3.4	47
224	A Highly Sensitive Fiber-Optic Refractive Index Sensor Based on an Edge-Written Long-Period Fiber Grating. IEEE Photonics Technology Letters, 2007, 19, 1946-1948.	2.5	33
225	Characteristics of novel ultra-long-period fiber gratings fabricated by high-frequency CO ₂ laser pulses. Optics Communications, 2007, 277, 84-88.	2.1	15
226	Demodulation algorithm for spatial-frequency-division-multiplexed fiber-optic Fizeau strain sensor networks. Optics Letters, 2006, 31, 700.	3.3	20
227	Highly sensitive fiber-optic torsion sensor based on an ultra-long-period fiber grating. Optics Communications, 2006, 266, 187-190.	2.1	78
228	Transverse-load characteristics of twisted long-period fibre gratings written by high-frequency CO ₂ laser pulses. Electronics Letters, 2006, 42, 451.	1.0	4
229	SFDM/CWDM of fiber-optic Fizeau strain sensors. IEEE Photonics Technology Letters, 2005, 17, 1259-1261.	2.5	19
230	Simultaneous measurement of refractive index and temperature using a single ultralong-period fiber grating. IEEE Photonics Technology Letters, 2005, 17, 2700-2702.	2.5	74
231	Bend-insensitive long-period fiber grating sensors. Optics and Lasers in Engineering, 2004, 41, 233-239.	3.8	51
232	Novel long-period fiber gratings written by high-frequency CO ₂ laser pulses and applications in optical fiber communication. Optics Communications, 2004, 229, 209-221.	2.1	92
233	Novel fiber-optic sensors based on long-period fiber gratings written by high-frequency CO ₂ /laser pulses. Journal of Lightwave Technology, 2003, 21, 1320-1327.	4.6	337
234	A novel tunable gain equalizer based on a long-period fiber grating written by high-frequency CO ₂ laser pulses. IEEE Photonics Technology Letters, 2003, 15, 251-253.	2.5	30

#	ARTICLE	IF	CITATIONS
235	Optimization of in-line EDFAs using a novel CO ₂ -induced long-period fiber grating filter. , 2002, 4906, 458.		0
236	Novel bend-insensitive long-period fiber grating sensor. , 2002, , .		1
237	Simultaneous measurement of transverse load and temperature using a single long-period fiber grating element. , 2002, , .		1
238	Temperature-strain discrimination using a wavelength-division-multiplexed chirped FBG/EFPI sensor system. , 2001, , .		1
239	<title>Applications of CO ₂ -induced long-period fiber gratings in Er-doped fiber amplifiers</title>. , 2001, , .		1
240	<title>Characteristics of novel long-period fiber gratings written by focused high-frequency CO ₂ laser pulses</title>. , 2001, , .		13
241	Transverse load, static strain, temperature and vibration measurement using a cascaded FBG/EFPI/LPFG sensor system. , 0, , .		4
242	Significant association between winter North Atlantic SST and spring NDVI anomaly over Eurasia. Journal of Geophysical Research D: Atmospheres, 0, , .	3.3	3