

Tamás Karosi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5798548/publications.pdf>

Version: 2024-02-01

44
papers

767
citations

430874

18
h-index

552781

26
g-index

47
all docs

47
docs citations

47
times ranked

655
citing authors

#	ARTICLE	IF	CITATIONS
1	Etiopathogenesis of otosclerosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 1337-1349.	1.6	52
2	Otosclerosis: an organ-specific inflammatory disease with sensorineural hearing loss. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009, 266, 1711-1718.	1.6	46
3	Measles Virus Prevalence in Otosclerotic Stapes Footplate Samples. <i>Otology and Neurotology</i> , 2004, 25, 451-456.	1.3	40
4	Detection of Osteoprotegerin and TNF-alpha mRNA in Ankylotic Stapes Footplates in Connection With Measles Virus Positivity. <i>Laryngoscope</i> , 2006, 116, 1427-1433.	2.0	38
5	Otosclerosis: An autoimmune disease?. <i>Autoimmunity Reviews</i> , 2009, 9, 95-101.	5.8	33
6	Biofilm detection in chronic rhinosinusitis by combined application of hematoxylin-eosin and gram staining. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 1455-1462.	1.6	33
7	Disease-Associated Novel CD46 Splicing Variants and Pathologic Bone Remodeling in Otosclerosis. <i>Laryngoscope</i> , 2008, 118, 1669-1676.	2.0	29
8	The Value of HRCT in Stapes Fixations Corresponding to Hearing Thresholds and Histologic Findings. <i>Otology and Neurotology</i> , 2012, 33, 1300-1307.	1.3	29
9	Perspectives of pharmacological treatment in otosclerosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 793-804.	1.6	29
10	Codetection of Measles Virus and Tumor Necrosis Factor-Alpha mRNA in Otosclerotic Stapes Footplates. <i>Laryngoscope</i> , 2005, 115, 1291-1297.	2.0	27
11	Low-frequency ultrasound for biofilm disruption in chronic rhinosinusitis with nasal polyposis: In vitro pilot study. <i>Laryngoscope</i> , 2013, 123, 17-23.	2.0	27
12	Histologic Otosclerosis Is Associated with the Presence of Measles Virus in the Stapes Footplate. <i>Otology and Neurotology</i> , 2005, 26, 1128-1133.	1.3	26
13	Diagnostic value of cone-beam CT in histologically confirmed otosclerosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2131-2138.	1.6	26
14	Antimeasles Immunoglobulin G for Serologic Diagnosis of Otosclerotic Hearing Loss. <i>Laryngoscope</i> , 2006, 116, 488-493.	2.0	22
15	Microbiological Profile of Adenoid Hypertrophy Correlates to Clinical Diagnosis in Children. <i>BioMed Research International</i> , 2013, 2013, 1-10.	1.9	22
16	Expression of bone morphogenetic protein 2, 4, 5, and 7 correlates with histological activity of otosclerotic foci. <i>Acta Oto-Laryngologica</i> , 2012, 132, 624-631.	0.9	21
17	Comparative analysis of preoperative diagnostic values of HRCT and CBCT in patients with histologically diagnosed otosclerotic stapes footplates. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 63-72.	1.6	21
18	Expression of measles virus receptors in otosclerotic, non-otosclerotic and in normal stapes footplates. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 607-613.	1.6	20

#	ARTICLE	IF	CITATIONS
19	Histopathology of Nonotosclerotic Stapes Fixations. <i>Otology and Neurotology</i> , 2009, 30, 1058-1066.	1.3	19
20	Two Subgroups of Stapes Fixation: Otosclerosis and Pseudo-Otosclerosis. <i>Laryngoscope</i> , 2005, 115, 1968-1973.	2.0	18
21	Genetic Association Analysis in a Clinically and Histologically Confirmed Otosclerosis Population Confirms Association With the TGFB1 Gene but Suggests an Association of the RELN Gene With a Clinically Indistinguishable Otosclerosis-Like Phenotype. <i>Otology and Neurotology</i> , 2014, 35, 1058-1064.	1.3	17
22	Activated Osteoclasts with CD51/61 Expression in Otosclerosis. <i>Laryngoscope</i> , 2006, 116, 1478-1484.	2.0	16
23	Osteoprotegerin expression and sensitivity in otosclerosis with different histological activity. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 357-365.	1.6	16
24	Tumor necrosis factor α receptor expression correlates with mucosal changes and biofilm presence in chronic rhinosinusitis with nasal polyposis. <i>Laryngoscope</i> , 2012, 122, 504-510.	2.0	13
25	Optical coherence tomography for biofilm detection in chronic rhinosinusitis with nasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 555-563.	1.6	13
26	TNF α Receptor Expression Correlates With Histologic Activity of Otosclerosis. <i>Otology and Neurotology</i> , 2009, 30, 1131-1137.	1.3	11
27	The presence of CD209 expressing dendritic cells correlates with biofilm positivity in chronic rhinosinusitis with nasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2455-2463.	1.6	10
28	Effects of intranasal steroid treatment on the presence of biofilms in non-allergic patients with chronic rhinosinusitis with nasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1057-1065.	1.6	10
29	Hearing impairment locus heterogeneity and identification of PLS1 as a new autosomal dominant gene in Hungarian Roma. <i>European Journal of Human Genetics</i> , 2019, 27, 869-878.	2.8	10
30	Measles Virus Prevalence in Otosclerotic Foci. , 2007, 65, 93-106.		9
31	Primary tuberculosis of the middle ear cleft: diagnostic and therapeutic considerations. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2083-2089.	1.6	9
32	No evidence for disturbed COL1A1 and A2 expression in otosclerosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 2043-2051.	1.6	7
33	Management of carotid body tumor in pediatric patients: A case report and review of the literature. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 93, 47-52.	1.0	7
34	Otosclerosis. <i>Otology and Neurotology</i> , 2010, 31, 867-874.	1.3	6
35	Controversies in RELN/reelin expression in otosclerosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 431-440.	1.6	6
36	Detection of Otosclerosis-Specific Measles Virus Receptor (Cd46) Protein Isoforms. <i>ISRN Otolaryngology</i> , 2013, 2013, 1-6.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Otosclerotic Stapes With Three Crura and Persisting Stapedial Artery. <i>Otology and Neurotology</i> , 2008, 29, 1043-1044.	1.3	5
38	Restriction analysis of otosclerosis-associated CD46 splicing variants. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 219-226.	1.6	4
39	No Evidence for the Expression of Renin-Angiotensin-Aldosterone System in Otosclerotic Stapes Footplates. <i>Otology and Neurotology</i> , 2013, 34, 808-815.	1.3	3
40	Surgical Management of Pilocytic Astrocytoma of the Optic Nerve: A Case Report and Review of the Literature. <i>Case Reports in Oncological Medicine</i> , 2017, 2017, 1-7.	0.3	3
41	Pitfalls of delaying the diagnosis of hereditary haemorrhagic telangiectasia. <i>Journal of International Medical Research</i> , 2020, 48, 030006051986097.	1.0	2
42	Re. <i>Otology and Neurotology</i> , 2013, 34, 1362-1363.	1.3	0
43	Preoperative Diagnosis of Otosclerosis. , 2016, , 27-41.		0
44	The Putative Role of Measles Virus in the Pathogenesis of Otosclerosis. , 2016, , 7-25.		0