Stephen R Lord

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5799411/publications.pdf

Version: 2024-02-01

585 papers 43,907 citations

108 h-index 182 g-index

598 all docs

598 docs citations

598 times ranked 26609 citing authors

#	Article	IF	CITATIONS
1	Rapid Inhibition Accuracy and Leg Strength Are Required for Community-Dwelling Older People to Recover Balance From Induced Trips and Slips: An Experimental Prospective Study. Journal of Geriatric Physical Therapy, 2022, 45, 160-166.	1.1	12
2	The association between white matter hyperintensity volume and cognitive/physical decline in older people with dementia: A one-year longitudinal study. Aging and Mental Health, 2022, 26, 2503-2510.	2.8	2
3	Cortical activation during gait adaptability in people with Parkinson's disease. Gait and Posture, 2022, 91, 247-253.	1.4	8
4	Linking health service utilisation and mortality dataâ€"unravelling what happens after fall-related paramedic care. Age and Ageing, 2022, 51, .	1.6	2
5	Impact of ageing, fall history and exercise on postural reflexes following unpredictable perturbations: A systematic review and meta-analyses. Mechanisms of Ageing and Development, 2022, 203, 111634.	4.6	7
6	Short Daily-Life Walking Bouts and Poor Self-Reported Health Predict the Onset of Depression in Community-Dwelling Older People: A 2-Year Longitudinal Cohort Study. Journal of the American Medical Directors Association, 2022, 23, 1242-1247.e3.	2.5	4
7	The use of predictive fall models for older adults receiving aged care, using routinely collected electronic health record data: a systematic review. BMC Geriatrics, 2022, 22, 210.	2.7	8
8	Patterns of health service use before and after a statewide fall prevention initiative for older adults at risk of falls. Australasian Journal on Ageing, 2022, 41, 542-553.	0.9	1
9	Modifiable intrinsic factors related to occupational falls in older workers. Geriatrics and Gerontology International, 2022, 22, 338-343.	1.5	7
10	The use and predictive performance of the Peninsula Health Falls Risk Assessment Tool (PH-FRAT) in 25 residential aged care facilities: a retrospective cohort study using routinely collected data. BMC Geriatrics, 2022, 22, 271.	2.7	2
11	Quantifying upper-limb motor impairment in people with multiple sclerosis: A physiological profiling approach. Annals of Physical and Rehabilitation Medicine, 2022, 65, 101625.	2.3	2
12	A Case Management Program at Home to Reduce Fall Risk in Older Adults (the MAGIC Study): Protocol for a Single-Blind Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e34796.	1.0	2
13	Impact of pathological conditions on postural reflex latency and adaptability following unpredictable perturbations: A systematic review and meta-analysis. Gait and Posture, 2022, 95, 149-159.	1.4	O
14	Relaxation and related therapies for people with multiple sclerosis (MS): A systematic review. Clinical Rehabilitation, 2022, , 026921552210915.	2.2	3
15	Epidemiology of falls in 25 Australian residential aged care facilities: a retrospective longitudinal cohort study using routinely collected data. International Journal for Quality in Health Care, 2022, 34, .	1.8	3
16	Situational factors that influence overreaching on a ladder during a gutter clearing task among older adults. Applied Ergonomics, 2022, 104, 103794.	3.1	2
17	Fall prevention in older people: past, present and future. Age and Ageing, 2022, 51, .	1.6	18
18	Pain, balance, and mobility in people 1Âyear after total knee arthroplasty: a non-randomized cross-sectional pilot study contrasting posterior-stabilized and medial-pivot designs. Pilot and Feasibility Studies, 2022, 8, .	1.2	4

#	Article	IF	CITATIONS
19	Economic evaluation of the e-Health <i>StandingTall</i> balance exercise programme for fall prevention in people aged 70Âyears and over. Age and Ageing, 2022, 51, .	1.6	3
20	Mild and marked executive dysfunction and falls in people with Parkinson's disease. Brazilian Journal of Physical Therapy, 2021, 25, 437-443.	2.5	11
21	Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. Archives of Physical Medicine and Rehabilitation, 2021, 102, 874-880.	0.9	10
22	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 655-665.	3.6	20
23	Evaluating Balance Recovery Techniques for Users Wearing Head-Mounted Display in VR. IEEE Transactions on Visualization and Computer Graphics, 2021, 27, 204-215.	4.4	3
24	Fall prevention behaviour after participation in the Stepping On program: a pre–post study. Public Health Research and Practice, 2021, 31, .	1.5	9
25	Fall prevention interventions. , 2021, , 1627-1647.		0
26	Quantifying upper limb motor impairment in people with Parkinson's disease: a physiological profiling approach. Peerl, 2021, 9, e10735.	2.0	11
27	Acceptability and feasibility of a community-based strength, balance, and Tai Chi rehabilitation program in improving physical function and balance of patients after total knee arthroplasty: study protocol for a pilot randomized controlled trial. Trials, 2021, 22, 129.	1.6	4
28	Stepping impairment and falls in older adults: A systematic review and meta-analysis of volitional and reactive step tests. Ageing Research Reviews, 2021, 66, 101238.	10.9	29
29	Predictors of development and persistence of musculoskeletal pain in communityâ€dwelling older people: A <scp>two</scp> â€year longitudinal study. Geriatrics and Gerontology International, 2021, 21, 519-524.	1.5	5
30	Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood to prevent falls in older people: the <i>StandingTall</i> + randomised controlled trial. BMJ Open, 2021, 11, e051085.	1.9	4
31	Individual factors that influence task performance on a stepladder in older people. Safety Science, 2021, 136, 105152.	4.9	3
32	E-health Standing Tall balance exercise for fall prevention in older people: results of a two year randomised controlled trial. BMJ, The, 2021, 373, n740.	6.0	48
33	Prevalence of Vestibular Disorders in Independent People Over 50 That Experience Dizziness. Frontiers in Neurology, 2021, 12, 658053.	2.4	6
34	New horizons in falls prevention and management for older adults: a global initiative. Age and Ageing, 2021, 50, 1499-1507.	1.6	50
35	Cognitive Domain Associations with Balance Performance in Community-Dwelling Older People with Cognitive Impairment. Journal of Alzheimer's Disease, 2021, 81, 833-841.	2.6	4
36	Cognitive and Motor Cortical Activity During Cognitively Demanding Stepping Tasks in Older People at Low and High Risk of Falling. Frontiers in Medicine, 2021, 8, 554231.	2.6	6

3

#	Article	IF	CITATIONS
37	Implementation of the $\langle i \rangle$ StandingTall $\langle li \rangle$ programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	1.9	2
38	The association between white matter hyperintensity volume and gait performance under single and dual task conditions in older people with dementia: A cross-sectional study. Archives of Gerontology and Geriatrics, 2021, 95, 104427.	3.0	11
39	Co-designing a dashboard of predictive analytics and decision support to drive care quality and client outcomes in aged care: a mixed-method study protocol. BMJ Open, 2021, 11, e048657.	1.9	10
40	Perturbation-Based Balance Training Using Repeated Trips on a Walkway vs. Belt Accelerations on a Treadmill: A Cross-Over Randomised Controlled Trial in Community-Dwelling Older Adults. Frontiers in Sports and Active Living, 2021, 3, 702320.	1.8	7
41	Quantifying upper limb motor impairment in chronic stroke: a physiological profiling approach. Journal of Applied Physiology, 2021, 131, 949-965.	2.5	14
42	Ladder Use in Older People: Type, Frequency, Tasks and Predictors of Risk Behaviours. International Journal of Environmental Research and Public Health, 2021, 18, 9799.	2.6	3
43	Impact of a fall prevention education program for health and exercise professionals: a randomised controlled trial. Public Health Research and Practice, 2021, 31, .	1.5	2
44	Risk factors for falls in older people with cognitive impairment living in the community: Systematic review and meta-analysis. Ageing Research Reviews, 2021, 71, 101452.	10.9	35
45	Scaleâ€up of the <i>Stepping On</i> fall prevention program amongst older adults in NSW: Program reach and fallâ€related health service use. Health Promotion Journal of Australia, 2021, 32, 391-398.	1.2	5
46	Reactive balance responses to a trip and slip during gait in people with multiple sclerosis. Clinical Biomechanics, 2021, 90, 105511.	1.2	3
47	Safety, Feasibility, and Efficacy of an Eccentric Exercise Intervention in People with Multiple Sclerosis with Ankle Contractures. International Journal of MS Care, 2021, 23, 31-36.	1.0	2
48	The Medical Management of Older People at Risk of Falls. , 2021, , 322-340.		0
49	Exercise to Prevent Falls. , 2021, , 251-270.		0
50	Interventions Reduce Falls, but What Is the Cost for Better Health Outcomes?., 2021,, 460-468.		0
51	Fall Injury Prevention: Hip Protectors and Compliant Flooring. , 2021, , 378-385.		1
52	Medical Risk Factors for Falls. , 2021, , 172-191.		0
53	Fall Detection and Risk Assessment with New Technologies. , 2021, , 211-226.		0
54	Fall Prevention in Hospitals. , 2021, , 396-409.		0

#	Article	IF	CITATIONS
55	Biomechanics of Balance and Falling. , 2021, , 105-118.		O
56	Brain Function and Falls. , 2021, , 130-143.		0
57	Strategies to Promote Uptake and Adherence to Fall Prevention Programmes. , 2021, , 427-435.		0
58	Environmental Risk Factors for Falls. , 2021, , 202-210.		2
59	The Relative Importance of Fall Risk Factors: Analysis and Summary. , 2021, , 237-248.		0
60	Epidemiology of Falls and Fall-Related Injuries. , 2021, , 3-22.		7
61	Foot Problems, Footwear, and Falls. , 2021, , 119-129.		0
62	Fall Prevention in Residential Aged Care Facilities. , 2021, , 410-424.		0
63	Gait Characteristics and Falls. , 2021, , 51-86.		1
64	Sensory and Neuromuscular Risk Factors for Falls. , 2021, , 87-104.		0
65	Fall Risk Screening and Assessment. , 2021, , 227-236.		0
66	Multi-Factorial Fall Prevention Strategies: Where to Next?., 2021,, 386-395.		0
67	Environmental Interventions to Prevent Falls at Home and in the Community., 2021,, 360-377.		3
68	Fall Prevention Interventions for People with Visual Impairment., 2021,, 341-347.		0
69	Medications as Risk Factors for Falls. , 2021, , 192-201.		0
70	Cognitive-Motor Interventions and Their Effects on Fall Risk in Older People., 2021,, 287-310.		1
71	Postural Stability and Falls. , 2021, , 23-50.		2
72	Footwear, Orthoses, Walking Aids, Wearable Technology, and Restraint Devices for Fall Prevention. , $2021, 348-359.$		0

#	Article	IF	CITATIONS
73	Impaired Cognition and Falls. , 2021, , 144-159.		O
74	Translating Fall Prevention Research into Practice. , 2021, , 436-459.		0
75	The Psychology of Fall Risk: Fear, Anxiety, Depression, and Balance Confidence. , 2021, , 160-171.		2
76	Volitional and Reactive Step Training. , 2021, , 271-286.		1
77	Cognitive Behavioural Interventions for Addressing Fear of Falling and Fall Risk., 2021,, 311-321.		0
78	The Iconographical Falls Efficacy Scale (IconFES) in community-dwelling older people—a longitudinal validation study. Age and Ageing, 2021, 50, 822-829.	1.6	6
79	Statistical analysis plan for the coaching for healthy AGEing trial – a cluster-randomised controlled trial to enhance physical activity and prevent falls in community-dwelling older people. Brazilian Journal of Physical Therapy, 2021, 25, 908-914.	2.5	1
80	Relationship between Depressive Symptoms and Cognitive, Psychological, and Physical Performance in Community-Dwelling Older People with Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2021, 50, 482-490.	1.5	1
81	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. JAMA Network Open, 2021, 4, e2138911.	5.9	121
82	Identifying Key Risk Factors for Dizziness Handicap in Middle-Aged and Older People. Journal of the American Medical Directors Association, 2020, 21, 344-350.e2.	2.5	5
83	Pilot feasibility study of a homeâ€based fall prevention exercise program (<i>StandingTall</i>) delivered through a tablet computer (iPad) in older people with dementia. Australasian Journal on Ageing, 2020, 39, e278-e287.	0.9	22
84	Falls in Community-Dwelling Older Adults with Lower Back or Knee Pain Are Associated with Cognitive and Emotional Factors. International Journal of Environmental Research and Public Health, 2020, 17, 4960.	2.6	8
85	Lockdown During COVID-19 and the Increase of Frailty in People With Neurological Conditions. Frontiers in Neurology, 2020, 11, 604299.	2.4	12
86	Mobility performance predicts incident depression: A systematic review and meta-analysis. Experimental Gerontology, 2020, 142, 111116.	2.8	6
87	Individual factors that influence task performance on a straight ladder in older people. Experimental Gerontology, 2020, 142, 111127.	2.8	3
88	People With Parkinson's Disease Exhibit Reduced Cognitive and Motor Cortical Activity When Undertaking Complex Stepping Tasks Requiring Inhibitory Control. Neurorehabilitation and Neural Repair, 2020, 34, 1088-1098.	2.9	21
89	COVID-19 will severely impact older people's lives, and in many more ways than you think!. Brazilian Journal of Physical Therapy, 2020, 24, 293-294.	2.5	40
90	Impact of pain on reactive balance and falls in community-dwelling older adults: a prospective cohort study. Age and Ageing, 2020, 49, 982-988.	1.6	17

#	Article	IF	Citations
91	Falls in older people with diabetes: Identification of simple screening measures and explanatory risk factors. Primary Care Diabetes, 2020, 14, 723-728.	1.8	9
92	Sensorimotor impairments, postural instability, and risk of falling in older adults with diabetic peripheral neuropathy. International Journal of Diabetes in Developing Countries, 2020, 40, 547-554.	0.8	0
93	Reactive Balance Adaptability and Retention in People With Multiple Sclerosis: A Systematic Review and Meta-Analysis. Neurorehabilitation and Neural Repair, 2020, 34, 675-685.	2.9	13
94	Reduced strength, poor balance and concern about falls mediate the relationship between knee pain and fall risk in older people. BMC Geriatrics, 2020, 20, 94.	2.7	32
95	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. Journal of General Internal Medicine, 2020, 35, 2907-2916.	2.6	18
96	Freezing of Gait in People with Parkinson's Disease: Nature, Occurrence, and Risk Factors. Journal of Parkinson's Disease, 2020, 10, 631-640.	2.8	28
97	Pain Is Associated With Poor Balance in Community-Dwelling Older Adults: A Systematic Review and Meta-analysis. Journal of the American Medical Directors Association, 2020, 21, 597-603.e8.	2.5	29
98	Androgen deprivation in prostate cancer: benefits of home-based resistance training. Sports Medicine - Open, 2020, 6, 59.	3.1	9
99	The role of cognitive function and physical activity in physical decline in older adults across the cognitive spectrum. Aging and Mental Health, 2019, 23, 863-871.	2.8	17
100	White matter hyperintensities are associated with falls in older people with dementia. Brain Imaging and Behavior, 2019, 13, 1265-1272.	2.1	19
101	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smart±step randomised controlled trial. BMJ Open, 2019, 9, e029409.	1.9	12
102	Falls in Parkinson's Disease Subtypes: Risk Factors, Locations and Circumstances. International Journal of Environmental Research and Public Health, 2019, 16, 2216.	2.6	104
103	Executive Functioning, Muscle Power and Reactive Balance Are Major Contributors to Gait Adaptability in People With Parkinson's Disease. Frontiers in Aging Neuroscience, 2019, 11, 154.	3.4	14
104	Associations Between Gait Speed and Cognitive Domains in Older People with Cognitive Impairment. Journal of Alzheimer's Disease, 2019, 71, S15-S21.	2.6	25
105	Older People with Dementia Have Reduced Daily-Life Activity and Impaired Daily-Life Gait When Compared to Age-Sex Matched Controls. Journal of Alzheimer's Disease, 2019, 71, S125-S135.	2.6	27
106	The upper limb Physiological Profile Assessment: Description, reliability, normative values and criterion validity. PLoS ONE, 2019, 14, e0218553.	2.5	21
107	Mental Flexibility Influences the Association Between Poor Balance and Falls in Older People – A Secondary Analysis. Frontiers in Aging Neuroscience, 2019, 11, 133.	3.4	13
108	Quality of Daily-Life Gait: Novel Outcome for Trials that Focus on Balance, Mobility, and Falls. Sensors, 2019, 19, 4388.	3.8	14

#	Article	IF	CITATIONS
109	Chronic pain is independently associated with social frailty in communityâ€dwelling older adults. Geriatrics and Gerontology International, 2019, 19, 1153-1156.	1.5	8
110	A pilot study of reactive balance training using trips and slips with increasing unpredictability in young and older adults: Biomechanical mechanisms, falls and clinical feasibility. Clinical Biomechanics, 2019, 67, 171-179.	1.2	22
111	Risk factors for falls in patients with total hip arthroplasty and total knee arthroplasty: a systematic review and meta-analysis. Osteoarthritis and Cartilage, 2019, 27, 979-993.	1.3	57
112	Concern About Falling Is Associated With Gait Speed, Independently From Physical and Cognitive Function. Physical Therapy, 2019, 99, 989-997.	2.4	19
113	Effect of Reactive Balance Training Involving Repeated Slips and Trips on Balance Recovery Among Older Adults: A Blinded Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1489-1496.	3.6	48
114	Exercise prevents fall-related injuries in older people. Nature Reviews Endocrinology, 2019, 15, 193-194.	9.6	2
115	The role of concern about falling on stepping performance during complex activities. BMC Geriatrics, 2019, 19, 333.	2.7	3
116	Catch the ruler: concurrent validity and testâ€"retest reliability of the ReacStick measures of reaction time and inhibitory executive function in older people. Aging Clinical and Experimental Research, 2019, 31, 1147-1154.	2.9	17
117	Detection of Near Falls Using Wearable Devices: A Systematic Review. Journal of Geriatric Physical Therapy, 2019, 42, 48-56.	1.1	65
118	Masculinity and preventing falls: insights from the fall experiences of men aged 70 years and over. Disability and Rehabilitation, 2019, 41, 1055-1062.	1.8	6
119	Prefrontal cortical activation measured by fNIRS during walking: effects of age, disease and secondary task. PeerJ, 2019, 7, e6833.	2.0	61
120	Optimizing successful balance recovery from unexpected trips and slips. Journal of Biomechanical Science and Engineering, 2018, 13, 17-00558-17-00558.	0.3	10
121	New horizons in falls prevention. Age and Ageing, 2018, 47, 492-498.	1.6	50
122	Tai Chi Improves Cognition and Plasma BDNF in Older Adults With Mild Cognitive Impairment: A Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2018, 32, 142-149.	2.9	101
123	Deep white matter hyperintensities, microstructural integrity and dual task walking in older people. Brain Imaging and Behavior, 2018, 12, 1488-1496.	2.1	30
124	Wearable technology reveals gait compensations, unstable walking patterns and fatigue in people with multiple sclerosis. Physiological Measurement, 2018, 39, 075004.	2.1	36
125	A busy day has minimal effect on factors associated with falls in older people: An ecological randomised crossover trial. Experimental Gerontology, 2018, 106, 192-197.	2.8	1
126	Adherence to Technology-Based Exercise Programs in Older Adults: A Systematic Review. Journal of Geriatric Physical Therapy, 2018, 41, 49-61.	1.1	187

#	Article	IF	Citations
127	Home-based step training using videogame technology in people with Parkinson's disease: a single-blinded randomised controlled trial. Clinical Rehabilitation, 2018, 32, 299-311.	2.2	54
128	Executive functioning, concern about falling and quadriceps strength mediate the relationship between impaired gait adaptability and fall risk in older people. Gait and Posture, 2018, 59, 188-192.	1.4	59
129	Stepping reaction time and gait adaptability are significantly impaired in people with Parkinson's disease: Implications for fall risk. Parkinsonism and Related Disorders, 2018, 47, 32-38.	2.2	32
130	Aging. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 159, 157-171.	1.8	35
131	Exposure to trips and slips with increasing unpredictability while walking can improve balance recovery responses with minimum predictive gait alterations. PLoS ONE, 2018, 13, e0202913.	2.5	46
132	Inaccurate judgement of reach is associated with slow reaction time, poor balance, impaired executive function and predicts prospective falls in older people with cognitive impairment. Experimental Gerontology, 2018, 114, 50-56.	2.8	8
133	A Low-Power Fall Detector Balancing Sensitivity and False Alarm Rate. IEEE Journal of Biomedical and Health Informatics, 2018, 22, 1929-1937.	6.3	26
134	Reducing the burden of dizziness in middle-aged and older people: A multifactorial, tailored, single-blind randomized controlled trial. PLoS Medicine, 2018, 15, e1002620.	8.4	15
135	Head and trunk stability during gait before and after levodopa intake in Parkinson's disease subtypes. Experimental Gerontology, 2018, 111, 78-85.	2.8	18
136	Big data vs accurate data in health research: Large-scale physical activity monitoring, smartphones, wearable devices and risk of unconscious bias. Medical Hypotheses, 2018, 119, 32-36.	1.5	48
137	External validation of approaches to prediction of falls during hospital rehabilitation stays and development of a new simpler tool. Journal of Rehabilitation Medicine, 2018, 50, 216-222.	1.1	8
138	Adherence to a multifactorial fall prevention program following paramedic care: Predictors and impact on falls and health service use. Results from an RCT a priori subgroup analysis. Australasian Journal on Ageing, 2018, 37, 54-61.	0.9	17
139	An Interactive Home-Based Cognitive-Motor Step Training Program to Reduce Fall Risk in Older Adults: Qualitative Descriptive Study of Older Adults' Experiences and Requirements. JMIR Aging, 2018, 1, e11975.	3.0	18
140	Sensorimotor and Cognitive Predictors of Impaired Gait Adaptability in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw171.	3.6	36
141	A multidisciplinary intervention to prevent subsequent falls and health service use following fall-related paramedic care: a randomised controlled trial. Age and Ageing, 2017, 46, 200-207.	1.6	23
142	Step training improves reaction time, gait and balance and reduces falls in older people: a systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 586-593.	6.7	200
143	A simple test of choice stepping reaction time for assessing fall risk in people with multiple sclerosis. Disability and Rehabilitation, 2017, 39, 601-607.	1.8	12
144	Strength measures are better than muscle mass measures in predicting health-related outcomes in older people: time to abandon the term sarcopenia?. Osteoporosis International, 2017, 28, 59-70.	3.1	106

#	Article	IF	Citations
145	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. Journal of Physiotherapy, 2017, 63, 40-44.	1.7	26
146	Cerebellar volume mediates the relationship between FMR1 mRNA levels and voluntary step initiation in males with the premutation. Neurobiology of Aging, 2017, 50, 5-12.	3.1	12
147	Fallâ€related hospitalization in people with Parkinson's disease. European Journal of Neurology, 2017, 24, 523-529.	3.3	42
148	Men's perspectives on fall risk and fall prevention following participation in a group-based programme conducted at Men's Sheds, Australia. Health and Social Care in the Community, 2017, 25, 1118-1126.	1.6	7
149	Exercise to prevent falls in older adults: an updated systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 1750-1758.	6.7	656
150	Comparison between clinical gait and dailyâ€life gait assessments of fall risk in older people. Geriatrics and Gerontology International, 2017, 17, 2274-2282.	1.5	84
151	Transfer effects of step training on stepping performance in untrained directions in older adults: A randomized controlled trial. Gait and Posture, 2017, 54, 50-55.	1.4	1
152	Impaired Response Selection During Stepping Predicts Falls in Older Peopleâ€"A Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 719-725.	2.5	38
153	Cognitive Correlates of Timed Up and Go Subtasks in Older People With Preserved Cognition, Mild Cognitive Impairment, and Alzheimer's Disease. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 700-705.	1.4	24
154	Differences Between Gait on Stairs and Flat Surfaces in Relation to Fall Risk and Future Falls. IEEE Journal of Biomedical and Health Informatics, 2017, 21, 1479-1486.	6.3	49
155	Slow Processing Speed Predicts Falls in Older Adults With a Falls History: 1â€Year Prospective Cohort Study. Journal of the American Geriatrics Society, 2017, 65, 916-923.	2.6	32
156	A home-based, carer-enhanced exercise program improves balance and falls efficacy in community-dwelling older people with dementia. International Psychogeriatrics, 2017, 29, 81-91.	1.0	35
157	Disentangling the health benefits of walking from increased exposure to falls in older people using remote gait monitoring and multi-dimensional analysis. Physiological Measurement, 2017, 38, 45-62.	2.1	27
158	Comment on Tai Chi for Risk of Falls. A metaâ€analysis. Journal of the American Geriatrics Society, 2017, 65, 2746-2748.	2.6	2
159	Conceptualizing a Dynamic Fall Risk Model Including Intrinsic Risks and Exposures. Journal of the American Medical Directors Association, 2017, 18, 921-927.	2.5	35
160	Impaired heel to toe progression during gait is related to reduced ankle range of motion in people with Multiple Sclerosis. Clinical Biomechanics, 2017, 49, 96-100.	1.2	5
161	Slow gait speed is associated with executive function decline in older people with mild to moderate dementia: A one year longitudinal study. Archives of Gerontology and Geriatrics, 2017, 73, 148-153.	3.0	39
162	Tailored multifactorial intervention to improve dizziness symptoms and quality of life, balance and gait in dizziness sufferers aged over 50Âyears: protocol for a randomised controlled trial. BMC Geriatrics, 2017, 17, 56.	2.7	4

#	Article	IF	CITATIONS
163	Reaction Time and Postural Sway Modify the Effect of Executive Function on Risk of Falls in Older People with Mild to Moderate Cognitive Impairment. American Journal of Geriatric Psychiatry, 2017, 25, 397-406.	1.2	35
164	Wavelet-Based Sit-To-Stand Detection and Assessment of Fall Risk in Older People Using a Wearable Pendant Device. IEEE Transactions on Biomedical Engineering, 2017, 64, 1602-1607.	4.2	54
165	Effects of Tai Chi on Cognition and Fall Risk in Older Adults with Mild Cognitive Impairment: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2017, 65, 721-727.	2.6	147
166	Selective subcortical contributions to gait impairments in males with the <i>FMR1 </i> premutation. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 188-190.	1.9	6
167	Trends in fall-related ambulance use and hospitalisation among older adults in NSW, 2006–2013: a retrospective, population-based study. Public Health Research and Practice, 2017, 27, .	1.5	12
168	Fatigue, Physical Activity, Quality of Life, and Fall Risk in People with Multiple Sclerosis. International Journal of MS Care, 2017, 19, 91-98.	1.0	34
169	Kinect-Based Five-Times-Sit-to-Stand Test for Clinical and In-Home Assessment of Fall Risk in Older People. Gerontology, 2016, 62, 118-124.	2.8	75
170	Depressive Symptoms and Orthostatic Hypotension Are Risk Factors for Unexplained Falls in Community‣iving Older People. Journal of the American Geriatrics Society, 2016, 64, 1073-1078.	2.6	25
171	Fall risk in <scp>C</scp> hinese communityâ€dwelling older adults: A physiological profile assessment study. Geriatrics and Gerontology International, 2016, 16, 259-265.	1.5	11
172	Health coaching and pedometers to enhance physical activity and prevent falls in community-dwelling people aged 60â€years and over: study protocol for the Coaching for Healthy AGEing (CHAnGE) cluster randomised controlled trial. BMJ Open, 2016, 6, e012277.	1.9	15
173	Use of a physiological profile to document motor impairment in ageing and in clinical groups. Journal of Physiology, 2016, 594, 4513-4523.	2.9	38
174	Intraindividual Stepping Reaction Time Variability Predicts Falls in Older Adults With Mild Cognitive Impairment. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw164.	3.6	9
175	The influence of age, anxiety and concern about falling on postural sway when standing at an elevated level. Human Movement Science, 2016, 49, 206-215.	1.4	31
176	Virtual reality and the prevention of falls in the real world. Lancet, The, 2016, 388, 1132-1134.	13.7	5
177	Economic evaluation of a falls prevention exercise program among people With Parkinson's disease. Movement Disorders, 2016, 31, 53-61.	3.9	34
178	A Bespoke Kinect Stepping Exergame for Improving Physical and Cognitive Function in Older People: A Pilot Study. Games for Health Journal, 2016, 5, 382-388.	2.0	36
179	Low-Power Fall Detector Using Triaxial Accelerometry and Barometric Pressure Sensing. IEEE Transactions on Industrial Informatics, 2016, 12, 2302-2311.	11.3	50
180	Treatment of Osteoporosis in Australian Residential Aged Care Facilities: Update on Consensus Recommendations for Fracture Prevention. Journal of the American Medical Directors Association, 2016, 17, 852-859.	2.5	30

#	Article	IF	CITATIONS
181	Fall risk in people with MS: A Physiological Profile Assessment study. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2016, 2, 205521731664113.	1.0	12
182	Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and) Tj ETQq0 0 0 0	rgB I.† Over	locko10 Tf 50
183	Health and social support services in older adults recently discharged from hospital: service utilisation and costs and exploration of the impact of a home-exercise intervention. BMC Geriatrics, 2016, 16, 82.	2.7	1
184	Validity and reliability of a simple †low-tech' test for measuring choice stepping reaction time in older people. Clinical Rehabilitation, 2016, 30, 1128-1135.	2.2	16
185	Visual field dependence is associated with reduced postural sway, dizziness and falls in older people attending a falls clinic. Journal of Nutrition, Health and Aging, 2016, 20, 671-675.	3.3	14
186	Regional Gray Matter Volumes Are Related to Concern About Falling in Older People: A Voxel-Based Morphometric Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 138-144.	3.6	34
187	Effects of a home-based step training programme on balance, stepping, cognition and functional performance in people with multiple sclerosis – a randomized controlled trial. Multiple Sclerosis journal, 2016, 22, 94-103.	3.0	75
188	Rivastigmine for gait stability in patients with Parkinson's disease (ReSPonD): a randomised, double-blind, placebo-controlled, phase 2 trial. Lancet Neurology, The, 2016, 15, 249-258.	10.2	257
189	Kinect-based choice reaching and stepping reaction time tests for clinical and in-home assessment of fall risk in older people: a prospective study. European Review of Aging and Physical Activity, 2016, 13, 2.	2.9	24
190	Rationale for Strengthening Muscle to Prevent Falls and Fractures: A Review of the Evidence. Calcified Tissue International, 2016, 98, 531-545.	3.1	65
191	Age-related changes in gait adaptability in response to unpredictable obstacles and stepping targets. Gait and Posture, 2016, 46, 35-41.	1.4	63
192	A Kinect and Inertial Sensor-Based System for the Self-Assessment of Fall Risk: A Home-Based Study in Older People. Human-Computer Interaction, 2016, 31, 261-293.	4.4	30
193	Wearable pendant device monitoring using new wavelet-based methods shows daily life and laboratory gaits are different. Medical and Biological Engineering and Computing, 2016, 54, 663-674.	2.8	126
194	Fatigue induced changes to kinematic and kinetic gait parameters following six minutes of walking in people with multiple sclerosis. Disability and Rehabilitation, 2016, 38, 535-543.	1.8	31
195	Cultural influences on exercise participation and fall prevention: a systematic review and narrative synthesis. Disability and Rehabilitation, 2016, 38, 724-732.	1.8	34
196	Non-pharmacological Treatments for Falls and Fractures. , 2016, , 187-200.		1
197	Chapter 5 Vision Impairment and Fall Risk in the Elderly. Human Factors and Ergonomics, 2016, , 63-76.	0.0	1
198	Social Dancing and Incidence of Falls in Older Adults: A Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002112.	8.4	71

#	Article	IF	CITATIONS
199	Perceptions of Speed and Risk: Experimental Studies of Road Crossing by Older People. PLoS ONE, 2016, 11, e0152617.	2.5	25
200	Multiple sclerosis severity and concern about falling: Physical, cognitive and psychological mediating factors. NeuroRehabilitation, 2015, 37, 139-147.	1.3	8
201	Symmetry Matched Auditory Cues Improve Gait Steadiness in Most People with Parkinson's Disease but not in Healthy Older People. Journal of Parkinson's Disease, 2015, 5, 105-116.	2.8	14
202	Evaluating the effectiveness of a home-based exercise programme delivered through a tablet computer for preventing falls in older community-dwelling people over 2â€years: study protocol for the Standing Tall randomised controlled trial. BMJ Open, 2015, 5, e009173.	1.9	56
203	Predictors of Adherence to a Falls Prevention Exercise Program for People with Parkinson's Disease. Movement Disorders Clinical Practice, 2015, 2, 395-401.	1.5	11
204	ICT-based system to predict and prevent falls (iStoppFalls): results from an international multicenter randomized controlled trial. European Review of Aging and Physical Activity, 2015, 12, 10.	2.9	92
205	The effect of sensor-based exercise at home on functional performance associated with fall risk in older people $\hat{a} \in \hat{a}$ a comparison of two exergame interventions. European Review of Aging and Physical Activity, 2015, 12, 11.	2.9	56
206	Prevalence of Vestibular Disorder in Older People Who Experience Dizziness. Frontiers in Neurology, 2015, 6, 268.	2.4	23
207	Eight-Week Remote Monitoring Using a Freely Worn Device Reveals Unstable Gait Patterns in Older Fallers. IEEE Transactions on Biomedical Engineering, 2015, 62, 2588-2594.	4.2	78
208	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007091-e007091.	1.9	47
209	Exercise for falls prevention in Parkinson disease. Neurology, 2015, 84, 304-312.	1.1	209
210	Bottom-up subspace clustering suggests a paradigm shift to prevent fall injuries. Medical Hypotheses, 2015, 84, 356-362.	1.5	13
211	Uncontrolled head oscillations in people with Parkinson's disease may reflect an inability to respond to perturbations while walking. Physiological Measurement, 2015, 36, 873-881.	2.1	14
212	Head and pelvis stride-to-stride oscillations in gait: validation and interpretation of measurements from wearable accelerometers. Physiological Measurement, 2015, 36, 857-872.	2.1	28
213	Ability Versus Hazard: Risk-Taking and Falls in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 628-634.	3.6	48
214	The impact of a home-based walking programme on falls in older people: the Easy Steps randomised controlled trial. Age and Ageing, 2015, 44, 377-383.	1.6	68
215	Cost-effectiveness of a Home-Exercise Program Among Older People After Hospitalization. Journal of the American Medical Directors Association, 2015, 16, 490-496.	2.5	25
216	New Methods to Monitor Stair Ascents Using a Wearable Pendant Device Reveal How Behavior, Fear, and Frailty Influence Falls in Octogenarians. IEEE Transactions on Biomedical Engineering, 2015, 62, 2595-2601.	4.2	22

#	Article	IF	Citations
217	Myostatin antibody (LY2495655) in older weak fallers: a proof-of-concept, randomised, phase 2 trial. Lancet Diabetes and Endocrinology,the, 2015, 3, 948-957.	11.4	275
218	Economic Evaluation of a Multifactorial, Interdisciplinary Intervention Versus Usual Care to Reduce Frailty in Frail Older People. Journal of the American Medical Directors Association, 2015, 16, 41-48.	2.5	103
219	Depressive symptoms increase fall risk in older people, independent of antidepressant use, and reduced executive and physical functioning. Archives of Gerontology and Geriatrics, 2015, 60, 190-195.	3.0	95
220	Obesity and falls in older people: Mediating effects of disease, sedentary behavior, mood, pain and medication use. Archives of Gerontology and Geriatrics, 2015, 60, 52-58.	3.0	73
221	Good Lateral Harmonic Stability Combined with Adequate Gait Speed Is Required for Low Fall Risk in Older People. Gerontology, 2015, 61, 69-78.	2.8	28
222	Dorsiflexion Assist Orthosis Reduces the Physiological Cost and Mitigates Deterioration in Strength and Balance Associated With Walking in People With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 226-232.e1.	0.9	13
223	Recommendations for a Core Outcome Set for Measuring Standing Balance in Adult Populations: A Consensus-Based Approach. PLoS ONE, 2015, 10, e0120568.	2.5	66
224	Interactive Cognitive-Motor Step Training Improves Cognitive Risk Factors of Falling in Older Adults – A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0145161.	2.5	106
225	Association of Postural Sway with Disability Status and Cerebellar Dysfunction in People with Multiple Sclerosis. International Journal of MS Care, 2015, 17, 146-151.	1.0	28
226	Medications Are Associated with Falls in People with Multiple Sclerosis. International Journal of MS Care, 2015, 17, 207-214.	1.0	14
227	Self-reported chronic pain is associated with physical performance in older people leaving aged care rehabilitation. Clinical Interventions in Aging, 2014, 9, 259.	2.9	27
228	Visuospatial Tasks Affect Locomotor Control More than Nonspatial Tasks in Older People. PLoS ONE, 2014, 9, e109802.	2.5	40
229	Inertial measurements of free-living activities: Assessing mobility to predict falls., 2014, 2014, 6892-5.		9
230	Most functional outcomes are similar for men and women after hip fracture: a secondary analysis of the enhancing mobility after hip fracture trial. BMC Geriatrics, 2014, 14, 140.	2.7	7
231	Neuropsychological, Physical, and Functional Mobility Measures Associated With Falls in Cognitively Impaired Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 987-995.	3.6	105
232	Does a fall prevention educational programme improve knowledge and change exercise prescribing behaviour in health and exercise professionals? A study protocol for a randomised controlled trial. BMJ Open, 2014, 4, e007032.	1.9	4
233	Epidemiology of Emergency Medical Service Responses to Older People Who Have Fallen: A Prospective Cohort Study. Prehospital Emergency Care, 2014, 18, 185-194.	1.8	37
234	Predictors of Nontransport of Older Fallers Who Receive Ambulance Care. Prehospital Emergency Care, 2014, 18, 342-349.	1.8	14

#	Article	IF	Citations
235	Associations between obesity and overweight and fall risk, health status and quality of life in older people. Australian and New Zealand Journal of Public Health, 2014, 38, 13-18.	1.8	118
236	Gait as a biomarker? Accelerometers reveal that reduced movement quality while walking is associated with Parkinson's disease, ageing and fall risk., 2014, 2014, 5968-71.		18
237	Validation of an accelerometer-based fall prediction model. , 2014, 2014, 4531-4.		9
238	Greater Daily Defined Dose of Antihypertensive Medication Increases the Risk of Falls in Older Peopleâ€"A Populationâ€Based Study. Journal of the American Geriatrics Society, 2014, 62, 1527-1533.	2.6	65
239	Determinants of uptake of home modifications and exercise to prevent falls in communityâ€dwelling older people. Australian and New Zealand Journal of Public Health, 2014, 38, 585-590.	1.8	14
240	Six minutes of walking leads to reduced lower limb strength and increased postural sway in people with Multiple Sclerosis. NeuroRehabilitation, 2014, 35, 503-508.	1.3	27
241	Vitamin D response of older people in residential aged care to sunlight-derived ultraviolet radiation. Archives of Osteoporosis, 2014, 9, 197.	2.4	12
242	The effect of interactive cognitive-motor training in reducing fall risk in older people: a systematic review. BMC Geriatrics, 2014, 14, 107.	2.7	128
243	New methods for fall risk prediction. Current Opinion in Clinical Nutrition and Metabolic Care, 2014, 17, 407-411.	2.5	44
244	Incidental and Planned Exercise Questionnaire for Seniors. Medicine and Science in Sports and Exercise, 2014, 46, 947-954.	0.4	29
245	A Stroop Stepping Test (SST) using low-cost computer game technology discriminates between older fallers and non-fallers. Age and Ageing, 2014, 43, 285-289.	1.6	56
246	Sensorimotor and Postural Control Factors Associated With Driving Safety in a Community-Dwelling Older Driver Population. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69A, 240-244.	3.6	37
247	Gait profiles as indicators of domain-specific impairments in executive control across neurodevelopmental disorders. Research in Developmental Disabilities, 2014, 35, 203-214.	2.2	22
248	Walking for six minutes increases both simple reaction time and stepping reaction time in moderately disabled people with Multiple Sclerosis. Multiple Sclerosis and Related Disorders, 2014, 3, 457-462.	2.0	12
249	Age-associated changes in head jerk while walking reveal altered dynamic stability in older people. Experimental Brain Research, 2014, 232, 51-60.	1.5	22
250	Spatial variability during gait initiation while dual tasking is increased in individuals with mild cognitive impairment. Journal of Nutrition, Health and Aging, 2014, 18, 307-312.	3.3	41
251	Neuropsychological, Balance, and Mobility Risk Factors for Falls in People With Multiple Sclerosis: A Prospective Cohort Study. Archives of Physical Medicine and Rehabilitation, 2014, 95, 480-486.	0.9	116
252	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. Age and Ageing, 2014, 43, 616-622.	1.6	94

#	Article	IF	Citations
253	A low-power fall detection algorithm based on triaxial acceleration and barometric pressure. , 2014, 2014, 570-3.		4
254	High Arterial Pulse Wave Velocity Is a Risk Factor for Falls in Communityâ€Dwelling Older People. Journal of the American Geriatrics Society, 2014, 62, 1534-1539.	2.6	14
255	The Relative Contribution of Physical and Cognitive Fall Risk Factors in People With Parkinson's Disease. Neurorehabilitation and Neural Repair, 2014, 28, 282-290.	2.9	99
256	A comparison of activity classification in younger and older cohorts using a smartphone. Physiological Measurement, 2014, 35, 2269-2286.	2.1	64
257	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. BMC Geriatrics, 2014, 14, 89.	2.7	24
258	ICT-based system to predict and prevent falls (iStoppFalls): study protocol for an international multicenter randomized controlled trial. BMC Geriatrics, 2014, 14, 91.	2.7	58
259	Single and dual task tests of gait speed are equivalent in the prediction of falls in older people: A systematic review and meta-analysis. Ageing Research Reviews, 2014, 16, 83-104.	10.9	113
260	Risk Factors for Frequent Falls in People with Parkinson's Disease. Journal of Parkinson's Disease, 2014, 4, 699-703.	2.8	33
261	Sub-Cortical Infarcts and the Risk of Falls in Older People: Combined Results of TASCOG and Sydney MAS Studies. International Journal of Stroke, 2014, 9, 55-60.	5.9	16
262	A Post-Hospital Home Exercise Program Improved Mobility but Increased Falls in Older People: A Randomised Controlled Trial. PLoS ONE, 2014, 9, e104412.	2.5	76
263	Falls Prevention Interventions., 2013,, 1649-1666.		2
264	Can social dancing prevent falls in older adults? a protocol of the Dance, Aging, Cognition, Economics (DAnCE) fall prevention randomised controlled trial. BMC Public Health, 2013, 13, 477.	2.9	45
265	Depressive Symptomatology as a Risk Factor for Falls in Older People: Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2013, 61, 694-706.	2.6	151
266	Intervention to prevent further falls in older people who call an ambulance as a result of a fall: a protocol for the iPREFER randomised controlled trial. BMC Health Services Research, 2013, 13, 360.	2.2	10
267	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. BMC Medicine, 2013, 11, 65.	5 . 5	315
268	The ReSPonD trial - rivastigmine to stabilise gait in Parkinson's disease a phase II, randomised, double blind, placebo controlled trial to evaluate the effect of rivastigmine on gait in patients with Parkinson's disease who have fallen. BMC Neurology, 2013, 13, 188.	1.8	24
269	Older People's Perceptions of a Multifaceted Podiatric Medical Intervention to Prevent Falls. Journal of the American Podiatric Medical Association, 2013, 103, 457-464.	0.3	9
270	Provision of Out-of-hospital Analgesia to Older Fallers With Suspected Fractures: Above Par, but Opportunities for Improvement Exist. Academic Emergency Medicine, 2013, 20, 761-768.	1.8	15

#	Article	IF	Citations
271	Development and validation of a Chinese version of the Falls Efficacy Scale International. Archives of Gerontology and Geriatrics, 2013, 56, 169-174.	3.0	55
272	Validation of the Iconographical Falls Efficacy Scale in Cognitively Impaired Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1098-1102.	3.6	36
273	The effect of lower limb muscle fatigue on obstacle negotiation during walking in older adults. Gait and Posture, 2013, 37, 506-510.	1.4	34
274	Health and lifestyle risk factors for falls in a large population-based sample of older people in Australia. Journal of Safety Research, 2013, 45, 7-13.	3.6	24
275	Falls Efficacy Scale-International: A Cross-Sectional Validation in People With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2013, 94, 883-889.	0.9	97
276	The interplay between executive control and motor functioning in Williams syndrome. Developmental Science, 2013, 16, 428-442.	2.4	13
277	Pain and Anxiety Mediate the Relationship Between Dizziness and Falls in Older People. Journal of the American Geriatrics Society, 2013, 61, 423-428.	2.6	23
278	Discriminative Ability and Predictive Validity of the Timed Up and Go Test in Identifying Older People Who Fall: Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2013, 61, 202-208.	2.6	340
279	Three simple clinical tests to accurately predict falls in people with Parkinson's disease. Movement Disorders, 2013, 28, 655-662.	3.9	167
280	Gait parameter risk factors for falls under simple and dual task conditions in cognitively impaired older people. Gait and Posture, 2013, 37, 126-130.	1.4	141
281	Effects of Nonslip Socks on the Gait Patterns of Older People When Walking on a Slippery Surface. Journal of the American Podiatric Medical Association, 2013, 103, 471-479.	0.3	14
282	Identifying older people at high risk of future falls: development and validation of a screening tool for use in emergency departments. Emergency Medicine Journal, 2013, 30, 918-922.	1.0	52
283	Development and validation of a fall-related impulsive behaviour scale for residential care. Age and Ageing, 2013, 42, 754-758.	1.6	9
284	Increased Concern Is Protective for Falls in Chinese Older People: The Chopstix Fall Risk Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 946-953.	3.6	38
285	Angiotensin System–Blocking Medications Are Associated with Fewer Falls over 12 Months in Communityâ€Dwelling Older People. Journal of the American Geriatrics Society, 2013, 61, 776-781.	2.6	41
286	Older fallers attended to by an ambulance but not transported to hospital: a vulnerable population at high risk of future falls. Australian and New Zealand Journal of Public Health, 2013, 37, 179-185.	1.8	26
287	Systematic review of nonâ€transportation rates and outcomes for older people who have fallen after ambulance service callâ€out. Australasian Journal on Ageing, 2013, 32, 147-157.	0.9	37
288	Fall-related sub-acute and non-acute care and hospitalised rehabilitation episodes of care: what is the injury burden?. Australian Health Review, 2013, 37, 348.	1.1	1

#	Article	IF	CITATIONS
289	Physical impairments in cognitively impaired older people: implications for risk of falls. International Psychogeriatrics, 2013, 25, 148-156.	1.0	51
290	Change in Vision, Visual Disability, and Health After Cataract Surgery. Optometry and Vision Science, 2013, 90, 392-399.	1.2	15
291	Comparison of Handheld Video Camera and GAITRite® Measurement of Gait Impairment in People with Early Stage Parkinson's Disease: A Pilot Study. Journal of Parkinson's Disease, 2013, 3, 199-203.	2.8	14
292	The role of exercise for fall prevention in older age. Motriz Revista De Educacao Fisica, 2013, 19, 541-547.	0.2	20
293	A Randomized Controlled Pilot Study of Home-Based Step Training in Older People Using Videogame Technology. PLoS ONE, 2013, 8, e57734.	2.5	209
294	Force-Controlled Balance Perturbations Associated with Falls in Older People: A Prospective Cohort Study. PLoS ONE, 2013, 8, e70981.	2.5	72
295	Good memory as a predictor of falls: fact or artefact. Age and Ageing, 2012, 41, 404-408.	1.6	17
296	Exercise to Enhance Mobility and Prevent Falls After Stroke. Neurorehabilitation and Neural Repair, 2012, 26, 1046-1057.	2.9	111
297	Older people presenting to the emergency department after a fall: a population with substantial recurrent healthcare use. Emergency Medicine Journal, 2012, 29, 742-747.	1.0	67
298	Predictors of Adherence to a Structured Exercise Program and Physical Activity Participation in Community Dwellers after Stroke. Stroke Research and Treatment, 2012, 2012, 1-8.	0.8	31
299	Physiological Fall Risk Factors in Cognitively Impaired Older People: A One-Year Prospective Study. Dementia and Geriatric Cognitive Disorders, 2012, 34, 181-189.	1.5	52
300	Gait impairment and falls in cognitively impaired older adults: an explanatory model of sensorimotor and neuropsychological mediators. Age and Ageing, 2012, 41, 665-669.	1.6	54
301	Measures of physical functioning after hip fracture: construct validity and responsiveness of performance-based and self-reported measures. Age and Ageing, 2012, 41, 659-664.	1.6	21
302	White Matter Hyperintensities Are an Independent Predictor of Physical Decline in Community-Dwelling Older People. Gerontology, 2012, 58, 398-406.	2.8	35
303	Perception of the Postural Vertical and Falls in Older People. Gerontology, 2012, 58, 497-503.	2.8	22
304	Managing falls in older patients with cognitive impairment. Aging Health, 2012, 8, 573-588.	0.3	23
305	Identification of high risk fallers among older people living in residential care facilities: A simple screen based on easily collectable measures. Archives of Gerontology and Geriatrics, 2012, 55, 690-695.	3.0	45
306	Prevalence and correlates of participation in fall prevention exercise/physical activity by older adults. Preventive Medicine, 2012, 55, 613-617.	3.4	121

#	Article	IF	Citations
307	Understanding Risk of Falls in People With Cognitive Impairment Living in Residential Care. Journal of the American Medical Directors Association, 2012, 13, 535-540.	2.5	83
308	Depressive symptoms in addition to visual impairment, reduced strength and poor balance predict falls in older Taiwanese people. Age and Ageing, 2012, 41, 606-612.	1.6	31
309	White matter hyperintensities and impaired choice stepping reaction time in older people. Neurobiology of Aging, 2012, 33, 1177-1185.	3.1	12
310	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. BMC Medicine, 2012, 10, 120.	5.5	122
311	Relationships between <scp>HMG oA</scp> reductase inhibitors (statin) use and strength, balance and falls in older people. Internal Medicine Journal, 2012, 42, 1329-1334.	0.8	27
312	Evidence of Detraining After 12-Week Home-Based Exercise Programs Designed to Reduce Fall-Risk Factors in Older People Recently Discharged From Hospital. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1685-1691.	0.9	30
313	Sensorimotor and neuropsychological correlates of force perturbations that induce stepping in older adults. Gait and Posture, 2012, 36, 356-360.	1.4	33
314	Mild Cognitive Impairment as a Predictor of Falls in Community-Dwelling Older People. American Journal of Geriatric Psychiatry, 2012, 20, 845-853.	1.2	171
315	Brain White Matter Hyperintensities, Executive Dysfunction, Instability, and Falls in Older People: A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67, 1085-1091.	3.6	65
316	Does increased sunlight exposure work as a strategy to improve vitamin D status in the elderly: a cluster randomised controlled trial. Osteoporosis International, 2012, 23, 615-624.	3.1	58
317	Relationships between serum vitamin D levels, neuromuscular and neuropsychological function and falls in older men and women. Osteoporosis International, 2012, 23, 981-989.	3.1	65
318	Fall assessment in older people. BMJ, The, 2011, 343, d5153-d5153.	6.0	41
319	Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d3411-d3411.	2.3	117
320	Sensorimotor function, balance abilities and pain influence Timed Up and Go performance in older community-living people. Aging Clinical and Experimental Research, 2011, 23, 196-201.	2.9	59
321	Foot and Ankle Strength, Range of Motion, Posture, and Deformity Are Associated With Balance and Functional Ability in Older Adults. Archives of Physical Medicine and Rehabilitation, 2011, 92, 68-75.	0.9	164
322	A Novel Video Game–Based Device for Measuring Stepping Performance and Fall Risk in Older People. Archives of Physical Medicine and Rehabilitation, 2011, 92, 947-953.	0.9	62
323	Minimal Chair Height Standing Ability Is Independently Associated With Falls in Taiwanese Older People. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1080-1085.	0.9	11
324	Gait, balance and plantar pressures in older people with toe deformities. Gait and Posture, 2011, 34, 347-351.	1.4	128

#	Article	IF	CITATIONS
325	A simple tool predicted probability of falling after aged care inpatient rehabilitation. Journal of Clinical Epidemiology, 2011, 64, 779-786.	5.0	25
326	Predictors of exercise adherence in older people living in retirement villages. Preventive Medicine, 2011, 52, 480-481.	3.4	22
327	Depressive symptoms and quality of life in people with age―related macular degeneration. Ophthalmic and Physiological Optics, 2011, 31, 375-380.	2.0	61
328	Falls Incidence, Risk Factors, and Consequences in Chinese Older People: A Systematic Review. Journal of the American Geriatrics Society, 2011, 59, 536-543.	2.6	196
329	RESPONSE TO KATHLEEN MICHELLE CONNELL. Journal of the American Geriatrics Society, 2011, 59, 770-771.	2.6	0
330	Associations Between Drug Burden Index and Falls in Older People in Residential Aged Care. Journal of the American Geriatrics Society, 2011, 59, 875-880.	2.6	183
331	Exercise and Sports Science Australia Position Statement on exercise and falls prevention in older people. Journal of Science and Medicine in Sport, 2011, 14, 489-495.	1.3	76
332	Implementing falls prevention research into policy and practice in Australia: Past, present and future. Journal of Safety Research, 2011, 42, 517-520.	3.6	20
333	ICF participation restriction is common in frail, community-dwelling older people: an observational cross-sectional study. Physiotherapy, 2011, 97, 26-32.	0.4	39
334	Predictors of adherence to a multifaceted podiatry intervention for the prevention of falls in older people. BMC Geriatrics, 2011, 11, 51.	2.7	17
335	Validity and reliability of the Swaymeter device for measuring postural sway. BMC Geriatrics, 2011, 11, 63.	2.7	47
336	Treating frailty-a practical guide. BMC Medicine, 2011, 9, 83.	5.5	126
337	Soft tissue thickness under the metatarsal heads is reduced in older people with toe deformities. Journal of Orthopaedic Research, 2011, 29, 1042-1046.	2.3	16
338	Postural sway approaches center of mass stability limits in Parkinson's disease. Movement Disorders, 2011, 26, 637-643.	3.9	37
339	Crossâ€sectional analysis of foot function, functional ability, and healthâ€related quality of life in older people with disabling foot pain. Arthritis Care and Research, 2011, 63, 1592-1598.	3.4	79
340	Low-trauma fractures indicate increased risk of hip fracture in frail older people. Journal of Bone and Mineral Research, 2011, 26, 428-433.	2.8	13
341	Physical factors underlying the association between lower walking performance and falls in older people: A structural equation model. Archives of Gerontology and Geriatrics, 2011, 53, 131-134.	3.0	39
342	Exercise to prevent falls in older adults: an updated meta-analysis and best practice recommendations. NSW Public Health Bulletin, 2011, 22, 78.	0.3	603

#	Article	IF	CITATIONS
343	Physical Functioning Measures and Risk of Falling in Older People Living in Residential Aged Care Facilities. Therapeutic Advances in Musculoskeletal Disease, 2011, 3, 9-15.	2.7	8
344	Reach Distance but Not Judgment Error Is Associated With Falls in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 896-903.	3.6	36
345	Development and Initial Validation of the Iconographical Falls Efficacy Scale. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 674-680.	3.6	100
346	Impact of White Matter Lesions on Physical Functioning and Fall Risk in Older People. Stroke, 2011, 42, 2086-2090.	2.0	139
347	A novel Dance Dance Revolution (DDR) system for in-home training of stepping ability: basic parameters of system use by older adults. British Journal of Sports Medicine, 2011, 45, 441-445.	6.7	64
348	Implementing falls prevention research into policy and practice: an overview of a new National Health and Medical Research Council Partnership Grant. NSW Public Health Bulletin, 2011, 22, 84.	0.3	6
349	Effect on falls of providing single lens distance vision glasses to multifocal glasses wearers: VISIBLE randomised controlled trial. BMJ: British Medical Journal, 2010, 340, c2265-c2265.	2.3	104
350	Neovascular AMD: an overlooked risk factor for injurious falls. Osteoporosis International, 2010, 21, 855-862.	3.1	30
351	Postural Control in Multiple Sclerosis: Implications for Fall Prevention. Current Neurology and Neuroscience Reports, 2010, 10, 407-412.	4.2	231
352	Longitudinal Falls-Risk Estimation Using Triaxial Accelerometry. IEEE Transactions on Biomedical Engineering, 2010, 57, 534-541.	4.2	81
353	Exercise for falls prevention in older people: Assessing the knowledge of exercise science students. Journal of Science and Medicine in Sport, 2010, 13, 59-64.	1.3	5
354	The effects of an exercise program on fall risk factors in people with Parkinson's disease: A randomized controlled trial. Movement Disorders, 2010, 25, 1217-1225.	3.9	172
355	Sunlight and health: Attitudes of older people living in intermediate care facilities in southern Australia. Archives of Gerontology and Geriatrics, 2010, 51, e94-e99.	3.0	35
356	Consequences of lower extremity and trunk muscle fatigue on balance and functional tasks in older people: A systematic literature review. BMC Geriatrics, 2010, 10, 56.	2.7	98
357	A Multifactorial Approach to Understanding Fall Risk in Older People. Journal of the American Geriatrics Society, 2010, 58, 1679-1685.	2.6	251
358	Foot Pain, Plantar Pressures, and Falls in Older People: A Prospective Study. Journal of the American Geriatrics Society, 2010, 58, 1936-1940.	2.6	128
359	Training unsupported sitting in people with chronic spinal cord injuries: a randomized controlled trial. Spinal Cord, 2010, 48, 138-143.	1.9	49
360	A Falls Concern Scale for people with spinal cord injury (SCI-FCS). Spinal Cord, 2010, 48, 704-709.	1.9	52

#	Article	IF	CITATIONS
361	Development of a tool for prediction of falls in rehabilitation settings (Predict_FIRST): A prospective cohort study. Journal of Rehabilitation Medicine, 2010, 42, 482-488.	1.1	43
362	Impaired Depth Perception and Restricted Pitch Head Movement Increase Obstacle Contacts When Dual-Tasking in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 751-757.	3.6	41
363	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. Clinical Rehabilitation, 2010, 24, 565-573.	2.2	14
364	The Development and Validation of a Brief Performance-Based Fall Risk Assessment Tool for Use in Primary Care. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 896-903.	3.6	118
365	Physiological and Cognitive Mediators for the Association Between Self-reported Depressed Mood and Impaired Choice Stepping Reaction Time in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 538-544.	3.6	29
366	Evaluation of the incidental and planned activity questionnaire for older people. British Journal of Sports Medicine, 2010, 44, 1029-1034.	6.7	153
367	Foot shape of older people: implications for shoe design. Footwear Science, 2010, 2, 131-139.	2.1	49
368	Automatic segmentation of triaxial accelerometry signals for falls risk estimation., 2010, 2010, 2234-7.		16
369	Associations between drug burden index and physical function in older people in residential aged care facilities. Age and Ageing, 2010, 39, 503-507.	1.6	52
370	The association between choice stepping reaction time and falls in older adults-a path analysis model. Age and Ageing, 2010, 39, 99-104.	1.6	75
371	The Whitehorse NoFalls trial: effects on fall rates and injurious fall rates. Age and Ageing, 2010, 39, 728-733.	1.6	36
372	Step Time Variability and Pelvis Acceleration Patterns of Younger and Older Adults: Effects of Footwear and Surface Conditions. Research in Sports Medicine, 2010, 19, 28-41.	1.3	12
373	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. BMJ: British Medical Journal, 2010, 341, c4165-c4165.	2.3	305
374	Mobility-related disability three months after aged care rehabilitation can be predicted with a simple tool: an observational study. Journal of Physiotherapy, 2010, 56, 121-127.	1.7	15
375	Vision and Falls in Older People: Risk Factors and Intervention Strategies. Clinics in Geriatric Medicine, 2010, 26, 569-581.	2.6	123
376	The Falls Efficacy Scale International (FES-I). A comprehensive longitudinal validation study. Age and Ageing, 2010, 39, 210-216.	1.6	592
377	A selection strategy was developed for fracture reduction programs in frail older people. Journal of Clinical Epidemiology, 2010, 63, 679-685.	5.0	10
378	Comparison of Self-Reported Crashes, State Crash Records and an On-Road Driving Assessment in a Population-Based Sample of Drivers Aged 69-95 Years. Traffic Injury Prevention, 2009, 10, 84-90.	1.4	37

#	Article	IF	Citations
379	The effect of group-based exercise on cognitive performance and mood in seniors residing in intermediate care and self-care retirement facilities: a randomised controlled trial. British Journal of Sports Medicine, 2009, 43, 608-614.	6.7	101
380	Sleep Quality and Falls in Older People Living in Self- and Assisted-Care Villages. Gerontology, 2009, 55, 162-168.	2.8	48
381	Risk factors for hip fracture among institutionalised older people. Age and Ageing, 2009, 38, 429-434.	1.6	47
382	Concern About Falls Elicits Changes in Gait Parameters in Conditions of Postural Threat in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 237-242.	3.6	122
383	Exercise intervention to prevent falls and enhance mobility in community dwellers after stroke: a protocol for a randomised controlled trial. BMC Neurology, 2009, 9, 38.	1.8	33
384	Exercise therapy for prevention of falls in people with Parkinson's disease: A protocol for a randomised controlled trial and economic evaluation. BMC Neurology, 2009, 9, 4.	1.8	65
385	Clinical and physiological assessments for elucidating falls risk in Parkinson's disease. Movement Disorders, 2009, 24, 1280-1289.	3.9	316
386	Role of quantitative ultrasound to predict fracture among institutionalised older people with a history of fracture. Osteoporosis International, 2009, 20, 105-112.	3.1	3
387	Preventing falls in older multifocal glasses wearers by providing single-lens distance glasses: the protocol for the VISIBLE randomised controlled trial. BMC Geriatrics, 2009, 9, 10.	2.7	18
388	Minimising disability and falls in older people through a post-hospital exercise program: a protocol for a randomised controlled trial and economic evaluation. BMC Geriatrics, 2009, 9, 8.	2.7	21
389	Age and gender differences in seven tests of functional mobility. Journal of NeuroEngineering and Rehabilitation, 2009, 6, 31.	4.6	129
390	Comparison of regional lower limb glucose metabolism in older adults during walking. Scandinavian Journal of Medicine and Science in Sports, 2009, 19, 389-397.	2.9	12
391	Older People Contact More Obstacles When Wearing Multifocal Glasses and Performing a Secondary Visual Task. Journal of the American Geriatrics Society, 2009, 57, 1833-1838.	2.6	24
392	The Onâ€Road Difficulties of Older Drivers and Their Relationship with Selfâ€Reported Motor Vehicle Crashes. Journal of the American Geriatrics Society, 2009, 57, 2062-2069.	2.6	35
393	ISB Clinical Biomechanics Award 2009. Clinical Biomechanics, 2009, 24, 787-791.	1.2	225
394	Effects of walking surfaces and footwear on temporo-spatial gait parameters in young and older people. Gait and Posture, 2009, 29, 392-397.	1.4	174
395	Rapid gait termination: Effects of age, walking surfaces and footwear characteristics. Gait and Posture, 2009, 30, 65-70.	1.4	36
396	Reducing Risk of Falling in Older People Discharged From Hospital: A Randomized Controlled Trial Comparing Seated Exercises, Weight-Bearing Exercises, and Social Visits. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1317-1324.	0.9	57

#	Article	IF	Citations
397	Validity and Reliability of Assessment Tools for Measuring Unsupported Sitting in People With a Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1571-1577.	0.9	55
398	Distribution and correlates of plantar hyperkeratotic lesions in older people. Journal of Foot and Ankle Research, 2009, 2, 8.	1.9	42
399	Acceleration Patterns of the Head and Pelvis During Gait in Older People With Parkinson's Disease: A Comparison of Fallers and Nonfallers. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 700-706.	3.6	125
400	BMI: a simple, rapid and clinically meaningful index of under-nutrition in the oldest old?. British Journal of Nutrition, 2009, 101, 1300.	2.3	34
401	Different cognitive profiles for single compared with recurrent fallers without dementia Neuropsychology, 2009, 23, 500-508.	1.3	103
402	The Effect of Enhanced Supervision on Fall Rates in Residential Aged Care. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 823-828.	1.4	16
403	Non-Pharmacological Treatments for Falls and Fractures. , 2009, , 126-136.		0
404	Efficacy of a multifaceted podiatry intervention to improve balance and prevent falls in older people: study protocol for a randomised trial. BMC Geriatrics, 2008, 8, 30.	2.7	22
405	RESPONSE LETTER TO DR. KATZ. Journal of the American Geriatrics Society, 2008, 56, 777-777.	2.6	0
406	Older Women with Ageâ€Related Macular Degeneration Have a Greater Risk of Falls: A Physiological Profile Assessment Study. Journal of the American Geriatrics Society, 2008, 56, 800-807.	2.6	56
407	Comparison of Effect of Aerobic Cycle Training and Progressive Resistance Training on Walking Ability After Stroke: A Randomized Sham Exercise–Controlled Study. Journal of the American Geriatrics Society, 2008, 56, 976-985.	2.6	107
408	A Multidomain Approach for Predicting Older Driver Safety Under Inâ€Traffic Road Conditions. Journal of the American Geriatrics Society, 2008, 56, 986-993.	2.6	135
409	Otago Homeâ€Based Strength and Balance Retraining Improves Executive Functioning in Older Fallers: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2008, 56, 1821-1830.	2.6	253
410	Risk Factors for Fracture Following a Fall Among Older People in Residential Care Facilities in Australia. Journal of the American Geriatrics Society, 2008, 56, 2020-2026.	2.6	40
411	Effective Exercise for the Prevention of Falls: A Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2008, 56, 2234-2243.	2.6	1,065
412	Muscle weakness impairs the proprioceptive control of human standing. Brain Research, 2008, 1242, 244-251.	2.2	67
413	Balance disorders in the elderly. Neurophysiologie Clinique, 2008, 38, 467-478.	2.2	429
414	Effects of Shoe Characteristics on Dynamic Stability When Walking on Even and Uneven Surfaces in Young and Older People. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1970-1976.	0.9	105

#	Article	IF	CITATIONS
415	A population-based study of sensorimotor factors affecting gait in older people. Age and Ageing, 2008, 38, 290-295.	1.6	87
416	Group exercise can improve participants' mobility in an outpatient rehabilitation setting: a randomized controlled trial. Clinical Rehabilitation, 2008, 22, 493-502.	2.2	39
417	Individual and community fall prevention strategies. Age and Ageing, 2008, 37, 352-353.	1.6	2
418	Effects of Footwear Features on Balance and Stepping in Older People. Gerontology, 2008, 54, 18-23.	2.8	102
419	The comparative ability of eight functional mobility tests for predicting falls in community-dwelling older people. Age and Ageing, 2008, 37, 430-435.	1.6	423
420	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. BMJ: British Medical Journal, 2008, 336, 758-760.	2.3	181
421	Fracture risk assessment in frail older people using clinical risk factors. Age and Ageing, 2008, 37, 536-541.	1.6	19
422	Mobility training after hip fracture: a randomised controlled trial. Age and Ageing, 2008, 38, 74-80.	1.6	71
423	Visual determinants of instability and falls in older people. Aging Health, 2008, 4, 643-650.	0.3	4
424	Effects of Spatial and Nonspatial Memory Tasks on Choice Stepping Reaction Time in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 1063-1068.	3.6	36
425	Development and validation of fall risk screening tools for use in residential aged care facilities. Medical Journal of Australia, 2008, 189, 193-196.	1.7	43
426	Hospital and non-hospital costs for fall-related injury in community-dwelling older people. NSW Public Health Bulletin, 2008, 19, 161.	0.3	20
427	Title is missing!. Journal of Rehabilitation Research and Development, 2008, 45, 1167.	1.6	180
428	Falls in Older People at Home: Risk Factors and Intervention Strategies. Journal of the Human-Environment System, 2008, 11, 37-42.	0.1	1
429	Hospital admissions following presentations to emergency departments for a fracture in older people. Injury Prevention, 2007, 13, 211-214.	2.4	36
430	Predictors of Cessation of Regular Leisure-Time Physical Activity in Community-Dwelling Elderly People. Gerontology, 2007, 53, 293-297.	2.8	46
431	Towards enhancing national capacity for evidence informed policy and practice in falls management: a role for a "Translation Task Group"?. Australia and New Zealand Health Policy, 2007, 4, 6.	2.2	19
432	Medications as risk factors for falls. , 2007, , 133-150.		1

#	Article	IF	CITATIONS
433	A physiological profile approach to falls risk assessment and prevention. , 2007, , 333-356.		299
434	Choice Stepping Response and Transfer Times: Effects of Age, Fall Risk, and Secondary Tasks. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 537-542.	3.6	75
435	Physical and Psychological Factors Associated With Stair Negotiation Performance in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 1259-1265.	3.6	91
436	Our correct use of ANCOVA yields acceptable results. Journal of the International Neuropsychological Society, 2007, 13, .	1.8	1
437	A structural equation model relating impaired sensorimotor function, fear of falling and gait patterns in older people. Gait and Posture, 2007, 25, 243-249.	1.4	76
438	Environmental risk factors for falls. , 2007, , 151-160.		1
439	A Randomized, Controlled Trial of tai chi for the Prevention of Falls: The Central Sydney tai chi Trial. Journal of the American Geriatrics Society, 2007, 55, 1185-1191.	2.6	222
440	Walking speed, cadence and step length are selected to optimize the stability of head and pelvis accelerations. Experimental Brain Research, 2007, 184, 201-209.	1.5	166
441	Influence of fall related factors and bone strength on fracture risk in the frail elderly. Osteoporosis International, 2007, 18, 603-610.	3.1	122
442	Strategies for prevention., 2007, , 173-176.		2
443	Aging and falls: causes and prevention. Journal of Musculoskeletal Neuronal Interactions, 2007, 7, 347.	0.1	9
444	Medical risk factors for falls. , 2007, , 101-132.		0
445	Assistive devices and falls prevention. , 2007, , 264-299.		0
446	Footwear Characteristics and Risk of Indoor and Outdoor Falls in Older People. Gerontology, 2006, 52, 174-180.	2.8	81
447	Home environment risk factors for falls in older people and the efficacy of home modifications. Age and Ageing, 2006, 35, ii55-ii59.	1.6	201
448	Response to Letter to the Editor: Reliability of the GAITRite® walkway system for the quantification of temporo-spatial parameters of gait in young and older people. Gait and Posture, 2006, 23, 524-525.	1.4	8
449	The epidemiology of hospitalised wrist fractures in older people, New South Wales, Australia. Bone, 2006, 39, 1144-1148.	2.9	29
450	A tactile stimulus applied to the leg improves postural stability in young, old and neuropathic subjects. Neuroscience Letters, 2006, 406, 23-26.	2.1	54

#	Article	IF	Citations
451	Foot and Ankle Risk Factors for Falls in Older People: A Prospective Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 866-870.	3.6	362
452	The effect of cataract surgery on neuropsychological test performance: A randomized controlled trial. Journal of the International Neuropsychological Society, 2006, 12, 632-639.	1.8	44
453	RESPONSE LETTER TO DR. SITOH. Journal of the American Geriatrics Society, 2006, 54, 175-175.	2.6	0
454	The effects of water exercise on physical functioning in older people. Australasian Journal on Ageing, 2006, 25, 36-41.	0.9	23
455	High Bone Turnover Is an Independent Predictor of Mortality in the Frail Elderly. Journal of Bone and Mineral Research, 2006, 21, 549-555.	2.8	86
456	Psychological distress and visual functioning in relation to vision-related disability in older individuals with cataracts. British Journal of Health Psychology, 2006, 11, 303-317.	3.5	22
457	Community-dwelling seniors who present to the emergency department with a fall do not receive Guideline care and their fall risk profile worsens significantly: a 6-month prospective study. Osteoporosis International, 2006, 17, 672-683.	3.1	87
458	Falls risk is associated with pain and dysfunction but not radiographic osteoarthritis in older adults: Tasmanian Older Adult Cohort study. Osteoarthritis and Cartilage, 2006, 14, 533-539.	1.3	103
459	The impact of cataract surgery on visual functioning, vision-related disability and psychological distress: a randomized controlled trial. Clinical and Experimental Ophthalmology, 2006, 34, 734-742.	2.6	30
460	Falls-Related Self-Efficacy Is Independently Associated With Balance and Mobility in Older Women With Low Bone Mass. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 832-838.	3.6	63
461	Visual risk factors for falls in older people. Age and Ageing, 2006, 35, ii42-ii45.	1.6	268
462	Foot pain in community-dwelling older people: an evaluation of the Manchester Foot Pain and Disability Index. Rheumatology, 2006, 45, 863-867.	1.9	126
463	Effect of Age-Related Chronic Immobility on Markers of Bone Turnover. Journal of Bone and Mineral Research, 2005, 21, 324-331.	2.8	64
464	Atypical Antipsychotic Medications and Risk of Falls in Residents of Aged Care Facilities. Journal of the American Geriatrics Society, 2005, 53, 1290-1295.	2.6	113
465	The Effect of an Individualized Fall Prevention Program on Fall Risk and Falls in Older People: A Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2005, 53, 1296-1304.	2.6	181
466	The Beneficial Effects of Groupâ€Based Exercises on Fall Risk Profile and Physical Activity Persist 1 Year Postintervention in Older Women with Low Bone Mass: Followâ€Up After Withdrawal of Exercise. Journal of the American Geriatrics Society, 2005, 53, 1767-1773.	2.6	54
467	Determinants of health-related quality of life in institutionalised older persons in northern Sydney. Internal Medicine Journal, 2005, 35, 131-134.	0.8	24
468	The increasing burden of pelvic fractures in older people, New South Wales, Australia. Injury, 2005, 36, 1323-1329.	1.7	71

#	Article	IF	Citations
469	What is the role of falls?. Best Practice and Research in Clinical Rheumatology, 2005, 19, 913-935.	3.3	94
470	The physiology of falling: assessment and prevention strategies for older people. Journal of Science and Medicine in Sport, 2005, 8, 35-42.	1.3	62
471	Both resistance and agility training reduce back pain and improve health-related quality of life in older women with low bone mass. Osteoporosis International, 2005, 16, 1321-1329.	3.1	66
472	Reliability of simple portable tests of physical performance in older people after hip fracture. Clinical Rehabilitation, 2005, 19, 496-504.	2.2	87
473	Foot and Ankle Characteristics Associated With Impaired Balance and Functional Ability in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 1546-1552.	3.6	367
474	Streamlining assessment and intervention in a falls clinic using the Timed Up and Go Test and Physiological Profile Assessments. Age and Ageing, 2005, 34, 567-571.	1.6	147
475	Physiological and Psychological Predictors of Walking Speed in Older Community-Dwelling People. Gerontology, 2005, 51, 390-395.	2.8	122
476	Foot and leg problems are important determinants of functional status in community dwelling older people. Disability and Rehabilitation, 2005, 27, 917-923.	1.8	73
477	Gait Instability in Older People with Hallux Valgus. Foot and Ankle International, 2005, 26, 483-489.	2.3	136
478	A multivariate regression model predicted falls in residents living in intermediate hostel care. Journal of Clinical Epidemiology, 2005, 58, 503-508.	5.0	28
479	Cognitive, sensory and physical factors enabling driving safety in older adults. Clinical Psychology Review, 2005, 25, 45-65.	11.4	748
480	Incidence of hip fracture in New South Wales: are our efforts having an effect?. Medical Journal of Australia, 2004, 180, 623-626.	1.7	80
481	Serum Parathyroid Hormone Predicts Time to Fall Independent of Vitamin D Status in a Frail Elderly Population. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 1572-1576.	3.6	114
482	Serum Parathyroid Hormone Is Associated with Increased Mortality Independent of 25-Hydroxy Vitamin D Status, Bone Mass, and Renal Function in the Frail and Very Old: A Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 5477-5481.	3.6	119
483	Balance Confidence Improves with Resistance or Agility Training. Gerontology, 2004, 50, 373-382.	2.8	104
484	Resistance and Agility Training Reduce Fall Risk in Women Aged 75 to 85 with Low Bone Mass: A 6â€Month Randomized, Controlled Trial < sup>* < /sup>. Journal of the American Geriatrics Society, 2004, 52, 657-665.	2.6	279
485	Physical activity interventions to prevent falls among older people: update of the evidence. Journal of Science and Medicine in Sport, 2004, 7, 43-51.	1.3	105
486	Swapping slippers to prevent falls in older people: where is the evidence?. Foot, 2004, 14, 228-229.	1.1	1

#	Article	IF	Citations
487	Prediction of voluntary activation, strength and endurance of elbow flexors in postpolio patients. Muscle and Nerve, 2004, 30, 172-181.	2.2	12
488	Predictors of falling in elderly hospital patients. Archives of Gerontology and Geriatrics, 2004, 38, 213-219.	3.0	49
489	Walking stability and sensorimotor function in older people with diabetic peripheral neuropathy. Archives of Physical Medicine and Rehabilitation, 2004, 85, 245-252.	0.9	307
490	Reliability of the GAITRite® walkway system for the quantification of temporo-spatial parameters of gait in young and older people. Gait and Posture, 2004, 20, 20-25.	1.4	577
491	A randomized controlled trial of weight-bearing versus non-weight-bearing exercise for improving physical ability after usual care for hip fracture 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical	0.9	137
492	A pilot study of long-term monitoring of human movements in the home using accelerometry. Journal of Telemedicine and Telecare, 2004, 10, 144-151.	2.7	134
493	Physiological risk factors for falls in older people with lower limb arthritis. Journal of Rheumatology, 2004, 31, 2272-9.	2.0	117
494	Differing Risk Factors for Falls in Nursing Home and Intermediate are Residents Who Can and Cannot Stand Unaided. Journal of the American Geriatrics Society, 2003, 51, 1645-1650.	2.6	142
495	The Effect of Group Exercise on Physical Functioning and Falls in Frail Older People Living in Retirement Villages: A Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2003, 51, 1685-1692.	2.6	344
496	Acceleration patterns of the head and pelvis when walking on level and irregular surfaces. Gait and Posture, 2003, 18, 35-46.	1.4	572
497	Acceleration Patterns of the Head and Pelvis When Walking Are Associated With Risk of Falling in Community-Dwelling Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2003, 58, M446-M452.	3.6	181
498	Community-based group exercise improves balance and reduces falls in at-risk older people: a randomised controlled trial. Age and Ageing, 2003, 32, 407-414.	1.6	551
499	A randomised trial of weight-bearing versus non-weight-bearing exercise for improving physical ability in inpatients after hip fracture. Australian Journal of Physiotherapy, 2003, 49, 15-22.	0.9	95
500	Reliability of Clinical Tests of Foot and Ankle Characteristics in Older People. Journal of the American Podiatric Medical Association, 2003, 93, 380-387.	0.3	80
501	Age-related differences in walking stability. Age and Ageing, 2003, 32, 137-142.	1.6	474
502	Proxy assessment of health-related quality of life in the frail elderly. Age and Ageing, 2003, 32, 459-459.	1.6	13
503	Thresholds for Inducing Protective Stepping Responses to External Perturbations of Human Standing. Journal of Neurophysiology, 2003, 90, 666-674.	1.8	82
504	A Physiological Profile Approach to Falls Risk Assessment and Prevention. Physical Therapy, 2003, 83, 237-252.	2.4	832

#	Article	IF	CITATIONS
505	A physiological profile approach to falls risk assessment and prevention. Physical Therapy, 2003, 83, 237-52.	2.4	348
506	Blood pressure changes on upright tilting predict falls in older people. Age and Ageing, 2002, 31, 181-186.	1.6	102
507	Galvanic vestibular stimulation evokes sensations of body rotation. NeuroReport, 2002, 13, 2379-2383.	1.2	61
508	Risk of falling: Predictors based on reduced strength in persons previously affected by polio. Archives of Physical Medicine and Rehabilitation, 2002, 83, 757-763.	0.9	62
509	Physiologic, psychologic, and health predictors of 6-minute walk performance in older people. Archives of Physical Medicine and Rehabilitation, 2002, 83, 907-911.	0.9	199
510	Sit-to-Stand Performance Depends on Sensation, Speed, Balance, and Psychological Status in Addition to Strength in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2002, 57, M539-M543.	3.6	717
511	Vitamin D deficiency is common in frail institutionalised older people in northern Sydney. Medical Journal of Australia, 2002, 176, 560-560.	1.7	52
512	Quantitative Ultrasound of the Calcaneus and Falls Risk in the Institutionalized Elderly: Sex Differences and Relationship to Vitamin D Status. Osteoporosis International, 2002, 13, 882-887.	3.1	33
513	Multifocal Glasses Impair Edge-Contrast Sensitivity and Depth Perception and Increase the Risk of Falls in Older People. Journal of the American Geriatrics Society, 2002, 50, 1760-1766.	2.6	224
514	Slip Resistance of Casual Footwear: Implications for Falls in Older Adults. Gerontology, 2001, 47, 145-149.	2.8	63
515	Passive tactile sensory input improves stability during standing. Experimental Brain Research, 2001, 136, 514-522.	1.5	141
516	Visual Risk Factors for Falls in Older People. Journal of the American Geriatrics Society, 2001, 49, 508-515.	2.6	498
517	The Contribution of Foot Problems to Mobility Impairment and Falls in Communityâ€Dwelling Older People. Journal of the American Geriatrics Society, 2001, 49, 1651-1656.	2.6	215
518	Foot Pain Impairs Balance and Functional Ability in Community-Dwelling Older People. Journal of the American Podiatric Medical Association, 2001, 91, 222-229.	0.3	174
519	Choice Stepping Reaction Time: A Composite Measure of Falls Risk in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2001, 56, M627-M632.	3.6	318
520	The Contribution of Foot Problems to Mobility Impairment and Falls in Community-Dwelling Older People. Journal of the American Geriatrics Society, 2001, 49, 1651-1656.	2.6	4
521	The contribution of foot problems to mobility impairment and falls in community-dwelling older people. Journal of the American Geriatrics Society, 2001, 49, 1651-6.	2.6	63
522	Visual Contributions to Postural Stability in Older Adults. Gerontology, 2000, 46, 306-310.	2.8	325

#	Article	IF	Citations
523	Normative Data on Neuropsychological Tests for Very Old Adults Living in Retirement Villages and Hostels. Clinical Neuropsychologist, 2000, 14, 309-317.	2.3	31
524	Footwear and postural stability in older people. Journal of the American Podiatric Medical Association, 1999, 89, 346-357.	0.3	83
525	Foot problems, functional impairment, and falls in older people. Journal of the American Podiatric Medical Association, 1999, 89, 458-467.	0.3	59
526	Effects of Shoe Collar Height and Sole Hardness on Balance in Older Women. Journal of the American Geriatrics Society, 1999, 47, 681-684.	2.6	59
527	Lateral Stability, Sensorimotor Function and Falls in Older People. Journal of the American Geriatrics Society, 1999, 47, 1077-1081.	2.6	282
528	Discriminating Factors Between Hip and Other Fractures in Older Women. Australasian Journal on Ageing, 1998, 17, 145-147.	0.9	0
529	Increased Prevalence of Fall Risk Factors in Older People following Hip Fracture. Gerontology, 1998, 44, 340-344.	2.8	47
530	Strength in the lower limbs, visual contrast sensitivity, and simple reaction time predict cognition in older women Psychology and Aging, 1997, 12, 137-144.	1.6	89
531	Home exercise to improve strength and walking velocity after hip fracture: A randomized controlled trial. Archives of Physical Medicine and Rehabilitation, 1997, 78, 208-212.	0.9	143
532	Effects of group exercise on cognitive functioning and mood in older women. Australian and New Zealand Journal of Public Health, 1997, 21, 45-52.	1.8	158
533	Exercise effect on dynamic stability in older women: A randomized controlled trial. Archives of Physical Medicine and Rehabilitation, 1996, 77, 232-236.	0.9	253
534	Shoe Characteristics and Balance in Older Women. Journal of the American Geriatrics Society, 1996, 44, 429-433.	2.6	107
535	The effects of a community exercise program on fracture risk factors in older women. Osteoporosis International, 1996, 6, 361-367.	3.1	95
536	The Effect of Exercise on Gait Patterns in Older Women: A Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 1996, 51A, M64-M70.	3.6	125
537	Sensori-motor Function, Gait Patterns and Falls in Community-dwelling Women. Age and Ageing, 1996, 25, 292-299.	1.6	230
538	Measuring human functional age: A review of empirical findings. Experimental Aging Research, 1996, 22, 245-266.	1,2	88
539	Simple Physiological and Clinical Tests for the Accurate Prediction of Falling in Older People. Gerontology, 1996, 42, 199-203.	2.8	160
540	Predictors of adherence to a structured exercise program for older women Psychology and Aging, 1995, 10, 617-624.	1.6	64

#	Article	IF	CITATIONS
541	The Effect of a 12â€Month Exercise Trial on Balance, Strength, and Falls in Older Women: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 1995, 43, 1198-1206.	2.6	387
542	Oefenprogramma voor oudere mensen: effect op evenwicht, kracht, neuromusculaire controle en reactietijd. Stimulus, 1995, 14, 195-197.	0.0	0
543	Physiologic, health and lifestyle factors associated with femoral neck bone density in older women. Bone, 1995, 16, S373-S378.	2.9	27
544	Psychoactive medication use, sensoriâ€motor function and falls in older women British Journal of Clinical Pharmacology, 1995, 39, 227-234.	2.4	72
545	Osteoarthritis, bone density, postural stability, and osteoporotic fractures: a population based study. Journal of Rheumatology, 1995, 22, 921-5.	2.0	102
546	Predictors of adherence to a structured exercise program for older women Psychology and Aging, 1995, 10, 617-624.	1.6	30
547	Postural stability, falls and fractures in the elderly: results from the Dubbo Osteoporosis Epidemiology Study. Medical Journal of Australia, 1994, 160, 684-691.	1.7	193
548	Physical activity program for older persons: Effect on balance, strength, neuromuscular control, and reaction time. Archives of Physical Medicine and Rehabilitation, 1994, 75, 648-652.	0.9	154
549	Age-associated Differences in Sensori-motor Function and Balance in Community Dwelling Women. Age and Ageing, 1994, 23, 452-460.	1.6	267
550	Physiological Factors Associated with Falls in Older Communityâ€Dwelling Women. Journal of the American Geriatrics Society, 1994, 42, 1110-1117.	2.6	683
551	Factors Associated with Falling in Elderly Hospital Patients. Gerontology, 1994, 40, 325-331.	2.8	100
552	Postural stability, falls and fractures in the elderly: results from the Dubbo Osteoporosis Epidemiology Study. Medical Journal of Australia, 1994, 160, 684-5, 688-91.	1.7	42
553	Age-associated differences in sensori-motor function and balance in community dwelling women. Age and Ageing, 1994, 23, 452-60.	1.6	77
554	Predictors of nursing home placement and mortality of residents in intermediate care. Age and Ageing, 1994, 23, 499-504.	1.6	26
555	HIP FRACTURES: CHANGING PATTERNS IN HOSPITAL BED USE IN NSW BETWEEN 1979 AND 1990. ANZ Journal of Surgery, 1993, 63, 352-355.	0.7	17
556	Clinical Parameters Associated with Falls in an Elderly Population. Gerontology, 1993, 39, 117-123.	2.8	154
557	Sensoriâ€motor Function in Older Persons with Diabetes. Diabetic Medicine, 1993, 10, 614-618.	2.3	69
558	Balance, reaction time, and muscle strength in exercising and nonexercising older women: A pilot study. Archives of Physical Medicine and Rehabilitation, 1993, 74, 837-839.	0.9	90

#	Article	IF	Citations
559	Hearing impairment and hearing aid use in women over 65 years of age. Medical Journal of Australia, 1993, 159, 382-384.	1.7	20
560	The benefits of exercise in postmenopausal women. Australian Journal of Public Health, 1993, 17, 23-26.	0.2	40
561	An epidemiological study of falls in older communityâ€dwelling women: the Randwick falls and fractures study. Australian Journal of Public Health, 1993, 17, 240-245.	0.2	349
562	Physiological Factors Associated with Injurious Falls in Older People Living in the Community. Gerontology, 1992, 38, 338-346.	2.8	168
563	Visual Acuity and Contrast Sensitivity in Relation to Falls in an Elderly Population. Age and Ageing, 1991, 20, 175-181.	1.6	215
564	Postural Stability and Associated Physiological Factors in a Population of Aged Persons. Journal of Gerontology, 1991, 46, M69-M76.	1.9	568
565	Physiological Factors Associated with Falls in an Elderly Population. Journal of the American Geriatrics Society, 1991, 39, 1194-1200.	2.6	469
566	Visual Field Dependence in Elderly Fallers and Non-Fallers. International Journal of Aging and Human Development, 1990, 31, 267-277.	1.6	100
567	Falls in the elderly: admissions, bed use, outcome and projections. Medical Journal of Australia, 1990, 153, 117-118.	1.7	18
568	General practice preceptors and the undergraduate curriculum. Medical Journal of Australia, 1987, 146, 191-193.	1.7	3
569	Weight and overweight in a group of parliamentarians and senior public servants in New South Wales. Medical Journal of Australia, 1987, 147, 534-536.	1.7	2
570	Femoral neck fractures: admissions, bed use, outcome and projections. Medical Journal of Australia, 1986, 145, 493-496.	1.7	49
571	Effects of group exercise on cognitive functioning and mood in older women. Australian and New Zealand Journal of Public Health, 1977, 21, 45-52.	1.8	0
572	Gait characteristics and falls. , 0, , 50-69.		0
573	Modifying the environment to prevent falls. , 0, , 300-310.		2
574	Epidemiology of falls and fall-related injuries. , 0, , 3-25.		4
575	Postural stability and falls. , 0, , 26-49.		4
576	Psychological factors and falls. , 0, , 90-100.		1

#	Article	IF	CITATIONS
577	Medical management of older people at risk of falls. , 0, , 240-263.		1
578	Sensory and neuromuscular risk factors for falls. , 0, , 70-89.		0
579	The relative importance of falls risk factors: an evidence-based summary. , 0, , 161-172.		0
580	Exercise interventions to prevent falls., 0,, 177-203.		0
581	Exercise interventions to improve physical functioning. , 0, , 204-239.		O
582	Prevention of falls in hospitals and residential aged care facilities., 0,, 311-332.		0
583	Research into practice. , 0, , 357-376.		O
584	Falls in older people: future directions for research. , 0, , 379-387.		0
585	Risk factors for falls in community-dwelling older people with mild cognitive impairment: a prospective one-year study. Peerl, 0, 10, e13484.	2.0	13