

# Stephen R Lord

## List of Articles by Year in descending order

Source: [//exaly.com/author-pdf/5799411/publications.pdf](https://exaly.com/author-pdf/5799411/publications.pdf)

Version: 2025-02-01

418

PR articles

31,115

PR citations

2877

92

PR h-index

4959

170

g-index

502

documents

36271

doc citations

3046

98

h-index

32487

citing authors

#	ARTICLE	IF	CITATIONS
1	Exercise and Sports Science Australia updated position statement on exercise for preventing falls in older people living in the community. <i>Journal of Science and Medicine in Sport</i> , 2025, 28, 87-94.	2.2	8
2	Treadmill belt accelerations may not accurately replicate kinematic responses to tripping on an obstacle in older people. <i>PLoS ONE</i> , 2025, 20, e0312261.	2.3	4
3	Frailty assessed by a wrist-worn device can predict hospitalisation and mortality in middle-aged and older adults: a UK Biobank study. <i>Age and Ageing</i> , 2025, 54, .	1.8	1
4	Poor mobility and lower limb weakness are associated with three distinct depressive symptom trajectories over 6 years in older people. <i>Australasian Journal on Ageing</i> , 2024, 43, 333-342.	1.4	3
5	Exergame and cognitive training for preventing falls in community-dwelling older people: a randomized controlled trial. <i>Nature Medicine</i> , 2024, 30, 98-105.	33.0	38
6	Effect of a coaching intervention to enhance physical activity and prevent falls in community-dwelling people aged 60+ years: a cluster randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2024, 58, 382-391.	10.6	6
7	Effect of cognitive training on cognitive function in community-dwelling older people with mild-to-moderate dementia: A single-blind randomised controlled trial. <i>Australasian Journal on Ageing</i> , 2024, 43, 491-502.	1.4	2
8	A custom-built step exergame training programme to prevent falls in people with multiple sclerosis: A multicentre randomised controlled trial. <i>Multiple Sclerosis Journal</i> , 2024, 30, 571-584.	3.9	7
9	Ladder Use Ability, Behavior and Exposure by Age and Gender. <i>Geriatrics (Switzerland)</i> , 2024, 9, 61.	1.7	0
10	A Longitudinal Study of the Use and Effects of Fall-Risk-Increasing Drugs in Residential Aged Care. <i>Journal of the American Medical Directors Association</i> , 2024, 25, 105074.	2.4	5
11	Development, Validation, and Limits of Freezing of Gait Detection Using a Single Waist-Worn Device. <i>IEEE Transactions on Biomedical Engineering</i> , 2024, 71, 3024-3031.	3.2	8
12	The Impact of Misaligned Perceived and Objective Fall Risk in Cognitively Impaired Older People. <i>Journal of Alzheimer's Disease</i> , 2024, 100, 1389-1398.	2.6	1
13	Implementation of a digital exercise programme in health services to prevent falls in older people. <i>Age and Ageing</i> , 2024, 53, .	1.8	7
14	A Wrist-Worn Wearable Device Can Identify Frailty in Middle-Aged and Older Adults: The UK Biobank Study. <i>Journal of the American Medical Directors Association</i> , 2024, 25, 105196.	2.4	12
15	Daily-Life Walking Speed, Quality and Quantity Derived from a Wrist Motion Sensor: Large-Scale Normative Data for Middle-Aged and Older Adults. <i>Sensors</i> , 2024, 24, 5159.	3.0	8
16	Clinician acceptability of the ReacStep reactive balance training program for fall prevention. <i>Physiotherapy Research International</i> , 2024, 29, .	1.6	5
17	Use of a physiological profile to document upper limb motor impairment in ageing and in neurological conditions. <i>Journal of Physiology</i> , 2023, 601, 2251-2262.	3.4	7
18	Training reactive balance using trips and slips in people with multiple sclerosis: A blinded randomised controlled trial. <i>Multiple Sclerosis and Related Disorders</i> , 2023, 73, 104607.	2.2	5

#	ARTICLE	IF	CITATIONS
19	Prediction of Incident Depression in Middle-Aged and Older Adults using Digital Gait Biomarkers Extracted from Large-Scale Wrist Sensor Data. <i>Journal of the American Medical Directors Association</i> , 2023, 24, 1106-1113.e11.	2.4	16
20	Associations between psychotropic and anti-dementia medication use and falls in community-dwelling older adults with cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2023, 114, 105105.	3.4	10
21	Prediction of injurious falls in older adults using digital gait biomarkers extracted from large-scale wrist sensor data. <i>Age and Ageing</i> , 2023, 52, .	1.8	12
22	Combined Reactive and Volitional Step Training Improves Balance Recovery and Stepping Reaction Time in People With Parkinson's Disease: A Randomised Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2023, 37, 694-704.	3.4	12
23	The association between white matter hyperintensity volume and cognitive/physical decline in older people with dementia: A one-year longitudinal study. <i>Ageing and Mental Health</i> , 2022, 26, 2503-2510.	2.9	5
24	Linking health service utilisation and mortality data—unravelling what happens after fall-related paramedic care. <i>Age and Ageing</i> , 2022, 51, .	1.8	3
25	Short Daily-Life Walking Bouts and Poor Self-Reported Health Predict the Onset of Depression in Community-Dwelling Older People: A 2-Year Longitudinal Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1242-1247.e3.	2.4	9
26	The use of predictive fall models for older adults receiving aged care, using routinely collected electronic health record data: a systematic review. <i>BMC Geriatrics</i> , 2022, 22, .	3.3	20
27	Patterns of health service use before and after a statewide fall prevention initiative for older adults at risk of falls. <i>Australasian Journal on Ageing</i> , 2022, 41, 542-553.	1.4	2
28	Modifiable intrinsic factors related to occupational falls in older workers. <i>Geriatrics and Gerontology International</i> , 2022, 22, 338-343.	1.7	14
29	The use and predictive performance of the Peninsula Health Falls Risk Assessment Tool (PH-FRAT) in 25 residential aged care facilities: a retrospective cohort study using routinely collected data. <i>BMC Geriatrics</i> , 2022, 22, .	3.3	17
30	Quantifying upper-limb motor impairment in people with multiple sclerosis: A physiological profiling approach. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101625.	3.5	7
31	Impact of pathological conditions on postural reflex latency and adaptability following unpredictable perturbations: A systematic review and meta-analysis. <i>Gait and Posture</i> , 2022, 95, 149-159.	1.3	5
32	Relaxation and related therapies for people with multiple sclerosis (MS): A systematic review. <i>Clinical Rehabilitation</i> , 2022, 36, 883-899.	3.1	7
33	Epidemiology of falls in 25 Australian residential aged care facilities: a retrospective longitudinal cohort study using routinely collected data. <i>International Journal for Quality in Health Care</i> , 2022, 34, .	1.1	17
34	Situational factors that influence overreaching on a ladder during a gutter clearing task among older adults. <i>Applied Ergonomics</i> , 2022, 104, 103794.	3.2	5
35	Fall prevention in older people: past, present and future. <i>Age and Ageing</i> , 2022, 51, .	1.8	44
36	Pain, balance, and mobility in people 1 year after total knee arthroplasty: a non-randomized cross-sectional pilot study contrasting posterior-stabilized and medial-pivot designs. <i>Pilot and Feasibility Studies</i> , 2022, 8, .	1.5	4

#	ARTICLE	IF	CITATIONS
37	Economic evaluation of the e-Health <i>StandingTall</i> balance exercise programme for fall prevention in people aged 70 years and over. <i>Age and Ageing</i> , 2022, 51, .	1.8	12
38	Factors associated with reporting of the Prevention of Falls Network Europe (ProFaNE) core outcome set domains in randomized trials on falls in older people: a citation analysis and correlational study. <i>Trials</i> , 2022, 23, .	2.0	6
39	World guidelines for falls prevention and management for older adults: a global initiative. <i>Age and Ageing</i> , 2022, 51, .	1.8	1,112
40	Perturbation-based balance training: Principles, mechanisms and implementation in clinical practice. <i>Frontiers in Sports and Active Living</i> , 2022, 4, .	1.8	103
41	Reduction in fall risk markers following CPAP treatment of obstructive sleep apnoea in people over 65 years. <i>Sleep Medicine</i> , 2022, 100, 448-453.	1.7	4
42	Development and large-scale validation of the Watch Walk wrist-worn digital gait biomarkers. <i>Scientific Reports</i> , 2022, 12, .	3.4	25
43	Fall-related health service use in <i>Stepping On</i> programme participants and matched controls: a non-randomised observational trial within the <i>45 and Up Study</i>. <i>Age and Ageing</i> , 2022, 51, .	1.8	3
44	Mild and marked executive dysfunction and falls in people with Parkinson's disease. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 437-443.	2.3	18
45	Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 874-880.	1.9	19
46	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 655-665.	3.5	37
47	Evaluating Balance Recovery Techniques for Users Wearing Head-Mounted Display in VR. <i>IEEE Transactions on Visualization and Computer Graphics</i> , 2021, 27, 204-215.	2.8	10
48	Fall prevention behaviour after participation in the Stepping On program: a pre-post study. <i>Public Health Research and Practice</i> , 2021, 31, .	1.8	16
49	Stepping impairment and falls in older adults: A systematic review and meta-analysis of volitional and reactive step tests. <i>Ageing Research Reviews</i> , 2021, 66, 101238.	11.6	57
50	Predictors of development and persistence of musculoskeletal pain in community-dwelling older people: A two-year longitudinal study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 519-524.	1.7	7
51	Individual factors that influence task performance on a stepladder in older people. <i>Safety Science</i> , 2021, 136, 105152.	5.0	6
52	Prevalence of Vestibular Disorders in Independent People Over 50 That Experience Dizziness. <i>Frontiers in Neurology</i> , 2021, 12, .	2.4	16
53	New horizons in falls prevention and management for older adults: a global initiative. <i>Age and Ageing</i> , 2021, 50, 1499-1507.	1.8	88
54	Cognitive Domain Associations with Balance Performance in Community-Dwelling Older People with Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 833-841.	2.6	11

#	ARTICLE	IF	CITATIONS
55	Cognitive and Motor Cortical Activity During Cognitively Demanding Stepping Tasks in Older People at Low and High Risk of Falling. <i>Frontiers in Medicine</i> , 2021, 8, .	2.4	11
56	The association between white matter hyperintensity volume and gait performance under single and dual task conditions in older people with dementia: A cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104427.	3.4	17
57	Perturbation-Based Balance Training Using Repeated Trips on a Walkway vs. Belt Accelerations on a Treadmill: A Cross-Over Randomised Controlled Trial in Community-Dwelling Older Adults. <i>Frontiers in Sports and Active Living</i> , 2021, 3, .	1.8	26
58	Quantifying upper limb motor impairment in chronic stroke: a physiological profiling approach. <i>Journal of Applied Physiology</i> , 2021, 131, 949-965.	2.8	35
59	Ladder Use in Older People: Type, Frequency, Tasks and Predictors of Risk Behaviours. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9799.	2.9	5
60	Risk factors for falls in older people with cognitive impairment living in the community: Systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2021, 71, 101452.	11.6	79
61	Scaleâ€up of the <i>Stepping On</i> fall prevention program amongst older adults in NSW: Program reach and fallâ€related health service use. <i>Health Promotion Journal of Australia</i> , 2021, 32, 391-398.	1.6	8
62	Reactive balance responses to a trip and slip during gait in people with multiple sclerosis. <i>Clinical Biomechanics</i> , 2021, 90, 105511.	1.2	10
63	Safety, Feasibility, and Efficacy of an Eccentric Exercise Intervention in People with Multiple Sclerosis with Ankle Contractures. <i>International Journal of MS Care</i> , 2021, 23, 31-36.	1.5	4
64	The Iconographical Falls Efficacy Scale (IconFES) in community-dwelling older peopleâ€a longitudinal validation study. <i>Age and Ageing</i> , 2021, 50, 822-829.	1.8	10
65	Statistical analysis plan for the coaching for healthy AGEing trial â€ a cluster-randomised controlled trial to enhance physical activity and prevent falls in community-dwelling older people. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 908-914.	2.3	2
66	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. <i>JAMA Network Open</i> , 2021, 4, e2138911.	6.6	265
67	Identifying Key Risk Factors for Dizziness Handicap in Middle-Aged and Older People. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 344-350.e2.	2.4	5
68	Pilot feasibility study of a homeâ€based fall prevention exercise program (<i>StandingTall</i>) delivered through a tablet computer (iPad) in older people with dementia. <i>Australasian Journal on Ageing</i> , 2020, 39, .	1.4	36
69	Falls in Community-Dwelling Older Adults with Lower Back or Knee Pain Are Associated with Cognitive and Emotional Factors. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4960.	2.9	10
70	Individual factors that influence task performance on a straight ladder in older people. <i>Experimental Gerontology</i> , 2020, 142, 111127.	3.7	5
71	People With Parkinsonâ€s Disease Exhibit Reduced Cognitive and Motor Cortical Activity When Undertaking Complex Stepping Tasks Requiring Inhibitory Control. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 1088-1098.	3.4	35
72	Impact of pain on reactive balance and falls in community-dwelling older adults: a prospective cohort study. <i>Age and Ageing</i> , 2020, 49, 982-988.	1.8	26

#	ARTICLE	IF	CITATIONS
73	Falls in older people with diabetes: Identification of simple screening measures and explanatory risk factors. <i>Primary Care Diabetes</i> , 2020, 14, 723-728.	1.8	13
74	Sensorimotor impairments, postural instability, and risk of falling in older adults with diabetic peripheral neuropathy. <i>International Journal of Diabetes in Developing Countries</i> , 2020, 40, 547-554.	0.6	1
75	Reactive Balance Adaptability and Retention in People With Multiple Sclerosis: A Systematic Review and Meta-Analysis. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 675-685.	3.4	18
76	Reduced strength, poor balance and concern about falls mediate the relationship between knee pain and fall risk in older people. <i>BMC Geriatrics</i> , 2020, 20, .	3.3	53
77	Exercise to Reduce Mobility Disability and Prevent Falls After Fall-Related Leg or Pelvic Fracture: RESTORE Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2020, 35, 2907-2916.	2.4	27
78	Freezing of Gait in People with Parkinson's Disease: Nature, Occurrence, and Risk Factors. <i>Journal of Parkinson's Disease</i> , 2020, 10, 631-640.	3.3	41
79	Pain Is Associated With Poor Balance in Community-Dwelling Older Adults: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 597-603.e8.	2.4	48
80	Androgen deprivation in prostate cancer: benefits of home-based resistance training. <i>Sports Medicine - Open</i> , 2020, 6, .	4.4	18
81	The impact of physical, neurological and cognitive deficits on risk of falls in people with type 2 diabetes mellitus: a review. <i>Sri Lanka Journal of Diabetes Endocrinology and Metabolism</i> , 2020, 10, 18.	0.0	1
82	The role of cognitive function and physical activity in physical decline in older adults across the cognitive spectrum. <i>Aging and Mental Health</i> , 2019, 23, 863-871.	2.9	30
83	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smartA±step randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e029409.	1.9	16
84	Falls in Parkinson's Disease Subtypes: Risk Factors, Locations and Circumstances. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2216.	2.9	171
85	Executive Functioning, Muscle Power and Reactive Balance Are Major Contributors to Gait Adaptability in People With Parkinson's Disease. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, .	4.0	24
86	Associations Between Gait Speed and Cognitive Domains in Older People with Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S15-S21.	2.6	39
87	Older People with Dementia Have Reduced Daily-Life Activity and Impaired Daily-Life Gait When Compared to Age-Sex Matched Controls. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S125-S135.	2.6	33
88	The upper limb Physiological Profile Assessment: Description, reliability, normative values and criterion validity. <i>PLoS ONE</i> , 2019, 14, e0218553.	2.3	33
89	Mental Flexibility Influences the Association Between Poor Balance and Falls in Older People – A Secondary Analysis. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, .	4.0	24
90	Quality of Daily-Life Gait: Novel Outcome for Trials that Focus on Balance, Mobility, and Falls. <i>Sensors</i> , 2019, 19, 4388.	3.0	18

#	ARTICLE	IF	CITATIONS
91	Chronic pain is independently associated with social frailty in community-dwelling older adults. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1153-1156.	1.7	22
92	A pilot study of reactive balance training using trips and slips with increasing unpredictability in young and older adults: Biomechanical mechanisms, falls and clinical feasibility. <i>Clinical Biomechanics</i> , 2019, 67, 171-179.	1.2	33
93	Concern About Falling Is Associated With Gait Speed, Independently From Physical and Cognitive Function. <i>Physical Therapy</i> , 2019, 99, 989-997.	2.4	25
94	Effect of Reactive Balance Training Involving Repeated Slips and Trips on Balance Recovery Among Older Adults: A Blinded Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1489-1496.	3.5	70
95	The role of concern about falling on stepping performance during complex activities. <i>BMC Geriatrics</i> , 2019, 19, .	3.3	10
96	Detection of Near Falls Using Wearable Devices: A Systematic Review. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, 48-56.	1.0	84
97	Masculinity and preventing falls: insights from the fall experiences of men aged 70 years and over. <i>Disability and Rehabilitation</i> , 2019, 41, 1055-1062.	2.5	6
98	Optimizing successful balance recovery from unexpected trips and slips. <i>Journal of Biomechanical Science and Engineering</i> , 2018, 13, 17-00558-17-00558.	0.3	14
99	New horizons in falls prevention. <i>Age and Ageing</i> , 2018, 47, 492-498.	1.8	73
100	Tai Chi Improves Cognition and Plasma BDNF in Older Adults With Mild Cognitive Impairment: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 142-149.	3.4	153
101	Deep white matter hyperintensities, microstructural integrity and dual task walking in older people. <i>Brain Imaging and Behavior</i> , 2018, 12, 1488-1496.	2.1	41
102	Wearable technology reveals gait compensations, unstable walking patterns and fatigue in people with multiple sclerosis. <i>Physiological Measurement</i> , 2018, 39, 075004.	2.6	38
103	A busy day has minimal effect on factors associated with falls in older people: An ecological randomised crossover trial. <i>Experimental Gerontology</i> , 2018, 106, 192-197.	3.7	2
104	Adherence to Technology-Based Exercise Programs in Older Adults: A Systematic Review. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 49-61.	1.0	292
105	Home-based step training using videogame technology in people with Parkinson's disease: a single-blinded randomised controlled trial. <i>Clinical Rehabilitation</i> , 2018, 32, 299-311.	3.1	83
106	Executive functioning, concern about falling and quadriceps strength mediate the relationship between impaired gait adaptability and fall risk in older people. <i>Gait and Posture</i> , 2018, 59, 188-192.	1.3	68
107	Stepping reaction time and gait adaptability are significantly impaired in people with Parkinson's disease: Implications for fall risk. <i>Parkinsonism and Related Disorders</i> , 2018, 47, 32-38.	2.6	43
108	Exposure to trips and slips with increasing unpredictability while walking can improve balance recovery responses with minimum predictive gait alterations. <i>PLoS ONE</i> , 2018, 13, e0202913.	2.3	56

#	ARTICLE	IF	CITATIONS
109	Inaccurate judgement of reach is associated with slow reaction time, poor balance, impaired executive function and predicts prospective falls in older people with cognitive impairment. <i>Experimental Gerontology</i> , 2018, 114, 50-56.	3.7	13
110	A Low-Power Fall Detector Balancing Sensitivity and False Alarm Rate. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 1929-1937.	5.3	32
111	Reducing the burden of dizziness in middle-aged and older people: A multifactorial, tailored, single-blind randomized controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002620.	8.1	20
112	Head and trunk stability during gait before and after levodopa intake in Parkinson's disease subtypes. <i>Experimental Gerontology</i> , 2018, 111, 78-85.	3.7	25
113	White matter hyperintensities are associated with falls in older people with dementia. <i>Brain Imaging and Behavior</i> , 2018, 13, 1265-1272.	2.1	28
114	Catch the ruler: concurrent validity and test-retest reliability of the ReacStick measures of reaction time and inhibitory executive function in older people. <i>Aging Clinical and Experimental Research</i> , 2018, 31, 1147-1154.	2.7	25
115	Adherence to a multifactorial fall prevention program following paramedic care: Predictors and impact on falls and health service use. Results from an RCT a priori subgroup analysis. <i>Australasian Journal on Ageing</i> , 2018, 37, 54-61.	1.4	21
116	A multidisciplinary intervention to prevent subsequent falls and health service use following fall-related paramedic care: a randomised controlled trial. <i>Age and Ageing</i> , 2017, , .	1.8	25
117	Step training improves reaction time, gait and balance and reduces falls in older people: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017, 51, 586-593.	10.6	252
118	A simple test of choice stepping reaction time for assessing fall risk in people with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2017, 39, 601-607.	2.5	18
119	A multifactorial intervention for frail older people is more than twice as effective among those who are compliant: complier average causal effect analysis of a randomised trial. <i>Journal of Physiotherapy</i> , 2017, 63, 40-44.	2.1	37
120	Cerebellar volume mediates the relationship between FMR1 mRNA levels and voluntary step initiation in males with the premutation. <i>Neurobiology of Aging</i> , 2017, 50, 5-12.	3.4	13
121	Men's perspectives on fall risk and fall prevention following participation in a group-based programme conducted at Men's Sheds, Australia. <i>Health and Social Care in the Community</i> , 2017, 25, 1118-1126.	2.2	7
122	Selecting Power-Efficient Signal Features for a Low-Power Fall Detector. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 2729-2736.	3.2	23
123	Exercise to prevent falls in older adults: an updated systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017, 51, 1750-1758.	10.6	861
124	Transfer effects of step training on stepping performance in untrained directions in older adults: A randomized controlled trial. <i>Gait and Posture</i> , 2017, 54, 50-55.	1.3	2
125	Impaired Response Selection During Stepping Predicts Falls in Older People—A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 719-725.	2.4	54
126	Differences Between Gait on Stairs and Flat Surfaces in Relation to Fall Risk and Future Falls. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 1479-1486.	5.3	60

#	ARTICLE	IF	CITATIONS
127	Disentangling the health benefits of walking from increased exposure to falls in older people using remote gait monitoring and multi-dimensional analysis. <i>Physiological Measurement</i> , 2017, 38, 45-62.	2.6	29
128	Comment on Tai Chi for Risk of Falls. A meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2746-2748.	2.9	2
129	Slow gait speed is associated with executive function decline in older people with mild to moderate dementia: A one year longitudinal study. <i>Archives of Gerontology and Geriatrics</i> , 2017, 73, 148-153.	3.4	45
130	Reaction Time and Postural Sway Modify the Effect of Executive Function on Risk of Falls in Older People with Mild to Moderate Cognitive Impairment. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 397-406.	1.7	48
131	Wavelet-Based Sit-To-Stand Detection and Assessment of Fall Risk in Older People Using a Wearable Pendant Device. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1602-1607.	3.2	66
132	Effects of Tai Chi on Cognition and Fall Risk in Older Adults with Mild Cognitive Impairment: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 721-727.	2.9	176
133	Selective subcortical contributions to gait impairments in males with the <i>FMR1</i> premutation. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 188-190.	6.3	8
134	Trends in fall-related ambulance use and hospitalisation among older adults in NSW, 2006-2013: a retrospective, population-based study. <i>Public Health Research and Practice</i> , 2017, 27, .	1.8	14
135	Fatigue, Physical Activity, Quality of Life, and Fall Risk in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2017, 19, 91-98.	1.5	52
136	Fall risk in Chinese community-dwelling older adults: A physiological profile assessment study. <i>Geriatrics and Gerontology International</i> , 2016, 16, 259-265.	1.7	11
137	Health coaching and pedometers to enhance physical activity and prevent falls in community-dwelling people aged 60 years and over: study protocol for the Coaching for Healthy AGEing (CHAnGE) cluster randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012277.	1.9	20
138	The influence of age, anxiety and concern about falling on postural sway when standing at an elevated level. <i>Human Movement Science</i> , 2016, 49, 206-215.	1.6	42
139	Economic evaluation of a falls prevention exercise program among people With Parkinson's disease. <i>Movement Disorders</i> , 2016, 31, 53-61.	4.6	38
140	A Bespoke Kinect Stepping Exergame for Improving Physical and Cognitive Function in Older People: A Pilot Study. <i>Games for Health Journal</i> , 2016, 5, 382-388.	2.4	43
141	Low-Power Fall Detector Using Triaxial Accelerometry and Barometric Pressure Sensing. <i>IEEE Transactions on Industrial Informatics</i> , 2016, 12, 2302-2311.	9.3	60
142	Treatment of Osteoporosis in Australian Residential Aged Care Facilities: Update on Consensus Recommendations for Fracture Prevention. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 852-859.	2.4	33
143	Fall risk in people with MS: A Physiological Profile Assessment study. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2016, 2, .	1.0	13
144	Regional Gray Matter Volumes Are Related to Concern About Falling in Older People: A Voxel-Based Morphometric Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 138-144.	3.5	42

#	ARTICLE	IF	CITATIONS
145	Effects of a home-based step training programme on balance, stepping, cognition and functional performance in people with multiple sclerosis – a randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2016, 22, 94-103.	3.9	106
146	Rivastigmine for gait stability in patients with Parkinson's disease (ReSPonD): a randomised, double-blind, placebo-controlled, phase 2 trial. <i>Lancet Neurology</i> , The, 2016, 15, 249-258.	17.9	302
147	Kinect-based choice reaching and stepping reaction time tests for clinical and in-home assessment of fall risk in older people: a prospective study. <i>European Review of Aging and Physical Activity</i> , 2016, 13, .	2.7	26
148	Rationale for Strengthening Muscle to Prevent Falls and Fractures: A Review of the Evidence. <i>Calcified Tissue International</i> , 2016, 98, 531-545.	2.8	88
149	Age-related changes in gait adaptability in response to unpredictable obstacles and stepping targets. <i>Gait and Posture</i> , 2016, 46, 35-41.	1.3	76
150	A Kinect and Inertial Sensor-Based System for the Self-Assessment of Fall Risk: A Home-Based Study in Older People. <i>Human-Computer Interaction</i> , 2016, 31, 261-293.	3.3	34
151	Fatigue induced changes to kinematic and kinetic gait parameters following six minutes of walking in people with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2016, 38, 535-543.	2.5	35
152	Cultural influences on exercise participation and fall prevention: a systematic review and narrative synthesis. <i>Disability and Rehabilitation</i> , 2016, 38, 724-732.	2.5	44
153	Social Dancing and Incidence of Falls in Older Adults: A Cluster Randomised Controlled Trial. <i>PLoS Medicine</i> , 2016, 13, e1002112.	8.1	88
154	Perceptions of Speed and Risk: Experimental Studies of Road Crossing by Older People. <i>PLoS ONE</i> , 2016, 11, e0152617.	2.3	34
155	Symmetry Matched Auditory Cues Improve Gait Steadiness in Most People with Parkinson's Disease but not in Healthy Older People. <i>Journal of Parkinson's Disease</i> , 2015, 5, 105-116.	3.3	19
156	Predictors of Adherence to a Falls Prevention Exercise Program for People with Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2015, 2, 395-401.	1.5	18
157	ICT-based system to predict and prevent falls (iStoppFalls): results from an international multicenter randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , 2015, 12, .	2.7	114
158	The effect of sensor-based exercise at home on functional performance associated with fall risk in older people – a comparison of two exergame interventions. <i>European Review of Aging and Physical Activity</i> , 2015, 12, .	2.7	86
159	Prevalence of Vestibular Disorder in Older People Who Experience Dizziness. <i>Frontiers in Neurology</i> , 2015, 6, .	2.4	26
160	Eight-Week Remote Monitoring Using a Freely Worn Device Reveals Unstable Gait Patterns in Older Fallers. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2588-2594.	3.2	89
161	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e007091.	1.9	58
162	Exercise for falls prevention in Parkinson disease. <i>Neurology</i> , 2015, 84, 304-312.	1.0	251

#	ARTICLE	IF	CITATIONS
163	Bottom-up subspace clustering suggests a paradigm shift to prevent fall injuries. <i>Medical Hypotheses</i> , 2015, 84, 356-362.	0.7	13
164	Uncontrolled head oscillations in people with Parkinson's disease may reflect an inability to respond to perturbations while walking. <i>Physiological Measurement</i> , 2015, 36, 873-881.	2.6	14
165	Head and pelvis stride-to-stride oscillations in gait: validation and interpretation of measurements from wearable accelerometers. <i>Physiological Measurement</i> , 2015, 36, 857-872.	2.6	28
166	Ability Versus Hazard: Risk-Taking and Falls in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 628-634.	3.5	58
167	The impact of a home-based walking programme on falls in older people: the Easy Steps randomised controlled trial. <i>Age and Ageing</i> , 2015, 44, 377-383.	1.8	76
168	Cost-effectiveness of a Home-Exercise Program Among Older People After Hospitalization. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 490-496.	2.4	28
169	New Methods to Monitor Stair Ascents Using a Wearable Pendant Device Reveal How Behavior, Fear, and Frailty Influence Falls in Octogenarians. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2595-2601.	3.2	27
170	Myostatin antibody (LY2495655) in older weak fallers: a proof-of-concept, randomised, phase 2 trial. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 948-957.	21.8	338
171	Economic Evaluation of a Multifactorial, Interdisciplinary Intervention Versus Usual Care to Reduce Frailty in Frail Older People. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 41-48.	2.4	124
172	Depressive symptoms increase fall risk in older people, independent of antidepressant use, and reduced executive and physical functioning. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 190-195.	3.4	108
173	Obesity and falls in older people: Mediating effects of disease, sedentary behavior, mood, pain and medication use. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 52-58.	3.4	81
174	Dorsiflexion Assist Orthosis Reduces the Physiological Cost and Mitigates Deterioration in Strength and Balance Associated With Walking in People With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 226-232.e1.	1.9	15
175	Wearable pendant device monitoring using new wavelet-based methods shows daily life and laboratory gaits are different. <i>Medical and Biological Engineering and Computing</i> , 2015, 54, 663-674.	2.3	144
176	Recommendations for a Core Outcome Set for Measuring Standing Balance in Adult Populations: A Consensus-Based Approach. <i>PLoS ONE</i> , 2015, 10, e0120568.	2.3	77
177	Interactive Cognitive-Motor Step Training Improves Cognitive Risk Factors of Falling in Older Adults – A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0145161.	2.3	129
178	Association of Postural Sway with Disability Status and Cerebellar Dysfunction in People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2015, 17, 146-151.	1.5	35
179	Visuospatial Tasks Affect Locomotor Control More than Nonspatial Tasks in Older People. <i>PLoS ONE</i> , 2014, 9, e109802.	2.3	44
180	Most functional outcomes are similar for men and women after hip fracture: a secondary analysis of the enhancing mobility after hip fracture trial. <i>BMC Geriatrics</i> , 2014, 14, .	3.3	7

#	ARTICLE	IF	CITATIONS
181	Neuropsychological, Physical, and Functional Mobility Measures Associated With Falls in Cognitively Impaired Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 987-995.	3.5	120
182	Epidemiology of Emergency Medical Service Responses to Older People Who Have Fallen: A Prospective Cohort Study. <i>Prehospital Emergency Care</i> , 2014, 18, 185-194.	2.3	47
183	Predictors of Nontransport of Older Fallers Who Receive Ambulance Care. <i>Prehospital Emergency Care</i> , 2014, 18, 342-349.	2.3	16
184	Associations between obesity and overweight and fall risk, health status and quality of life in older people. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 13-18.	1.6	134
185	Determinants of uptake of home modifications and exercise to prevent falls in community-dwelling older people. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 585-590.	1.6	15
186	Vitamin D response of older people in residential aged care to sunlight-derived ultraviolet radiation. <i>Archives of Osteoporosis</i> , 2014, 9, .	2.5	13
187	The effect of interactive cognitive-motor training in reducing fall risk in older people: a systematic review. <i>BMC Geriatrics</i> , 2014, 14, .	3.3	154
188	New methods for fall risk prediction. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2014, 17, 407-411.	3.0	49
189	Incidental and Planned Exercise Questionnaire for Seniors. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 947-954.	0.8	36
190	A Stroop Stepping Test (SST) using low-cost computer game technology discriminates between older fallers and non-fallers. <i>Age and Ageing</i> , 2014, 43, 285-289.	1.8	66
191	Sensorimotor and Postural Control Factors Associated With Driving Safety in a Community-Dwelling Older Driver Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69A, 240-244.	3.5	41
192	Walking for six minutes increases both simple reaction time and stepping reaction time in moderately disabled people with Multiple Sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2014, 3, 457-462.	2.2	16
193	Neuropsychological, Balance, and Mobility Risk Factors for Falls in People With Multiple Sclerosis: A Prospective Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 480-486.	1.9	128
194	Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. <i>Age and Ageing</i> , 2014, 43, 616-622.	1.8	113
195	The Relative Contribution of Physical and Cognitive Fall Risk Factors in People With Parkinson's Disease. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 282-290.	3.4	112
196	A comparison of activity classification in younger and older cohorts using a smartphone. <i>Physiological Measurement</i> , 2014, 35, 2269-2286.	2.6	69
197	Single and dual task tests of gait speed are equivalent in the prediction of falls in older people: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2014, 16, 83-104.	11.6	140
198	Risk Factors for Frequent Falls in People with Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2014, 4, 699-703.	3.3	36

#	ARTICLE	IF	CITATIONS
199	Sub-Cortical Infarcts and the Risk of Falls in Older People: Combined Results of TASCOC and Sydney MAS Studies. <i>International Journal of Stroke</i> , 2014, 9, 55-60.	6.4	18
200	A Post-Hospital Home Exercise Program Improved Mobility but Increased Falls in Older People: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e104412.	2.3	86
201	Sensorimotor function, balance abilities and pain influence Timed Up and Go performance in older community-living people. <i>Aging Clinical and Experimental Research</i> , 2013, 23, 196-201.	2.7	64
202	Depressive Symptomatology as a Risk Factor for Falls in Older People: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 694-706.	2.9	178
203	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. <i>BMC Medicine</i> , 2013, 11, .	7.1	372
204	Older People's Perceptions of a Multifaceted Podiatric Medical Intervention to Prevent Falls. <i>Journal of the American Podiatric Medical Association</i> , 2013, 103, 457-464.	2.6	10
205	Provision of Out-of-hospital Analgesia to Older Fallers With Suspected Fractures: Above Par, but Opportunities for Improvement Exist. <i>Academic Emergency Medicine</i> , 2013, 20, 761-768.	1.7	15
206	Development and validation of a Chinese version of the Falls Efficacy Scale International. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 169-174.	3.4	73
207	Validation of the Iconographical Falls Efficacy Scale in Cognitively Impaired Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1098-1102.	3.5	45
208	The effect of lower limb muscle fatigue on obstacle negotiation during walking in older adults. <i>Gait and Posture</i> , 2013, 37, 506-510.	1.3	39
209	The interplay between executive control and motor functioning in Williams syndrome. <i>Developmental Science</i> , 2013, 16, 428-442.	2.8	14
210	Discriminative Ability and Predictive Validity of the Timed Up and Go Test in Identifying Older People Who Fall: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 202-208.	2.9	416
211	Three simple clinical tests to accurately predict falls in people with Parkinson's disease. <i>Movement Disorders</i> , 2013, 28, 655-662.	4.6	188
212	Gait parameter risk factors for falls under simple and dual task conditions in cognitively impaired older people. <i>Gait and Posture</i> , 2013, 37, 126-130.	1.3	159
213	Effects of Nonslip Socks on the Gait Patterns of Older People When Walking on a Slippery Surface. <i>Journal of the American Podiatric Medical Association</i> , 2013, 103, 471-479.	2.6	16
214	Identifying older people at high risk of future falls: development and validation of a screening tool for use in emergency departments. <i>Emergency Medicine Journal</i> , 2013, 30, 918-922.	2.0	59
215	Development and validation of a fall-related impulsive behaviour scale for residential care. <i>Age and Ageing</i> , 2013, 42, 754-758.	1.8	10
216	Increased Concern Is Protective for Falls in Chinese Older People: The Chopstix Fall Risk Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 946-953.	3.5	50

#	ARTICLE	IF	CITATIONS
217	Older fallers attended to by an ambulance but not transported to hospital: a vulnerable population at high risk of future falls. <i>Australian and New Zealand Journal of Public Health</i> , 2013, 37, 179-185.	1.6	30
218	Systematic review of non-transportation rates and outcomes for older people who have fallen after ambulance service call-out. <i>Australasian Journal on Ageing</i> , 2013, 32, 147-157.	1.4	42
219	Change in Vision, Visual Disability, and Health After Cataract Surgery. <i>Optometry and Vision Science</i> , 2013, 90, 392-399.	1.0	17
220	Comparison of Handheld Video Camera and GAITRite® Measurement of Gait Impairment in People with Early Stage Parkinson's Disease: A Pilot Study. <i>Journal of Parkinson's Disease</i> , 2013, 3, 199-203.	3.3	14
221	The role of exercise for fall prevention in older age. <i>Motriz Revista De Educacao Fisica</i> , 2013, 19, 541-547.	0.2	20
222	A Randomized Controlled Pilot Study of Home-Based Step Training in Older People Using Videogame Technology. <i>PLoS ONE</i> , 2013, 8, e57734.	2.3	248
223	Age-associated changes in head jerk while walking reveal altered dynamic stability in older people. <i>Experimental Brain Research</i> , 2013, 232, 51-60.	1.3	23
224	Force-Controlled Balance Perturbations Associated with Falls in Older People: A Prospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e70981.	2.3	84
225	Good memory as a predictor of falls: fact or artefact. <i>Age and Ageing</i> , 2012, 41, 404-408.	1.8	19
226	Exercise to Enhance Mobility and Prevent Falls After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 1046-1057.	3.4	126
227	Older people presenting to the emergency department after a fall: a population with substantial recurrent healthcare use. <i>Emergency Medicine Journal</i> , 2012, 29, 742-747.	2.0	79
228	Gait impairment and falls in cognitively impaired older adults: an explanatory model of sensorimotor and neuropsychological mediators. <i>Age and Ageing</i> , 2012, 41, 665-669.	1.8	63
229	Managing Falls in Older Patients with Cognitive Impairment. <i>Aging Health</i> , 2012, 8, 573-588.	0.6	25
230	Identification of high risk fallers among older people living in residential care facilities: A simple screen based on easily collectable measures. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 690-695.	3.4	48
231	Understanding Risk of Falls in People With Cognitive Impairment Living in Residential Care. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 535-540.	2.4	88
232	Depressive symptoms in addition to visual impairment, reduced strength and poor balance predict falls in older Taiwanese people. <i>Age and Ageing</i> , 2012, 41, 606-612.	1.8	35
233	White matter hyperintensities and impaired choice stepping reaction time in older people. <i>Neurobiology of Aging</i> , 2012, 33, 1177-1185.	3.4	12
234	Effect of a multifactorial interdisciplinary intervention on mobility-related disability in frail older people: randomised controlled trial. <i>BMC Medicine</i> , 2012, 10, .	7.1	137

#	ARTICLE	IF	CITATIONS
235	Evidence of Detraining After 12-Week Home-Based Exercise Programs Designed to Reduce Fall-Risk Factors in Older People Recently Discharged From Hospital. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1685-1691.	1.9	33
236	Sensorimotor and neuropsychological correlates of force perturbations that induce stepping in older adults. <i>Gait and Posture</i> , 2012, 36, 356-360.	1.3	42
237	Mild Cognitive Impairment as a Predictor of Falls in Community-Dwelling Older People. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 845-853.	1.7	200
238	Brain White Matter Hyperintensities, Executive Dysfunction, Instability, and Falls in Older People: A Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67, 1085-1091.	3.5	78
239	Fall assessment in older people. <i>BMJ, The</i> , 2011, 343, d5153-d5153.	0.2	43
240	Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d3411-d3411.	0.1	129
241	Foot and Ankle Strength, Range of Motion, Posture, and Deformity Are Associated With Balance and Functional Ability in Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 68-75.	1.9	197
242	A Novel Video Game-Based Device for Measuring Stepping Performance and Fall Risk in Older People. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 947-953.	1.9	67
243	Minimal Chair Height Standing Ability Is Independently Associated With Falls in Taiwanese Older People. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1080-1085.	1.9	11
244	Gait, balance and plantar pressures in older people with toe deformities. <i>Gait and Posture</i> , 2011, 34, 347-351.	1.3	141
245	A simple tool predicted probability of falling after aged care inpatient rehabilitation. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 779-786.	3.7	27
246	Depressive symptoms and quality of life in people with age-related macular degeneration. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 375-380.	2.0	66
247	Falls Incidence, Risk Factors, and Consequences in Chinese Older People: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 536-543.	2.9	237
248	RESPONSE TO KATHLEEN MICHELLE CONNELL. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 770-771.	2.9	0
249	Associations Between Drug Burden Index and Falls in Older People in Residential Aged Care. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 875-880.	2.9	199
250	Exercise and Sports Science Australia Position Statement on exercise and falls prevention in older people. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 489-495.	2.2	83
251	Implementing falls prevention research into policy and practice in Australia: Past, present and future. <i>Journal of Safety Research</i> , 2011, 42, 517-520.	3.6	23
252	Predictors of adherence to a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMC Geriatrics</i> , 2011, 11, .	3.3	21

#	ARTICLE	IF	CITATIONS
253	Validity and reliability of the Swaymeter device for measuring postural sway. BMC Geriatrics, 2011, 11, .	3.3	52
254	Soft tissue thickness under the metatarsal heads is reduced in older people with toe deformities. Journal of Orthopaedic Research, 2011, 29, 1042-1046.	2.4	21
255	Postural sway approaches center of mass stability limits in Parkinson's disease. Movement Disorders, 2011, 26, 637-643.	4.6	40
256	Cross-sectional analysis of foot function, functional ability, and health-related quality of life in older people with disabling foot pain. Arthritis Care and Research, 2011, 63, 1592-1598.	2.8	85
257	Low-trauma fractures indicate increased risk of hip fracture in frail older people. Journal of Bone and Mineral Research, 2011, 26, 428-433.	4.9	14
258	Physical factors underlying the association between lower walking performance and falls in older people: A structural equation model. Archives of Gerontology and Geriatrics, 2011, 53, 131-134.	3.4	41
259	Exercise to prevent falls in older adults: an updated meta-analysis and best practice recommendations. NSW Public Health Bulletin, 2011, 22, 78.	0.5	679
260	Reach Distance but Not Judgment Error Is Associated With Falls in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 896-903.	3.5	39
261	Development and Initial Validation of the Iconographical Falls Efficacy Scale. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 674-680.	3.5	111
262	Impact of White Matter Lesions on Physical Functioning and Fall Risk in Older People. Stroke, 2011, 42, 2086-2090.	6.0	153
263	Implementing falls prevention research into policy and practice: an overview of a new National Health and Medical Research Council Partnership Grant. NSW Public Health Bulletin, 2011, 22, 84.	0.5	6
264	Effect on falls of providing single lens distance vision glasses to multifocal glasses wearers: VISIBLE randomised controlled trial. BMJ: British Medical Journal, 2010, 340, c2265-c2265.	0.1	118
265	Longitudinal Falls-Risk Estimation Using Triaxial Accelerometry. IEEE Transactions on Biomedical Engineering, 2010, 57, 534-541.	3.2	83
266	Exercise for falls prevention in older people: Assessing the knowledge of exercise science students. Journal of Science and Medicine in Sport, 2010, 13, 59-64.	2.2	6
267	The effects of an exercise program on fall risk factors in people with Parkinson's disease: A randomized controlled trial. Movement Disorders, 2010, 25, 1217-1225.	4.6	189
268	Sunlight and health: Attitudes of older people living in intermediate care facilities in southern Australia. Archives of Gerontology and Geriatrics, 2010, 51, e94-e99.	3.4	40
269	Consequences of lower extremity and trunk muscle fatigue on balance and functional tasks in older people: A systematic literature review. BMC Geriatrics, 2010, 10, .	3.3	114
270	A Multifactorial Approach to Understanding Fall Risk in Older People. Journal of the American Geriatrics Society, 2010, 58, 1679-1685.	2.9	279

#	ARTICLE	IF	CITATIONS
271	Foot Pain, Plantar Pressures, and Falls in Older People: A Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1936-1940.	2.9	147
272	Impaired Depth Perception and Restricted Pitch Head Movement Increase Obstacle Contacts When Dual-Tasking in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 751-757.	3.5	47
273	Impaired weight transfer persists at least four months after hip fracture and rehabilitation. <i>Clinical Rehabilitation</i> , 2010, 24, 565-573.	3.1	14
274	The Development and Validation of a Brief Performance-Based Fall Risk Assessment Tool for Use in Primary Care. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 896-903.	3.5	131
275	Physiological and Cognitive Mediators for the Association Between Self-reported Depressed Mood and Impaired Choice Stepping Reaction Time in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 538-544.	3.5	31
276	Foot shape of older people: implications for shoe design. <i>Footwear Science</i> , 2010, 2, 131-139.	1.8	55
277	Associations between drug burden index and physical function in older people in residential aged care facilities. <i>Age and Ageing</i> , 2010, 39, 503-507.	1.8	55
278	The association between choice stepping reaction time and falls in older adults—a path analysis model. <i>Age and Ageing</i> , 2010, 39, 99-104.	1.8	85
279	The Whitehorse NoFalls trial: effects on fall rates and injurious fall rates. <i>Age and Ageing</i> , 2010, 39, 728-733.	1.8	43
280	Step Time Variability and Pelvis Acceleration Patterns of Younger and Older Adults: Effects of Footwear and Surface Conditions. <i>Research in Sports Medicine</i> , 2010, 19, 28-41.	2.3	15
281	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c4165-c4165.	0.1	361
282	Mobility-related disability three months after aged care rehabilitation can be predicted with a simple tool: an observational study. <i>Journal of Physiotherapy</i> , 2010, 56, 121-127.	2.1	15
283	Vision and Falls in Older People: Risk Factors and Intervention Strategies. <i>Clinics in Geriatric Medicine</i> , 2010, 26, 569-581.	3.3	139
284	The Falls Efficacy Scale International (FES-I). A comprehensive longitudinal validation study. <i>Age and Ageing</i> , 2010, 39, 210-216.	1.8	738
285	A selection strategy was developed for fracture reduction programs in frail older people. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 679-685.	3.7	10
286	Comparison of Self-Reported Crashes, State Crash Records and an On-Road Driving Assessment in a Population-Based Sample of Drivers Aged 69-95 Years. <i>Traffic Injury Prevention</i> , 2009, 10, 84-90.	1.7	44
287	Risk factors for hip fracture among institutionalised older people. <i>Age and Ageing</i> , 2009, 38, 429-434.	1.8	47
288	Concern About Falls Elicits Changes in Gait Parameters in Conditions of Postural Threat in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 237-242.	3.5	134

#	ARTICLE	IF	CITATIONS
289	Clinical and physiological assessments for elucidating falls risk in Parkinson's disease. <i>Movement Disorders</i> , 2009, 24, 1280-1289.	4.6	345
290	Age and gender differences in seven tests of functional mobility. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2009, 6, .	4.4	146
291	Older People Contact More Obstacles When Wearing Multifocal Glasses and Performing a Secondary Visual Task. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1833-1838.	2.9	27
292	The Onâ€œRoad Difficulties of Older Drivers and Their Relationship with Selfâ€œReported Motor Vehicle Crashes. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2062-2069.	2.9	37
293	ISB Clinical Biomechanics Award 2009. <i>Clinical Biomechanics</i> , 2009, 24, 787-791.	1.2	264
294	Effects of walking surfaces and footwear on temporo-spatial gait parameters in young and older people. <i>Gait and Posture</i> , 2009, 29, 392-397.	1.3	198
295	Rapid gait termination: Effects of age, walking surfaces and footwear characteristics. <i>Gait and Posture</i> , 2009, 30, 65-70.	1.3	43
296	Reducing Risk of Falling in Older People Discharged From Hospital: A Randomized Controlled Trial Comparing Seated Exercises, Weight-Bearing Exercises, and Social Visits. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1317-1324.	1.9	63
297	Validity and Reliability of Assessment Tools for Measuring Unsupported Sitting in People With a Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1571-1577.	1.9	62
298	Distribution and correlates of plantar hyperkeratotic lesions in older people. <i>Journal of Foot and Ankle Research</i> , 2009, 2, .	1.9	44
299	Acceleration Patterns of the Head and Pelvis During Gait in Older People With Parkinson's Disease: A Comparison of Fallers and Nonfallers. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 700-706.	3.5	136
300	Different cognitive profiles for single compared with recurrent fallers without dementia.. <i>Neuropsychology</i> , 2009, 23, 500-508.	1.6	106
301	The Effect of Enhanced Supervision on Fall Rates in Residential Aged Care. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009, 88, 823-828.	1.5	18
302	RESPONSE LETTER TO DR. KATZ. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 777-777.	2.9	0
303	Older Women with Ageâ€œRelated Macular Degeneration Have a Greater Risk of Falls: A Physiological Profile Assessment Study. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 800-807.	2.9	58
304	Comparison of Effect of Aerobic Cycle Training and Progressive Resistance Training on Walking Ability After Stroke: A Randomized Sham Exerciseâ€œControlled Study. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 976-985.	2.9	122
305	Otago Homeâ€œBased Strength and Balance Retraining Improves Executive Functioning in Older Fallers: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1821-1830.	2.9	276
306	Risk Factors for Fracture Following a Fall Among Older People in Residential Care Facilities in Australia. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 2020-2026.	2.9	41

#	ARTICLE	IF	CITATIONS
307	Effective Exercise for the Prevention of Falls: A Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 2234-2243.	2.9	1,125
308	Muscle weakness impairs the proprioceptive control of human standing. <i>Brain Research</i> , 2008, 1242, 244-251.	2.5	76
309	Effects of Shoe Characteristics on Dynamic Stability When Walking on Even and Uneven Surfaces in Young and Older People. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1970-1976.	1.9	115
310	A population-based study of sensorimotor factors affecting gait in older people. <i>Age and Ageing</i> , 2008, 38, 290-295.	1.8	97
311	Group exercise can improve participants' mobility in an outpatient rehabilitation setting: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2008, 22, 493-502.	3.1	39
312	Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. <i>BMJ: British Medical Journal</i> , 2008, 336, 758-760.	0.1	188
313	Fracture risk assessment in frail older people using clinical risk factors. <i>Age and Ageing</i> , 2008, 37, 536-541.	1.8	19
314	Mobility training after hip fracture: a randomised controlled trial. <i>Age and Ageing</i> , 2008, 38, 74-80.	1.8	75
315	Visual Determinants of Instability and Falls in Older People. <i>Aging Health</i> , 2008, 4, 643-650.	0.6	4
316	Effects of Spatial and Nonspatial Memory Tasks on Choice Stepping Reaction Time in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 1063-1068.	3.5	38
317	Development and validation of fall risk screening tools for use in residential aged care facilities. <i>Medical Journal of Australia</i> , 2008, 189, 193-196.	1.7	46
318	Hospital and non-hospital costs for fall-related injury in community-dwelling older people. <i>NSW Public Health Bulletin</i> , 2008, 19, 161.	0.5	20
319	Title is missing!. <i>Journal of Rehabilitation Research and Development</i> , 2008, 45, 1167.	1.5	199
320	Falls in Older People at Home: Risk Factors and Intervention Strategies. <i>Journal of the Human-Environment System</i> , 2008, 11, 37-42.	0.0	1
321	Towards enhancing national capacity for evidence informed policy and practice in falls management: a role for a "Translation Task Group"?. <i>Australia and New Zealand Health Policy</i> , 2007, 4, .	1.0	21
322	Choice Stepping Response and Transfer Times: Effects of Age, Fall Risk, and Secondary Tasks. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 537-542.	3.5	83
323	Physical and Psychological Factors Associated With Stair Negotiation Performance in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 1259-1265.	3.5	106
324	A structural equation model relating impaired sensorimotor function, fear of falling and gait patterns in older people. <i>Gait and Posture</i> , 2007, 25, 243-249.	1.3	84

#	ARTICLE	IF	CITATIONS
325	A Randomized, Controlled Trial of tai chi for the Prevention of Falls: The Central Sydney tai chi Trial. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 1185-1191.	2.9	234
326	Walking speed, cadence and step length are selected to optimize the stability of head and pelvis accelerations. <i>Experimental Brain Research</i> , 2007, 184, 201-209.	1.3	189
327	Effect of Age-Related Chronic Immobility on Markers of Bone Turnover. <i>Journal of Bone and Mineral Research</i> , 2006, 21, 324-331.	4.9	70
328	Home environment risk factors for falls in older people and the efficacy of home modifications. <i>Age and Ageing</i> , 2006, 35, ii55-ii59.	1.8	225
329	A tactile stimulus applied to the leg improves postural stability in young, old and neuropathic subjects. <i>Neuroscience Letters</i> , 2006, 406, 23-26.	1.9	58
330	Foot and Ankle Risk Factors for Falls in Older People: A Prospective Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 866-870.	3.5	407
331	RESPONSE LETTER TO DR. SITO. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 175-175.	2.9	0
332	The effects of water exercise on physical functioning in older people. <i>Australasian Journal on Ageing</i> , 2006, 25, 36-41.	1.4	26
333	High Bone Turnover Is an Independent Predictor of Mortality in the Frail Elderly. <i>Journal of Bone and Mineral Research</i> , 2006, 21, 549-555.	4.9	89
334	The impact of cataract surgery on visual functioning, vision-related disability and psychological distress: a randomized controlled trial. <i>Clinical and Experimental Ophthalmology</i> , 2006, 34, 734-742.	2.9	33
335	Falls-Related Self-Efficacy Is Independently Associated With Balance and Mobility in Older Women With Low Bone Mass. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 832-838.	3.5	63
336	Visual risk factors for falls in older people. <i>Age and Ageing</i> , 2006, 35, ii42-ii45.	1.8	293
337	Atypical Antipsychotic Medications and Risk of Falls in Residents of Aged Care Facilities. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1290-1295.	2.9	118
338	The Effect of an Individualized Fall Prevention Program on Fall Risk and Falls in Older People: A Randomized, Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1296-1304.	2.9	186
339	The Beneficial Effects of Group-Based Exercises on Fall Risk Profile and Physical Activity Persist 1 Year Postintervention in Older Women with Low Bone Mass: Follow-Up After Withdrawal of Exercise. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1767-1773.	2.9	54
340	Both resistance and agility training reduce back pain and improve health-related quality of life in older women with low bone mass. <i>Osteoporosis International</i> , 2005, 16, 1321-1329.	4.1	69
341	Reliability of simple portable tests of physical performance in older people after hip fracture. <i>Clinical Rehabilitation</i> , 2005, 19, 496-504.	3.1	90
342	Foot and Ankle Characteristics Associated With Impaired Balance and Functional Ability in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 1546-1552.	3.5	427

#	ARTICLE	IF	CITATIONS
343	Streamlining assessment and intervention in a falls clinic using the Timed Up and Go Test and Physiological Profile Assessments. <i>Age and Ageing</i> , 2005, 34, 567-571.	1.8	158
344	Foot and leg problems are important determinants of functional status in community dwelling older people. <i>Disability and Rehabilitation</i> , 2005, 27, 917-923.	2.5	81
345	Gait Instability in Older People with Hallux Valgus. <i>Foot and Ankle International</i> , 2005, 26, 483-489.	2.4	154
346	Incidence of hip fracture in New South Wales: are our efforts having an effect?. <i>Medical Journal of Australia</i> , 2004, 180, 623-626.	1.7	81
347	Resistance and Agility Training Reduce Fall Risk in Women Aged 75 to 85 with Low Bone Mass: A 6â€Month Randomized, Controlled Trial<sup>*</sup>. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 657-665.	2.9	293
348	Predictors of falling in elderly hospital patients. <i>Archives of Gerontology and Geriatrics</i> , 2004, 38, 213-219.	3.4	50
349	Walking stability and sensorimotor function in older people with diabetic peripheral neuropathy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 245-252.	1.9	324
350	Reliability of the GAITriteÂ® walkway system for the quantification of temporo-spatial parameters of gait in young and older people. <i>Gait and Posture</i> , 2004, 20, 20-25.	1.3	620
351	A randomized controlled trial of weight-bearing versus non-weight-bearing exercise for improving physical ability after usual care for hip fracture11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 710-716.	1.9	141
352	A pilot study of long-term monitoring of human movements in the home using accelerometry. <i>Journal of Telemedicine and Telecare</i> , 2004, 10, 144-151.	4.2	136
353	Differing Risk Factors for Falls in Nursing Home and Intermediateâ€Care Residents Who Can and Cannot Stand Unaided. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1645-1650.	2.9	150
354	The Effect of Group Exercise on Physical Functioning and Falls in Frail Older People Living in Retirement Villages: A Randomized, Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1685-1692.	2.9	353
355	Acceleration patterns of the head and pelvis when walking on level and irregular surfaces. <i>Gait and Posture</i> , 2003, 18, 35-46.	1.3	634
356	Acceleration Patterns of the Head and Pelvis When Walking Are Associated With Risk of Falling in Community-Dwelling Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003, 58, M446-M452.	3.5	195
357	Community-based group exercise improves balance and reduces falls in at-risk older people: a randomised controlled trial. <i>Age and Ageing</i> , 2003, 32, 407-414.	1.8	573
358	A randomised trial of weight-bearing versus non-weight-bearing exercise for improving physical ability in inpatients after hip fracture. <i>Australian Journal of Physiotherapy</i> , 2003, 49, 15-22.	3.0	98
359	Reliability of Clinical Tests of Foot and Ankle Characteristics in Older People. <i>Journal of the American Podiatric Medical Association</i> , 2003, 93, 380-387.	2.6	81
360	Age-related differences in walking stability. <i>Age and Ageing</i> , 2003, 32, 137-142.	1.8	515

#	ARTICLE	IF	CITATIONS
361	Proxy assessment of health-related quality of life in the frail elderly. <i>Age and Ageing</i> , 2003, 32, 459-459.	1.8	15
362	A Physiological Profile Approach to Falls Risk Assessment and Prevention. <i>Physical Therapy</i> , 2003, 83, 237-252.	2.4	888
363	Blood pressure changes on upright tilting predict falls in older people. <i>Age and Ageing</i> , 2002, 31, 181-186.	1.8	103
364	Galvanic vestibular stimulation evokes sensations of body rotation. <i>NeuroReport</i> , 2002, 13, 2379-2383.	1.5	67
365	Risk of falling: Predictors based on reduced strength in persons previously affected by polio. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 757-763.	1.9	62
366	Physiologic, psychologic, and health predictors of 6-minute walk performance in older people. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 907-911.	1.9	207
367	Sit-to-Stand Performance Depends on Sensation, Speed, Balance, and Psychological Status in Addition to Strength in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M539-M543.	3.5	837
368	Vitamin D deficiency is common in frail institutionalised older people in northern Sydney. <i>Medical Journal of Australia</i> , 2002, 176, 560-560.	1.7	54
369	Multifocal Glasses Impair Edge-Contrast Sensitivity and Depth Perception and Increase the Risk of Falls in Older People. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1760-1766.	2.9	247
370	Passive tactile sensory input improves stability during standing. <i>Experimental Brain Research</i> , 2001, 136, 514-522.	1.3	147
371	Visual Risk Factors for Falls in Older People. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 508-515.	2.9	536
372	The Contribution of Foot Problems to Mobility Impairment and Falls in Community-Dwelling Older People. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1651-1656.	2.9	218
373	Foot Pain Impairs Balance and Functional Ability in Community-Dwelling Older People. <i>Journal of the American Podiatric Medical Association</i> , 2001, 91, 222-229.	2.6	181
374	Choice Stepping Reaction Time: A Composite Measure of Falls Risk in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2001, 56, M627-M632.	3.5	349
375	Normative Data on Neuropsychological Tests for Very Old Adults Living in Retirement Villages and Hostels. <i>Clinical Neuropsychologist</i> , 2000, 14, 309-317.	2.7	33
376	Effects of Shoe Collar Height and Sole Hardness on Balance in Older Women. <i>Journal of the American Geriatrics Society</i> , 1999, 47, 681-684.	2.9	63
377	Lateral Stability, Sensorimotor Function and Falls in Older People. <i>Journal of the American Geriatrics Society</i> , 1999, 47, 1077-1081.	2.9	297
378	Discriminating Factors Between Hip and Other Fractures in Older Women. <i>Australasian Journal on Ageing</i> , 1998, 17, 145-147.	1.4	0

#	ARTICLE	IF	CITATIONS
379	Strength in the lower limbs, visual contrast sensitivity, and simple reaction time predict cognition in older women.. Psychology and Aging, 1997, 12, 137-144.	1.6	91
380	Home exercise to improve strength and walking velocity after hip fracture: A randomized controlled trial. Archives of Physical Medicine and Rehabilitation, 1997, 78, 208-212.	1.9	144
381	Effects of group exercise on cognitive functioning and mood in older women. Australian and New Zealand Journal of Public Health, 1997, 21, 45-52.	1.6	162
382	Exercise effect on dynamic stability in older women: A randomized controlled trial. Archives of Physical Medicine and Rehabilitation, 1996, 77, 232-236.	1.9	258
383	Shoe Characteristics and Balance in Older Women. Journal of the American Geriatrics Society, 1996, 44, 429-433.	2.9	112
384	The Effect of Exercise on Gait Patterns in Older Women: A Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 1996, 51A, M64-M70.	3.5	126
385	Sensori-motor Function, Gait Patterns and Falls in Community-dwelling Women. Age and Ageing, 1996, 25, 292-299.	1.8	242
386	Measuring human functional age: A review of empirical findings. Experimental Aging Research, 1996, 22, 245-266.	1.7	94
387	Predictors of adherence to a structured exercise program for older women.. Psychology and Aging, 1995, 10, 617-624.	1.6	65
388	The Effect of a 12â€Month Exercise Trial on Balance, Strength, and Falls in Older Women: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 1995, 43, 1198-1206.	2.9	393
389	Oefenprogramma voor oudere mensen: effect op evenwicht, kracht, neuromusculaire controle en reactietijd. Stimulus, 1995, 14, 195-197.	0.0	0
390	Predictors of adherence to a structured exercise program for older women.. Psychology and Aging, 1995, 10, 617-624.	1.6	30
391	Postural stability, falls and fractures in the elderly: results from the Dubbo Osteoporosis Epidemiology Study. Medical Journal of Australia, 1994, 160, 684-691.	1.7	192
392	Physical activity program for older persons: Effect on balance, strength, neuromuscular control, and reaction time. Archives of Physical Medicine and Rehabilitation, 1994, 75, 648-652.	1.9	157
393	Age-associated Differences in Sensori-motor Function and Balance in Community Dwelling Women. Age and Ageing, 1994, 23, 452-460.	1.8	282
394	Physiological Factors Associated with Falls in Older Communityâ€Dwelling Women. Journal of the American Geriatrics Society, 1994, 42, 1110-1117.	2.9	707
395	HIP FRACTURES: CHANGING PATTERNS IN HOSPITAL BED USE IN NSW BETWEEN 1979 AND 1990. ANZ Journal of Surgery, 1993, 63, 352-355.	1.2	17
396	Balance, reaction time, and muscle strength in exercising and nonexercising older women: A pilot study. Archives of Physical Medicine and Rehabilitation, 1993, 74, 837-839.	1.9	91

#	ARTICLE	IF	CITATIONS
397	Hearing impairment and hearing aid use in women over 65 years of age. Medical Journal of Australia, 1993, 159, 382-384.	1.7	20
398	The benefits of exercise in postmenopausal women. Australian Journal of Public Health, 1993, 17, 23-26.	0.1	42
399	An epidemiological study of falls in older community-dwelling women: the Randwick falls and fractures study. Australian Journal of Public Health, 1993, 17, 240-245.	0.1	369
400	Visual Acuity and Contrast Sensitivity in Relation to Falls in an Elderly Population. Age and Ageing, 1991, 20, 175-181.	1.8	227
401	Postural Stability and Associated Physiological Factors in a Population of Aged Persons. Journal of Gerontology, 1991, 46, M69-M76.	2.5	597
402	Physiological Factors Associated with Falls in an Elderly Population. Journal of the American Geriatrics Society, 1991, 39, 1194-1200.	2.9	486
403	Visual Field Dependence in Elderly Fallers and Non-Fallers. International Journal of Aging and Human Development, 1990, 31, 267-277.	1.4	106
404	Falls in the elderly: admissions, bed use, outcome and projections. Medical Journal of Australia, 1990, 153, 117-118.	1.7	19
405	General practice preceptors and the undergraduate curriculum. Medical Journal of Australia, 1987, 146, 191-193.	1.7	3
406	Weight and overweight in a group of parliamentarians and senior public servants in New South Wales. Medical Journal of Australia, 1987, 147, 534-536.	1.7	2
407	Femoral neck fractures: admissions, bed use, outcome and projections. Medical Journal of Australia, 1986, 145, 493-496.	1.7	49
408	Intraindividual Stepping Reaction Time Variability Predicts Falls in Older Adults With Mild Cognitive Impairment. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 0, , glw164.	3.5	13
409	Sensorimotor and Cognitive Predictors of Impaired Gait Adaptability in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 0, , glw171.	3.5	43
410	Quantifying upper limb motor impairment in people with Parkinson's disease: a physiological profiling approach. PeerJ, 0, 9, e10735.	0.0	24
411	E-health StandingTall balance exercise for fall prevention in older people: results of a two year randomised controlled trial. BMJ, The, 0, , n740.	0.2	96
412	Prefrontal cortical activation measured by fNIRS during walking: effects of age, disease and secondary task. PeerJ, 0, 7, e6833.	0.0	103
413	Risk factors for falls in community-dwelling older people with mild cognitive impairment: a prospective one-year study. PeerJ, 0, 10, e13484.	0.0	30
414	More than step counts: Slow walking speed, limited running, and fewer long walks predict cardiovascular mortality in the Walk Watch UK Biobank study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 0, 80, .	3.5	1

#	ARTICLE	IF	CITATIONS
415	Real-world walking patterns are associated with regional brain atrophy and white matter lesions in middle-aged and older people: a Watch Walk™ UK Biobank study. <i>GeroScience</i> , 0, , .	4.6	0
416	The effect of an Iyengar yoga-based exercise programme versus a seated yoga relaxation programme on falls in people aged 60 years and older (SAGE): a pragmatic, two-arm, parallel randomised controlled trial. <i>The Lancet Healthy Longevity</i> , 0, 6, 100749.	10.3	0
417	Clinical estimates of three physiologic capacities explain a majority of unipedal stance time. <i>Aging Clinical and Experimental Research</i> , 0, 37, .	2.7	0
418	Proprioception and muscle performance unchanged by in-home step training in multiple sclerosis: secondary outcomes analysis. <i>PeerJ</i> , 0, 13, e20354.	0.0	0