## Wenzheng Wu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/580016/publications.pdf

Version: 2024-02-01

687220 454834 1,235 32 13 30 citations h-index g-index papers 32 32 32 1425 docs citations times ranked citing authors all docs

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | One-Pot Three-Dimensional Printing Robust Self-Supporting MnO <sub>x</sub> /Cu-SSZ-13 Zeolite Monolithic Catalysts for NH <sub>3</sub> -SCR. CCS Chemistry, 2022, 4, 1708-1719.  | 4.6 | 14        |
| 2  | Influence Mechanism of Ultrasonic Vibration Substrate on Strengthening the Mechanical Properties of Fused Deposition Modeling. Polymers, 2022, 14, 904.  | 2.0 | 8         |
| 3  | Application and Prospects of Hydrogel Additive Manufacturing. Gels, 2022, 8, 297.  | 2.1 | 9         |
| 4  | Influence of Thermal Processing Conditions on Mechanical and Material Properties of 3D Printed Thin-Structures Using PEEK Material. International Journal of Precision Engineering and Manufacturing, 2022, 23, 689-699. | 1.1 | 9         |
| 5  | Bio-Inspired 4D Printing of Dynamic Spider Silks. Polymers, 2022, 14, 2069.  | 2.0 | 4         |
| 6  | Hybrid Additive Manufacturing of Fused Filament Fabrication and Ultrasonic Consolidation. Polymers, 2022, 14, 2385.  | 2.0 | 4         |
| 7  | Additive manufacturing of continuous BF-reinforced PES composite material and mechanical and wear properties evaluation. Journal of Materials Science, 2022, 57, 12903-12915.  | 1.7 | 5         |
| 8  | Effects of Printing Parameters on the Mechanical Properties of High-Performance Polyphenylene Sulfide Three-Dimensional Printing. 3D Printing and Additive Manufacturing, 2021, 8, 33-41.                                | 1.4 | 15        |
| 9  | The study on electric field distribution and droplet trajectory during electrohydrodynamic jet printing. Microsystem Technologies, 2021, 27, 2745-2750.  | 1.2 | 3         |
| 10 | A Novel Room-Temperature Bonding Method Based on Electrohydrodynamic Printing. Journal of Nanoscience and Nanotechnology, 2021, 21, 1672-1677.   | 0.9 | 0         |
| 11 | Performance modulation and 3D printing parameters optimization of implantable medical tricalcium-silicate/polyetherimide composite. Ceramics International, 2021, 47, 10679-10687.                                       | 2.3 | 3         |
| 12 | Additive manufacturing landscape and materials perspective in 4D printing. International Journal of Advanced Manufacturing Technology, 2021, 115, 2973-2988.   | 1.5 | 30        |
| 13 | 3D Printing of Graphite Electrode for Lithiumâ€lon Battery with High Areal Capacity. Energy Technology, 2021, 9, 2100628.  | 1.8 | 19        |
| 14 | The fabrication of integrated and three-layer SU-8 nozzles for electrohydrodynamic printing. Microfluidics and Nanofluidics, 2020, 24, $1.$  | 1.0 | 2         |
| 15 | 3D printing of carbon nanotubes reinforced thermoplastic polyimide composites with controllable mechanical and electrical performance. Composites Science and Technology, 2019, 182, 107671.                             | 3.8 | 47        |
| 16 | Separated 3D printing of continuous carbon fiber reinforced thermoplastic polyimide. Composites Part A: Applied Science and Manufacturing, 2019, 121, 457-464.   | 3.8 | 55        |
| 17 | Fabrication and <i>In Vitro</i> Evaluation of 3D Printed Porous Polyetherimide Scaffolds for Bone Tissue Engineering. BioMed Research International, 2019, 2019, 1-8.  | 0.9 | 16        |
| 18 | Experiments on the Ultrasonic Bonding Additive Manufacturing of Metallic Glass and Crystalline Metal Composite. Materials, 2019, 12, 2975.   | 1.3 | 9         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Preparation and performance evaluation of silica gel/tricalcium silicate composite slurry for 3D printing. Journal of Non-Crystalline Solids, 2019, 503-504, 334-339.                                      | 1.5 | 8         |
| 20 | Ultrasonic strengthening improves tensile mechanical performance of fused deposition modeling 3D printing. International Journal of Advanced Manufacturing Technology, 2018, 96, 2747-2755.                | 1.5 | 29        |
| 21 | Improving bending and dynamic mechanics performance of 3D printing through ultrasonic strengthening. Materials Letters, 2018, 220, 317-320.  | 1.3 | 31        |
| 22 | Study of printing parameters of pneumatic-injection 3D printing of Fe-based metallic glass. Journal of Non-Crystalline Solids, 2018, 489, 50-56.   | 1.5 | 9         |
| 23 | Printing parameters and strengthening mechanism of pneumatic injection additive manufacturing with iron powder slurry. International Journal of Advanced Manufacturing Technology, 2018, 94, 3809-3817.    | 1.5 | 8         |
| 24 | 3D printing of thermoplastic PI and interlayer bonding evaluation. Materials Letters, 2018, 229, 206-209.  | 1.3 | 33        |
| 25 | Effect of Ultrasonic Vibration on Mechanical Properties of 3D Printing Non-Crystalline and Semi-Crystalline Polymers. Materials, 2018, 11, 826.  | 1.3 | 38        |
| 26 | Optimization of Sintering Time and Holding Time for 3D Printing of Fe-Based Metallic Glasses. Metals, 2018, 8, 429.  | 1.0 | 4         |
| 27 | Effect of Thermal Processing and Heat Treatment Condition on 3D Printing PPS Properties. Polymers, 2018, 10, 875.  | 2.0 | 63        |
| 28 | Radial Compressive Property and the Proof-of-Concept Study for Realizing Self-expansion of 3D Printing Polylactic Acid Vascular Stents with Negative Poisson's Ratio Structure. Materials, 2018, 11, 1357. | 1.3 | 43        |
| 29 | TiO <sub>2</sub> hollow spheres on reduced graphene oxide with high rate performance as anodes for lithium-ion batteries. RSC Advances, 2017, 7, 53097-53103.  | 1.7 | 13        |
| 30 | Influence of Layer Thickness, Raster Angle, Deformation Temperature and Recovery Temperature on the Shape-Memory Effect of 3D-Printed Polylactic Acid Samples. Materials, 2017, 10, 970.                   | 1.3 | 94        |
| 31 | Influence of Layer Thickness and Raster Angle on the Mechanical Properties of 3D-Printed PEEK and a Comparative Mechanical Study between PEEK and ABS. Materials, 2015, 8, 5834-5846.                      | 1.3 | 610       |
| 32 | Behavioural Design Approach for Solving Mechanical Product Design Problem. , 2014, , .   |     | 0         |