

Xi-Ming Xu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5800252/xi-ming-xu-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

2,760
citations

30
h-index

43
g-index

146
ext. papers

3,316
ext. citations

5.1
avg. IF

5.19
L-index

#	Paper	IF	Citations
134	Amelioration action of gastrodigenin rhamno-pyranoside from Moringa seeds on non-alcoholic fatty liver disease.. <i>Food Chemistry</i> , 2022 , 379, 132087	8.5	1
133	Design, Characterization, and Evaluation of Diosmetin-Loaded Solid Self-microemulsifying Drug Delivery System Prepared by Electrospray for Improved Bioavailability.. <i>AAPS PharmSciTech</i> , 2022 , 23, 106	3.9	1
132	Preparation, characterization, pharmacokinetics, and antirenal injury activity studies of Licochalcone A-loaded liposomes. <i>Journal of Food Biochemistry</i> , 2021 , e14007	3.3	0
131	LBO-EMSC Hydrogel Serves a Dual Function in Spinal Cord Injury Restoration the PI3K-Akt-mTOR Pathway. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 48365-48377	9.5	0
130	Enhancement of oral bioavailability and anti-hyperuricemic activity of aloe emodin via novel Soluplus [®] -glycyrrhizic acid mixed micelle system. <i>Drug Delivery and Translational Research</i> , 2021 , 1	6.2	3
129	Preparation, In Vivo and In Vitro Evaluation, and Pharmacodynamic Study of DMY-Loaded Self-Microemulsifying Drug Delivery System. <i>European Journal of Lipid Science and Technology</i> , 2021 , 123, 2000369	3	1
128	Bisdemethoxycurcumin-conjugated vitamin E TPGS liposomes ameliorate poor bioavailability of free form and evaluation of its analgesic and hypouricemic activity in oxonate-treated rats. <i>Journal of Nanoparticle Research</i> , 2021 , 23, 1	2.3	0
127	Enhancement of oral bioavailability and hypoglycemic activity of liquiritin-loaded precursor liposome. <i>International Journal of Pharmaceutics</i> , 2021 , 592, 120036	6.5	7
126	3D printable Sodium alginate-Matrigel (SA-MA) hydrogel facilitated ectomesenchymal stem cells (EMSCs) neuron differentiation. <i>Journal of Biomaterials Applications</i> , 2021 , 35, 709-719	2.9	9
125	Improved Oral Bioavailability and Hypolipidemic Effect of Syringic Acid via a Self-microemulsifying Drug Delivery System. <i>AAPS PharmSciTech</i> , 2021 , 22, 45	3.9	4
124	Mixed micelles for enhanced oral bioavailability and hypolipidemic effect of liquiritin: preparation, and evaluation. <i>Drug Development and Industrial Pharmacy</i> , 2021 , 47, 308-318	3.6	7
123	Improved oral bioavailability, cellular uptake, and cytotoxic activity of zingerone via nano-micelles drug delivery system. <i>Journal of Microencapsulation</i> , 2021 , 38, 394-404	3.4	3
122	Nonionic surfactant vesicles as a novel drug delivery system for increasing the oral bioavailability of Ginsenoside Rb1. <i>Food Bioscience</i> , 2021 , 42, 101064	4.9	1
121	SMEDDS for improved oral bioavailability and anti-hyperuricemic activity of licochalcone A. <i>Journal of Microencapsulation</i> , 2021 , 38, 459-471	3.4	4
120	Improved intestinal absorption and oral bioavailability of astaxanthin using poly (ethylene glycol)-graft-chitosan nanoparticles: preparation, in vitro evaluation, and pharmacokinetics in rats. <i>Journal of the Science of Food and Agriculture</i> , 2021 ,	4.3	7
119	TPGS conjugated pro-liposomal nano-drug delivery system potentiate the antioxidant and hepatoprotective activity of Myricetin. <i>Journal of Drug Delivery Science and Technology</i> , 2021 , 66, 102808	4.5	2
118	Extraction and structural analysis of polysaccharide with low molecular weight and its lipid-lowering effect on nonalcoholic fatty liver disease. <i>Food Science and Nutrition</i> , 2020 , 8, 3212-3224	3.2	10

117	Improved oral bioavailability and target delivery of 6-shogaol via vitamin E TPGS-modified liposomes: Preparation, in-vitro and in-vivo characterizations. <i>Journal of Drug Delivery Science and Technology</i> , 2020 , 59, 101842	4.5	7
116	Glycyrrhizae Radix et Rhizoma Processed by Sulfur Fumigation Damaged the Chemical Profile Accompanied by Immunosuppression and Liver Injury. <i>BioMed Research International</i> , 2020 , 2020, 5439833	3.3	1
115	Piperine fast disintegrating tablets comprising sustained-release matrix pellets with enhanced bioavailability: formulation, and evaluation. <i>Pharmaceutical Development and Technology</i> , 2020 , 25, 617-624	3.4	2
114	Development of TPGS/F127/F68 mixed polymeric micelles: Enhanced oral bioavailability and hepatoprotection of syringic acid against carbon tetrachloride-induced hepatotoxicity. <i>Food and Chemical Toxicology</i> , 2020 , 137, 111126	4.7	18
113	The effects of sulfur fumigation processing on Panacis Quinquefolii Radix in chemical profile, immunoregulation and liver and kidney injury. <i>Journal of Ethnopharmacology</i> , 2020 , 249, 112377	5	12
112	GSH responsive nanomedicines self-assembled from small molecule prodrug alleviate the toxicity of cardiac glycosides as potent cancer drugs. <i>International Journal of Pharmaceutics</i> , 2020 , 575, 118980	6.5	10
111	Enhanced oral bioavailability of Bisdemethoxycurcumin-loaded self-microemulsifying drug delivery system: Formulation design, in vitro and in vivo evaluation. <i>International Journal of Pharmaceutics</i> , 2020 , 590, 119887	6.5	12
110	Enhanced oral bioavailability of self-assembling curcumin-vitamin E prodrug-nanoparticles by co-nanoprecipitation with vitamin E TPGS. <i>Drug Development and Industrial Pharmacy</i> , 2020 , 46, 1800-1808	3.6	5
109	Preparation and evaluation of 6-Gingerol TPGS/PEG-PCL polymeric micelles. <i>Pharmaceutical Development and Technology</i> , 2020 , 25, 1-8	3.4	14
108	Structural characterization and hypolipidemic activities of purified stigma maydis polysaccharides. <i>Food Science and Nutrition</i> , 2019 , 7, 2674-2683	3.2	12
107	Preparation and evaluation of isoliquiritigenin-loaded F127/P123 polymeric micelles. <i>Drug Development and Industrial Pharmacy</i> , 2019 , 45, 1224-1232	3.6	17
106	In vitro/in vivo hepatoprotective properties of 1-O-(4-hydroxymethylphenyl)- β -D-rhamnopyranoside from <i>Moringa oleifera</i> seeds against carbon tetrachloride-induced hepatic injury. <i>Food and Chemical Toxicology</i> , 2019 , 131, 110531	4.7	15
105	Novel -arylamide derivatives of (-)-perillic acid ((-)-PA): and cytotoxicity and antitumor evaluation.. <i>RSC Advances</i> , 2019 , 9, 19973-19982	3.7	1
104	Novel cuminaldehyde self-emulsified nanoemulsion for enhanced antihepatotoxicity in carbon tetrachloride-treated mice. <i>Journal of Pharmacy and Pharmacology</i> , 2019 , 71, 1324-1338	4.8	8
103	The characterisation, pharmacokinetic and tissue distribution studies of TPGS modified myricitrin mixed micelles in rats. <i>Journal of Microencapsulation</i> , 2019 , 36, 278-290	3.4	11
102	Enhancement of Oral Bioavailability and Anti-hyperuricemic Activity of Isoliquiritigenin via Self-Microemulsifying Drug Delivery System. <i>AAPS PharmSciTech</i> , 2019 , 20, 218	3.9	15
101	Improved oral bioavailability of myricitrin by liquid self-microemulsifying drug delivery systems. <i>Journal of Drug Delivery Science and Technology</i> , 2019 , 52, 597-606	4.5	25
100	Anti-hyperuricemic property of 6-shogaol via self-micro emulsifying drug delivery system in model rats: formulation design, and evaluation. <i>Drug Development and Industrial Pharmacy</i> , 2019 , 45, 1265-1276	3.6	11

99	Preparation, in vitro and in vivo evaluation of isoliquiritigenin-loaded TPGS modified proliposomes. <i>International Journal of Pharmaceutics</i> , 2019 , 563, 53-62	6.5	18
98	Tissue Engineering: EMSCs Build an All-in-One Niche via Cell-Cell Lipid Raft Assembly for Promoted Neuronal but Suppressed Astroglial Differentiation of Neural Stem Cells (Adv. Mater. 10/2019). <i>Advanced Materials</i> , 2019 , 31, 1970069	24	1
97	Enhanced Oral Bioavailability, Anti-Tumor Activity and Hepatoprotective Effect of 6-Shogaol Loaded in a Type of Novel Micelles of Polyethylene Glycol and Linoleic Acid Conjugate. <i>Pharmaceutics</i> , 2019 , 11,	6.4	17
96	Self-microemulsifying Drug Delivery System for Improved Oral Delivery of Limonene: Preparation, Characterization, in vitro and in vivo Evaluation. <i>AAPS PharmSciTech</i> , 2019 , 20, 153	3.9	15
95	EMSCs Build an All-in-One Niche via Cell-Cell Lipid Raft Assembly for Promoted Neuronal but Suppressed Astroglial Differentiation of Neural Stem Cells. <i>Advanced Materials</i> , 2019 , 31, e1806861	24	22
94	Preparation and Characterization of Syringic Acid-Loaded TPGS Liposome with Enhanced Oral Bioavailability and In Vivo Antioxidant Efficiency. <i>AAPS PharmSciTech</i> , 2019 , 20, 98	3.9	24
93	[6]-Shogaol/βCDs inclusion complex: preparation, characterisation, pharmacokinetics, and intestinal perfusion study. <i>Journal of Microencapsulation</i> , 2019 , 36, 500-512	3.4	6
92	Self-Micro-Emulsifying Controlled Release of Eugenol Pellets: Preparation, In vitro/In vivo Investigation in Beagle Dogs. <i>AAPS PharmSciTech</i> , 2019 , 20, 284	3.9	5
91	Simultaneous Determination of 16 Phthalate Esters in Suet Oil by GC-MS Coupled with Refrigerant Centrifugation and Ethylenediamine-N-propylsilane Depuration. <i>Chromatographia</i> , 2019 , 82, 1721-1732	2.1	3
90	One-Step Formation of Chondrocytes through Direct Reprogramming via Polysaccharide-Based Gene Delivery. <i>Advances in Polymer Technology</i> , 2019 , 2019, 1-12	1.9	2
89	Pharmacokinetic of gastrodigenin rhamnopyranoside from Moringa seeds in rodents. <i>Phytotherapy Research</i> , 2019 , 33, 1043-1048	3.2	2
88	Phenacyl Xanthates: A Photoremovable Protecting Group for Alcohols under Visible Light. <i>Asian Journal of Organic Chemistry</i> , 2019 , 8, 2192-2195	3	2
87	Ratiometric co-encapsulation and co-delivery of doxorubicin and paclitaxel by tumor-targeted lipodisks for combination therapy of breast cancer. <i>International Journal of Pharmaceutics</i> , 2019 , 560, 191-204	6.5	22
86	Preparation, characterization, pharmacokinetics and anti-hyperuricemia activity studies of myricitrin-loaded proliposomes. <i>International Journal of Pharmaceutics</i> , 2019 , 572, 118735	6.5	8
85	Preparation, optimization, and pharmacokinetic study of nanoliposomes loaded with triacylglycerol-bound punicic acid for increased antihepatotoxic activity. <i>Drug Development Research</i> , 2019 , 80, 230-245	5.1	6
84	Glutathione-sensitive PEGylated curcumin prodrug nanomicelles: Preparation, characterization, cellular uptake and bioavailability evaluation. <i>International Journal of Pharmaceutics</i> , 2019 , 555, 270-279	6.5	37
83	Anti-hyperuricemic and anti-gouty arthritis activities of polysaccharide purified from <i>Lonicera japonica</i> in model rats. <i>International Journal of Biological Macromolecules</i> , 2019 , 123, 801-809	7.9	21
82	Association of BRAFV600E mutation with ultrasonographic features and clinicopathologic characteristics of papillary thyroid microcarcinoma: A retrospective study of 116 cases. <i>Clinical Hemorheology and Microcirculation</i> , 2019 , 73, 545-552	2.5	7

81	Enhanced oral bioavailability, reduced irritation and increased hypolipidemic activity of self-assembled capsaicin prodrug nanoparticles. <i>Journal of Functional Foods</i> , 2018 , 44, 137-145	5.1	21
80	Isomeric flavonoid aglycones derived from Epimedii Folium exerted different intensities in anti-osteoporosis through OPG/RANKL protein targets. <i>International Immunopharmacology</i> , 2018 , 62, 277-286	5.8	12
79	Human chorionic plate-derived mesenchymal stem cells transplantation restores ovarian function in a chemotherapy-induced mouse model of premature ovarian failure. <i>Stem Cell Research and Therapy</i> , 2018 , 9, 81	8.3	33
78	Photoluminescent Cationic Carbon Dots as efficient Non-Viral Delivery of Plasmid SOX9 and Chondrogenesis of Fibroblasts. <i>Scientific Reports</i> , 2018 , 8, 7057	4.9	50
77	Enhanced oral bioavailability and anti-gout activity of [6]-shogaol-loaded solid lipid nanoparticles. <i>International Journal of Pharmaceutics</i> , 2018 , 550, 24-34	6.5	25
76	A novel formulation of [6]-gingerol: Proliposomes with enhanced oral bioavailability and antitumor effect. <i>International Journal of Pharmaceutics</i> , 2018 , 535, 308-315	6.5	53
75	Biochemical significance of limonene and its metabolites: future prospects for designing and developing highly potent anticancer drugs. <i>Bioscience Reports</i> , 2018 , 38,	4.1	43
74	Physicochemical properties and antidiabetic effects of a polysaccharide obtained from <i>Polygonatum odoratum</i> . <i>International Journal of Food Science and Technology</i> , 2018 , 53, 2810-2822	3.8	8
73	Formulation, Characterization, and Pharmacokinetic Studies of 6-Gingerol-Loaded Nanostructured Lipid Carriers. <i>AAPS PharmSciTech</i> , 2018 , 19, 3661-3669	3.9	28
72	Formulation of Pomegranate Seed Oil: A Promising Approach of Improving Stability and Health-Promoting Properties. <i>European Journal of Lipid Science and Technology</i> , 2018 , 120, 1800177	3	4
71	Galangin-loaded, liver targeting liposomes: Optimization and hepatoprotective efficacy. <i>Journal of Drug Delivery Science and Technology</i> , 2018 , 46, 339-347	4.5	24
70	Chemical characterisation and hypolipidaemic effects of two purified <i>Pleurotus eryngii</i> polysaccharides. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 2298-2307	3.8	16
69	Antioxidant and hepatoprotective effects of purified <i>Rhodiola rosea</i> polysaccharides. <i>International Journal of Biological Macromolecules</i> , 2018 , 117, 167-178	7.9	30
68	Enhanced Solubility and Bioavailability of Naringenin via Liposomal Nanoformulation: Preparation and In Vitro and In Vivo Evaluations. <i>AAPS PharmSciTech</i> , 2017 , 18, 586-594	3.9	74
67	Self-microemulsifying sustained-release pellet of Ginkgo biloba extract: Preparation, in vitro drug release and pharmacokinetics study in beagle dogs. <i>Journal of Drug Delivery Science and Technology</i> , 2017 , 37, 184-193	4.5	16
66	Biological characteristics and karyotyping of a new isolation method for human adipose mesenchymal stem cells in vitro. <i>Tissue and Cell</i> , 2017 , 49, 376-382	2.7	15
65	Tumor-specific delivery of doxorubicin through conjugation of pH-responsive peptide for overcoming drug resistance in cancer. <i>International Journal of Pharmaceutics</i> , 2017 , 528, 322-333	6.5	23
64	Targeted Biomimetic Nanoparticles for Synergistic Combination Chemotherapy of Paclitaxel and Doxorubicin. <i>Molecular Pharmaceutics</i> , 2017 , 14, 107-123	5.6	57

63	Neural differentiation of fibroblasts induced by intracellular co-delivery of Ascl1, Brn2 and FoxA1 via a non-viral vector of cationic polysaccharide. <i>Biomedical Materials (Bristol)</i> , 2017 , 13, 015022	3.5	4
62	Redox-responsive PEGylated self-assembled prodrug-nanoparticles formed by single disulfide bond bridge periplocyarin-vitamin E conjugate for liver cancer chemotherapy. <i>Drug Delivery</i> , 2017 , 24, 1170-1178	7.178	18
61	Porphyra polysaccharide-derived carbon dots for non-viral co-delivery of different gene combinations and neuronal differentiation of ectodermal mesenchymal stem cells. <i>Nanoscale</i> , 2017 , 9, 10820-10831	7.7	29
60	Direct reprogramming of mouse fibroblasts into neural cells via Porphyra yezoensis polysaccharide based high efficient gene co-delivery. <i>Journal of Nanobiotechnology</i> , 2017 , 15, 82	9.4	4
59	An Efficient HPLC Method for Determination of Syringic Acid Liposome in Rats Plasma and Mice Tissues: Pharmacokinetic and Biodistribution Application. <i>Current Pharmaceutical Analysis</i> , 2017 , 14,	0.6	4
58	Postmenopausal Iron Overload Exacerbated Bone Loss by Promoting the Degradation of Type I Collagen. <i>BioMed Research International</i> , 2017 , 2017, 1345193	3	21
57	Simultaneous delivery of anti-miR21 with doxorubicin prodrug by mimetic lipoprotein nanoparticles for synergistic effect against drug resistance in cancer cells. <i>International Journal of Nanomedicine</i> , 2017 , 12, 217-237	7.3	27
56	Preparation and In Vitro-In Vivo Evaluation of Sustained-Release Matrix Pellets of Capsaicin to Enhance the Oral Bioavailability. <i>AAPS PharmSciTech</i> , 2016 , 17, 339-49	3.9	17
55	Hypolipidemic effect of porphyran extracted from <i>Pyropia yezoensis</i> in ICR mice with high fatty diet. <i>Journal of Applied Phycology</i> , 2016 , 28, 1315-1322	3.2	20
54	Preparation, characterization, and pharmacokinetics study of capsaicin via hydroxypropyl-beta-cyclodextrin encapsulation. <i>Pharmaceutical Biology</i> , 2016 , 54, 130-8	3.8	33
53	Tissue distribution and enhanced in vivo anti-hyperlipidemic-antioxidant effects of perillaldehyde-loaded liposomal nanoformulation against Poloxamer 407-induced hyperlipidemia. <i>International Journal of Pharmaceutics</i> , 2016 , 513, 68-77	6.5	34
52	Prolonged Three-Dimensional Co-Delivery of Yamanaka Factors for Cell Reprogramming. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 19916-27	9.5	5
51	Segetoside I, a plant-derived bisdesmosidic saponin, induces apoptosis in human hepatoma cells in vitro and inhibits tumor growth in vivo. <i>Pharmacological Research</i> , 2016 , 110, 101-110	10.2	10
50	Cationic carbon quantum dots derived from alginate for gene delivery: One-step synthesis and cellular uptake. <i>Acta Biomaterialia</i> , 2016 , 42, 209-219	10.8	67
49	Pleurotus eryngii Polysaccharide Promotes Pluripotent Reprogramming via Facilitating Epigenetic Modification. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 1264-73	5.7	9
48	Preparation, characterization and pharmacokinetic studies of linalool-loaded nanostructured lipid carriers. <i>Pharmaceutical Biology</i> , 2016 , 54, 2320-8	3.8	43
47	Hypolipidemic potential of perillaldehyde-loaded self-nanoemulsifying delivery system in high-fat diet induced hyperlipidemic mice: Formulation, in vitro and in vivo evaluation. <i>European Journal of Pharmaceutical Sciences</i> , 2016 , 85, 112-22	5.1	29
46	Enhanced oral bioavailability and in vivo antioxidant activity of chlorogenic acid via liposomal formulation. <i>International Journal of Pharmaceutics</i> , 2016 , 501, 342-9	6.5	71

45	Tumor targeted delivery of octreotide-periplogenin conjugate: Synthesis, in vitro and in vivo evaluation. <i>International Journal of Pharmaceutics</i> , 2016 , 502, 98-106	6.5	25
44	In Vitro Release and Bioavailability of Silybin from Micelle-Templated Porous Calcium Phosphate Microparticles. <i>AAPS PharmSciTech</i> , 2016 , 17, 1232-9	3.9	21
43	Porphyra Species: A Mini-Review of Its Pharmacological and Nutritional Properties. <i>Journal of Medicinal Food</i> , 2016 , 19, 111-9	2.8	52
42	Sustained-release of Cyclosporin A pellets: preparation, in vitro release, pharmacokinetic studies and in vitro-in vivo correlation in beagle dogs. <i>Drug Development and Industrial Pharmacy</i> , 2016 , 42, 1174-1182	3.6	5
41	Octreotide-periplocymarin conjugate prodrug for improving targetability and anti-tumor efficiency: synthesis, in vitro and in vivo evaluation. <i>Oncotarget</i> , 2016 , 7, 86326-86338	3.3	14
40	Nanostructured Lipid Carriers Loaded with Baicalin: An Efficient Carrier for Enhanced Antidiabetic Effects. <i>Pharmacognosy Magazine</i> , 2016 , 12, 198-202	0.8	47
39	Enhanced oral bioavailability of [6]-Gingerol-SMEDDS: Preparation, in vitro and in vivo evaluation. <i>Journal of Functional Foods</i> , 2016 , 27, 703-710	5.1	39
38	Ectoderm mesenchymal stem cells promote differentiation and maturation of oligodendrocyte precursor cells. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 480, 727-733	3.4	10
37	Ergosterol-loaded poly(lactide-co-glycolide) nanoparticles with enhanced in vitro antitumor activity and oral bioavailability. <i>Acta Pharmacologica Sinica</i> , 2016 , 37, 834-44	8	35
36	Reduced Burst Release and Enhanced Oral Bioavailability in Shikimic Acid-Loaded Polylactic Acid Submicron Particles by Coaxial Electrospray. <i>Journal of Pharmaceutical Sciences</i> , 2016 , 105, 2427-36	3.9	12
35	An efficient in vitro and in vivo HPLC method for hydnocarpin in nanomicelles formulation. <i>Biomedical Chromatography</i> , 2016 , 30, 432-9	1.7	3
34	Lipid raft biomaterial as a mass screening affinity tool for rapid identification of potential antitumor Chinese herbal medicine. <i>European Journal of Integrative Medicine</i> , 2015 , 7, 365-371	1.7	4
33	Self-nanoemulsifying drug delivery system of trans-cinnamic acid: formulation development and pharmacodynamic evaluation in alloxan-induced type 2 diabetic rat model. <i>Drug Development Research</i> , 2015 , 76, 82-93	5.1	34
32	Prospects for multitarget lipid-raft-coated silica beads: a remarkable online biomaterial for discovering multitarget antitumor lead compounds. <i>RSC Advances</i> , 2015 , 5, 49330-49342	3.7	1
31	Oral delivery of capsaicin using MPEG-PCL nanoparticles. <i>Acta Pharmacologica Sinica</i> , 2015 , 36, 139-48	8	50
30	Improved oral bioavailability of capsaicin via liposomal nanoformulation: preparation, in vitro drug release and pharmacokinetics in rats. <i>Archives of Pharmacal Research</i> , 2015 , 38, 512-21	6.1	85
29	Efficient gene delivery to human umbilical cord mesenchymal stem cells by cationized Porphyra yezoensis polysaccharide nanoparticles. <i>International Journal of Nanomedicine</i> , 2015 , 10, 7097-107	7.3	15
28	MicroRNA Replacing Oncogenic Klf4 and c-Myc for Generating iPS Cells via Cationized Pleurotus eryngii Polysaccharide-based Nanotransfection. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 18957-66	8.5	17

27	Nasal ectomesenchymal stem cells: multi-lineage differentiation and transformation effects on fibrin gels. <i>Biomaterials</i> , 2015 , 49, 57-67	15.6	30
26	In vitro and in vivo evaluation of capsaicin-loaded microemulsion for enhanced oral bioavailability. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 2678-85	4.3	39
25	Lipid Raft Stationary Phase Chromatography for Screening Anti-tumor Components from <i>Galla chinensis</i> . <i>Chromatographia</i> , 2014 , 77, 419-429	2.1	12
24	Enhanced oral bioavailability of capsaicin in mixed polymeric micelles: Preparation, in vitro and in vivo evaluation. <i>Journal of Functional Foods</i> , 2014 , 8, 358-366	5.1	66
23	Simultaneous HPLC determination of ergosterol and 22,23-dihydroergosterol in <i>Flammulina velutipes</i> sterol-loaded microemulsion. <i>Biomedical Chromatography</i> , 2014 , 28, 247-54	1.7	8
22	Development and thermodynamic evaluation of novel lipid raft stationary phase chromatography for screening potential antitumor agents. <i>Biomedical Chromatography</i> , 2014 , 28, 1615-23	1.7	6
21	Preparation of Pluronic/Bile salt/Phospholipid Mixed Micelles as Drug Solubility Enhancer and Study the Effect of the PPO Block Size on the Solubility of Pyrene. <i>Iranian Journal of Pharmaceutical Research</i> , 2014 , 13, 1157-63	1.1	5
20	Seventy-two-hour release formulation of the poorly soluble drug silybin based on porous silica nanoparticles: in vitro release kinetics and in vitro/in vivo correlations in beagle dogs. <i>European Journal of Pharmaceutical Sciences</i> , 2013 , 48, 64-71	5.1	45
19	<i>Angelica sinensis</i> polysaccharide nanoparticles as novel non-viral carriers for gene delivery to mesenchymal stem cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2013 , 9, 1181-91	6	39
18	Cytotoxic effect of novel <i>Flammulina velutipes</i> sterols and its oral bioavailability via mixed micellar nanoformulation. <i>International Journal of Pharmaceutics</i> , 2013 , 448, 44-50	6.5	27
17	Enhanced oral bioavailability and tissue distribution of a new potential anticancer agent, <i>Flammulina velutipes</i> sterols, through liposomal encapsulation. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 5961-71	5.7	41
16	Non-Viral Co-Delivery of the Four Yamanaka Factors for Generation of Human Induced Pluripotent Stem Cells via Calcium Phosphate Nanocomposite Particles. <i>Advanced Functional Materials</i> , 2013 , 23, 5403-5411	15.6	28
15	In vitro release and in vitro-in vivo correlation for silybin meglumine incorporated into hollow-type mesoporous silica nanoparticles. <i>International Journal of Nanomedicine</i> , 2012 , 7, 753-62	7.3	25
14	Delivery of a transforming growth factor $\beta 1$ plasmid to mesenchymal stem cells via cationized <i>Pleurotus eryngii</i> polysaccharide nanoparticles. <i>International Journal of Nanomedicine</i> , 2012 , 7, 1297-311	7.3	11
13	Enhanced oral bioavailability of a sterol-loaded microemulsion formulation of <i>Flammulina velutipes</i> , a potential antitumor drug. <i>International Journal of Nanomedicine</i> , 2012 , 7, 5067-78	7.3	36
12	Efficient gene delivery to mesenchymal stem cells by an ethylenediamine-modified polysaccharide from mulberry leaves. <i>Small</i> , 2012 , 8, 441-51	11	28
11	Oral bioavailability of silymarin formulated as a novel 3-day delivery system based on porous silica nanoparticles. <i>Acta Biomaterialia</i> , 2012 , 8, 2104-12	10.8	29
10	Incorporating pTGF- $\beta 1$ /calcium phosphate nanoparticles with fibronectin into 3-dimensional collagen/chitosan scaffolds: efficient, sustained gene delivery to stem cells for chondrogenic differentiation. <i>European Cells and Materials</i> , 2012 , 23, 81-93	4.3	24

9	Proliposomes for oral delivery of dehydrosilymarin: preparation and evaluation in vitro and in vivo. <i>Acta Pharmacologica Sinica</i> , 2011 , 32, 973-80	8	76
8	Preparation and effects of 2,3-dehydrosilymarin, a promising and potent antioxidant and free radical scavenger. <i>Journal of Pharmacy and Pharmacology</i> , 2011 , 63, 238-44	4.8	11
7	Encapsulation of plasmid DNA in calcium phosphate nanoparticles: stem cell uptake and gene transfer efficiency. <i>International Journal of Nanomedicine</i> , 2011 , 6, 3335-49	7.3	37
6	Formulation and pharmacokinetic evaluation of tetracycline-loaded solid lipid nanoparticles for subcutaneous injection in mice. <i>Chemical and Pharmaceutical Bulletin</i> , 2011 , 59, 260-5	1.9	19
5	Efficient gene transfer into rat mesenchymal stem cells with cationized Lycium barbarum polysaccharides nanoparticles. <i>Carbohydrate Polymers</i> , 2011 , 86, 1509-1518	10.3	14
4	Enhancement of oral bioavailability of the poorly water-soluble drug silybin by sodium cholate/phospholipid-mixed micelles. <i>Acta Pharmacologica Sinica</i> , 2010 , 31, 759-64	8	88
3	Preparation and in vitro evaluation of povidone-sodium cholate-phospholipid mixed micelles for the solubilization of poorly soluble drugs. <i>Archives of Pharmacal Research</i> , 2010 , 33, 911-7	6.1	29
2	Delivery of plasmid IGF-1 to chondrocytes via cationized gelatin nanoparticles. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 84, 73-83	5.4	36
1	Plasmid size influences chitosan nanoparticle mediated gene transfer to chondrocytes. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 84, 1038-48	5.4	26