

# Lin Jiang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5800478/lin-jiang-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

3,625

citations

28

h-index

60

g-index

79

ext. papers

4,844

ext. citations

6.7

avg, IF

5.41

L-index

#	Paper	IF	Citations
68	The return of the variance: intraspecific variability in community ecology. <i>Trends in Ecology and Evolution</i> , <b>2012</b> , 27, 244-52	10.9	926
67	Global patterns in the biogeography of bacterial taxa. <i>Environmental Microbiology</i> , <b>2011</b> , 13, 135-144	5.2	279
66	Changes in assembly processes in soil bacterial communities following a wildfire disturbance. <i>ISME Journal</i> , <b>2013</b> , 7, 1102-11	11.9	239
65	Climate warming reduces the temporal stability of plant community biomass production. <i>Nature Communications</i> , <b>2017</b> , 8, 15378	17.4	164
64	Diversity-dependent stability under mowing and nutrient addition: evidence from a 7-year grassland experiment. <i>Ecology Letters</i> , <b>2012</b> , 15, 619-26	10	148
63	Different effects of species diversity on temporal stability in single-trophic and multitrophic communities. <i>American Naturalist</i> , <b>2009</b> , 174, 651-9	3.7	117
62	Decreases in average bacterial community rRNA operon copy number during succession. <i>ISME Journal</i> , <b>2016</b> , 10, 1147-56	11.9	94
61	Community assembly in the presence of disturbance: a microcosm experiment. <i>Ecology</i> , <b>2008</b> , 89, 1931-40	6	88
60	Environmental changes drive the temporal stability of semi-arid natural grasslands through altering species asynchrony. <i>Journal of Ecology</i> , <b>2015</b> , 103, 1308-1316	6	87
59	On the importance of the negative selection effect for the relationship between biodiversity and ecosystem functioning. <i>Oikos</i> , <b>2008</b> , 117, 488-493	4	81
58	Convergence and divergence in a long-term old-field succession: the importance of spatial scale and species abundance. <i>Ecology Letters</i> , <b>2016</b> , 19, 1101-9	10	77
57	An experimental test of Darwin's naturalization hypothesis. <i>American Naturalist</i> , <b>2010</b> , 175, 415-23	3.7	76
56	Negative selection effects suppress relationships between bacterial diversity and ecosystem functioning. <i>Ecology</i> , <b>2007</b> , 88, 1075-85	4.6	73
55	Species colonisation, not competitive exclusion, drives community overdispersion over long-term succession. <i>Ecology Letters</i> , <b>2015</b> , 18, 964-73	10	72
54	Species diversity and productivity: why do results of diversity-manipulation experiments differ from natural patterns?. <i>Journal of Ecology</i> , <b>2009</b> , 97, 603-608	6	72
53	Daytime warming lowers community temporal stability by reducing the abundance of dominant, stable species. <i>Global Change Biology</i> , <b>2017</b> , 23, 154-163	11.4	61
52	Alpine grassland plants grow earlier and faster but biomass remains unchanged over 35 years of climate change. <i>Ecology Letters</i> , <b>2020</b> , 23, 701-710	10	55

51	Plants alter their vertical root distribution rather than biomass allocation in response to changing precipitation. <i>Ecology</i> , <b>2019</b> , 100, e02828	4.6	42
50	Multiple abiotic and biotic pathways shape biomass demographic processes in temperate forests. <i>Ecology</i> , <b>2019</b> , 100, e02650	4.6	37
49	Ecosystem scale trade-off in nitrogen acquisition pathways. <i>Nature Ecology and Evolution</i> , <b>2018</b> , 2, 1724-1734	3.4	34
48	Experimental warming drives a seasonal shift of ecosystem carbon exchange in Tibetan alpine meadow. <i>Agricultural and Forest Meteorology</i> , <b>2017</b> , 233, 242-249	5.8	33
47	Plant functional diversity modulates global environmental change effects on grassland productivity. <i>Journal of Ecology</i> , <b>2018</b> , 106, 1941-1951	6	33
46	Nitrogen addition does not reduce the role of spatial asynchrony in stabilising grassland communities. <i>Ecology Letters</i> , <b>2019</b> , 22, 563-571	10	33
45	Critical transition of soil bacterial diversity and composition triggered by nitrogen enrichment. <i>Ecology</i> , <b>2020</b> , 101, e03053	4.6	29
44	Relationships between functional diversity and aboveground biomass production in the Northern Tibetan alpine grasslands. <i>Scientific Reports</i> , <b>2016</b> , 6, 34105	4.9	29
43	Different effects of invader-native phylogenetic relatedness on invasion success and impact: a meta-analysis of Darwin's naturalization hypothesis. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 283,	4.4	29
42	Island biogeography of soil bacteria and fungi: similar patterns, but different mechanisms. <i>ISME Journal</i> , <b>2020</b> , 14, 1886-1896	11.9	28
41	Predation alters relationships between biodiversity and temporal stability. <i>American Naturalist</i> , <b>2009</b> , 173, 389-99	3.7	28
40	Nighttime warming enhances drought resistance of plant communities in a temperate steppe. <i>Scientific Reports</i> , <b>2016</b> , 6, 23267	4.9	28
39	Niche and fitness differences determine invasion success and impact in laboratory bacterial communities. <i>ISME Journal</i> , <b>2019</b> , 13, 402-412	11.9	27
38	Nitrogen fertilization, not water addition, alters plant phylogenetic community structure in a semi-arid steppe. <i>Journal of Ecology</i> , <b>2018</b> , 106, 991-1000	6	21
37	Alternative community compositional and dynamical states: the dual consequences of assembly history. <i>Journal of Animal Ecology</i> , <b>2011</b> , 80, 577-85	4.7	21
36	Below-ground competition drives the self-thinning process of <i>Stipa purpurea</i> populations in northern Tibet. <i>Journal of Vegetation Science</i> , <b>2015</b> , 26, 166-174	3.1	19
35	Mechanisms of soil bacterial and fungal community assembly differ among and within islands. <i>Environmental Microbiology</i> , <b>2020</b> , 22, 1559-1571	5.2	17
34	Phylogenetic community ecology: integrating community ecology and evolutionary biology. <i>Journal of Plant Ecology</i> , <b>2014</b> , 7, 97-100	1.7	16

33	Temporal niche promotes biodiversity during adaptive radiation. <i>Nature Communications</i> , <b>2013</b> , 4, 2102	17.4	15
32	Species diversity, invasion, and alternative community states in sequentially assembled communities. <i>American Naturalist</i> , <b>2011</b> , 178, 411-8	3.7	13
31	Fate of engineered cerium oxide nanoparticles in an aquatic environment and their toxicity toward 14 ciliated protist species. <i>Environmental Pollution</i> , <b>2016</b> , 212, 584-591	9.3	11
30	Species responses to changing precipitation depend on trait plasticity rather than trait means and intraspecific variation. <i>Functional Ecology</i> , <b>2020</b> , 34, 2622-2633	5.6	9
29	Predator identity influences metacommunity assembly. <i>Journal of Animal Ecology</i> , <b>2016</b> , 85, 1161-70	4.7	9
28	Temporal stability of aboveground biomass is governed by species asynchrony in temperate forests. <i>Ecological Indicators</i> , <b>2019</b> , 107, 105661-105661	5.8	8
27	Synergistic effects of nitrogen and CO enrichment on alpine grassland biomass and community structure. <i>New Phytologist</i> , <b>2020</b> , 228, 1283-1294	9.8	8
26	Emergent multiple predator effects in an experimental microbial community. <i>Ecological Research</i> , <b>2006</b> , 21, 723-731	1.9	8
25	Consistently positive effect of species diversity on ecosystem, but not population, temporal stability. <i>Ecology Letters</i> , <b>2021</b> , 24, 2256-2266	10	8
24	Long-term nitrogen input alters plant and soil bacterial, but not fungal beta diversity in a semiarid grassland. <i>Global Change Biology</i> , <b>2021</b> , 27, 3939-3950	11.4	8
23	CeO nanoparticles alter the outcome of species interactions. <i>Nanotoxicology</i> , <b>2017</b> , 11, 625-636	5.3	7
22	Community assembly mechanisms and succession processes significantly differ among treatments during the restoration of <i>Stipa grandis</i> - <i>Leymus chinensis</i> communities. <i>Scientific Reports</i> , <b>2019</b> , 9, 16289	4.9	7
21	Effects of Grazing, Wind Erosion, and Dust Deposition on Plant Community Composition and Structure in a Temperate Steppe. <i>Ecosystems</i> , <b>2021</b> , 24, 403-420	3.9	7
20	Phylogenetic context determines the role of competition in adaptive radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 283,	4.4	6
19	Linking ethylene to nitrogen-dependent leaf longevity of grass species in a temperate steppe. <i>Annals of Botany</i> , <b>2013</b> , 112, 1879-85	4.1	6
18	Mechanistic links between biodiversity effects on ecosystem functioning and stability in a multi-site grassland experiment. <i>Journal of Ecology</i> , <b>2021</b> , 109, 3370-3378	6	6
17	Warming alters plant phylogenetic and functional community structure. <i>Journal of Ecology</i> , <b>2020</b> , 108, 2406-2415	6	5
16	Resource addition drives taxonomic divergence and phylogenetic convergence of plant communities. <i>Journal of Ecology</i> , <b>2019</b> , 107, 2121-2132	6	4

15	Spatial storage effect promotes biodiversity during adaptive radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2017</b> , 284,	4.4	4
14	Resource enrichment combined with biomass removal maintains plant diversity and community stability in a long-term grazed grassland. <i>Journal of Plant Ecology</i> , <b>2020</b> , 13, 611-620	1.7	4
13	Ethylene-regulated leaf lifespan explains divergent responses of plant productivity to warming among three hydrologically different growing seasons. <i>Global Change Biology</i> , <b>2021</b> , 27, 4169-4180	11.4	4
12	Experimental demonstration of the importance of keystone communities for maintaining metacommunity biodiversity and ecosystem functioning. <i>Oecologia</i> , <b>2020</b> , 193, 437-447	2.9	3
11	Competition alters plant-soil feedbacks of two species in the Inner Mongolia Steppe, China. <i>Plant and Soil</i> , <b>2018</b> , 429, 425-436	4.2	3
10	Species turnover drives grassland community to phylogenetic clustering over long-term grazing disturbance. <i>Journal of Plant Ecology</i> , <b>2020</b> , 13, 157-164	1.7	3
9	Beyond resource limitation: an expanded test of the niche dimension hypothesis for multiple types of niche axes. <i>Oecologia</i> , <b>2020</b> , 193, 689-699	2.9	3
8	High-level rather than low-level warming destabilizes plant community biomass production. <i>Journal of Ecology</i> , <b>2021</b> , 109, 1607-1617	6	3
7	Functional traits explain the consistent resistance of biodiversity to plant invasion under nitrogen enrichment. <i>Ecology Letters</i> , <b>2021</b> ,	10	3
6	Climate warming promotes deterministic assembly of arbuscular mycorrhizal fungal communities. <i>Global Change Biology</i> , <b>2021</b> ,	11.4	2
5	Biogeographical distributions of nitrogen-cycling functional genes in a subtropical estuary. <i>Functional Ecology</i> ,	5.6	2
4	Ecological and molecular perspectives on responders and non-responders to probiotics and prebiotics. <i>Current Opinion in Biotechnology</i> , <b>2021</b> , 73, 108-120	11.4	2
3	Earlier parasite arrival reduces the repeatability of host adaptive radiation. <i>ISME Journal</i> , <b>2020</b> , 14, 2358-2360	11.9	1
2	Intraspecific trait variation drives grassland species richness and productivity under changing precipitation. <i>Ecosphere</i> , <b>2021</b> , 12, e03707	3.1	0
1	Soil fertility underlies the positive relationship between island area and litter decomposition in a fragmented subtropical forest landscape. <i>Catena</i> , <b>2021</b> , 204, 105414	5.8	0