

Vlasoula Bekiari

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5801358/vlasoula-bekiari-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

2,084
citations

25
h-index

43
g-index

82
ext. papers

2,217
ext. citations

5.2
avg, IF

4.65
L-index

#	Paper	IF	Citations
79	Indium(III) in the "Periodic Table" of Di(2-pyridyl) Ketone: An Unprecedented Transformation of the Ligand and Solid-State In NMR Spectroscopy as a Valuable Structural Tool. <i>Inorganic Chemistry</i> , 2021 , 60, 4829-4840	5.1	2
78	Application of a catalytic oxidation method for the simultaneous determination of total organic carbon and total nitrogen in marine sediments and soils. <i>PLoS ONE</i> , 2021 , 16, e0252308	3.7	2
77	Dinuclear Lanthanide(III) Complexes from the Use of Methyl 2-Pyridyl Ketoxime: Synthetic, Structural, and Physical Studies. <i>Molecules</i> , 2021 , 26,	4.8	1
76	Zinc(II) vs cadmium(II) in organic chelate-free chemistry: Synthesis and characterization of 1-D [Zn ₂ (N ₃) ₄ (MeCN) ₃] _n and 2-D [Cd ₃ (N ₃) ₆ (MeCN) ₂] _n coordination polymers. <i>Polyhedron</i> , 2021 , 208, 115423 ⁷	2.7	0
75	Facile Method to Prepare pH-Sensitive PEI-Functionalized Carbon Nanotubes as Rationally Designed Vehicles for Non-Steroidal Anti-Inflammatory Drugs (NSAIDs) Delivery. <i>Journal of Carbon Research</i> , 2020 , 6, 62	3.3	1
74	Rare Nuclearities in Ni(II) Cluster Chemistry: An Unprecedented {Ni ₁₂ } Nanosized Cage from the Use of N-Naphthalidene-2-Amino-5-Chlorobenzoic Acid. <i>Inorganics</i> , 2020 , 8, 32	2.9	
73	Polymeric Coatings Based on Water-Soluble Trimethylammonium Copolymers for Antifouling Applications. <i>Molecules</i> , 2020 , 25,	4.8	5
72	Reactivity of Coordinated 2-Pyridyl Oximes: Synthesis, Structure, Spectroscopic Characterization and Theoretical Studies of Dichlorodi{(2-Pyridyl)Furoxan}Zinc(II) Obtained from the Reaction between Zinc(II) Nitrate and Pyridine-2-Chloroxime. <i>Inorganics</i> , 2020 , 8, 47	2.9	2
71	Tetranuclear oxido-bridged thorium(IV) clusters obtained using tridentate Schiff bases. <i>Dalton Transactions</i> , 2019 , 48, 15668-15678	4.3	5
70	An Experimental Brackish Aquaponic System Using Juvenile Gilthead Sea Bream (<i>Sparus aurata</i>) and Rock Samphire (<i>Crithmum maritimum</i>). <i>Sustainability</i> , 2019 , 11, 4820	3.6	5
69	Multifunctionality in Two Families of Dinuclear Lanthanide(III) Complexes with a Tridentate Schiff-Base Ligand. <i>Inorganic Chemistry</i> , 2019 , 58, 9581-9585	5.1	8
68	Dioxidouranium(IV) complexes with Schiff bases possessing an ONO donor set: Synthetic, structural and spectroscopic studies. <i>Polyhedron</i> , 2018 , 152, 172-178	2.7	4
67	Polymeric Antimicrobial Coatings Based on Quaternary Ammonium Compounds. <i>Coatings</i> , 2018 , 8, 8	2.9	24
66	Mononuclear Lanthanide(III)-Salicylideneaniline Complexes: Synthetic, Structural, Spectroscopic, and Magnetic Studies. <i>Magnetochemistry</i> , 2018 , 4, 45	3.1	6
65	Slow magnetic relaxation and luminescence properties in lanthanide(III)/anil complexes. <i>Dalton Transactions</i> , 2018 , 47, 11859-11872	4.3	10
64	Environmental characterization of a Mediterranean protected shallow brackish coastal aquatic system, Klisova Lagoon, Western Greece: a case study. <i>Journal of Coastal Conservation</i> , 2017 , 21, 115-125 ^{1.9}	1.9	2
63	2-hydroxybenzophenone-controlled self-assembly of enneanuclear lanthanide(III) hydroxo coordination clusters with an Bourglasslike topology. <i>Inorganic Chemistry Communication</i> , 2017 , 83, 118-122	3.1	6

62	Use of halloysite nanotubes to reduce ammonium concentration in water and wastewaters. <i>Materials Research Innovations</i> , 2017 , 21, 313-319	1.9	6
61	Dystrophic crisis event in Papas Lagoon, Araxos Cape, Western Greece in the summer 2012. <i>Mediterranean Marine Science</i> , 2016 , 17, 32	2.7	4
60	Structural diversity in Ni(II) cluster chemistry: Ni ₅ , Ni ₆ , and {NiNa ₂ } _n complexes bearing the Schiff-base ligand N-naphthalidene-2-amino-5-chlorobenzoic acid. <i>Dalton Transactions</i> , 2016 , 45, 10256-10263	4.3	13
59	Release of Polymeric Biocides from Synthetic Matrices for Marine Biofouling Applications. <i>Agriculture and Agricultural Science Procedia</i> , 2015 , 4, 445-450		8
58	Total Organic Carbon and Total Nitrogen in Sediments and Soils: A Comparison of the Wet Oxidation Titration Method with the Combustion-infrared Method. <i>Agriculture and Agricultural Science Procedia</i> , 2015 , 4, 425-430		33
57	Dinuclear lanthanide(III)/zinc(II) complexes with methyl 2-pyridyl ketone oxime. <i>Dalton Transactions</i> , 2015 , 44, 19791-5	4.3	16
56	New structural topologies in 4f-metal cluster chemistry from vertex-sharing butterfly units: {LnIII ₇ } complexes exhibiting slow magnetization relaxation and ligand-centred emissions. <i>RSC Advances</i> , 2015 , 5, 92534-92538	3.7	20
55	Emissive molecular nanomagnets: introducing optical properties in triangular oximate {Mn(III) ₃ } SMMs from the deliberate replacement of simple carboxylate ligands with their fluorescent analogues. <i>Dalton Transactions</i> , 2014 , 43, 1965-9	4.3	26
54	Data quality in water analysis: validation of combustion-infrared and combustion-chemiluminescence methods for the simultaneous determination of Total Organic Carbon (TOC) and Total Nitrogen (TN). <i>International Journal of Environmental Analytical Chemistry</i> , 2014 , 94, 65-76	1.8	19
53	Fluorescent naphthalene diols as bridging ligands in Ln(III) cluster chemistry: synthetic, structural, magnetic, and photophysical characterization of Ln(III) ₈ "Christmas stars". <i>Inorganic Chemistry</i> , 2014 , 53, 5420-2	5.1	38
52	Tetranuclear lanthanide(III) complexes with a zigzag topology from the use of pyridine-2,6-dimethanol: synthetic, structural, spectroscopic, magnetic and photoluminescence studies. <i>Inorganic Chemistry</i> , 2014 , 53, 3220-9	5.1	40
51	Gallium(III) complexes based on N,N'-bis(salicylidene)propane-1,3-diamine and its derivatives. <i>Polyhedron</i> , 2013 , 64, 77-83	2.7	4
50	Hexanuclear zinc(II) carboxylate complexes from the use of pyridine-2,6-dimethanol: Synthetic, structural and photoluminescence studies. <i>Polyhedron</i> , 2013 , 52, 467-475	2.7	15
49	Dinuclear lanthanide(III) complexes by metal-ion-assisted hydration of di-2-pyridyl ketone azine. <i>Inorganic Chemistry</i> , 2013 , 52, 4145-7	5.1	20
48	Investigation of the zinc(II)-benzoate-2-pyridinealdoxime reaction system. <i>Dalton Transactions</i> , 2012 , 41, 3797-806	4.3	24
47	Initial employment of pyridine-2-amidoxime in zinc(II) chemistry: Synthetic, structural and spectroscopic studies of mononuclear and dinuclear complexes. <i>Inorganica Chimica Acta</i> , 2011 , 376, 470-478	2.7	16
46	Simultaneous coordination of a ketone by two cadmium(II) ions and conversion to its gem-diolate(II) form. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 1057-1060	3.1	9
45	A new family of nonanuclear lanthanide clusters displaying magnetic and optical properties. <i>Inorganic Chemistry</i> , 2011 , 50, 11276-8	5.1	79

44	A tetrahedron in a cube: a dodecanuclear Zn(II) benzoate cluster from the use of 2-pyridinealdoxime. <i>Dalton Transactions</i> , 2010 , 39, 4492-4	4.3	18
43	Adsorption of dyes on Sahara desert sand. <i>Journal of Hazardous Materials</i> , 2009 , 170, 27-34	12.8	53
42	Photoluminescence and electroluminescence by gallium(III) complexes of N-salicylidene-o-aminophenol and its derivatives. <i>Journal of Luminescence</i> , 2009 , 129, 578-583	3.8	22
41	Initial use of 1-hydroxybenzotriazole in the chemistry of group 12 metals: An 1D zinc(II) coordination polymer and a mononuclear cadmium(II) complex containing the deprotonated ligand in a novel monodentate ligation mode. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 92-96	3.1	20
40	Structure and photophysical behavior of 2,2'-bipyrimidine/lanthanide ion complexes in various environments. <i>Journal of Luminescence</i> , 2008 , 128, 481-488	3.8	27
39	Use of poly(N,N-dimethylacrylamide-co-sodium acrylate) hydrogel to extract cationic dyes and metals from water. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 312, 214-218	5.1	73
38	Hydrogen production by photocatalytic alcohol reforming employing highly efficient nanocrystalline titania films. <i>Applied Catalysis B: Environmental</i> , 2007 , 77, 184-189	21.8	164
37	Use of Ureasil gels to extract ions from aqueous solutions. <i>Journal of Hazardous Materials</i> , 2007 , 147, 184-7	12.8	8
36	Study of the conditions affecting dye adsorption on titania films and of their effect on dye photodegradation rates. <i>Journal of Hazardous Materials</i> , 2007 , 146, 514-9	12.8	13
35	Effect of aggregation of dyes adsorbed on nanocrystalline titania films on the efficiency of photodegradation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007 , 191, 13-18	4.7	18
34	Lecithin organogels used as bioactive compounds carriers. A microdomain properties investigation. <i>Langmuir</i> , 2007 , 23, 4438-47	4	42
33	Photophysical behavior of terpyridine-lanthanide ion complexes incorporated in a poly(N,N-dimethylacrylamide) hydrogel. <i>Langmuir</i> , 2006 , 22, 8602-6	4	28
32	Ureasil Gels as a Highly Efficient Adsorbent for Water Purification. <i>Chemistry of Materials</i> , 2006 , 18, 4142-4146	9.6	78
31	Intrinsic photoluminescence from gels containing amine or amide chemical groups. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 372-6	1.3	3
30	Dinuclear lanthanide(III) complexes from the use of di-2-pyridyl ketone: Preparation, structural characterization and spectroscopic studies. <i>Polyhedron</i> , 2006 , 25, 2869-2879	2.7	24
29	Dinuclear versus tetranuclear cluster formation in zinc(II) nitrate/di-2-pyridyl ketone chemistry: synthetic, structural and spectroscopic studies. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2005 , 61, 1627-38	4.4	39
28	The unusual luminescence properties of 2,2',2''-terpyridine-metal ion complexes. <i>Chemical Physics Letters</i> , 2004 , 383, 59-61	2.5	7
27	Study of poly(N,N-dimethylacrylamide)/CdS nanocomposite organic/inorganic gels. <i>Langmuir</i> , 2004 , 20, 7972-5	4	28

26	Photoluminescence from Sol-Gel Organic/Inorganic Hybrid Gels Obtained through Carboxylic Acid Solvolysis. <i>Chemistry of Materials</i> , 2003 , 15, 1855-1859	9.6	88
25	Photophysical Studies on Terpyridine-Eu ³⁺ Complexes in Sol-Gel Nanocomposite Materials. <i>Journal of Sol-Gel Science and Technology</i> , 2003 , 26, 887-890	2.3	10
24	Multicolor emission from terpyridine-lanthanide ion complexes encapsulated in nanocomposite silica/poly(ethylene glycol) sol-gel matrices. <i>Journal of Luminescence</i> , 2003 , 101, 135-140	3.8	22
23	A sensitive fluorescent sensor of lanthanide ions. <i>Journal of Luminescence</i> , 2003 , 104, 13-15	3.8	28
22	Preparation of thin Ureasil films with strong photoluminescence based on incorporated europium-phenyltrifluoroacetone-bipyridine complexes. <i>Thin Solid Films</i> , 2002 , 416, 279-283	2.2	35
21	Gold Colloids from Cationic Surfactant Solutions. 1. Mechanisms That Control Particle Morphology. <i>Langmuir</i> , 2002 , 18, 3659-3668	4	89
20	Studies on Hybrid Organic/Inorganic Nanocomposite Gels Using Photoluminescence Techniques. <i>Monatshefte für Chemie</i> , 2001 , 132, 97-102	1.4	
19	Photophysical properties of a series of blue-emitting rigid-flexible polyethers in solution and in thin films. <i>Journal of Luminescence</i> , 2001 , 93, 223-227	3.8	10
18	Studies on Hybrid Organic/Inorganic Nanocomposite Gels Using Photoluminescence Techniques 2001 , 97-102		
17	Enhancement of weak radiative transitions of Eu ³⁺ in thin surfactant films in the presence of poly(methyl methacrylate) 2001 , 27-29		2
16	New High-Yield Luminescent Materials Obtained by Combining Terpyridine, Metal Cations (Including Lanthanides), and Poly(Ethylene Glycol). <i>Advanced Materials</i> , 2000 , 12, 1603-1605	24	23
15	Optimization of the Intensity of Luminescence Emission from Silica/Poly(ethylene oxide) and Silica/Poly(propylene oxide) Nanocomposite Gels. <i>Chemistry of Materials</i> , 2000 , 12, 3095-3099	9.6	67
14	High-Yield Luminescence from Cadmium Sulfide Nanoclusters Supported in a Poly(ethylene glycol) Oligomer. <i>Langmuir</i> , 2000 , 16, 3561-3563	4	17
13	Study of poly(methyl methacrylate) thin films doped with laser dyes. <i>Journal of Luminescence</i> , 1999 , 81, 285-291	3.8	43
12	Efficient luminescent materials made by incorporation of terbium(III) and 2,2-bipyridine in silica/poly(ethylene oxide) hybrid gels. <i>Chemical Physics Letters</i> , 1999 , 307, 310-316	2.5	60
11	Intensely Luminescent Materials Obtained by Combining Lanthanide Ions, 2,2-Bipyridine, and Poly(ethylene glycol) in Various Fluid or Solid Environments. <i>Chemistry of Materials</i> , 1999 , 11, 3189-3195	9.6	130
10	Time-Resolved Fluorescence Quenching Studies in Nanocomposite Materials Made of Silica and Cetyltrimethylammonium Bromide. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 9085-9089	3.4	16
9	Fluorescence Probing of Composite Organic/Inorganic Transparent Matrices. <i>Journal of Sol-Gel Science and Technology</i> , 1998 , 13, 95-98	2.3	6

8	Tunable Photoluminescence from a Material Made by the Interaction between (3-Aminopropyl)triethoxysilane and Organic Acids. <i>Chemistry of Materials</i> , 1998 , 10, 3777-3779	9.6	49
7	Characterization of Photoluminescence from a Material Made by Interaction of (3-Aminopropyl)triethoxysilane with Acetic Acid. <i>Langmuir</i> , 1998 , 14, 3459-3461	4	53
6	Strongly Luminescent Poly(ethylene glycol)-2,2'-bipyridine Lanthanide Ion Complexes. <i>Advanced Materials</i> , 1998 , 10, 1455-1458	24	146
5	Improvement of the emission properties of sol-gel silica matrices containing Eu ³⁺ in the presence of poly(ethylene glycol)-200. <i>Journal of Non-Crystalline Solids</i> , 1998 , 226, 200-203	3.9	25
4	Leaching of Organic Molecules from Composite Silica/Surfactant Films into Water. <i>Chemistry of Materials</i> , 1997 , 9, 2652-2658	9.6	7
3	A Pyrene-Loaded Film Composed of Triton X-100 and Poly(vinylmethylether). <i>Journal of Colloid and Interface Science</i> , 1996 , 182, 304-305	9.3	2
2	Photophysical Studies in AOT Films Deposited on Fused Silica Slides. <i>Journal of Colloid and Interface Science</i> , 1996 , 183, 552-8	9.3	9
1	Molecular Diffusion and Fluorescence Energy-Transfer Studies in Thin Surfactant Films. <i>Langmuir</i> , 1995 , 11, 4355-4360	4	9