

Alessandro Moretta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5801565/alessandro-moretta-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

17,913
citations

67
h-index

133
g-index

139
ext. papers

20,253
ext. citations

7.8
avg, IF

6.19
L-index

#	Paper	IF	Citations
133	HCMV-controlling NKG2C NK cells originate from novel circulating inflammatory precursors. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 2343-2357	11.5	9
132	Phenotypic and Functional Characterization of NK Cells in T-Cell and B-Cell Depleted Haplo-HSCT to Cure Pediatric Patients with Acute Leukemia. <i>Cancers</i> , 2020 , 12,	6.6	3
131	Accumulation of Circulating CCR7 Natural Killer Cells Marks Melanoma Evolution and Reveals a CCL19-Dependent Metastatic Pathway. <i>Cancer Immunology Research</i> , 2019 , 7, 841-852	12.5	20
130	PD-1 is expressed by and regulates human group 3 innate lymphoid cells in human decidua. <i>Mucosal Immunology</i> , 2019 , 12, 624-631	9.2	31
129	PD-1 in human NK cells: evidence of cytoplasmic mRNA and protein expression. <i>Oncot Immunology</i> , 2019 , 8, 1557030	7.2	49
128	Analysis of Polymorphism Provides Relevant Information on Centromeric Gene Content. <i>Journal of Immunology</i> , 2018 , 201, 1460-1467	5.3	5
127	Human T-Cells: From Surface Receptors to the Therapy of High-Risk Leukemias. <i>Frontiers in Immunology</i> , 2018 , 9, 984	8.4	30
126	Late Development of FcR γ Adaptive Natural Killer Cells Upon Human Cytomegalovirus Reactivation in Umbilical Cord Blood Transplantation Recipients. <i>Frontiers in Immunology</i> , 2018 , 9, 1050	8.4	23
125	Nidogen-1 is a novel extracellular ligand for the NKp44 activating receptor. <i>Oncot Immunology</i> , 2018 , 7, e1470730	7.2	40
124	New miRNA Signature Heralds Human NK Cell Subsets at Different Maturation Steps: Involvement of miR-146a-5p in the Regulation of KIR Expression. <i>Frontiers in Immunology</i> , 2018 , 9, 2360	8.4	25
123	NK Cells Mediate a Crucial Graft-versus-Leukemia Effect in Haploidentical-HSCT to Cure High-Risk Acute Leukemia. <i>Trends in Immunology</i> , 2018 , 39, 577-590	14.4	78
122	Identification of a subset of human natural killer cells expressing high levels of programmed death 1: A phenotypic and functional characterization. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 335-346.e3	11.5	269
121	Outcome of children with acute leukemia given HLA-haploidentical HSCT after T-cell and B-cell depletion. <i>Blood</i> , 2017 , 130, 677-685	2.2	195
120	Inhibitory 2B4 contributes to NK cell education and immunological derangements in XLP1 patients. <i>European Journal of Immunology</i> , 2017 , 47, 1051-1061	6.1	14
119	Markers and function of human NK cells in normal and pathological conditions. <i>Cytometry Part B - Clinical Cytometry</i> , 2017 , 92, 100-114	3.4	83
118	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , 2017 , 47, 1584-1797	6.1	359
117	Imatinib and Nilotinib Off-Target Effects on Human NK Cells, Monocytes, and M2 Macrophages. <i>Journal of Immunology</i> , 2017 , 199, 1516-1525	5.3	27

116	The Innate Immune Cross Talk between NK Cells and Eosinophils Is Regulated by the Interaction of Natural Cytotoxicity Receptors with Eosinophil Surface Ligands. <i>Frontiers in Immunology</i> , 2017 , 8, 510	8.4	21
115	KIR3DS1-Mediated Recognition of HLA- <i>*B51</i> : Modulation of KIR3DS1 Responsiveness by Self HLA-B Allotypes and Effect on NK Cell Licensing. <i>Frontiers in Immunology</i> , 2017 , 8, 581	8.4	14
114	Natural Killer Cells from Patients with Recombinase-Activating Gene and Non-Homologous End Joining Gene Defects Comprise a Higher Frequency of CD56 NKG2A Cells, and Yet Display Increased Degranulation and Higher Perforin Content. <i>Frontiers in Immunology</i> , 2017 , 8, 798	8.4	26
113	NK cells and multiple myeloma-associated endothelial cells: molecular interactions and influence of IL-27. <i>Oncotarget</i> , 2017 , 8, 35088-35102	3.3	13
112	Human natural killer cells: news in the therapy of solid tumors and high-risk leukemias. <i>Cancer Immunology, Immunotherapy</i> , 2016 , 65, 465-76	7.4	33
111	Haploidentical Haematopoietic Stem Cell Transplantation: Role of NK Cells and Effect of Cytomegalovirus Infections. <i>Current Topics in Microbiology and Immunology</i> , 2016 , 395, 209-24	3.3	9
110	Dysregulation of regulatory CD56(bright) NK cells/T cells interactions in multiple sclerosis. <i>Journal of Autoimmunity</i> , 2016 , 72, 8-18	15.5	58
109	PD-L1 expression in metastatic neuroblastoma as an additional mechanism for limiting immune surveillance. <i>OncolImmunology</i> , 2016 , 5, e1064578	7.2	65
108	NK Cells, Tumor Cell Transition, and Tumor Progression in Solid Malignancies: New Hints for NK-Based Immunotherapy?. <i>Journal of Immunology Research</i> , 2016 , 2016, 4684268	4.5	53
107	Features of Memory-Like and PD-1(+) Human NK Cell Subsets. <i>Frontiers in Immunology</i> , 2016 , 7, 351	8.4	83
106	Human NK Cell Subsets Redistribution in Pathological Conditions: A Role for CCR7 Receptor. <i>Frontiers in Immunology</i> , 2016 , 7, 414	8.4	30
105	Hematopoietic stem cell transplantation: Improving alloreactive Bw4 donor selection by genotyping codon 86 of KIR3DL1/S1. <i>European Journal of Immunology</i> , 2016 , 46, 1511-7	6.1	14
104	Human NK cells: From surface receptors to clinical applications. <i>Immunology Letters</i> , 2016 , 178, 15-9	4.1	27
103	Analysis of memory-like natural killer cells in human cytomegalovirus-infected children undergoing T and B cell-depleted hematopoietic stem cell transplantation for hematological malignancies. <i>Haematologica</i> , 2016 , 101, 371-81	6.6	67
102	Inherent and Tumor-Driven Immune Tolerance in the Prostate Microenvironment Impairs Natural Killer Cell Antitumor Activity. <i>Cancer Research</i> , 2016 , 76, 2153-65	10.1	114
101	Oxysterol mixture and, in particular, 27-hydroxycholesterol drive M2 polarization of human macrophages. <i>BioFactors</i> , 2016 , 42, 80-92	6.1	16
100	TLR-Stimulated Neutrophils Instruct NK Cells To Trigger Dendritic Cell Maturation and Promote Adaptive T Cell Responses. <i>Journal of Immunology</i> , 2015 , 195, 1121-8	5.3	31
99	Role of the 2B4 Receptor in CD8+ T-Cell-Dependent Immune Control of Epstein-Barr Virus Infection in Mice With Reconstituted Human Immune System Components. <i>Journal of Infectious Diseases</i> , 2015 , 212, 803-7	7	22

98	B7-H6-mediated downregulation of NKp30 in NK cells contributes to ovarian carcinoma immune escape. <i>OncImmunology</i> , 2015 , 4, e1001224	7.2	92
97	ϒ-T-cell reconstitution after HLA-haploidentical hematopoietic transplantation depleted of TCR-β/CD19+ lymphocytes. <i>Blood</i> , 2015 , 125, 2349-58	2.2	171
96	Activating KIRs and NKG2C in Viral Infections: Toward NK Cell Memory?. <i>Frontiers in Immunology</i> , 2015 , 6, 573	8.4	42
95	Uptake of CCR7 by KIR2DS4+ NK cells is induced upon recognition of certain HLA-C alleles. <i>Journal of Immunology Research</i> , 2015 , 2015, 754373	4.5	15
94	XLP1 inhibitory effect by 2B4 does not affect DNAM-1 and NKG2D activating pathways in NK cells. <i>European Journal of Immunology</i> , 2014 , 44, 1526-34	6.1	17
93	TLR activation of tumor-associated macrophages from ovarian cancer patients triggers cytolytic activity of NK cells. <i>European Journal of Immunology</i> , 2014 , 44, 1814-22	6.1	60
92	Diagnosing XLP1 in patients with hemophagocytic lymphohistiocytosis. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 1381-1387.e7	11.5	11
91	Human NK cells: from surface receptors to the therapy of leukemias and solid tumors. <i>Frontiers in Immunology</i> , 2014 , 5, 87	8.4	69
90	Human cytomegalovirus infection promotes rapid maturation of NK cells expressing activating killer Ig-like receptor in patients transplanted with NKG2C-/- umbilical cord blood. <i>Journal of Immunology</i> , 2014 , 192, 1471-9	5.3	125
89	TLR/NCR/KIR: Which One to Use and When?. <i>Frontiers in Immunology</i> , 2014 , 5, 105	8.4	54
88	Enrichment of CD56(dim)KIR + CD57 + highly cytotoxic NK cells in tumour-infiltrated lymph nodes of melanoma patients. <i>Nature Communications</i> , 2014 , 5, 5639	17.4	77
87	HLA-haploidentical stem cell transplantation after removal of ϒ T and B cells in children with nonmalignant disorders. <i>Blood</i> , 2014 , 124, 822-6	2.2	326
86	Natural killer cells and neuroblastoma: tumor recognition, escape mechanisms, and possible novel immunotherapeutic approaches. <i>Frontiers in Immunology</i> , 2014 , 5, 56	8.4	61
85	Human NK cell receptors/markers: a tool to analyze NK cell development, subsets and function. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013 , 83, 702-13	4.6	129
84	At the Bench: Preclinical rationale for exploiting NK cells and ϒ lymphocytes for the treatment of high-risk leukemias. <i>Journal of Leukocyte Biology</i> , 2013 , 94, 1123-39	6.5	37
83	Neuroblastoma-derived TGF-β modulates the chemokine receptor repertoire of human resting NK cells. <i>Journal of Immunology</i> , 2013 , 190, 5321-8	5.3	103
82	KIR2DS1-dependent acquisition of CCR7 and migratory properties by human NK cells interacting with allogeneic HLA-C2+ DCs or T-cell blasts. <i>Blood</i> , 2013 , 121, 3396-401	2.2	37
81	Cellular and molecular basis of haploidentical hematopoietic stem cell transplantation in the successful treatment of high-risk leukemias: role of alloreactive NK cells. <i>Frontiers in Immunology</i> , 2013 , 4, 15	8.4	90

80	Removal Of Alpha/Beta+ T Cells and Of CD19+ B Cells From The Graft Translates Into Rapid Engraftment, Absence Of Visceral Graft-Versus-Host Disease and Low Transplant-Related Mortality In Children With Acute Leukemia Given HLA-Haploidentical Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2013 , 122, 157-157	2.2	3
79	Phenotypic and functional heterogeneity of human NK cells developing after umbilical cord blood transplantation: a role for human cytomegalovirus?. <i>Blood</i> , 2012 , 119, 399-410	2.2	203
78	Dendritic cell editing by activated natural killer cells results in a more protective cancer-specific immune response. <i>PLoS ONE</i> , 2012 , 7, e39170	3.7	78
77	M-CSF induces the expression of a membrane-bound form of IL-18 in a subset of human monocytes differentiating in vitro toward macrophages. <i>European Journal of Immunology</i> , 2012 , 42, 1618-26	6.1	64
76	Melanoma cells become resistant to NK-cell-mediated killing when exposed to NK-cell numbers compatible with NK-cell infiltration in the tumor. <i>European Journal of Immunology</i> , 2012 , 42, 1833-42	6.1	74
75	Human NK Cells induce neutrophil apoptosis via an NKp46- and Fas-dependent mechanism. <i>Journal of Immunology</i> , 2012 , 188, 1668-74	5.3	77
74	NK cells and their receptors during viral infections. <i>Immunotherapy</i> , 2011 , 3, 1075-86	3.8	23
73	Strategies to optimize the outcome of children given T-cell depleted HLA-haploidentical hematopoietic stem cell transplantation. <i>Best Practice and Research in Clinical Haematology</i> , 2011 , 24, 339-49	4.2	16
72	Innate or adaptive immunity? The example of natural killer cells. <i>Science</i> , 2011 , 331, 44-9	33.3	1786
71	Origin, phenotype and function of human natural killer cells in pregnancy. <i>Trends in Immunology</i> , 2011 , 32, 517-23	14.4	119
70	Alternatively spliced NKp30 isoforms affect the prognosis of gastrointestinal stromal tumors. <i>Nature Medicine</i> , 2011 , 17, 700-7	50.5	244
69	Human NK receptors: from the molecules to the therapy of high risk leukemias. <i>FEBS Letters</i> , 2011 , 585, 1563-7	3.8	30
68	Natural killer cells expressing the KIR2DS1-activating receptor efficiently kill T-cell blasts and dendritic cells: implications in haploidentical HSCT. <i>Blood</i> , 2011 , 117, 4284-92	2.2	93
67	Killer Ig-like receptor-mediated control of natural killer cell alloreactivity in haploidentical hematopoietic stem cell transplantation. <i>Blood</i> , 2011 , 117, 764-71	2.2	185
66	Human breast cancer cells enhance self tolerance by promoting evasion from NK cell antitumor immunity. <i>Journal of Clinical Investigation</i> , 2011 , 121, 3609-22	15.9	391
65	Combined genotypic and phenotypic killer cell Ig-like receptor analyses reveal KIR2DL3 alleles displaying unexpected monoclonal antibody reactivity: identification of the amino acid residues critical for staining. <i>Journal of Immunology</i> , 2010 , 185, 433-41	5.3	26
64	Natural killer cell immune regulation 2010 , 433-441		0
63	The interaction of human natural killer cells with either unpolarized or polarized macrophages results in different functional outcomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 21659-64	11.5	160

62	Chronic HIV-1 viremia reverses NKG2A/NKG2C ratio on natural killer cells in patients with human cytomegalovirus co-infection. <i>Aids</i> , 2010 , 24, 27-34	3.5	102
61	Extending killer Ig-like receptor function: from HLA class I recognition to sensors of microbial products. <i>Trends in Immunology</i> , 2010 , 31, 289-94	14.4	23
60	A novel KIR-associated function: evidence that CpG DNA uptake and shuttling to early endosomes is mediated by KIR3DL2. <i>Blood</i> , 2010 , 116, 1637-47	2.2	74
59	NK cells recognize and kill human glioblastoma cells with stem cell-like properties. <i>Journal of Immunology</i> , 2009 , 182, 3530-9	5.3	220
58	Melanoma-associated fibroblasts modulate NK cell phenotype and antitumor cytotoxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20847-52	11.5	202
57	The B7 family member B7-H6 is a tumor cell ligand for the activating natural killer cell receptor NKp30 in humans. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1495-503	16.6	472
56	Analysis of NK cell/DC interaction in NK-type lymphoproliferative disease of granular lymphocytes (LDGL): role of DNAM-1 and NKp30. <i>Experimental Hematology</i> , 2009 , 37, 1167-75	3.1	12
55	Haploidentical hemopoietic stem cell transplantation for the treatment of high-risk leukemias: how NK cells make the difference. <i>Clinical Immunology</i> , 2009 , 133, 171-8	9	63
54	IFN-alpha-mediated increase in cytolytic activity of maturing NK cell upon exposure to HSV-infected myelomonocytes. <i>European Journal of Immunology</i> , 2009 , 39, 147-58	6.1	10
53	Anti-leukemia activity of alloreactive NK cells in KIR ligand-mismatched haploidentical HSCT for pediatric patients: evaluation of the functional role of activating KIR and redefinition of inhibitory KIR specificity. <i>Blood</i> , 2009 , 113, 3119-29	2.2	301
52	Multiple relapses of visceral leishmaniasis in an adolescent with idiopathic CD4+ lymphocytopenia associated with novel immunophenotypic and molecular features. <i>Pediatric Infectious Disease Journal</i> , 2009 , 28, 161-3	3.4	5
51	Uptake of CCR7 and acquisition of migratory properties by human KIR+ NK cells interacting with monocyte-derived DC or EBV cell lines: regulation by KIR/HLA-class I interaction. <i>Blood</i> , 2009 , 114, 4108-16	2.2	68
50	The decreased expression of Siglec-7 represents an early marker of dysfunctional natural killer-cell subsets associated with high levels of HIV-1 viremia. <i>Blood</i> , 2009 , 114, 3822-30	2.2	105
49	Susceptibility of human melanoma cells to autologous natural killer (NK) cell killing: HLA-related effector mechanisms and role of unlicensed NK cells. <i>PLoS ONE</i> , 2009 , 4, e8132	3.7	32
48	Perturbations of natural killer cell regulatory functions in respiratory allergic diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 479-85	11.5	48
47	Regulatory role of NKp44, NKp46, DNAM-1 and NKG2D receptors in the interaction between NK cells and trophoblast cells. Evidence for divergent functional profiles of decidual versus peripheral NK cells. <i>International Immunology</i> , 2008 , 20, 1395-405	4.9	84
46	Human NK cells directly recognize <i>Mycobacterium bovis</i> via TLR2 and acquire the ability to kill monocyte-derived DC. <i>International Immunology</i> , 2008 , 20, 1155-67	4.9	97
45	Human natural killer cells exposed to IL-2, IL-12, IL-18, or IL-4 differently modulate priming of naive T cells by monocyte-derived dendritic cells. <i>Blood</i> , 2008 , 112, 1776-83	2.2	108

44	Evidence that the KIR2DS5 gene codes for a surface receptor triggering natural killer cell function. <i>European Journal of Immunology</i> , 2008 , 38, 2284-9	6.1	46
43	Human NK cells: from HLA class I-specific killer Ig-like receptors to the therapy of acute leukemias. <i>Immunological Reviews</i> , 2008 , 224, 58-69	11.3	98
42	Anti-Leukemia Activity of Alloreactive NK Cells in Haploidentical HSCT in Pediatric Patients: Re-Defining the Role of Activating and Inhibitory KIR. <i>Blood</i> , 2008 , 112, 3002-3002	2.2	2
41	Heterogeneity of TLR3 mRNA transcripts and responsiveness to poly (I:C) in human NK cells derived from different donors. <i>International Immunology</i> , 2007 , 19, 1341-8	4.9	22
40	Both CD133+ and CD133- medulloblastoma cell lines express ligands for triggering NK receptors and are susceptible to NK-mediated cytotoxicity. <i>European Journal of Immunology</i> , 2007 , 37, 3190-6	6.1	52
39	Human NK cell infusions prolong survival of metastatic human neuroblastoma-bearing NOD/scid mice. <i>Cancer Immunology, Immunotherapy</i> , 2007 , 56, 1733-42	7.4	38
38	CD56brightCD16- killer Ig-like receptor- NK cells display longer telomeres and acquire features of CD56dim NK cells upon activation. <i>Journal of Immunology</i> , 2007 , 178, 4947-55	5.3	383
37	The role of chemerin in the colocalization of NK and dendritic cell subsets into inflamed tissues. <i>Blood</i> , 2007 , 109, 3625-32	2.2	278
36	Functional characterization of natural killer cells in type I leukocyte adhesion deficiency. <i>Blood</i> , 2007 , 109, 4873-81	2.2	26
35	Transplantation of T-Cell Depleted Peripheral Blood Haematopoietic Stem Cells from an HLA-Disparate Family Donor for Children with Hematological Malignancies.. <i>Blood</i> , 2007 , 110, 3071-3071 ^{2,2}		
34	The tryptophan catabolite L-kynurenine inhibits the surface expression of NKp46- and NKG2D-activating receptors and regulates NK-cell function. <i>Blood</i> , 2006 , 108, 4118-25	2.2	266
33	Surface NK receptors and their ligands on tumor cells. <i>Seminars in Immunology</i> , 2006 , 18, 151-8	10.7	228
32	Multidirectional interactions are bridging human NK cells with plasmacytoid and monocyte-derived dendritic cells during innate immune responses. <i>Blood</i> , 2006 , 108, 3851-8	2.2	65
31	Analysis of natural killer cells isolated from human decidua: Evidence that 2B4 (CD244) functions as an inhibitory receptor and blocks NK-cell function. <i>Blood</i> , 2006 , 108, 4078-85	2.2	98
30	Effector and regulatory events during natural killer-dendritic cell interactions. <i>Immunological Reviews</i> , 2006 , 214, 219-28	11.3	235
29	Cellular ligands of activating NK receptors. <i>Trends in Immunology</i> , 2005 , 26, 221-6	14.4	203
28	Early liaisons between cells of the innate immune system in inflamed peripheral tissues. <i>Trends in Immunology</i> , 2005 , 26, 668-75	14.4	137
27	Human natural killer cells: Molecular mechanisms controlling NK cell activation and tumor cell lysis. <i>Immunology Letters</i> , 2005 , 100, 7-13	4.1	99

26	NK cells infiltrating a MHC class I-deficient lung adenocarcinoma display impaired cytotoxic activity toward autologous tumor cells associated with altered NK cell-triggering receptors. <i>Journal of Immunology</i> , 2005 , 175, 5790-8	5.3	65
25	Characterization of CD56-/CD16+ natural killer (NK) cells: a highly dysfunctional NK subset expanded in HIV-infected viremic individuals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 2886-91	11.5	408
24	IL-12 or IL-4 prime human NK cells to mediate functionally divergent interactions with dendritic cells or tumors. <i>Journal of Immunology</i> , 2005 , 174, 3992-8	5.3	111
23	Natural killer cell-mediated killing of freshly isolated neuroblastoma cells: critical role of DNAX accessory molecule-1-poliovirus receptor interaction. <i>Cancer Research</i> , 2004 , 64, 9180-4	10.1	198
22	Unravelling natural killer cell function: triggering and inhibitory human NK receptors. <i>EMBO Journal</i> , 2004 , 23, 255-9	13	483
21	Killer immunoglobulin-like receptors. <i>Current Opinion in Immunology</i> , 2004 , 16, 626-33	7.8	276
20	The small subset of CD56brightCD16- natural killer cells is selectively responsible for both cell proliferation and interferon-gamma production upon interaction with dendritic cells. <i>European Journal of Immunology</i> , 2004 , 34, 1715-22	6.1	168
19	CpG and double-stranded RNA trigger human NK cells by Toll-like receptors: induction of cytokine release and cytotoxicity against tumors and dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 10116-21	11.5	371
18	Different checkpoints in human NK-cell activation. <i>Trends in Immunology</i> , 2004 , 25, 670-6	14.4	130
17	Transforming growth factor beta 1 inhibits expression of NKp30 and NKG2D receptors: consequences for the NK-mediated killing of dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4120-5	11.5	496
16	NK-CTLs, a novel HLA-E-restricted T-cell subset. <i>Trends in Immunology</i> , 2003 , 24, 136-43	14.4	82
15	Human NK cells and their receptors. <i>Microbes and Infection</i> , 2002 , 4, 1539-44	9.3	58
14	What is a natural killer cell?. <i>Nature Immunology</i> , 2002 , 3, 6-8	19.1	282
13	Identification, molecular cloning and functional characterization of NKp46 and NKp30 natural cytotoxicity receptors in <i>Macaca fascicularis</i> NK cells. <i>European Journal of Immunology</i> , 2001 , 31, 3546-56	6.1	56
12	Activating receptors and coreceptors involved in human natural killer cell-mediated cytotoxicity. <i>Annual Review of Immunology</i> , 2001 , 19, 197-223	34.7	1446
11	Cellular and molecular pathogenesis of X-linked lymphoproliferative disease. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2001 , 1, 513-7	3.3	6
10	Surface receptors delivering opposite signals regulate the function of human NK cells. <i>Seminars in Immunology</i> , 2000 , 12, 129-38	10.7	39
9	Identification and molecular cloning of p75/AIRM1, a novel member of the sialoadhesin family that functions as an inhibitory receptor in human natural killer cells. <i>Journal of Experimental Medicine</i> , 1999 , 190, 793-802	16.6	187

8	P49, a putative HLA-G1 specific inhibitory NK receptor belonging to the immunoglobulin Superfamily. <i>Journal of Reproductive Immunology</i> , 1999 , 43, 157-65	4.2	20
7	Reconstituted killer cell inhibitory receptors for major histocompatibility complex class I molecules control mast cell activation induced via immunoreceptor tyrosine-based activation motifs. <i>Journal of Biological Chemistry</i> , 1997 , 272, 8989-96	5.4	97
6	Receptors for HLA class-I molecules in human natural killer cells. <i>Annual Review of Immunology</i> , 1996 , 14, 619-48	34.7	747
5	A novel surface molecule homologous to the p58/p50 family of receptors is selectively expressed on a subset of human natural killer cells and induces both triggering of cell functions and proliferation. <i>European Journal of Immunology</i> , 1996 , 26, 1816-24	6.1	116
4	CD94 functions as a natural killer cell inhibitory receptor for different HLA class I alleles: identification of the inhibitory form of CD94 by the use of novel monoclonal antibodies. <i>European Journal of Immunology</i> , 1996 , 26, 2487-92	6.1	117
3	General role of HLA class I molecules in the protection of target cells from lysis by natural killer cells: evidence that the free heavy chains of class I molecules are not sufficient to mediate the protective effect. <i>International Immunology</i> , 1995 , 7, 393-400	4.9	30
2	Molecular clones of the p58 NK cell receptor reveal immunoglobulin-related molecules with diversity in both the extra- and intracellular domains. <i>Immunity</i> , 1995 , 2, 439-49	32.3	525
1	Receptors for immunoglobulins on resting and activated human T cells. <i>Immunological Reviews</i> , 1981 , 56, 141-62	11.3	50