

# Bo Sanderström

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5802496/publications.pdf>

Version: 2024-02-01

26  
papers

1,795  
citations

394421

19  
h-index

642732

23  
g-index

26  
all docs

26  
docs citations

26  
times ranked

2579  
citing authors

#	ARTICLE	IF	CITATIONS
1	More, better, faster. <i>Ambio</i> , 2018, 47, 385-386.	5.5	1
2	What are the effects of agricultural management on soil organic carbon in boreo-temperate systems?. <i>Environmental Evidence</i> , 2015, 4, .	2.7	42
3	Discovery of genetic polymorphism: Richard Lewontin and Tomoko Ohta awarded the Crafoord Prize in Biosciences 2015. <i>Ambio</i> , 2015, 44, 165-165.	5.5	0
4	What are the effects of agricultural management on soil organic carbon (SOC) stocks?. <i>Environmental Evidence</i> , 2014, 3, .	2.7	36
5	Changes in AMBIO policies. <i>Ambio</i> , 2014, 43, 557-558.	5.5	2
6	Increasing Access to Your Research Published in AMBIO. <i>Ambio</i> , 2012, 41, 325-326.	5.5	2
7	Effects of urban matrix on reproductive performance of Great Tit ( <i>Parus major</i> ) in urban woodlands. <i>Urban Ecosystems</i> , 2012, 15, 167-180.	2.4	22
8	Butterfly distribution and abundance is affected by variation in the Swedish forest-farmland landscape. <i>Biological Conservation</i> , 2011, 144, 2819-2831.	4.1	73
9	Increased reproductive performance of Red-backed Shrikes <i>Lanius collurio</i> in forest clear-cuts. <i>Journal of Ornithology</i> , 2011, 152, 313-318.	1.1	23
10	AMBIO celebrates 40 years. <i>Ambio</i> , 2011, 40, 1-1.	5.5	0
11	Landscape effects on birds in urban woodlands: an analysis of 34 Swedish cities. <i>Journal of Biogeography</i> , 2010, 37, 1302-1316.	3.0	48
12	Abandoned pastoral settlements provide concentrations of resources for savanna birds. <i>Acta Oecologica</i> , 2010, 36, 184-190.	1.1	15
13	Retention patches as potential refugia for bryophytes and lichens in managed forest landscapes. <i>Biological Conservation</i> , 2009, 142, 1125-1133.	4.1	70
14	Effects of different levels of green- and dead-tree retention on hemi-boreal forest bird communities in Sweden. <i>Forest Ecology and Management</i> , 2009, 257, 215-222.	3.2	43
15	Woodlands across Swedish urban gradients: Status, structure and management implications. <i>Landscape and Urban Planning</i> , 2008, 84, 62-73.	7.5	64
16	Comparing movement of four butterfly species in experimental grassland strips. <i>Journal of Insect Conservation</i> , 2007, 11, 333-342.	1.4	26
17	ESTIMATING SPECIES RICHNESS AND ACCUMULATION BY MODELING SPECIES OCCURRENCE AND DETECTABILITY. <i>Ecology</i> , 2006, 87, 842-854.	3.2	362
18	Species Richness Correlations of Six Different Taxa in Swedish Seminatural Grasslands. <i>Conservation Biology</i> , 2002, 16, 430-439.	4.7	140

#	ARTICLE	IF	CITATIONS
19	GRAZING EFFECTS ON BETWEEN-YEAR VARIATION OF FARMLAND BIRD COMMUNITIES. , 2001, 11, 1141-1150.		52
20	Title is missing!. Biodiversity and Conservation, 2001, 10, 1839-1863.	2.6	290
21	Seasonal change in Red-backed Shrike Lanius collurio territory quality –the role of nest predation. Ibis, 2001, 143, 561-571.	1.9	24
22	Influence of Landscape Scale on Farmland Birds Breeding in Semi-Natural Pastures. Conservation Biology, 2000, 14, 522-533.	4.7	129
23	Conservation Value of Semi-Natural Pastures in Sweden: Contrasting Botanical and Avian Measures. Conservation Biology, 1999, 13, 755-765.	4.7	57
24	Artificial nest predation rates in tropical and temperate forests: a review of the effects of edge and nest site. Ecography, 1999, 22, 455-463.	4.5	53
25	The effects of management regimes and location in landscape on the conservation of farmland birds breeding in semi-natural pastures. Biological Conservation, 1999, 90, 113-123.	4.1	69
26	Different nest predator faunas and nest predation risk on ground and shrub nests at forest ecotones: an experiment and a review. Oecologia, 1998, 117, 108-118.	2.0	152