

Yoshifumi Watanabe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5803432/publications.pdf>

Version: 2024-02-01

29
papers

1,203
citations

516710

16
h-index

477307

29
g-index

31
all docs

31
docs citations

31
times ranked

1262
citing authors

#	ARTICLE	IF	CITATIONS
1	Social defeat stress exacerbates atopic dermatitis through downregulation of DNA methyltransferase 1 and upregulation of Cx36 motif chemokine receptor 7 in skin dendritic cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 529, 1073-1079.	2.1	11
2	IL-11 prevents IFN- γ -induced hepatocyte death through selective downregulation of IFN- γ /STAT1 signaling and ROS scavenging. <i>PLoS ONE</i> , 2019, 14, e0211123.	2.5	10
3	Possible Involvement of Liver Resident Macrophages (Kupffer Cells) in the Pathogenesis of Both Intrahepatic and Extrahepatic Inflammation. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2017, 2017, 1-10.	1.9	23
4	Liver Resident Macrophages (Kupffer Cells) Share Several Functional Antigens in Common with Endothelial Cells. <i>Scandinavian Journal of Immunology</i> , 2016, 83, 139-150.	2.7	12
5	Tryptophan protects hepatocytes against reactive oxygen species-dependent cell death via multiple pathways including Nrf2-dependent gene induction. <i>Amino Acids</i> , 2016, 48, 1263-1274.	2.7	13
6	Toll-like Receptor 4-Dependent Adjuvant Activity of Kakkon-to Extract Exists in the High Molecular Weight Polysaccharide Fraction. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 43-54.	2.1	5
7	Control of ER stress by a chemical chaperone counteracts apoptotic signals in IFN- γ -treated murine hepatocytes. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 309-319.	4.9	19
8	Interferon- γ induces reactive oxygen species and endoplasmic reticulum stress at the hepatic apoptosis. <i>Journal of Cellular Biochemistry</i> , 2003, 89, 244-253.	2.6	102
9	Liver-Derived Matrix Metalloproteinase-9 (Gelatinase B) Recruits Progenitor Cells from Bone Marrow into the Blood Circulation.. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 564-568.	1.4	11
10	Direct production of an activated matrix metalloproteinase-9 (gelatinase B) from mammalian cells. <i>FEBS Letters</i> , 2001, 502, 63-67.	2.8	3
11	Establishment of Heterotropic Liver Tissue Mass with Direct Link to the Host Liver Following Implantation of Hepatocytes Transfected with Vascular Endothelial Growth Factor Gene in Mice. <i>Tissue Engineering</i> , 2001, 7, 335-344.	4.6	25
12	Title is missing!. <i>Biotechnology Letters</i> , 2000, 22, 1855-1859.	2.2	2
13	Design of a temporally and spatially controlled drug delivery system for the treatment of liver diseases in mice. <i>Hepatology</i> , 2000, 32, 1300-1308.	7.3	13
14	Presence of telomeric G-strand tails in the telomerase catalytic subunit TERT knockout mice. <i>Genes To Cells</i> , 1999, 4, 563-572.	1.2	94
15	Expression of vascular endothelial growth factor promotes colonization, vascularization, and growth of transplanted hepatic tissues in the mouse. <i>Hepatology</i> , 1999, 29, 396-402.	7.3	45
16	Possible involvement of caspase-like family in maintenance of cytoskeleton integrity. , 1999, 179, 45-51.		24
17	IRF-1 Is an Essential Mediator in IFN- γ -Induced Cell Cycle Arrest and Apoptosis of Primary Cultured Hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1999, 257, 672-677.	2.1	133
18	Gene transfection of multicellular spheroid of hepatocytes on an artificial substrate. <i>Cytotechnology</i> , 1998, 26, 65-78.	1.6	20

#	ARTICLE	IF	CITATIONS
19	Analysis of IFN- γ -Induced Cell Cycle Arrest and Cell Death in Hepatocytes. <i>Journal of Biochemistry</i> , 1997, 121, 677-683.	1.7	79
20	TNF-alpha bifunctionally induces proliferation in primary hepatocytes: role of cell anchorage and spreading. <i>Journal of Immunology</i> , 1997, 159, 4840-7.	0.8	15
21	Concanavalin A induces perforin-mediated but not Fas-mediated hepatic injury. <i>Hepatology</i> , 1996, 24, 702-710.	7.3	91
22	Concanavalin A induces perforin-mediated but not Fas-mediated hepatic injury. <i>Hepatology</i> , 1996, 24, 702-710.	7.3	42
23	Direct Evidence of Macrophage Differentiation from Bone Marrow Cells in the Liver: A Possible Origin of Kupffer Cells. <i>Journal of Biochemistry</i> , 1995, 118, 1175-1183.	1.7	43
24	Protective effect of hepatocyte growth factor on interferon-gamma-induced cytotoxicity in mouse hepatocytes. <i>Hepatology</i> , 1995, 21, 1585-1593.	7.3	114
25	Tumor Necrosis Factor- α and Interleukin-1 β But Not Interferon- γ Induce Vascular Cell Adhesion Molecule-1 Expression on Primary Cultured Murine Hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1995, 209, 335-342.	2.1	15
26	Protective effect of hepatocyte growth factor on interferon-gamma-induced cytotoxicity in mouse hepatocytes. <i>Hepatology</i> , 1995, 21, 1585-93.	7.3	103
27	Inflammatory cytokines up-regulate intercellular adhesion molecule-1 expression on primary cultured mouse hepatocytes and T-lymphocyte adhesion. <i>Hepatology</i> , 1994, 19, 426-431.	7.3	96
28	Activation Signal Induces the Expression of B Cell-Specific CD45R Epitope (6B2) on Murine T Cells. <i>Scandinavian Journal of Immunology</i> , 1994, 39, 419-425.	2.7	28
29	Inflammatory cytokines up-regulate intercellular adhesion molecule-1 expression on primary cultured mouse hepatocytes and T-lymphocyte adhesion. <i>Hepatology</i> , 1994, 19, 426-431.	7.3	11