Omara F Dogar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5804572/publications.pdf

Version: 2024-02-01

686830 552369 45 750 13 26 citations h-index g-index papers 49 49 49 1093 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Global burden of disease due to smokeless tobacco consumption in adults: analysis of data from 113 countries. BMC Medicine, 2015, 13, 194.	2.3	145
2	Action to Stop Smoking in Suspected Tuberculosis (ASSIST) in Pakistan. Annals of Internal Medicine, 2013, 158, 667.	2.0	87
3	Interventions for tobacco use cessation in people living with HIV and AIDS. The Cochrane Library, 2016, 2016, CD011120.	1.5	67
4	Gender disparity in tuberculosis cases in eastern and western provinces of Pakistan. BMC Infectious Diseases, 2012, 12, 244.	1.3	33
5	Effect of Cessation Interventions on Hookah Smoking: Post-Hoc Analysis of a Cluster-Randomized Controlled Trial. Nicotine and Tobacco Research, 2014, 16, 682-688.	1.4	30
6	Behaviour change intervention for smokeless tobacco cessation: its development, feasibility and fidelity testing in Pakistan and in the UK. BMC Public Health, 2016, 16, 501.	1.2	27
7	Waterpipe Tobacco Use in the United Kingdom: A Cross-Sectional Study among University Students and Stop Smoking Practitioners. PLoS ONE, 2016, 11, e0146799.	1.1	25
8	Second-hand smoke and the risk of tuberculosis: a systematic review and a meta-analysis. Epidemiology and Infection, 2015, 143, 3158-3172.	1.0	24
9	Using behaviour change theory to train health workers on tobacco cessation support for tuberculosis patients: a mixed-methods study in Bangladesh, Nepal and Pakistan. BMC Health Services Research, 2019, 19, 71.	0.9	23
10	Challenges of Integrating Tobacco Cessation Interventions in TB Programmes: Case Studies from Nepal and Pakistan. Journal of Smoking Cessation, 2016, 11, 108-115.	0.3	22
11	The safety, effectiveness and costâ€effectiveness of cytisine in achieving sixâ€month continuous smoking abstinence in tuberculosis patientsâ€"protocol for a doubleâ€blind, placeboâ€controlled randomized trial. Addiction, 2018, 113, 1716-1726.	1.7	19
12	Cytisine for smoking cessation in patients with tuberculosis: a multicentre, randomised, double-blind, placebo-controlled phase 3 trial. The Lancet Global Health, 2020, 8, e1408-e1417.	2.9	18
13	Secondhand Smoke Exposure in Primary School Children: A Survey in Dhaka, Bangladesh. Nicotine and Tobacco Research, 2019, 21, 416-423.	1.4	17
14	Predictors of Cigarette Smoking, Smokeless Tobacco Consumption, and Use of both forms in Adolescents in South Asia: A Secondary Analysis of the Global Youth Tobacco Surveys. Nicotine and Tobacco Research, 2021, 23, 956-965.	1.4	14
15	Children Learning About Second-Hand Smoking: A Feasibility Cluster Randomized Controlled Trial. Nicotine and Tobacco Research, 2015, 17, 1465-1472.	1.4	13
16	The global prevalence of tobacco use in type 2 diabetes mellitus patients: A systematic review and meta-analysis. Diabetes Research and Clinical Practice, 2019, 154, 52-65.	1.1	13
17	Varenicline versus placebo for waterpipe smoking cessation: a doubleâ€blind randomized controlled trial. Addiction, 2018, 113, 2290-2299.	1.7	11
18	Predictors of cessation in smokers suspected of TB: Secondary analysis of data from a cluster randomized controlled trial. Drug and Alcohol Dependence, 2015, 155, 128-133.	1.6	10

#	Article	IF	Citations
19	Measuring fidelity to behavioural support delivery for smoking cessation and its association with outcomes. Addiction, 2020, 115, 368-380.	1.7	10
20	Identification of Policy Priorities to Address the Burden of Smokeless Tobacco in Pakistan: A Multimethod Analysis. Nicotine and Tobacco Research, 2020, 22, 2262-2265.	1.4	10
21	Effect of quitting smoking on health outcomes during treatment for tuberculosis: secondary analysis of the TB & Company analysis of the TB & Company (1997).	2.7	10
22	Global impact of tobacco control policies on smokeless tobacco use: a systematic review protocol. BMJ Open, 2020, 10, e042860.	0.8	10
23	Smoking cessation and respiratory disease in low-income and middle-income countries. Lancet Respiratory Medicine, the, 2013, 1, e23-e24.	5.2	9
24	Which Behavior Change Techniques May Help Waterpipe Smokers to Quit? An Expert Consensus Using a Modified Delphi Technique. Nicotine and Tobacco Research, 2016, 20, ntw297.	1.4	9
25	Protocol for the mixed-methods process and context evaluation of the∢i>TB & Tobacco∢/i>randomised controlled trial in Bangladesh and Pakistan: a hybrid effectiveness–implementation study. BMJ Open, 2018, 8, e019878.	0.8	9
26	Health worker and patient views on implementation of smoking cessation in routine tuberculosis care. Npj Primary Care Respiratory Medicine, 2019, 29, 34.	1.1	9
27	Anti-acid treatment for idiopathic pulmonary fibrosis. Lancet Respiratory Medicine, the, 2013, 1, 348-349.	5.2	8
28	Tuberculosis in women from Pashtun region: an ecological study in Pakistan. Epidemiology and Infection, 2015, 143, 901-909.	1.0	8
29	Smoking prevalence among tuberculosis patients: A cross-sectional study in Bangladesh and Pakistan. Tobacco Induced Diseases, 2020, 18, 70.	0.3	8
30	Children Learning About Secondhand Smoke (CLASS II): protocol of a pilot cluster randomised controlled trial: TableÂ1. BMJ Open, 2015, 5, e008749.	0.8	7
31	The efficacy of varenicline in achieving abstinence among waterpipe tobacco smokers – study protocol for a randomized controlled trial. Trials, 2017, 18, 14.	0.7	7
32	Xpert \hat{A}^{\otimes} MTB/RIF under routine conditions in diagnosing pulmonary tuberculosis: a study in two hospitals in Pakistan [Short communication]. Public Health Action, 2013, 3, 20-22.	0.4	5
33	Reporting Treatment Fidelity in Behavioral Tobacco Treatment Clinical Trials: Scoping Review and Measurement Recommendations. Nicotine and Tobacco Research, 2022, 24, 150-159.	1.4	5
34	Smoking Cessation in Long-Term Conditions: Is There "An Opportunity in Every Difficulty�. International Journal of Population Research, 2013, 2013, 1-10.	0.7	4
35	The effectiveness of behaviour change interventions delivered by non-dental health workers in promoting children's oral health: A systematic review and meta-analysis. PLoS ONE, 2022, 17, e0262118.	1.1	4
36	Measuring fidelity to delivery of a new smoking cessation intervention integrated into routine tuberculosis care in Pakistan and Bangladesh: Contextual differences and opportunities. Tobacco Induced Diseases, 2021, 19, 1-17.	0.3	3

#	Article	IF	CITATIONS
37	An evidence-based guide to smoking cessation therapies. NursePrescribing, 2013, 11, 543-548.	0.1	2
38	Updated evidence-based guide to smoking cessation therapies. British Journal of Community Nursing, 2016, 21, 607-611.	0.2	2
39	Factors associated with dual use of waterpipe tobacco and cigarettes among adults in Pakistan. Eastern Mediterranean Health Journal, 2020, 26, 47-54.	0.3	2
40	Co-producing an intervention for tobacco cessation and improvement of oral health among diabetic patients in Bangladesh. BMC Oral Health, 2021, 21, 516.	0.8	2
41	Can the internet help economically disadvantaged smokers?. Lancet Respiratory Medicine, the, 2014, 2, 947-948.	5.2	1
42	Update to evidence-based guide to smoking cessation therapies. NursePrescribing, 2017, 15, 77-84.	0.1	1
43	Supporting tobacco cessation in tuberculosis patients. Indian Journal of Tuberculosis, 2021, 68, S89-S92.	0.3	1
44	Integration von Tabakentwöhnung in die Gesundheitsversorgung. Public Health Forum, 2020, 28, 252-254.	0.1	1
45	Scoping Review of Existing Evaluations of Smokeless Tobacco Control Policies: What Is Known About Countries Covered, Level of Jurisdictions, Target Groups Studied, and Instruments Evaluated?. Nicotine and Tobacco Research, 2022, 24, 1344-1354.	1.4	1