

Stefano Omboni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5805184/publications.pdf>

Version: 2024-02-01

287
papers

10,622
citations

41344

49
h-index

39675

94
g-index

296
all docs

296
docs citations

296
times ranked

9115
citing authors

#	ARTICLE	IF	CITATIONS
1	Ambulatory monitoring of central arterial pressure, wave reflections, and arterial stiffness in patients at cardiovascular risk. <i>Journal of Human Hypertension</i> , 2022, 36, 352-363.	2.2	4
2	The worldwide impact of telemedicine during COVID-19: current evidence and recommendations for the future. , 2022, 1, 7-35.		84
3	Virtual management of hypertension: lessons from the COVID-19 pandemic – International Society of Hypertension position paper endorsed by the World Hypertension League and European Society of Hypertension. <i>Journal of Hypertension</i> , 2022, 40, 1435-1448.	0.5	22
4	24-hour ambulatory blood pressure telemonitoring in patients at risk of atrial fibrillation: results from the TEMPLAR project. <i>Hypertension Research</i> , 2022, 45, 1486-1495.	2.7	4
5	Identifying Isolated Systolic Hypertension From Upper-Arm Cuff Blood Pressure Compared With Invasive Measurements. <i>Hypertension</i> , 2021, 77, 632-639.	2.7	4
6	Cuffless Blood Pressure Measurement Using a Smartphone-Case Based ECG Monitor with Photoplethysmography in Hypertensive Patients. <i>Sensors</i> , 2021, 21, 3525.	3.8	30
7	Feasibility of 24-h blood pressure telemonitoring in community pharmacies: the TEMPLAR project. <i>Journal of Hypertension</i> , 2021, 39, 2075-2081.	0.5	3
8	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021, 39, 1742-1767.	0.5	82
9	Telehealth at scale can improve chronic disease management in the community during a pandemic: An experience at the time of COVID-19. <i>PLoS ONE</i> , 2021, 16, e0258015.	2.5	22
10	Estimates of blood pressure variability obtained in different contexts are not interchangeable. <i>Hypertension Research</i> , 2021, 44, 1678-1680.	2.7	3
11	Editorial: Digital Health in Cardiovascular Medicine. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 810992.	2.4	2
12	Self-monitoring of Blood Pressure in Patients With Hypertension-Related Multi-morbidity: Systematic Review and Individual Patient Data Meta-analysis. <i>American Journal of Hypertension</i> , 2020, 33, 243-251.	2.0	46
13	Variable association of 24-h peripheral and central hemodynamics and stiffness with hypertension-mediated organ damage: the VASOTENS Registry. <i>Journal of Hypertension</i> , 2020, 38, 701-715.	0.5	16
14	Ethnic disparities in the morning surge: Which utility for typifying the hypertensive patient?. <i>Journal of Clinical Hypertension</i> , 2020, 22, 29-31.	2.0	2
15	Angiotensin-Converting Enzyme Inhibition: Beyond Blood Pressure Control – The Role of Zofenopril. <i>Advances in Therapy</i> , 2020, 37, 4068-4085.	2.9	9
16	Evidence and Recommendations on the Use of Telemedicine for the Management of Arterial Hypertension. <i>Hypertension</i> , 2020, 76, 1368-1383.	2.7	178
17	Day and Night Changes of Cardiovascular Complexity: A Multi-Fractal Multi-Scale Analysis. <i>Entropy</i> , 2020, 22, 462.	2.2	9
18	Smoking and hypertension: what is behind the mask?. <i>Journal of Hypertension</i> , 2020, 38, 1029-1030.	0.5	8

#	ARTICLE	IF	CITATIONS
19	Telehealth in chronic disease management and the role of the Internet-of-Medical-Things: the Tholomeus® experience. <i>Expert Review of Medical Devices</i> , 2020, 17, 659-670.	2.8	25
20	Self-blood pressure measurement as compared to office blood pressure measurement in a large Indian population; the India Heart Study. <i>Journal of Hypertension</i> , 2020, 38, 1262-1270.	0.5	9
21	E-Health in Hypertension Management: an Insight into the Current and Future Role of Blood Pressure Telemonitoring. <i>Current Hypertension Reports</i> , 2020, 22, 42.	3.5	39
22	Blood pressure and heart rate related to sex in untreated subjects: the India ABPM study. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1154-1162.	2.0	9
23	Risk factors of haemorrhagic transformation for acute ischaemic stroke in Chinese patients receiving intravenous thrombolysis. <i>Medicine (United States)</i> , 2020, 99, e18995.	1.0	19
24	A pilot study on efficacy and safety of a new salt substitute with very low sodium among hypertension patients on regular treatment. <i>Medicine (United States)</i> , 2020, 99, e19263.	1.0	4
25	Does Dietary Salt Loading Impair Ambulatory Blood Pressure Variability? As Yet an Unresolved Issue. <i>American Journal of Hypertension</i> , 2020, 33, 405-406.	2.0	3
26	Influence of Age on Upper Arm Cuff Blood Pressure Measurement. <i>Hypertension</i> , 2020, 75, 844-850.	2.7	27
27	Telemedicine During the COVID-19 in Italy: A Missed Opportunity?. <i>Telemedicine Journal and E-Health</i> , 2020, 26, 973-975.	2.8	107
28	Telepharmacy for the management of cardiovascular patients in the community. <i>Trends in Cardiovascular Medicine</i> , 2019, 29, 109-117.	4.9	30
29	Ambulatory blood pressure and arterial stiffness web-based telemonitoring in patients at cardiovascular risk. First results of the VASOTENS (Vascular health ASsessment Of The hypertENSive) Tj ETQq1 1 0.784314 rgt /Over	2.0	11
30	Connected Health in Hypertension Management. <i>Frontiers in Cardiovascular Medicine</i> , 2019, 6, 76.	2.4	78
31	Simultaneous double arm automated blood pressure measurement for the screening of subjects with potential vascular disease: a community study. <i>Blood Pressure</i> , 2019, 28, 15-22.	1.5	8
32	Comparative efficacy and safety of lipid-lowering agents in patients with hypercholesterolemia. <i>Medicine (United States)</i> , 2019, 98, e14400.	1.0	29
33	Efficacy of Zofenopril Alone or in Combination with Hydrochlorothiazide in Patients with Kidney Dysfunction. <i>Current Clinical Pharmacology</i> , 2019, 14, 5-15.	0.6	0
34	Telemonitoring of 24-Hour Blood Pressure in Local Pharmacies and Blood Pressure Control in the Community: The Templar Project. <i>American Journal of Hypertension</i> , 2019, 32, 629-639.	2.0	20
35	Unmet challenges in treating hypertension in patients with borderline personality disorder. <i>Medicine (United States)</i> , 2019, 98, e17101.	1.0	3
36	Blood pressure related to age: The India ABPM study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1784-1794.	2.0	11

#	ARTICLE	IF	CITATIONS
37	Chart review of patients receiving valsartanâ€“amlodipine single-pill combination versus valsartan and amlodipine combination for blood pressure goal achievement and effects on the Hamilton anxiety rating/Hamilton depression rating scales. <i>Medicine (United States)</i> , 2019, 98, e18471.	1.0	4
38	The trim-and-fill method for publication bias: practical guidelines and recommendations based on a large database of meta-analyses. <i>Medicine (United States)</i> , 2019, 98, e15987.	1.0	404
39	The effect of folic acid in patients with cardiovascular disease. <i>Medicine (United States)</i> , 2019, 98, e17095.	1.0	29
40	The dominant models of KCNJ11 E23K and KCNMB1 E65K are associated with essential hypertension (EH) in Asian. <i>Medicine (United States)</i> , 2019, 98, e15828.	1.0	4
41	The effects of blood pressure components on cardiovascular events in a Korean hypertensive population according to age and sex. <i>Medicine (United States)</i> , 2019, 98, e16676.	1.0	3
42	Percutaneous mechanical circulatory support devices in high-risk patients undergoing percutaneous coronary intervention. <i>Medicine (United States)</i> , 2019, 98, e17107.	1.0	6
43	Type 2 myocardial infarction in general medical wards. <i>Medicine (United States)</i> , 2019, 98, e17404.	1.0	23
44	Pharmacistâ€“led hypertension management combined with blood pressure telemonitoring in a primary care setting may be costâ€“effective in highâ€“risk patients. <i>Journal of Clinical Hypertension</i> , 2019, 21, 169-172.	2.0	5
45	Angiotensin Receptor Blockers Versus Angiotensin Converting Enzyme Inhibitors for the Treatment of Arterial Hypertension and the Role of Olmesartan. <i>Advances in Therapy</i> , 2019, 36, 278-297.	2.9	16
46	Physicianâ€“pharmacist collaborative practice and telehealth may transform hypertension management. <i>Journal of Human Hypertension</i> , 2019, 33, 177-187.	2.2	36
47	The Role of E-health in 24-h Monitoring of Central Haemodynamics and Vascular Function. <i>Artery Research</i> , 2019, 25, 11-17.	0.6	0
48	P112 Influence of Cuff Blood Pressure Accuracy on Identification of Isolated Systolic Hypertension. <i>Artery Research</i> , 2019, 25, S152-S152.	0.6	0
49	P109 The Influence of Sex on Cuff Blood Pressure Accuracy. <i>Artery Research</i> , 2019, 25, S149-S149.	0.6	0
50	Efficacy and Safety of Zofenopril Versus Ramipril in the Treatment of Myocardial Infarction and Heart Failure: A Review of the Published and Unpublished Data of the Randomized Double-Blind SMILE-4 Study. <i>Advances in Therapy</i> , 2018, 35, 604-618.	2.9	16
51	Effectiveness of pharmacistâ€“TM's intervention in the management of cardiovascular diseases. <i>Open Heart</i> , 2018, 5, e000687.	2.3	81
52	Effect of antihypertensive treatment on 24-h blood pressure variability. <i>Journal of Hypertension</i> , 2018, 36, 720-733.	0.5	21
53	MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e021038.	1.9	33
54	Has the time come for self-management of blood pressure and antihypertensive medications by patients?. <i>Journal of Hypertension</i> , 2018, 36, 1654-1655.	0.5	0

#	ARTICLE	IF	CITATIONS
55	AN ABNORMAL BETWEEN-ARM BLOOD PRESSURE DIFFERENCE IS ASSOCIATED WITH CARDIOVASCULAR RISK FACTORS AND DISEASE. <i>Journal of Hypertension</i> , 2018, 36, e74.	0.5	0
56	A17826 Cuff blood pressure is progressively more biased with increasing age. <i>Journal of Hypertension</i> , 2018, 36, e246.	0.5	0
57	3.5 CUFF BLOOD PRESSURE IS PROGRESSIVELY MORE BIASED WITH INCREASING AGE: INDIVIDUAL PARTICIPANT LEVEL ANALYSIS FROM THE INSPECT CONSORTIUM. <i>Artery Research</i> , 2018, 24, 73.	0.6	0
58	Efficacy of zofenopril in combination with thiazide diuretics in patients with acute myocardial infarction: a pooled individual data analysis of four randomized, double-blind, controlled, prospective studies. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 1185-1190.	2.0	0
59	Management of arterial hypertension with angiotensin receptor blockers: Current evidence and the role of olmesartan. <i>Cardiovascular Therapeutics</i> , 2018, 36, e12471.	2.5	12
60	Effects on 24-hour blood pressure variability of ace-inhibition and calcium channel blockade as monotherapy or in combination. <i>Scientific Reports</i> , 2018, 8, 13779.	3.3	8
61	Efficacy of zofenopril in combination with amlodipine in patients with acute myocardial infarction: a pooled individual patient data analysis of four randomized, double-blind, controlled, prospective studies. <i>Current Medical Research and Opinion</i> , 2018, 34, 1869-1874.	1.9	4
62	A working definition of whiteâ€œcoat hypertension must include nocturnal blood pressure. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1183-1186.	2.0	6
63	Home blood pressure telemonitoring in the 21st century. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1128-1132.	2.0	58
64	Effects of the concomitant administration of xanthine oxidase inhibitors with zofenopril or other ACE-inhibitors in post-myocardial infarction patients: a meta-analysis of individual data of four randomized, double-blind, prospective studies. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 112.	1.7	13
65	Cardioprotective role of zofenopril in hypertensive patients with acute myocardial infarction: a pooled individual data analysis of the SMILE studies. <i>Blood Pressure</i> , 2017, 26, 211-219.	1.5	0
66	Efficacy of Zofenopril vs. Irbesartan in Combination with a Thiazide Diuretic in Hypertensive Patients with Multiple Risk Factors not Controlled by a Previous Monotherapy: A Review of the Double-Blind, Randomized â€œZâ€œStudies. <i>Advances in Therapy</i> , 2017, 34, 784-798.	2.9	5
67	Early Treatment With Zofenopril and Ramipril in Combination With Acetyl Salicylic Acid in Patients With Left Ventricular Systolic Dysfunction After Acute Myocardial Infarction: Results of a 5-Year Follow-up of Patients of the SMILE-4 Study. <i>Journal of Cardiovascular Pharmacology</i> , 2017, 69, 298-304.	1.9	5
68	Efficacy of Zofenopril Compared With Placebo and Other Angiotensin-converting Enzyme Inhibitors in Patients With Acute Myocardial Infarction and Previous Cardiovascular Risk Factors: A Pooled Individual Data Analysis of 4 Randomized, Double-blind, Controlled, Prospective Studies. <i>Journal of Cardiovascular Pharmacology</i> , 2017, 69, 48-54.	1.9	12
69	Relationships between 24-h blood pressure variability and 24-h central arterial pressure, pulse wave velocity and augmentation index in hypertensive patients. <i>Hypertension Research</i> , 2017, 40, 385-391.	2.7	24
70	Smartphone Applications for Hypertension Management: a Potential Game-Changer That Needs More Control. <i>Current Hypertension Reports</i> , 2017, 19, 48.	3.5	61
71	Efficacy of Ace Inhibition with Zofenopril, Lisinopril, or Ramipril in Postacute Myocardial Infarction Patients With or Without Metabolic Syndrome: A Pooled Individual Data Analysis of Four Randomized, Double-Blind, Controlled, Prospective Studies. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 312-318.	1.3	0
72	Accuracy of Cuff-Measured Blood Pressure. <i>Journal of the American College of Cardiology</i> , 2017, 70, 572-586.	2.8	186

#	ARTICLE	IF	CITATIONS
73	[PP.09.20] AMBULATORY VASCULAR INDEX. <i>Journal of Hypertension</i> , 2017, 35, e154-e155.	0.5	0
74	[PP.12.09] MASKED-UNCONTROLLED HYPERTENSION MANAGEMENT BASED ON OFFICE BP OR ON OUT-OF-OFFICE (AMBULATORY) BP MEASUREMENT (MASTER). <i>Journal of Hypertension</i> , 2017, 35, e190.	0.5	2
75	Masked Uncontrolled Hypertension in the Elderly: A Dangerous Affair. <i>American Journal of Hypertension</i> , 2017, 30, 1066-1068.	2.0	1
76	[OP.7D.07] 24-HOUR CENTRAL BLOOD PRESSURE IS BETTER ASSOCIATED WITH TARGET ORGAN DAMAGE OF HYPERTENSION THAN BRACHIAL BLOOD PRESSURE. <i>Journal of Hypertension</i> , 2017, 35, e82-e83.	0.5	1
77	P42 24-HOUR CENTRAL BLOOD PRESSURE IS MORE STRONGLY ASSOCIATED TO TARGET ORGAN DAMAGE THAN BRACHIAL BLOOD PRESSURE: FIRST RESULTS OF THE VASOTENS REGISTRY. <i>Artery Research</i> , 2017, 20, 67.	0.6	0
78	Self-monitoring of blood pressure in hypertension: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002389.	8.4	401
79	Do arterial stiffness and wave reflections improve more with angiotensin receptor blockers than with other antihypertensive drug classes?. <i>Journal of Thoracic Disease</i> , 2016, 8, 1417-1420.	1.4	2
80	Zofenopril or irbesartan plus hydrochlorothiazide in elderly patients with isolated systolic hypertension untreated or uncontrolled by previous treatment. <i>Journal of Hypertension</i> , 2016, 34, 567-587.	0.5	10
81	Effects of the lercanidipine+enalapril combination vs. the corresponding monotherapies on home blood pressure in hypertension. <i>Journal of Hypertension</i> , 2016, 34, 139-148.	0.5	10
82	Fixed-dose combination of zofenopril plus hydrochlorothiazide vs. irbesartan plus hydrochlorothiazide in hypertensive patients with established metabolic syndrome uncontrolled by previous monotherapy. The ZAMES study (Zofenopril in Advanced MEtabolic Syndrome). <i>Journal of Hypertension</i> , 2016, 34, 2287-2297.	0.5	5
83	Hypertension types defined by clinic and ambulatory blood pressure in 14,143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. <i>Journal of Hypertension</i> , 2016, 34, 2187-2198.	0.5	91
84	14.6 RELATIONSHIP BETWEEN 24-HOUR BLOOD PRESSURE VARIABILITY AND 24-HOUR CENTRAL ARTERIAL PRESSURE, PULSE WAVE REFLECTION AND STIFFNESS IN HYPERTENSIVE PATIENTS. <i>Artery Research</i> , 2016, 16, 84.	0.6	0
85	Opportunistic screening of atrial fibrillation by automatic blood pressure measurement in the community: Table 1. <i>BMJ Open</i> , 2016, 6, e010745.	1.9	22
86	Telemedicine and M-Health in Hypertension Management: Technologies, Applications and Clinical Evidence. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2016, 23, 187-196.	2.2	103
87	Screening for atrial fibrillation with automated blood pressure measurement: Research evidence and practice recommendations. <i>International Journal of Cardiology</i> , 2016, 203, 465-473.	1.7	70
88	Zofenopril and ramipril in patients with left ventricular systolic dysfunction after acute myocardial infarction: A propensity analysis of the Survival of Myocardial Infarction Long-term Evaluation (SMILE) 4 study. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016, 17, 147032031665648.	1.7	5
89	Twenty-Four-Hour Ambulatory Pulse Wave Analysis in Hypertension Management: Current Evidence and Perspectives. <i>Current Hypertension Reports</i> , 2016, 18, 72.	3.5	47
90	[OP.6B.04] INDIVIDUAL PATIENT DATA META-ANALYSIS OF SELF-MONITORING OF BLOOD PRESSURE (BP-SMART). <i>Journal of Hypertension</i> , 2016, 34, e69-e70.	0.5	1

#	ARTICLE	IF	CITATIONS
91	[PP.01.25] INTERNATIONAL REGISTRY FOR AMBULATORY BLOOD PRESSURE AND ARTERIAL STIFFNESS TELEMONITORING (VASOTENS REGISTRY). <i>Journal of Hypertension</i> , 2016, 34, e122.	0.5	0
92	Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement. <i>Journal of Hypertension</i> , 2016, 34, 1665-1677.	0.5	118
93	Zofenopril and Ramipril in Combination with Acetyl Salicylic Acid in Postmyocardial Infarction Patients with Left Ventricular Systolic Dysfunction: A Retrospective Analysis of the <sc>SMILE</sc> Randomized, Double-Blind Study in Diabetic Patients. <i>Cardiovascular Therapeutics</i> , 2016, 34, 76-84.	2.5	3
94	Vascular Health Assessment of The Hypertensive Patients (VASOTENS) Registry: Study Protocol of an International, Web-Based Telemonitoring Registry for Ambulatory Blood Pressure and Arterial Stiffness. <i>JMIR Research Protocols</i> , 2016, 5, e137.	1.0	16
95	Individual patient data meta-analysis of self-monitoring of blood pressure (BP-SMART): a protocol: Table A1. <i>BMJ Open</i> , 2015, 5, e008532.	1.9	10
96	Randomised comparison of zofenopril and ramipril plus acetylsalicylic acid in postmyocardial infarction patients with left ventricular systolic dysfunction: a post hoc analysis of the SMILE-4 Study in patients according to levels of left ventricular ejection fraction at entry. <i>Open Heart</i> , 2015, 2, e000195.	2.3	3
97	Home or ambulatory blood pressure monitoring for the diagnosis of hypertension?. <i>Journal of Hypertension</i> , 2015, 33, 1528-1530.	0.5	9
98	Standards for ambulatory blood pressure monitoring clinical reporting in daily practice. <i>Blood Pressure Monitoring</i> , 2015, 20, 241-244.	0.8	32
99	Olmesartan vs ramipril in the treatment of hypertension and associated clinical conditions in the elderly: a reanalysis of two large double blind, randomized studies at the light of the most recent blood pressure targets recommended by guidelines. <i>Clinical Interventions in Aging</i> , 2015, 10, 1575.	2.9	5
100	Blood Pressure Response to Zofenopril or Irbesartan Each Combined with Hydrochlorothiazide in High-Risk Hypertensives Uncontrolled by Monotherapy: A Randomized, Double-Blind, Controlled, Parallel Group, Noninferiority Trial. <i>International Journal of Hypertension</i> , 2015, 2015, 1-12.	1.3	7
101	Evaluation of 24-Hour Arterial Stiffness Indices and Central Hemodynamics in Healthy Normotensive Subjects versus Treated or Untreated Hypertensive Patients: A Feasibility Study. <i>International Journal of Hypertension</i> , 2015, 2015, 1-10.	1.3	22
102	PP.LB02.09. <i>Journal of Hypertension</i> , 2015, 33, e384.	0.5	0
103	3D.05. <i>Journal of Hypertension</i> , 2015, 33, e41-e42.	0.5	3
104	Cardioprotective role of zofenopril in patients with acute myocardial infarction: a pooled individual data analysis of four randomised, double-blind, controlled, prospective studies. <i>Open Heart</i> , 2015, 2, e000220.	2.3	9
105	P4.5 VASCULAR HEALTH ASSESSMENT OF THE HYPERTENSIVE PATIENTS (VASOTENS) REGISTRY: RATIONALE, DESIGN AND METHODS OF AN INTERNATIONAL REGISTRY FOR AMBULATORY BLOOD PRESSURE AND ARTERIAL STIFFNESS TELEMONITORING. <i>Artery Research</i> , 2015, 12, 16.	0.6	0
106	Early ($\leq 1\text{-h}$) vs. late (>1-h) administration of frovatriptan plus dexketoprofen combination vs. frovatriptan monotherapy in the acute treatment of migraine attacks with or without aura: a post hoc analysis of a double-blind, randomized, parallel group study. <i>Neurological Sciences</i> , 2015, 36, 161-167.	1.9	3
107	The Role of Telemedicine in Hypertension Management: Focus on Blood Pressure Telemonitoring. <i>Current Hypertension Reports</i> , 2015, 17, 535.	3.5	88
108	Efficacy of frovatriptan as compared to other triptans in migraine with aura. <i>Journal of Headache and Pain</i> , 2015, 16, 514.	6.0	4

#	ARTICLE	IF	CITATIONS
109	The pharmacist and the management of arterial hypertension: the role of blood pressure monitoring and telemonitoring. Expert Review of Cardiovascular Therapy, 2015, 13, 209-221.	1.5	24
110	Ethnic Differences in the Degree of Morning Blood Pressure Surge and in Its Determinants Between Japanese and European Hypertensive Subjects. Hypertension, 2015, 66, 750-756.	2.7	96
111	Cardiac index assessment: Validation of a new non-invasive very low current thoracic bioimpedance device by thermodilution. Blood Pressure, 2014, 23, 102-108.	1.5	16
112	Zofenopril plus hydrochlorothiazide combination in the treatment of hypertension: an update. Expert Review of Cardiovascular Therapy, 2014, 12, 1055-1065.	1.5	6
113	EHMTI-0052. Efficacy of early vs. late use of frovatriptan combined with dexketoprofen vs. frovatriptan alone in the acute treatment of migraine attacks with or without aura. Journal of Headache and Pain, 2014, 15, .	6.0	0
114	European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. Journal of Hypertension, 2014, 32, 1359-1366.	0.5	758
115	Zofenopril Plus Hydrochlorothiazide and Irbesartan Plus Hydrochlorothiazide in Previously Treated and Uncontrolled Diabetic and Non-diabetic Essential Hypertensive Patients. Advances in Therapy, 2014, 31, 217-233.	2.9	17
116	Olmesartan vs. Ramipril in Elderly Hypertensive Patients: Review of Data from Two Published Randomized, Double-Blind Studies. High Blood Pressure and Cardiovascular Prevention, 2014, 21, 1-19.	2.2	9
117	Gender and triptan efficacy: a pooled analysis of three double-blind, randomized, crossover, multicenter, Italian studies comparing frovatriptan vs. other triptans. Neurological Sciences, 2014, 35, 99-105.	1.9	25
118	Efficacy of early vs. late use of frovatriptan combined with dexketoprofen vs. frovatriptan alone in the acute treatment of migraine attacks with or without aura. Neurological Sciences, 2014, 35, 107-113.	1.9	4
119	Efficacy of frovatriptan and other triptans in the treatment of acute migraine of normal weight and obese subjects: a review of randomized studies. Neurological Sciences, 2014, 35, 115-119.	1.9	13
120	Effects of Treatment with Zofenopril in Men and Women with Acute Myocardial Infarction: Gender Analysis of the SMILE Program. PLoS ONE, 2014, 9, e111558.	2.5	10
121	Blood pressure control and treatment adherence in hypertensive patients with metabolic syndrome: protocol of a randomized controlled study based on home blood pressure telemonitoring vs. conventional management and assessment of psychological determinants of adherence (TELEBPMET) Tj ETQq1 1 0.784314 88 /Ove	1.6	38
122	Relapse in acute migraine treatment: Comparison of frovatriptan with other triptans. Journal of the Neurological Sciences, 2013, 333, e500.	0.6	0
123	Frovatriptan vs almotriptan for treatment of menstrual migraine: a double-blind, randomized, cross-over, multicenter Italian study. Journal of Headache and Pain, 2013, 14, .	6.0	0
124	Frovatriptan vs other triptans in the treatment of menstrual migraine: pooled analysis of three double-blind, randomized, cross-over studies. Journal of Headache and Pain, 2013, 14, .	6.0	1
125	Frovatriptan vs. other triptans for the acute treatment of oral contraceptive-induced menstrual migraine: pooled analysis of three double-blind, randomized, crossover, multicenter studies. Neurological Sciences, 2013, 34, 83-86.	1.9	10
126	Efficacy of frovatriptan and other triptans in the treatment of acute migraine of hypertensive and normotensive subjects: a review of randomized studies. Neurological Sciences, 2013, 34, 87-91.	1.9	9

#	ARTICLE	IF	CITATIONS
127	Cost effectiveness of zofenopril in patients with left ventricular systolic dysfunction after acute myocardial infarction: a post- hoc analysis of the smile-4 study. <i>Value in Health</i> , 2013, 16, A286-A287.	0.3	1
128	Frovatriptan versus other triptans in the acute treatment of migraine with aura attacks: Pooled analysis of double-blind, randomized, cross-over, multicenter, studies. <i>Journal of the Neurological Sciences</i> , 2013, 333, e502.	0.6	0
129	Zofenopril is a cost-effective treatment for patients with left ventricular systolic dysfunction following acute myocardial infarction: a pharmaco-economic analysis of the SMILE-4 study. <i>European Heart Journal</i> , 2013, 34, P3293-P3293.	2.2	1
130	Cardioprotective role of zofenopril in patients with acute myocardial infarction: high-risk subgroup analysis of the SMILE OVERALL project. <i>European Heart Journal</i> , 2013, 34, P3306-P3306.	2.2	0
131	European Society of Hypertension Position Paper on Ambulatory Blood Pressure Monitoring. <i>Journal of Hypertension</i> , 2013, 31, 1731-1768.	0.5	1,124
132	Long-term blood pressure changes induced by the 2009 Lâ€™Aquila earthquake: assessment by 24h ambulatory monitoring. <i>Hypertension Research</i> , 2013, 36, 795-798.	2.7	12
133	Efficacy and safety of ribosome-component immune modulator for preventing recurring respiratory infections in socialized children. <i>Allergy and Asthma Proceedings</i> , 2013, 34, 108-109.	2.2	1
134	Zofenopril and ramipril and acetylsalicylic acid in postmyocardial infarction patients with left ventricular systolic dysfunction. <i>Journal of Hypertension</i> , 2013, 31, 1256-1264.	0.5	9
135	Clinical usefulness and cost effectiveness of home blood pressure telemonitoring. <i>Journal of Hypertension</i> , 2013, 31, 455-468.	0.5	251
136	Symptomatic or prophylactic treatment of weekend migraine: an open-label, nonrandomized, comparison study of frovatriptan versus naproxen sodium versus no therapy. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 81.	2.2	3
137	Cost-effectiveness of zofenopril in patients with left ventricular systolic dysfunction after acute myocardial infarction: a post hoc analysis of SMILE-4. <i>ClinicoEconomics and Outcomes Research</i> , 2013, 5, 317.	1.9	3
138	Awareness, treatment, and control of major cardiovascular risk factors in a small-scale Italian community: results of a screening campaign. <i>Vascular Health and Risk Management</i> , 2013, 9, 177.	2.3	19
139	Frovatriptan vs other triptans in the treatment of menstrual migraine: pooled analysis of three double-blind, randomized, cross-over studies. <i>Journal of Headache and Pain</i> , 2013, 1, P191.	6.0	1
140	Twenty-four hour and early morning blood pressure control of olmesartan vs. ramipril in elderly hypertensive patients. <i>Journal of Hypertension</i> , 2012, 30, 1468-1477.	0.5	17
141	564 ZOFENOPRIL AND RAMIPRIL PLUS ASA IN POST- MYOCARDIAL INFARCTION PATIENTS WITH LEFT VENTRICULAR SYSTOLIC DYSFUNCTION. <i>Journal of Hypertension</i> , 2012, 30, e165-e166.	0.5	0
142	Efficacy and safety of ribosome-component immune modulator for preventing recurrent respiratory infections in socialized children. <i>Allergy and Asthma Proceedings</i> , 2012, 33, 197-204.	2.2	7
143	Antihypertensive Efficacy of Olmesartan Medoxomil and Ramipril in Elderly Patients with Mild to Moderate Hypertension Grouped According to Renal Function Status. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2012, 19, 213-222.	2.2	9
144	Antihypertensive Efficacy and Safety of Olmesartan Medoxomil and Ramipril in Elderly Mild to Moderate Essential Hypertensive Patients With or Without Metabolic Syndrome. <i>Drugs and Aging</i> , 2012, 29, 981-992.	2.7	10

#	ARTICLE	IF	CITATIONS
145	Frovatriptan versus zolmitriptan for the acute treatment of migraine with aura: a subgroup analysis of a double-blind, randomized, multicenter, Italian study. <i>Neurological Sciences</i> , 2012, 33, 61-64.	1.9	5
146	Efficacy of frovatriptan versus other triptans in the acute treatment of menstrual migraine: pooled analysis of three double-blind, randomized, crossover, multicenter studies. <i>Neurological Sciences</i> , 2012, 33, 65-69.	1.9	17
147	Frovatriptan versus almotriptan for acute treatment of menstrual migraine: analysis of a double-blind, randomized, cross-over, multicenter, Italian, comparative study. <i>Journal of Headache and Pain</i> , 2012, 13, 401-406.	6.0	31
148	Zofenopril and incidence of cough: a review of published and unpublished data. <i>Therapeutics and Clinical Risk Management</i> , 2011, 7, 459.	2.0	17
149	HYPERTENSION PHENOTYPES DEFINED BY OFFICE AND AMBULATORY BLOOD PRESSURE IN 9,153 SUBJECTS REFERRED TO HYPERTENSION CLINICS IN FOUR CONTINENTS: THE ARTEMIS INTERNATIONAL REGISTRY. <i>Journal of Hypertension</i> , 2011, 29, e118-e119.	0.5	1
150	PREDICTORS OF ISOLATED CLINIC AND MASKED HYPERTENSION BASED ON HOME OR AMBULATORY BLOOD PRESSURE: THE MEDIT-HABP (MEDITERRANEAN HOME VS. AMBULATORY BP) STUDY. <i>Journal of Hypertension</i> , 2011, 29, e312.	0.5	0
151	DIAGNOSTIC ACCURACY OF HOME BLOOD PRESSURE MONITORING: THE MEDIT-HABP STUDY (MEDITERRANEAN HOME VS. AMBULATORY BP). <i>Journal of Hypertension</i> , 2011, 29, e83.	0.5	3
152	Restless legs syndrome is not associated with migraine with aura: a clinical study. <i>Neurological Sciences</i> , 2011, 32, 153-156.	1.9	22
153	Efficacy of frovatriptan in the acute treatment of menstrually related migraine: analysis of a double-blind, randomized, multicenter, Italian, comparative study versus zolmitriptan. <i>Neurological Sciences</i> , 2011, 32, 99-104.	1.9	21
154	Frovatriptan versus other triptans in the acute treatment of migraine: pooled analysis of three double-blind, randomized, cross-over, multicenter, Italian studies. <i>Neurological Sciences</i> , 2011, 32, 95-98.	1.9	30
155	A double-blind, randomized, multicenter, Italian study of frovatriptan versus rizatriptan for the acute treatment of migraine. <i>Journal of Headache and Pain</i> , 2011, 12, 219-226.	6.0	37
156	A double-blind, randomized, multicenter, Italian study of frovatriptan versus almotriptan for the acute treatment of migraine. <i>Journal of Headache and Pain</i> , 2011, 12, 361-368.	6.0	47
157	When to use frovatriptan in migraine? A reply. <i>Journal of Headache and Pain</i> , 2011, 12, 395-396.	6.0	1
158	Efficacy of frovatriptan in the acute treatment of menstrually related migraine: analysis of a double-blind, randomized, cross-over, multicenter, Italian, comparative study versus rizatriptan. <i>Journal of Headache and Pain</i> , 2011, 12, 609-615.	6.0	34
159	Suggested randomized, controlled trial for frovatriptan: a reply. <i>Journal of Headache and Pain</i> , 2011, 12, 663-664.	6.0	0
160	Antihypertensive efficacy and safety of olmesartan and ramipril in elderly patients with mild to moderate systolic and diastolic essential hypertension. <i>Blood Pressure</i> , 2011, 20, 3-11.	1.5	20
161	Impact of Home Blood Pressure Telemonitoring and Blood Pressure Control: A Meta-Analysis of Randomized Controlled Studies. <i>American Journal of Hypertension</i> , 2011, 24, 989-998.	2.0	86
162	ANTIHYPERTENSIVE EFFICACY AND SAFETY OF OLMESARTAN AND RAMIPRIL IN ELDERLY PATIENTS WITH MILD TO MODERATE SYSTOLIC AND DIASTOLIC ESSENTIAL HYPERTENSION: HT.1.02. <i>Journal of Hypertension</i> , 2010, 28, e45.	0.5	1

#	ARTICLE	IF	CITATIONS
163	Time-weighted vs. conventional quantification of 24-h average systolic and diastolic ambulatory blood pressures. <i>Journal of Hypertension</i> , 2010, 28, 459-464.	0.5	32
164	Antihypertensive efficacy and safety of olmesartan medoxomil and ramipril in elderly patients with mild to moderate essential hypertension: the ESPORT study. <i>Journal of Hypertension</i> , 2010, 28, 2342-2350.	0.5	41
165	Role of home blood pressure telemonitoring in hypertension management. <i>Blood Pressure Monitoring</i> , 2010, 15, 285-295.	0.8	58
166	Frovatriptan versus zolmitriptan for the acute treatment of migraine: a double-blind, randomized, multicenter, Italian study. <i>Neurological Sciences</i> , 2010, 31, 51-54.	1.9	34
167	Effectiveness of barnidipine 10 or 20 mg plus losartan 50-mg combination versus losartan 100-mg monotherapy in patients with essential hypertension not controlled by losartan 50-mg monotherapy: A 12-week, multicenter, randomized, open-label, parallel-group study. <i>Clinical Therapeutics</i> , 2010, 32, 1270-1284.	2.5	11
168	ANTIHYPERTENSIVE EFFICACY AND SAFETY OF OLMESARTAN MEDOXOMIL AND RAMIPRIL IN ELDERLY PATIENTS WITH MILD TO MODERATE ESSENTIAL HYPERTENSION: THE ESPORT STUDY: HT.1.03. <i>Journal of Hypertension</i> , 2010, 28, e45-e46.	0.5	0
169	Home Blood Pressure Measurements Will Not Replace 24-Hour Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 2009, 54, 188-195.	2.7	56
170	Why Is Out-of-Office Blood Pressure Measurement Needed?. <i>Hypertension</i> , 2009, 54, 181-187.	2.7	77
171	Zofenopril Plus Hydrochlorothiazide Fixed Combination in the Treatment of Hypertension and Associated Clinical Conditions. <i>Cardiovascular Therapeutics</i> , 2009, 27, 275-288.	2.5	12
172	Home blood pressure telemonitoring improves hypertension control in general practice. The TeleBPCare study. <i>Journal of Hypertension</i> , 2009, 27, 198-203.	0.5	145
173	Italian Society of Hypertension Guidelines for Conventional and Automated Blood Pressure Measurement in the Office, at Home and Over 24 Hours. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008, 15, 283-310.	2.2	58
174	Antihypertensive effect of barnidipine 10 mg or amlodipine 5 to 10 mg once daily in treatment-naive patients with essential hypertension: A 24-week, randomized, open-label, pilot study. <i>Current Therapeutic Research</i> , 2008, 69, 192-206.	1.2	11
175	Antihypertensive effect of zofenopril plus hydrochlorothiazide versus zofenopril monotherapy in patients with essential hypertension according to their cardiovascular risk level: A post hoc analysis. <i>Current Therapeutic Research</i> , 2008, 69, 232-242.	1.2	7
176	PA.NET International Quality Certification Protocol for blood pressure monitors. <i>Blood Pressure Monitoring</i> , 2008, 13, 285-289.	0.8	11
177	Validation of the Artsana CS 410 automated blood pressure monitor in adults according to the International Protocol of the European Society of Hypertension. <i>Blood Pressure Monitoring</i> , 2008, 13, 177-182.	0.8	7
178	Circadian Blood Pressure Profile in Patients with Active Cushing's Disease and after Long-term Cure. <i>Hormone and Metabolic Research</i> , 2007, 39, 908-914.	1.5	32
179	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. , 2007, , .		11
180	Validation of the Omron M5-I, R5-I and HEM-907 automated blood pressure monitors in elderly individuals according to the International Protocol of the European Society of Hypertension. <i>Blood Pressure Monitoring</i> , 2007, 12, 233-242.	0.8	106

#	ARTICLE	IF	CITATIONS
181	Validation of the Artsana CSI 610 automated blood pressure monitor in adults according to the International Protocol of the European Society of Hypertension. <i>Blood Pressure Monitoring</i> , 2007, 12, 179-184.	0.8	9
182	Assessment of long-term antihypertensive treatment by clinic and ambulatory blood pressure: data from the European Lacidipine Study on Atherosclerosis. <i>Journal of Hypertension</i> , 2007, 25, 1087-1094.	0.5	58
183	Frovatriptan for The Prevention of Postdural Puncture Headache. <i>Cephalalgia</i> , 2007, 27, 809-813.	3.9	26
184	Antihypertensive efficacy of zofenopril plus hydrochlorothiazide fixed combination for treatment in metabolic syndrome. <i>Advances in Therapy</i> , 2007, 24, 1006-1015.	2.9	15
185	Vascular risk factors in glaucoma: the results of a national survey. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2007, 245, 795-802.	1.9	50
186	Prognostic Value of Ambulatory Blood Pressure Monitoring. , 2007, , 225-252.		0
187	Antihypertensive efficacy of zofenopril and hydrochlorothiazide combination on ambulatory blood pressure. <i>Blood Pressure</i> , 2006, 15, 7-17.	1.5	19
188	A similar 24h blood pressure control is obtained by zofenopril and candesartan in primary hypertensive patients. <i>Blood Pressure</i> , 2006, 15, 18-26.	1.5	10
189	Zofenopril versus Lisinopril in the Treatment of Essential Hypertension in Elderly Patients. <i>Clinical Drug Investigation</i> , 2005, 25, 175-182.	2.2	18
190	ArterialPressure.net. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2005, 12, 151.	2.2	0
191	Web-Based Telemonitoring of Home Blood Pressure in General Practice. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2005, 12, 151.	2.2	0
192	Measurement Home Blood Pressure. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2005, 12, 153.	2.2	0
193	Candesartan plus hydrochlorothiazide fixed combination vs previous monotherapy plus diuretic in poorly controlled essential hypertensive patients. <i>Blood Pressure</i> , 2004, 13, 11-17.	1.5	12
194	TIME-WEIGHTED VS CONVENTIONAL QUANTIFICATION OF 24 HOUR AVERAGE AMBULATORY SYSTOLIC BLOOD PRESSURE. <i>Journal of Hypertension</i> , 2004, 22, S279-S280.	0.5	0
195	Time-weighted vs conventional quantification of 24 H average systolic and diastolic ambulatory blood pressures. <i>American Journal of Hypertension</i> , 2004, 17, S36.	2.0	1
196	TELEMONITORING OF HOME BLOOD PRESSURE IMPROVES BLOOD PRESSURE CONTROL IN HYPERTENSION. <i>Journal of Hypertension</i> , 2004, 22, S137.	0.5	6
197	DIFFERENT MEASURES OF 24 H BLOOD PRESSURE VARIABILITY AND ITS NOCTURNAL FALL IN RELATION TO LEFT VENTRICULAR STRUCTURE AND FUNCTION IN HYPERTENSION. EVIDENCE FROM THE SAMPLE STUDY. <i>Journal of Hypertension</i> , 2004, 22, S24-S25.	0.5	0
198	EFFICACY AND TOLERABILITY OF CANDESARTAN 16 MG + HYDROCHLOROTHIAZIDE 12.5 MG FIXED COMBINATION VS. PREVIOUS MONOTHERAPY + HYDROCHLOROTHIAZIDE IN ESSENTIAL HYPERTENSION. <i>Journal of Hypertension</i> , 2004, 22, S256.	0.5	0

#	ARTICLE	IF	CITATIONS
199	REFERENCE VALUES FOR CLINICAL USE OF THE SMOOTHNESS INDEX. <i>Journal of Hypertension</i> , 2004, 22, S93-S94.	0.5	0
200	ARM AND WRIST AUTOMATED OSCILLOMETRIC SPHYGMOMOMETER-NOMETERS. <i>Journal of Hypertension</i> , 2004, 22, S22.	0.5	0
201	Combination of lisinopril and nifedipine GITS Increases Blood Pressure Control Compared with Single Drugs in Essential Hypertensive Patients. <i>Journal of Cardiovascular Pharmacology</i> , 2003, 41, 579-585.	1.9	13
202	Switching from ACE Inhibitors, Beta-blockers, Calcium Antagonists or Diuretics to Candesartan Improves Efficacy and Tolerability. <i>Blood Pressure</i> , 2002, 11, 310-319.	1.5	1
203	Twenty-four hour ambulatory blood pressure in the International Nifedipine GITS Study Intervention as a Goal in Hypertension Treatment (INSIGHT). <i>Journal of Hypertension</i> , 2002, 20, 545-553.	0.5	32
204	Smooth Blood Pressure Control Obtained with Extended-Release Felodipine in Elderly Patients with Hypertension. <i>Drugs and Aging</i> , 2002, 19, 541-551.	2.7	8
205	Comparison of candesartan versus enalapril in essential hypertension. <i>American Journal of Hypertension</i> , 2001, 14, 129-134.	2.0	20
206	A Smooth Blood Pressure Control is obtained over 24 h by Delapril in Mild to Moderate Essential Hypertensives. <i>Blood Pressure</i> , 2001, 10, 170-175.	1.5	10
207	Twenty-four hour ambulatory blood pressure in the Hypertension Optimal Treatment (HOT) study. <i>Journal of Hypertension</i> , 2001, 19, 1755-1763.	0.5	49
208	Relation between blood pressure variability and carotid artery damage in hypertension: baseline data from the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2001, 19, 1981-1989.	0.5	246
209	Reproducibility of beat-by-beat blood pressure and heart rate variability. <i>Blood Pressure Monitoring</i> , 2001, 6, 217-220.	0.8	16
210	Mechanisms underlying the impairment in orthostatic tolerance after nocturnal recumbency in patients with autonomic failure. <i>Clinical Science</i> , 2001, 101, 609.	4.3	15
211	Efficacy, Tolerability, and Impact on Quality of Life of Long-Term Treatment with Manidipine or Amlodipine in Patients with Essential Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2001, 38, 642-650.	1.9	53
212	The importance of blood pressure variability in hypertension. <i>Blood Pressure Monitoring</i> , 2000, 5, S9-S16.	0.8	29
213	Antihypertensive Efficacy of Manidipine and Enalapril in Hypertensive Diabetic Patients. <i>Journal of Cardiovascular Pharmacology</i> , 2000, 35, 926-931.	1.9	21
214	ASSESSING WHITE COAT EFFECT. <i>Journal of Hypertension</i> , 2000, 18, S52-S53.	0.5	0
215	TIME COURSE OF DIRECT AND INDIRECT MEASURES OF WHITE COAT EFFECT OVER REPEATED VISITS. <i>Journal of Hypertension</i> , 2000, 18, S53.	0.5	0
216	Ambulatory Blood Pressure Monitoring. <i>Clinical and Experimental Hypertension</i> , 1999, 21, 703-715.	1.3	23

#	ARTICLE	IF	CITATIONS
217	Broad-band spectral analysis of 24h continuous finger blood pressure: comparison with intra-arterial recordings. <i>Clinical Science</i> , 1999, 97, 129.	4.3	32
218	Broad-band spectral analysis of 24 h continuous finger blood pressure: comparison with intra-arterial recordings. <i>Clinical Science</i> , 1999, 97, 129-139.	4.3	43
219	Clinical value of ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 1999, 17, 585-595.	0.5	89
220	Clinical Advantages of Lipophilic Dihydropyridines. <i>Blood Pressure</i> , 1998, 7, 23-26.	1.5	8
221	Clinical Advantages of Lipophilic Dihydropyridines. <i>Blood Pressure</i> , 1998, 7, 23-26.	1.5	3
222	Difference Between Clinic and Daytime Blood Pressure Is Not a Measure of the White Coat Effect. <i>Hypertension</i> , 1998, 31, 1185-1189.	2.7	140
223	Reproducibility and Clinical Value of the Trough-to-Peak Ratio of the Antihypertensive Effect. <i>Hypertension</i> , 1998, 32, 424-429.	2.7	33
224	Estimation of Blood Pressure Variability From 24-Hour Ambulatory Finger Blood Pressure. <i>Hypertension</i> , 1998, 32, 52-58.	2.7	52
225	Risk factors associated with alterations in carotid intima-media thickness in hypertension. <i>Journal of Hypertension</i> , 1998, 16, 949-961.	0.5	260
226	The smoothness index. <i>Journal of Hypertension</i> , 1998, 16, 1685-1691.	0.5	180
227	Antihypertensive efficacy of lercanidipine at 2.5, 5 and 10 mg in mild to moderate essential hypertensives assessed by clinic and ambulatory blood pressure measurements. <i>Journal of Hypertension</i> , 1998, 16, 1831-1838.	0.5	42
228	Reproducibility and clinical value of nocturnal hypotension. <i>Journal of Hypertension</i> , 1998, 16, 733-738.	0.5	222
229	Limitations of the difference between clinic and daytime blood pressure as a surrogate measure of the "white-coat" effect. <i>Journal of Hypertension</i> , 1998, 16, 23-29.	0.5	70
230	Hemodynamic Changes in the Lower Limbs During Treadmill Walking in Normal Subjects and in Patients with Arteriosclerosis Obliterans. <i>Angiology</i> , 1997, 48, 795-803.	1.8	10
231	Assessment of antihypertensive treatment by ambulatory blood pressure. <i>Journal of Hypertension</i> , 1997, 15, S43-S50.	0.5	12
232	Combination treatment in hypertension the VeraTran Study. <i>American Journal of Hypertension</i> , 1997, 10, 153S-153S.	2.0	26
233	Performance of the AM-5600 blood pressure monitor: comparison with ambulatory intra-arterial pressure. <i>Journal of Applied Physiology</i> , 1997, 82, 698-703.	2.5	6
234	Difference between office and ambulatory blood pressure and response to antihypertensive treatment. <i>Journal of Hypertension</i> , 1996, 14, 791-797.	0.5	37

#	ARTICLE	IF	CITATIONS
235	Lack of effect of percutaneous transluminal renal angioplasty on nocturnal hypotension in renovascular hypertensive patients. <i>Journal of Hypertension</i> , 1996, 14, 53-56.	0.5	3
236	Analysis of Heart Rate and Blood Pressure Variability in the Assessment of Autonomic Regulation in Arterial Hypertension. <i>Clinical Science</i> , 1996, 91, 129-132.	0.0	12
237	Blood pressure and heart rate variability in autonomic disorders: a critical review. <i>Clinical Autonomic Research</i> , 1996, 6, 171-182.	2.5	56
238	Twenty four hour continuous non-invasive finger blood pressure monitoring: a novel approach to the evaluation of treatment in patients with autonomic failure. <i>ACC Current Journal Review</i> , 1996, 5, 68-69.	0.1	0
239	Ambulatory Blood Pressure, Blood Pressure Variability and Antihypertensive Treatment. <i>Clinical and Experimental Hypertension</i> , 1996, 18, 449-462.	1.3	5
240	Calculation of trough: peak ratio of antihypertensive treatment from ambulatory blood pressure: methodological aspects. <i>Journal of Hypertension</i> , 1995, 13, 1105-1112.	0.5	92
241	Prognostic value of ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 1995, 13, 373.	0.5	2
242	Blood pressure variability, cardiovascular risk and antihypertensive treatment. <i>Journal of Hypertension</i> , 1995, 13, S27-A34.	0.5	41
243	Structural cardiovascular alterations and blood pressure variability in human hypertension. <i>Journal of Hypertension</i> , 1995, 13, S7-S14.	0.5	11
244	Blood pressure variability over 24 hours: its different components and its relationship to the arterial baroreflex. <i>Journal of Sleep Research</i> , 1995, 4, 21-29.	3.2	7
245	Ambulatory Blood Pressure Monitoring in the Evaluation of Antihypertensive Treatment: Additional Information from a Large Data Base. <i>Blood Pressure</i> , 1995, 4, 148-156.	1.5	92
246	Twenty four hour continuous non-invasive finger blood pressure monitoring: a novel approach to the evaluation of treatment in patients with autonomic failure.. <i>Heart</i> , 1995, 73, 290-292.	2.9	10
247	Lack of placebo effect on ambulatory blood pressure. <i>American Journal of Hypertension</i> , 1995, 8, 311-315.	2.0	116
248	Permanent Blood Pressure Control Over the 24 h by Trandolapril. <i>American Journal of Hypertension</i> , 1995, 8, 71S-74S.	2.0	6
249	The ambulatory blood pressure in normotensive and hypertensive subjects: results from an international database*1. <i>Netherlands Journal of Medicine</i> , 1995, 46, 106-114.	0.5	9
250	Clinical Value of Ambulatory Blood Pressure Monitoring. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 23, S1-S4.	1.9	10
251	Blood pressure reduction and end-organ damage in hypertension. <i>Journal of Hypertension</i> , 1994, 12, 35-42.	0.5	8
252	Twenty-Four-Hour Ambulatory Blood Pressure Monitoring and Antihypertensive Treatment. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 23, S15-S19.	1.9	1

#	ARTICLE	IF	CITATIONS
253	Ambulatory blood pressure in normotensive and hypertensive subjects. Journal of Hypertension, 1994, 12, S13-S22.	0.5	64
254	Ambulatory blood pressure monitoring in the evaluation of antihypertensive drugs. Journal of Hypertension, 1994, 12, 9-16.	0.5	23
255	Impairment of the arterial baroreflex during symptomatic and silent myocardial ischemia in humans. Journal of the American College of Cardiology, 1993, 22, 1866-1872.	2.8	25
256	Spectral and sequence analysis of finger blood pressure variability. Comparison with analysis of intra-arterial recordings.. Hypertension, 1993, 22, 26-33.	2.7	220
257	Spectral Analysis of 24 h Blood Pressure Recordings. American Journal of Hypertension, 1993, , .	2.0	5
258	Ambulatory Blood Pressure Monitoring in the Design of Studies on Antihypertensive Drug Efficacy. American Journal of Hypertension, 1993, , .	2.0	4
259	151 Twenty-four hour non-invasive ambulatory blood pressure monitoring by AM5600 versus simultaneous intra-arterial recording in essential hypertensives. Journal of Hypertension, 1993, 11, S463.	0.5	0
260	Antihypertensive effects of nifedipine gastrointestinal therapeutic system on clinic and ambulatory blood pressure in essential hypertensives. Journal of Hypertension, 1993, 11, S334-S335.	0.5	1
261	Isobaric compliance of the radial artery is increased in patients with essential hypertension. Journal of Hypertension, 1993, 11, 89-98.	0.5	128
262	Evaluation of noninvasive blood pressure monitoring devices Spacelabs 90202 and 90207 versus resting and ambulatory 24-hour intra-arterial blood pressure.. Hypertension, 1992, 20, 227-232.	2.7	138
263	Noninvasive Automatic Blood Pressure Monitoring Does Not Attenuate Nighttime Hypotension. American Journal of Hypertension, 1992, 5, 744-747.	2.0	23
264	Ambulatory blood pressure monitoring and antihypertensive treatment. European Heart Journal, 1992, 13, 43-47.	2.2	6
265	Sympathomoderating influence of benazepril in essential hypertension. Journal of Hypertension, 1992, 10, 373-378.	0.5	24
266	Persistent blood pressure increase induced by heavy smoking. Journal of Hypertension, 1992, 10, 495-499.	0.5	242
267	Variability in arterial diameter and compliance. Journal of Hypertension, 1992, 10, S41-S44.	0.5	6
268	Limited reproducibility of hourly blood pressure values obtained by ambulatory blood pressure monitoring. Journal of Hypertension, 1992, 10, 1531-1535.	0.5	67
269	Ambulatory Blood Pressure Monitoring. Drugs, 1992, 44, 17-22.	10.9	1
270	Clinical value of blood pressure measurements: Focus on ambulatory blood pressures. American Journal of Cardiology, 1992, 70, D4-D8.	1.6	3

#	ARTICLE	IF	CITATIONS
271	Evaluation of the antihypertensive effect of once-a-day trandolapril by 24-hour ambulatory blood pressure monitoring. <i>American Journal of Cardiology</i> , 1992, 70, D60-D66.	1.6	27
272	Role of sinoaortic afferents in modulating BP and pulse-interval spectral characteristics in unanesthetized cats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1991, 261, H1811-H1818.	3.2	76
273	Effect of ageing on blood pressure variability. <i>Journal of Hypertension</i> , 1991, 9, S330.	0.5	10
274	Effect of placebo on 24-h non-invasive ambulatory blood pressure. <i>Journal of Hypertension</i> , 1991, 9, 361-364.	0.5	61
275	Acute modulation of arterial compliance in mild essential hypertension. <i>Journal of Hypertension</i> , 1991, 9, S112.	0.5	0
276	Validation of the SpaceLabs 90202 and 90207 devices for ambulatory blood pressure monitoring by comparison with intra-arterial resting and ambulatory measurements. <i>Journal of Hypertension</i> , 1991, 9, S336.	0.5	0
277	Acute modulation of arterial compliance in mild essential hypertension. <i>Journal of Hypertension</i> , 1991, 9, S112.	0.5	4
278	Effect of ageing on blood pressure variability. <i>Journal of Hypertension</i> , 1991, 9, S330.	0.5	11
279	Validation of the SpaceLabs 90202 and 90207 devices for ambulatory blood pressure monitoring by comparison with intra-arterial resting and ambulatory measurements. <i>Journal of Hypertension</i> , 1991, 9, S336.	0.5	23
280	Methodological problems in evaluation of cardiovascular effects of stress in humans.. <i>Hypertension</i> , 1991, 17, III50-III50.	2.7	23
281	Cardiovascular Effects of Smoking. <i>Clinical and Experimental Hypertension</i> , 1990, 12, 917-929.	0.3	20
282	Sequential spectral analysis of 24-hour blood pressure and pulse interval in humans.. <i>Hypertension</i> , 1990, 16, 414-421.	2.7	135
283	Clinical and Hemodynamic Effects of Celiprolol in Essential Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 14, S14-21.	1.9	2
284	Clinical and Hemodynamic Effects of Celiprolol in Essential Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 14, S14-21.	1.9	2
285	Evaluation Of Neural Cardiovascular Control Through Dynamic Analysis Of 24 Hour Blood Pressure And Heart Rate. , 0, , .		0
286	Influencers of the selection between heart-period and heart-rate on the spectral evaluation of heart rhythm variability during exercise. , 0, , .		2
287	Connected health: in the right place at the right time. , 0, , .		3