H Paul Voorheis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5806886/publications.pdf

Version: 2024-02-01

471371 642610 27 811 17 23 citations h-index g-index papers 27 27 27 528 all docs docs citations times ranked citing authors

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Development of a quantitative fluorescence-based ligand-binding assay. Scientific Reports, 2016, 6, 25769. | 1.6 | 53 |
| 2 | Protein folding: Understanding the role of water and the low Reynolds number environment as the peptide chain emerges from the ribosome and folds. Journal of Theoretical Biology, 2014, 363, 169-187. | 0.8 | 10 |
| 3 | The Glycosylphosphatidylinositol-PLC in Trypanosoma brucei Forms a Linear Array on the Exterior of the Flagellar Membrane Before and After Activation. PLoS Pathogens, 2009, 5, e1000468. | 2.1 | 24 |
| 4 | Characterisation of the plasma membrane subproteome of bloodstream form <i>Trypanosoma brucei</i> . Proteomics, 2008, 8, 83-99. | 1.3 | 63 |
| 5 | Structure of the C-terminal Domain from Trypanosoma brucei Variant Surface Glycoprotein MITat1.2. Journal of Biological Chemistry, 2005, 280, 7228-7235. | 1.6 | 42 |
| 6 | Hydrogen ion gradients across the mitochondrial, endosomal and plasma membranes in bloodstream forms of Trypanosoma brucei. FEBS Journal, 2000, 267, 4601-4614. | 0.2 | 21 |
| 7 | Factors that determine the plasma-membrane potential in bloodstream forms of Trypanosoma brucei. FEBS Journal, 2000, 267, 4615-4623. | 0.2 | 26 |
| 8 | Both IgM and IgG anti-VSG antibodies initiate a cycle of aggregation–disaggregation of bloodstream forms of Trypanosoma brucei without damage to the parasite. Molecular and Biochemical Parasitology, 1998, 91, 165-193. | 0.5 | 68 |
| 9 | The identification, purification, and characterization of two invariant surface glycoproteins located beneath the surface coat barrier of bloodstream forms of Trypanosoma brucei. Journal of Biological Chemistry, 1993, 268, 8085-95. | 1.6 | 41 |
| 10 | Changes in the pattern of cell surface proteins during transformation of bloodstream forms of <i>Trypanosoma brucei in vitro</i> . Biochemical Society Transactions, 1990, 18, 1032-1033. | 1.6 | 7 |
| 11 | Royal Academy of Medicine in Ireland Section of Sugery. Irish Journal of Medical Science, 1989, 158, 234-238. | 0.8 | O |
| 12 | Release of the variant surface glycoprotein from <i>Trypanosoma brucei</i> occurs via cleavage of a phosphodiester linkage. Biochemical Society Transactions, 1985, 13, 493-493. | 1.6 | 0 |
| 13 | A new method for the rapid purification of both the membrane-bound and released forms of the variant surface glycoprotein from <i>Trypanosoma brucei</i> . Biochemical Journal, 1985, 230, 195-202. | 1.7 | 58 |
| 14 | Rapid purification of the membrane-bound and released forms of the variant surface glycoprotein from <i>Trypanosoma brucei</i> . Biochemical Society Transactions, 1985, 13, 493-494. | 1.6 | 0 |
| 15 | Release of the variant surface glycoprotein from <i>Trypanosoma brucei</i> is stimulated by the local anaesthetic, benzyl alcohol. Biochemical Society Transactions, 1985, 13, 494-495. | 1.6 | 1 |
| 16 | The specific release of tubulin from the pellicular microtubles of Trypanosoma brucei is initiated by Ca2+. Biochemical Society Transactions, 1985, 13, 775-775. | 1.6 | 0 |
| 17 | Release of the variable surface coat glycoprotein from Trypanosoma brucei requires the cleavage of a phosphate ester Journal of Biological Chemistry, 1985, 260, 5179-5183. | 1.6 | 35 |
| 18 | Release of the variable surface coat glycoprotein from Trypanosoma brucei requires the cleavage of a phosphate ester. Journal of Biological Chemistry, 1985, 260, 5179-83. | 1.6 | 26 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 19 | Release of the surface coat from the plasma membrane of intact bloodstream forms of Trypanosoma brucei requires Ca2+. FEBS Letters, 1982, 139, 17-21. | 1.3 | 44 |
| 20 | Local Anaesthetics Including Benzyl Alcohol Activate the Adenylate Cyclase in Trypanosoma brucei by a Calcium-Dependent Mechanism. FEBS Journal, 1982, 123, 371-376. | 0.2 | 17 |
| 21 | Characteristics of the release of the surface coat protein from bloodstream forms of Trypanosoma brucei Journal of Biological Chemistry, 1982, 257, 2300-2304. | 1.6 | 50 |
| 22 | Characteristics of the release of the surface coat protein from bloodstream forms of Trypanosoma brucei. Journal of Biological Chemistry, 1982, 257, 2300-4. | 1.6 | 35 |
| 23 | Characteristics of the Calcium-Mediated Mechanism Activating Adenylate Cyclase in Trypanosoma brucei. FEBS Journal, 1981, 116, 471-477. | 0.2 | 51 |
| 24 | Energized amino acid transport by Trypanosoma brucei requires a glycolytic intermediate. Biochemical Society Transactions, 1980, 8, 273-275. | 1.6 | 2 |
| 25 | Glycoprotein Biosynthesis in Trypanosoma brucei. The Glycosylation of Glycoproteins Located in and Attached to the Plasma Membrane. FEBS Journal, 1980, 109, 139-150. | 0.2 | 11 |
| 26 | â€~Swell Dialysis' Demonstrates that Adenylate Cyclase in Trypanosoma brucei is Regulated by Calcium Ions. FEBS Journal, 1980, 113, 223-227. | 0.2 | 42 |
| 27 | The isolation and partial characterization of the plasma membrane from <i>Trypanosoma brucei</i> Biochemical Journal, 1979, 180, 11-24. | 1.7 | 84 |