

Ahmet Aytürk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5808212/publications.pdf>

Version: 2024-02-01

124
papers

2,415
citations

201385

27
h-index

276539

41
g-index

127
all docs

127
docs citations

127
times ranked

3587
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Waist circumference percentiles for 7- to 17-year-old Turkish children and adolescents. <i>European Journal of Pediatrics</i> , 2008, 167, 383-389. | 1.3 | 161 |
| 2 | Role of Grape Seed Extract on Methotrexate Induced Oxidative Stress in Rat Liver. <i>The American Journal of Chinese Medicine</i> , 2008, 36, 861-872. | 1.5 | 81 |
| 3 | Prevalence of Metabolic Syndrome in the Mediterranean Region of Turkey: Evaluation of Hypertension, Diabetes Mellitus, Obesity, and Dyslipidemia. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 427-434. | 0.5 | 81 |
| 4 | Influence of fatigue, depression, and demographic, socioeconomic, and clinical variables on quality of life of patients with epilepsy. <i>Epilepsy and Behavior</i> , 2007, 10, 96-104. | 0.9 | 79 |
| 5 | The effect of spasticity, sense and walking aids in falls of people after chronic stroke. <i>Disability and Rehabilitation</i> , 2007, 29, 679-687. | 0.9 | 68 |
| 6 | Waist Circumference and Mid-Upper Arm Circumference in Evaluation of Obesity in Children Aged Between 6 and 17 Years-Original Article. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2010, 2, 144-150. | 0.4 | 67 |
| 7 | Reference Body Mass Index Curves for Turkish Children 6 to 18 Years of Age. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2008, 21, 827-36. | 0.4 | 62 |
| 8 | Body fat reference curves for healthy Turkish children and adolescents. <i>European Journal of Pediatrics</i> , 2010, 169, 1329-1335. | 1.3 | 59 |
| 9 | Epidemiology of Enuresis in Turkish Children. <i>Scandinavian Journal of Urology and Nephrology</i> , 1997, 31, 537-539. | 1.4 | 58 |
| 10 | Comparison of two oral contraceptives containing either drospirenone or cyproterone acetate in the treatment of hirsutism. <i>Gynecological Endocrinology</i> , 2007, 23, 38-44. | 0.7 | 58 |
| 11 | The correlation of the D-dimer test and biphasic computed tomography with mesenteric computed tomography angiography in the diagnosis of acute mesenteric ischemia. <i>American Journal of Surgery</i> , 2009, 197, 429-433. | 0.9 | 58 |
| 12 | Prevention of paclitaxel and cisplatin induced ovarian damage in rats by a gonadotropin-releasing hormone agonist. <i>Fertility and Sterility</i> , 2010, 93, 1609-1614. | 0.5 | 55 |
| 13 | The prevalence of frailty and related factors in community-dwelling Turkish elderly according to modified Fried Frailty Index and FRAIL scales. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 703-709. | 1.4 | 55 |
| 14 | Peritoneal Perforation of Liver Hydatid Cysts: Clinical Presentation, Predisposing Factors, and Surgical Outcome. <i>World Journal of Surgery</i> , 2007, 31, 1286-1293. | 0.8 | 45 |
| 15 | Percentiles and mean values for neck circumference in Turkish children aged 6â€“18â€“years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 1847-1853. | 0.7 | 43 |
| 16 | Effect of low-intensity versus high-intensity resistance training on the functioning of the institutionalized frail elderly. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 211-217. | 0.7 | 43 |
| 17 | Prevalence of Styloid Process Elongation on Panoramic Radiography in the Turkey Population from Cappadocia Region. <i>European Journal of Dentistry</i> , 2008, 02, 18-22. | 0.8 | 40 |
| 18 | Predisposing factors and surgical outcome of complicated liver hydatid cysts. <i>World Journal of Gastroenterology</i> , 2010, 16, 3040. | 1.4 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The relationship between sleep duration and obesity in Turkish children and adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 699-702. | 0.7 | 39 |
| 20 | Therapeutic plasma exchange for the treatment of thrombotic thrombocytopenic purpura: A retrospective multicenter study. <i>Transfusion and Apheresis Science</i> , 2007, 36, 57-67. | 0.5 | 36 |
| 21 | MLSeq: Machine learning interface for RNA-sequencing data. <i>Computer Methods and Programs in Biomedicine</i> , 2019, 175, 223-231. | 2.6 | 36 |
| 22 | The effect of budesonide mouthwash on oral chronic graft versus host disease. <i>American Journal of Hematology</i> , 2007, 82, 349-356. | 2.0 | 35 |
| 23 | Coincidence of low social support and high depressive score on quality of life in elderly. <i>European Geriatric Medicine</i> , 2015, 6, 319-324. | 1.2 | 34 |
| 24 | Cross-sectional reference values for mid-upper arm circumference, triceps skinfold thickness and arm fat area of Turkish children and adolescents. <i>International Journal of Food Sciences and Nutrition</i> , 2009, 60, 267-281. | 1.3 | 32 |
| 25 | Triple-negative breast cancer: immunohistochemical correlation with basaloid markers and prognostic value of survivin. <i>Medical Oncology</i> , 2010, 27, 34-39. | 1.2 | 30 |
| 26 | Carotid artery thickness in children and young adults with end stage renal disease. <i>Pediatric Nephrology</i> , 2007, 22, 109-116. | 0.9 | 29 |
| 27 | Overexpression of cyclooxygenase-2 in multiple myeloma: Association with reduced survival. <i>American Journal of Hematology</i> , 2005, 80, 169-173. | 2.0 | 28 |
| 28 | A comprehensive simulation study on classification of RNA-Seq data. <i>PLoS ONE</i> , 2017, 12, e0182507. | 1.1 | 28 |
| 29 | Anthropometric risk factors for elevated blood pressure in adolescents in Turkey aged 11-17. <i>Pediatric Nephrology</i> , 2010, 25, 2327-2334. | 0.9 | 27 |
| 30 | Efficacy and safety of oral deferasirox treatment in the posttransplant period for patients who have undergone allogeneic hematopoietic stem cell transplantation (alloHSCT). <i>Annals of Hematology</i> , 2012, 91, 743-749. | 0.8 | 27 |
| 31 | Multivariate Statistical Analysis of Data and ICP-MS Determination of Heavy Metals in Different Brands of Spices Consumed in Kayseri, Turkey. <i>Food Analytical Methods</i> , 2018, 11, 2407-2418. | 1.3 | 27 |
| 32 | The role of free oxygen radicals in noise induced hearing loss: effects of melatonin and methylprednisolone. <i>Auris Nasus Larynx</i> , 2002, 29, 147-152. | 0.5 | 26 |
| 33 | The effect of zymosan and the protective effect of various antioxidants on fracture healing in rats. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2007, 127, 493-501. | 1.3 | 24 |
| 34 | Factors Related to Complementary/Alternative Medicine use among Cancer Patients in Central Anatolia. <i>Tumori</i> , 2008, 94, 833-837. | 0.6 | 23 |
| 35 | Restless legs syndrome and pregnancy in Kayseri, Turkey: A hospital based survey. <i>Sleep and Biological Rhythms</i> , 2010, 8, 137-143. | 0.5 | 23 |
| 36 | What should be the optimal cut-off of serum 1,3- β -d-glucan for the detection of invasive pulmonary aspergillosis in patients with haematological malignancies?. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 330-336. | 1.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Kayseri'de iki toplum sağılıklı merkezine başvuran annelerde emzirme sorunları ve risk etmenleri. <i>Türk Pediatri Arsivi</i> , 2013, 48, 145-151. | 0.9 | 20 |
| 38 | Relationship Between Prognosis and Neutrophil: Lymphocyte and Platelet:Lymphocyte Ratios in Patients with Malignant Pleural Mesotheliomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 2061-2067. | 0.5 | 20 |
| 39 | Prognostic significance of Fas (CD95/APO-1) positivity in patients with primary nodal diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2006, 81, 307-314. | 2.0 | 18 |
| 40 | Mandibular anterior bony support and incisor crowding: Is there a relationship?. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 142, 645-653. | 0.8 | 18 |
| 41 | The risk analysis of arm fat area in Turkish children and adolescents. <i>Annals of Human Biology</i> , 2009, 36, 28-37. | 0.4 | 17 |
| 42 | Plasma citrulline measurement in the diagnosis of acute mesenteric ischaemia. <i>ANZ Journal of Surgery</i> , 2017, 87, E57-E60. | 0.3 | 17 |
| 43 | The Relationship Between Blood Pressure and Sleep Duration in Turkish Children: A Cross-Sectional Study. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2018, 10, 51-58. | 0.4 | 17 |
| 44 | Is Plasma Homocysteine Level Associated With Metabolic Syndrome Components in Adolescents?. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 357-362. | 0.5 | 16 |
| 45 | Body mass index percentiles for Turkish children aged 0-84 months. <i>Annals of Human Biology</i> , 2011, 38, 676-680. | 0.4 | 16 |
| 46 | What is the role of the (1 α) ²⁵ (OH) ₂ D ₃ glucan assay in the screening of patients undergoing autologous haematopoietic stem cell transplantation?. <i>Mycoses</i> , 2013, 56, 34-38. | 1.8 | 16 |
| 47 | Change in reference body mass index percentiles and deviation in overweight and obesity over 3 years in Turkish children and adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014, 27, 1121-9. | 0.4 | 16 |
| 48 | Peer Bullying in the Preadolescent Stage: Frequency and Types of Bullying and the Affecting Factors. <i>Journal of Pediatric Research</i> , 2019, 6, 169-179. | 0.1 | 16 |
| 49 | voomDDA: discovery of diagnostic biomarkers and classification of RNA-seq data. <i>PeerJ</i> , 2017, 5, e3890. | 0.9 | 16 |
| 50 | Comparison of Plateletpheresis on the Fenwal Amicus and Fresenius Com.Tec Cell Separators. <i>Transfusion Medicine and Hemotherapy</i> , 2008, 35, 368-373. | 0.7 | 15 |
| 51 | Age references for the arm span and stature of Turkish children and adolescents. <i>Annals of Human Biology</i> , 2009, 36, 308-319. | 0.4 | 15 |
| 52 | Epidemiologic survey: reference ranges of serum insulin-like growth factor 1 levels in Caucasian adult population with immunoradiometric assay. <i>Endocrine</i> , 2011, 40, 304-309. | 1.1 | 15 |
| 53 | Risk factors for carbapenem resistant <i>Klebsiella pneumoniae</i> rectal colonization in pediatric units. <i>Journal of Infection in Developing Countries</i> , 2014, 8, 1361-1364. | 0.5 | 15 |
| 54 | The Effect of Different Fiber Concentrations on the Surface Roughness of Provisional Crown and Fixed Partial Denture Resin. <i>European Journal of Dentistry</i> , 2008, 02, 185-190. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Wrist Circumference and Frame Size Percentiles in 6-17-Year-Old Turkish Children and Adolescents in Kayseri. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2017, 9, 329-336. | 0.4 | 14 |
| 56 | Low back pain prevalence in Turkish pregnant women. Journal of Back and Musculoskeletal Rehabilitation, 2006, 19, 89-96. | 0.4 | 13 |
| 57 | QUALITY OF LIFE IN TURKISH UNIVERSITY STUDENTS AND ITS RELATIONSHIP TO LEVELS OF STATE-TRAIT ANXIETY. Social Behavior and Personality, 2008, 36, 417-424. | 0.3 | 13 |
| 58 | Decreased high-density lipoprotein cholesterol and insulin resistance were the most common criteria in 12- to 19-year-old adolescents. European Journal of Nutrition, 2010, 49, 219-225. | 1.8 | 13 |
| 59 | Important determinants of quality of life in a peritoneal dialysis population in Turkey. Renal Failure, 2010, 32, 1196-1201. | 0.8 | 13 |
| 60 | Head Circumference Growth Reference Charts for Turkish Children Aged 0-84 Months. Pediatric Neurology, 2012, 46, 307-311. | 1.0 | 13 |
| 61 | The prevalence of Behçet's disease in a city in Central Anatolia in Turkey. International Journal of Dermatology, 2015, 54, 286-289. | 0.5 | 13 |
| 62 | Preferences of referring physicians regarding the role of radiologists as direct communicators of test results. Diagnostic and Interventional Radiology, 2017, 23, 81-85. | 0.7 | 13 |
| 63 | Diffusion-weighted imaging of placenta in intrauterine growth restriction with worsening Doppler US findings. Diagnostic and Interventional Radiology, 2019, 25, 280-284. | 0.7 | 13 |
| 64 | Oral tadalafil reduces intra-abdominal adhesion reformation in rats. Human Reproduction, 2012, 27, 733-737. | 0.4 | 12 |
| 65 | Comparison of double dose plateletpheresis on the Fenwal Amicus, Fresenius COM.TEC and Trima Accel cell separators. Transfusion and Apheresis Science, 2014, 51, 193-196. | 0.5 | 12 |
| 66 | Comparison of plateletpheresis on the Fenwal Amicus, Fresenius COM.TEC, and Trima Accel Cell separators. Journal of Clinical Apheresis, 2015, 30, 171-175. | 0.7 | 12 |
| 67 | Oral Health, Obesity Status and Nutritional Habits in Turkish Children and Adolescents: An Epidemiological Study. Balkan Medical Journal, 2016, 33, 164-172. | 0.3 | 12 |
| 68 | The prevalence and related factors of restless leg syndrome in the community dwelling elderly; in Kayseri, Turkey: A cross-sectional study. Archives of Gerontology and Geriatrics, 2016, 65, 29-35. | 1.4 | 12 |
| 69 | Comparison of the Fenwal Amicus and Fresenius Com.Tec cell separators for autologous peripheral blood progenitor cell collection. Transfusion and Apheresis Science, 2007, 36, 159-167. | 0.5 | 11 |
| 70 | Arm Anthropometry Indices in Turkish Children and Adolescents: Changes Over a Three-Year Period. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2014, 6, 216-226. | 0.4 | 11 |
| 71 | Neck Circumference to Assess Obesity in Preschool Children. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2017, 9, 17-23. | 0.4 | 11 |
| 72 | Clinical Efficacy of Low Dose Flutamide plus Diane-35 in the Treatment of Idiopathic Hirsutism and Polycystic Ovary Syndrome. Ginekologia Polska, 2013, 84, 258-62. | 0.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Artificial Neural Network for the Prediction of Chromosomal Abnormalities in Azoospermic Males. <i>Urology Journal</i> , 2018, 15, 122-125. | 0.3 | 11 |
| 74 | Change in waist circumference over 3 years in Turkish children and adolescents. <i>Annals of Human Biology</i> , 2013, 40, 419-425. | 0.4 | 10 |
| 75 | Statistical learning approaches in diagnosing patients with nontraumatic acute abdomen. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 2016, 24, 3685-3697. | 0.9 | 10 |
| 76 | Relationship between Doppler findings and fetal brain apparent diffusion coefficient in early-onset intra-uterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 3201-3208. | 0.7 | 10 |
| 77 | Knowledge, Attitudes and Behaviour of Women Working in Government Hospitals Regarding Breast Self Examination. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 4829-4834. | 0.5 | 10 |
| 78 | Growth charts for 0-18 year old children and adolescents. <i>Türkiye Aile Hekimliği Dergisi</i> , 2011, 15, 112-129. | 0.4 | 9 |
| 79 | Prevalence of cognitive impairment and related risk factors in community-dwelling elderly in Kayseri, Turkey. <i>Turkish Journal of Medical Sciences</i> , 2015, 45, 1167-1172. | 0.4 | 9 |
| 80 | Investigation of facial emotion recognition, alexithymia, and levels of anxiety and depression in patients with somatic symptoms and related disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1047. | 1.0 | 9 |
| 81 | The effect of prophylactic melatonin administration on reperfusion damage in experimental testis ischemia-reperfusion. <i>Neuroendocrinology Letters</i> , 2003, 24, 170-2. | 0.2 | 9 |
| 82 | Determining abdominal obesity cut-offs and relevant risk factors for anthropometric indices in Turkish children and adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2015, 28, 525-32. | 0.4 | 8 |
| 83 | Risk factors for overweight and obesity in children aged 2-6 years. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017, 30, 499-505. | 0.4 | 8 |
| 84 | The Weight and Height Percentiles in 6-18 Year Old Children in Kayseri and Comparison with Istanbul Data. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2011, 1, 129-135. | 0.4 | 8 |
| 85 | ERCC1 as a Biological Marker Guiding Management in Malignant Pleural Mesothelioma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 4117-4123. | 0.5 | 8 |
| 86 | Effect of anticholinergic burden on the development of dementia in older adults with subjective cognitive decline. <i>Journal of Theoretical Social Psychology</i> , 2017, 27, 263-270. | 1.2 | 7 |
| 87 | Concomitant chemoradiotherapy with docetaxel and cisplatin followed by consolidation chemotherapy in locally advanced unresectable non-small cell lung cancer. <i>Annals of Thoracic Medicine</i> , 2013, 8, 109. | 0.7 | 6 |
| 88 | Comparison of ELISA and flow cytometry for measurement of interleukin-1 beta, interleukin-6 and tumor necrosis factor- α . <i>Biyokimya Dergisi</i> , 2018, 43, 540-548. | 0.1 | 6 |
| 89 | Determinants of Self-Rated Health in General Population in Kayseri, Turkey. <i>Türkiye Klinikleri Journal of Medical Sciences</i> , 2010, 30, 88-96. | 0.1 | 6 |
| 90 | D-dimer as a predictor of the need for laparotomy in patients with unclear non-traumatic acute abdomen. A preliminary study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 612-617. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | A Comparison Of Corneck-lehane And Mallampati Tests With Mandibular And Neck Measurements For Predicting Difficult Intubation. Medical Journal of the Trakya University, 2010, , . | 0.0 | 5 |
| 92 | Weight and Height Percentiles For 0-84- Month-Old Children in Kayseri - A Central Anatolian City in Turkey. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2011, 3, 184-191. | 0.4 | 5 |
| 93 | Serum and Tissue HIF-2 Alpha Expression in CIN, N-Acetyl Cysteine, and Sildenafil-Treated Rat Models: An Experimental Study. Medicina (Lithuania), 2018, 54, 54. | 0.8 | 5 |
| 94 | Knowledge, Attitude and Practices of Technicians Working at Hospitals Towards Testicular Cancer and Self-examination of Testicles in Turkey. Asian Pacific Journal of Cancer Prevention, 2015, 15, 10095-10099. | 0.5 | 5 |
| 95 | Exophthalmometric References of 7-18 Year-old Children in Kayseri, Turkey. Journal of Pediatric Endocrinology and Metabolism, 2010, 23, 27-37. | 0.4 | 4 |
| 96 | <i>In Vitro</i> Comparison of the Effects of Dental Filling Materials on Mouse Fibroblasts. Biotechnology and Biotechnological Equipment, 2012, 26, 3155-3162. | 0.5 | 4 |
| 97 | The second report from Turkey: waist percentiles for 6-11-year-old children in Elazig Province, Eastern Anatolia. Journal of Pediatric Endocrinology and Metabolism, 2012, 25, 705-9. | 0.4 | 3 |
| 98 | Prevalence of and influencing factors for chronic headaches among pregnant women. International Journal of Gynecology and Obstetrics, 2012, 117, 144-147. | 1.0 | 3 |
| 99 | Can low-dose preemptive valganciclovir replace standard intravenous ganciclovir treatment in recipients of allogeneic stem cell transplantation?. Journal of Chemotherapy, 2013, 25, 286-291. | 0.7 | 3 |
| 100 | Duration of antiplatelet or anticoagulant therapy after transcatheter aortic valve implantation in high risk patients; longer or shorter. International Journal of Cardiology, 2016, 210, 14-15. | 0.8 | 3 |
| 101 | Alexithymia is a non motor symptom of essential tremor regardless of the presence of depression and anxiety. Neurological Research, 2020, 42, 946-951. | 0.6 | 3 |
| 102 | Endoscopic Removal of 15 Gastrointestinal Foreign Bodies. APSP Journal of Case Reports, 2015, 6, 28. | 0.2 | 3 |
| 103 | Acute Myeloblastic Leukemia Achieving Complete Remission with Amifostine Alone. Leukemia and Lymphoma, 2002, 43, 451-453. | 0.6 | 2 |
| 104 | Intrauterine device use does not increase the incidence of anti-hepatitis C seropositivity among monogamous women in Turkey. Contraception, 2009, 80, 261-265. | 0.8 | 2 |
| 105 | The effect of volume replacement during therapeutic leukapheresis on white blood cell reduction in patients with extreme leukocytosis. Transfusion, 2013, 53, 2629-2634. | 0.8 | 2 |
| 106 | Urinary oxalate to creatinine ratios in healthy Turkish schoolchildren. Renal Failure, 2017, 39, 146-152. | 0.8 | 2 |
| 107 | Autosomal dominant polycystic kidney disease: new role for ultrasound. European Radiology, 2019, 29, 5991-5998. | 2.3 | 2 |
| 108 | Four-site skinfolds thickness percentiles of schoolchildren and adolescents in Turkey. Public Health Nutrition, 2021, 24, 5414-5425. | 1.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The Importance of Nucleated Red Blood Cells in Patients with Beta Thalassemia Major and Comparison of Two Automated Systems with. <i>Clinical Laboratory</i> , 2015, 61, 1289-95. | 0.2 | 2 |
| 110 | Fat and fat free mass index reference percentiles of healthy Turkish children and adolescent in Turkey. , 2020, , 8-15. | | 2 |
| 111 | THE RELATIONSHIP BETWEEN VOCATIONAL COLLEGE STUDENTS' SMOKING BEHAVIOR AND SELF-ACTUALIZATION, INTERPERSONAL SUPPORT AND STRESS MANAGEMENT. <i>Social Behavior and Personality</i> , 2008, 36, 721-726. | 0.3 | 1 |
| 112 | Normal standards of eye projection in Turkish children 6 to 17 years of age. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1809-1815. | 1.0 | 1 |
| 113 | Interpopliteal distance percentiles to diagnose bowleg in 84 month-old Turkish children. <i>European Journal of Pediatrics</i> , 2011, 170, 1143-1150. | 1.3 | 1 |
| 114 | Remission in visual hallucinatory experiences after citalopram treatment in a patient with dementia. <i>Geriatrics and Gerontology International</i> , 2017, 17, 347-348. | 0.7 | 1 |
| 115 | The effect of demographic, clinical, and pathological data on quality of life in rectum cancer. <i>Supportive Care in Cancer</i> , 2021, 29, 7411-7420. | 1.0 | 1 |
| 116 | Comparison of Updated Weight and Height Percentiles with Previous References in 6-17-Year-Old Children in Kayseri, Turkey. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2017, 9, 39-47. | 0.4 | 1 |
| 117 | Impact of Oral Health on Nutritional Status in Community-dwelling Older Adults in Turkey. <i>European Journal of Geriatrics and Gerontology</i> , 2019, 1, 29-35. | 0.1 | 1 |
| 118 | Evaluation Of Terbinafine Activity On Pneumocystis Carinii At The Rat Model. <i>Medical Journal of the Trakya University</i> , 2009, , . | 0.0 | 0 |
| 119 | 2096 TALLER AND LEANER MEN ARE MORE LIKELY TO DEVELOP VARICOCELE. <i>Journal of Urology</i> , 2012, 187, . | 0.2 | 0 |
| 120 | Weight for Length/Height Percentiles in Infants and Young Children in Kayseri/Turkey. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2013, 5, 224-228. | 0.4 | 0 |
| 121 | P4-354: HEMORRHAGIC BULLOUS LESION AFTER RIVASTIGMINE PATCH TREATMENT. , 2014, 10, P918-P918. | | 0 |
| 122 | High altitude may affect cardiac structure in smoking subjects. <i>International Journal of Cardiology</i> , 2015, 184, 416. | 0.8 | 0 |
| 123 | The successful management of early rupture of abdominal aortic aneurysm with endovascular stenting and instent stenting for endoleak following EVAR; a case report. <i>International Journal of Cardiology</i> , 2016, 207, 152-156. | 0.8 | 0 |
| 124 | Oxydative stress markers and cytokine levels in rosuvastatin-medicated hypercholesterolemia patients. <i>Turkish Journal of Biochemistry</i> , 2019, 44, 530-538. | 0.3 | 0 |