

Eske Kvanner Aasvang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5808529/publications.pdf>

Version: 2024-02-01

79
papers

2,449
citations

218592

26
h-index

214721

47
g-index

81
all docs

81
docs citations

81
times ranked

1885
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive Risk Factors for Persistent Postherniotomy Pain. <i>Anesthesiology</i> , 2010, 112, 957-969.	1.3	346
2	Neurophysiological characterization of postherniotomy pain. <i>Pain</i> , 2008, 137, 173-181.	2.0	129
3	Pain and functional impairment 6 years after inguinal herniorrhaphy. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2006, 10, 316-321.	0.9	111
4	Pain related sexual dysfunction after inguinal herniorrhaphy. <i>Pain</i> , 2006, 122, 258-263.	2.0	99
5	Cutaneous Sensory Block Area, Muscle-Relaxing Effect, and Block Duration of the Transversus Abdominis Plane Block. <i>Regional Anesthesia and Pain Medicine</i> , 2015, 40, 355-362.	1.1	99
6	Challenges in postdischarge function and recovery: the case of fast-track hip and knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2015, 115, 861-866.	1.5	91
7	The Effect of Mesh Removal and Selective Neurectomy on Persistent Postherniotomy Pain. <i>Annals of Surgery</i> , 2009, 249, 327-334.	2.1	84
8	Chronic preoperative opioid use and acute pain after fast-track total knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 529-536.	0.7	75
9	The Effect of Wound Instillation of a Novel Purified Capsaicin Formulation on Postherniotomy Pain: A Double-Blind, Randomized, Placebo-Controlled Study. <i>Anesthesia and Analgesia</i> , 2008, 107, 282-291.	1.1	73
10	Early patient-reported outcomes versus objective function after total hip and knee arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 1167-1175.	1.9	72
11	Ejaculatory Pain. <i>Anesthesiology</i> , 2007, 107, 298-304.	1.3	60
12	The nicotinic $\alpha 6$ subunit gene determines variability in chronic pain sensitivity via cross-inhibition of P2X2/3 receptors. <i>Science Translational Medicine</i> , 2015, 7, 287ra72.	5.8	59
13	Heterogeneous sensory processing in persistent postherniotomy pain. <i>Pain</i> , 2010, 150, 237-242.	2.0	58
14	Dysejaculation after laparoscopic inguinal herniorrhaphy: a nationwide questionnaire study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 979-983.	1.3	56
15	Chronic pain after childhood groin hernia repair. <i>Journal of Pediatric Surgery</i> , 2007, 42, 1403-1408.	0.8	53
16	Intercostobrachial nerve handling and pain after axillary lymph node dissection for breast cancer. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1240-1248.	0.7	46
17	Association of functional variations in COMT and GCH1 genes with postherniotomy pain and related impairment. <i>Pain</i> , 2015, 156, 273-279.	2.0	46
18	Does nerve identification during open inguinal herniorrhaphy reduce the risk of nerve damage and persistent pain?. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012, 16, 573-577.	0.9	41

#	ARTICLE	IF	CITATIONS
19	Regional or general anesthesia for fast-track hip and knee replacement - what is the evidence?. F1000Research, 2015, 4, 1449.	0.8	41
20	Persistent sensory dysfunction in pain-free herniotomy. Acta Anaesthesiologica Scandinavica, 2010, 54, 291-298.	0.7	39
21	Neurophysiological characterization of persistent pain after laparoscopic inguinal hernia repair. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2011, 15, 521-529.	0.9	38
22	Neurophysiological Characterization of Persistent Postthoracotomy Pain. Clinical Journal of Pain, 2012, 28, 136-142.	0.8	37
23	Surgical stress response and the potential role of preoperative glucocorticoids on post-anesthesia care unit recovery. Minerva Anestesiologica, 2017, 83, 1324-1331.	0.6	37
24	Continuous vital sign monitoring after major abdominal surgery – Quantification of micro events. Acta Anaesthesiologica Scandinavica, 2018, 62, 1200-1208.	0.7	36
25	Objectively measured early physical activity after total hip or knee arthroplasty. Journal of Clinical Monitoring and Computing, 2019, 33, 509-522.	0.7	34
26	Can Preoperative Electrical Nociceptive Stimulation Predict Acute Pain After Groin Herniotomy?. Journal of Pain, 2008, 9, 940-944.	0.7	31
27	Postoperative cognitive dysfunction is rare after fast-track hip- and knee arthroplasty – But potentially related to opioid use. Journal of Clinical Anesthesia, 2019, 57, 80-86.	0.7	29
28	Analgesic consumption trajectories in 8975 patients 1 year after fast-track total hip or knee arthroplasty. European Journal of Pain, 2018, 22, 1428-1438.	1.4	28
29	The Relationship Between Sensory Loss and Persistent Pain 1 Year After Breast Cancer Surgery. Journal of Pain, 2017, 18, 1129-1138.	0.7	27
30	Clinical, nociceptive and psychological profiling to predict acute pain after total knee arthroplasty. Acta Anaesthesiologica Scandinavica, 2017, 61, 676-687.	0.7	26
31	Towards an automated multimodal clinical decision support system at the post anesthesia care unit. Computers in Biology and Medicine, 2018, 101, 15-21.	3.9	25
32	Hyperoxia and Antioxidants for Myocardial Injury in Noncardiac Surgery: A 2 × 2 Factorial, Blinded, Randomized Clinical Trial. Anesthesiology, 2022, 136, 408-419.	1.3	23
33	Preoperative pain and sensory function in groin hernia. European Journal of Pain, 2009, 13, 1018-1022.	1.4	21
34	MRI and Pathology in Persistent Postherniotomy Pain. Journal of the American College of Surgeons, 2009, 208, 1023-1028.	0.2	20
35	Continuous monitoring of vital sign abnormalities; association to clinical complications in 500 postoperative patients. Acta Anaesthesiologica Scandinavica, 2022, 66, 552-562.	0.7	20
36	Physiological abnormalities in patients admitted with acute exacerbation of COPD: an observational study with continuous monitoring. Journal of Clinical Monitoring and Computing, 2020, 34, 1051-1060.	0.7	19

#	ARTICLE	IF	CITATIONS
37	Open vs robot-assisted radical cystectomy (BORARC): a double-blind, randomised feasibility study. <i>BJU International</i> , 2022, 130, 102-113.	1.3	19
38	The Effect of Preoperative Intra-Articular Methylprednisolone on Pain After TKA: A Randomized Double-Blinded Placebo Controlled Trial in Patients With High-Pain Knee Osteoarthritis and Sensitization. <i>Journal of Pain</i> , 2017, 18, 1476-1487.	0.7	18
39	Test-retest Agreement and Reliability of Quantitative Sensory Testing 1 Year After Breast Cancer Surgery. <i>Clinical Journal of Pain</i> , 2015, 31, 393-403.	0.8	17
40	Association between sensory dysfunction and pain 1 week after breast cancer surgery: a psychophysical study. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 259-269.	0.7	17
41	Dexamethasone Dose and Early Postoperative Recovery after Mastectomy. <i>Anesthesiology</i> , 2020, 132, 678-691.	1.3	17
42	Safety Aspects of Postanesthesia Care Unit Discharge without Motor Function Assessment after Spinal Anesthesia. <i>Anesthesiology</i> , 2017, 126, 1043-1052.	1.3	16
43	Postherniotomy dysejaculation: successful treatment with mesh removal and nerve transection. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2008, 12, 645-647.	0.9	15
44	Prediction of serious outcomes based on continuous vital sign monitoring of high-risk patients. <i>Computers in Biology and Medicine</i> , 2022, 147, 105559.	3.9	15
45	Late sensory function after intraoperative capsaicin wound instillation. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 224-231.	0.7	14
46	Incidence and related factors for intraoperative failed spinal anaesthesia for lower limb arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 993-1000.	0.7	14
47	Preoperative TruCulture® whole blood cytokine response predicts postoperative inflammation in pancreaticoduodenectomy patients—a pilot cohort study. <i>Scandinavian Journal of Immunology</i> , 2020, 92, e12930.	1.3	13
48	Referred pain and cutaneous responses from deep tissue electrical pain stimulation in the groin. <i>British Journal of Anaesthesia</i> , 2015, 115, 294-301.	1.5	12
49	Technological aided assessment of the acutely ill patient – The case of postoperative complications. <i>European Journal of Internal Medicine</i> , 2017, 45, 41-45.	1.0	11
50	Agreement between wireless and standard measurements of vital signs in acute exacerbation of chronic obstructive pulmonary disease: a clinical validation study. <i>Physiological Measurement</i> , 2021, 42, 055006.	1.2	10
51	Preoperative high-dose glucocorticoids for early recovery after liver resection: randomized double-blinded trial. <i>BJS Open</i> , 2021, 5, .	0.7	10
52	Individualized assessment of post-arthroplasty recovery by actigraphy: a methodology study. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 1283-1287.	0.7	9
53	Scratching the surface: the processing of pain from deep tissues. <i>Pain Management</i> , 2016, 6, 95-102.	0.7	8
54	Quality of life and secondary outcomes for open versus robot-assisted radical cystectomy: a double-blind, randomised feasibility trial. <i>World Journal of Urology</i> , 2022, 40, 1669-1677.	1.2	8

#	ARTICLE	IF	CITATIONS
55	Continuous peripheral perfusion index in patients admitted to hospital wards – An observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 257-265.	0.7	7
56	Effects of postoperative furosemide in adult surgical patients: A systematic review and meta-analysis of randomised clinical trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 282-291.	0.7	6
57	High-dose preoperative glucocorticoid for prevention of emergence and postoperative delirium in liver resection: A double-blind randomized clinical trial substudy. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 696-703.	0.7	6
58	Clinical impact of vital sign abnormalities in patients admitted with acute exacerbation of chronic obstructive pulmonary disease: an observational study using continuous wireless monitoring. <i>Internal and Emergency Medicine</i> , 2022, 17, 1689-1698.	1.0	6
59	Intraindividual variation of the transversus abdominis plane block: an exploratory study in healthy volunteers. <i>Regional Anesthesia and Pain Medicine</i> , 2020, 45, 419-423.	1.1	5
60	Continuously monitored vital signs for detection of myocardial injury in high-risk patients – An observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 674-683.	0.7	5
61	Persistent severe postoperative hypotension after pancreaticoduodenectomy is related to increased inflammatory response. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 455-463.	0.7	4
62	Reduced Need for Urinary Bladder Catheterization in the Postanesthesia Care Unit After Implementation of an Evidence-based Protocol: A Prospective Cohort Comparison Study. <i>European Urology Open Science</i> , 2021, 26, 27-34.	0.2	4
63	Phrenic nerve block on severe posthepatectomy shoulder pain: A randomized, double-blind, placebo-controlled, pilot study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1320-1328.	0.7	4
64	Agreement Between Transcutaneous Monitoring and Arterial Blood Gases During COPD Exacerbation. <i>Respiratory Care</i> , 2021, 66, 1560-1566.	0.8	4
65	Waking Up in Pain: a prospective unselected cohort study of pain in 3702 patients immediately after surgery in the Danish Realm. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 948-953.	1.1	4
66	Assessment of deep tissue hyperalgesia in the groin - a method comparison of electrical vs. pressure stimulation. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 986-996.	0.7	3
67	Insufficient regional anaesthesia in patients with abdominoplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1044-1044.	0.7	3
68	Wireless Single-Lead ECG Monitoring to Detect New-Onset Postoperative Atrial Fibrillation in Patients After Major Noncardiac Surgery: A Prospective Observational Study. <i>Anesthesia and Analgesia</i> , 2022, 135, 100-109.	1.1	3
69	Transcutaneous blood gas monitoring and tissue perfusion during common femoral thromboendarterectomy. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 0, , 1-7.	0.6	3
70	Intraoperative nerve identification and chronic postherniorrhaphy pain. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012, 16, 583-583.	0.9	2
71	Hyperoxia and antioxidants during major noncardiac surgery and risk of cardiovascular events: Protocol for a 2x2 factorial randomised clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 400-409.	0.7	2
72	Hypoxemia following hospital discharge after fast-track hip and knee arthroplasty – A prospective observational study subanalysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1405-1413.	0.7	2

#	ARTICLE	IF	CITATIONS
73	Risk Factors for Persistent Postherniorrhaphy Pain: Unresolved. <i>Anesthesiology</i> , 2010, 113, 1244-1244.	1.3	1
74	Acute complications in the post-anaesthesia care unit after infrainguinal surgery for lower limb ischaemia – a prospective observational cohort study. <i>Vasa - European Journal of Vascular Medicine</i> , 2019, 48, 89-97.	0.6	1
75	Of Railroads and Roller Coasters. <i>Anesthesiology</i> , 2020, 133, 489-492.	1.3	1
76	Corrigendum to “Neurophysiological characterization of postherniotomy pain” [Pain 137 (2008) 173–181]. <i>Pain</i> , 2012, 153, 253.	2.0	0
77	Authors' response, letter concerning DOI: 10.1111/aas.12667. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 684-684.	0.7	0
78	The Transversus Abdominis Plane Block in Healthy Volunteers. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 268.	1.1	0
79	Response to the letter by Dr. Fjörster and Pitkanen regarding our manuscript “Incidence and related factors for intraoperative failed spinal anaesthesia for lower limb arthroplasty”. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1482-1482.	0.7	0