

Huy G Vuong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/580866/publications.pdf>

Version: 2024-02-01

55
papers

1,321
citations

304743

22
h-index

395702

33
g-index

62
all docs

62
docs citations

62
times ranked

1497
citing authors

#	ARTICLE	IF	CITATIONS
1	Absence of Survival Improvement for Patients with Esthesioneuroblastoma Over the Past 2 Decades: A Population-Based Study. <i>World Neurosurgery</i> , 2022, 157, e245-e253.	1.3	1
2	The differences in distant metastatic patterns and their corresponding survival between thyroid cancer subtypes. <i>Head and Neck</i> , 2022, 44, 926-932.	2.0	23
3	The prognostic significance of further genotyping H3G34 diffuse hemispheric gliomas. <i>Cancer</i> , 2022, 128, 1907-1912.	4.1	16
4	Chondrosarcoma and Chordoma of the Skull Base and Spine: Implication of Tumor Location on Patient Survival. <i>World Neurosurgery</i> , 2022, 162, e635-e639.	1.3	5
5	Prognostic Implication of Patient Age in H3K27M-Mutant Midline Gliomas. <i>Frontiers in Oncology</i> , 2022, 12, 858148.	2.8	9
6	Risk stratification of H3 K27M-mutant diffuse midline gliomas based on anatomical locations: an integrated systematic review of individual participant data. <i>Journal of Neurosurgery: Pediatrics</i> , 2022, 30, 99-106.	1.3	5
7	Clinical detection of extremely low-risk follicular thyroid carcinoma: A population-based study of 7304 patients. <i>Laryngoscope Investigative Otolaryngology</i> , 2022, 7, 1235-1242.	1.5	2
8	Primary versus secondary gliosarcoma: a systematic review and meta-analysis. <i>Journal of Neuro-Oncology</i> , 2022, 159, 195-200.	2.9	4
9	Impact of Molecular Testing on the Management of Indeterminate Thyroid Nodules Among Western and Asian Countries: a Systematic Review and Meta-analysis. <i>Endocrine Pathology</i> , 2021, 32, 269-279.	9.0	17
10	Diagnostic performances of the Afirma Gene Sequencing Classifier in comparison with the Gene Expression Classifier: A meta-analysis. <i>Cancer Cytopathology</i> , 2021, 129, 182-189.	2.4	35
11	Risk factors for tumor recurrence and progression of spindle cell oncocytoma of the pituitary gland: a systematic review and pooled analysis. <i>Pituitary</i> , 2021, 24, 429-437.	2.9	5
12	Application of the Bethesda System for Reporting Thyroid Cytopathology in the Pediatric Population. <i>American Journal of Clinical Pathology</i> , 2021, 155, 680-689.	0.7	15
13	Incidence, risk factors, and prognosis of meningiomas with distant metastases at presentation. <i>Neuro-Oncology Advances</i> , 2021, 3, vdab084.	0.7	4
14	Consolidating the Hyams grading system in esthesioneuroblastoma – an individual participant data meta-analysis. <i>Journal of Neuro-Oncology</i> , 2021, 153, 15-22.	2.9	6
15	The Use of the Bethesda System for Reporting Thyroid Cytopathology in Pediatric Thyroid Nodules: A Meta-Analysis. <i>Thyroid</i> , 2021, 31, 1203-1211.	4.5	37
16	Prognostic importance of IDH mutations in chondrosarcoma: An individual patient data meta-analysis. <i>Cancer Medicine</i> , 2021, 10, 4415-4423.	2.8	27
17	Clinicopathological Implications of RHOA Mutations in Angioimmunoblastic T-Cell Lymphoma: A Meta-analysis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 431-438.	0.4	14
18	The Incidence of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features: A Meta-Analysis Assessing Worldwide Impact of the Reclassification. <i>Thyroid</i> , 2021, 31, 1502-1513.	4.5	16

#	ARTICLE	IF	CITATIONS
19	Malignant thyroid teratoma: an integrated analysis of case series/case reports. <i>Endocrine-Related Cancer</i> , 2021, 28, 495-503.	3.1	4
20	Response to Cherella <i>et al.</i> : "The Use of the Bethesda System for Reporting Thyroid Cytopathology in Pediatric Thyroid Nodules: A Meta-Analysis". <i>Thyroid</i> , 2021, 31, 1442-1444.	4.5	5
21	Primary Versus Secondary Anaplastic Thyroid Carcinoma: Perspectives from Multi-institutional and Population-Level Data. <i>Endocrine Pathology</i> , 2021, 32, 489-500.	9.0	6
22	H3K27M-mutant diffuse midline gliomas should be further molecularly stratified: an integrated analysis of 669 patients. <i>Journal of Neuro-Oncology</i> , 2021, 155, 225-234.	2.9	20
23	Incidence, Prognostic Factors, and Survival Trend in Pineal Gland Tumors: A Population-Based Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 780173.	2.8	9
24	Long-term outcomes of primary cardiac malignant tumors: Difference between African American and Caucasian population. <i>Cancer Medicine</i> , 2021, 10, 8838-8845.	2.8	4
25	Differences in surgical resection rate and risk of malignancy in thyroid cytopathology practice between Western and Asian countries: A systematic review and meta-analysis. <i>Cancer Cytopathology</i> , 2020, 128, 238-249.	2.4	93
26	Loss of 5-Hydroxymethylcytosine is an Epigenetic Hallmark of Thyroid Carcinomas with TERT Promoter Mutations. <i>Endocrine Pathology</i> , 2020, 31, 359-366.	9.0	15
27	The interaction between TERT promoter mutation and MGMT promoter methylation on overall survival of glioma patients: a meta-analysis. <i>BMC Cancer</i> , 2020, 20, 897.	2.6	26
28	Efficacy and Safety of Crizotinib in the Treatment of Advanced Non-Small-Cell Lung Cancer with ROS1 Rearrangement or MET Alteration: A Systematic Review and Meta-Analysis. <i>Targeted Oncology</i> , 2020, 15, 589-598.	3.6	17
29	The diversities in thyroid cytopathology practices among Asian countries using the Bethesda system for reporting thyroid cytopathology. <i>Gland Surgery</i> , 2020, 9, 1735-1746.	1.1	12
30	Genetic differences in follicular thyroid carcinoma between Asian and Western countries: a systematic review. <i>Gland Surgery</i> , 2020, 9, 1813-1826.	1.1	0
31	Genetic differences in follicular thyroid carcinoma between Asian and Western countries: a systematic review. <i>Gland Surgery</i> , 2020, 9, 1813-1826.	1.1	6
32	Assessment of peritoneal elastic laminal invasion improves survival stratification of pT3 and pT4a colorectal cancer: a meta-analysis. <i>Journal of Clinical Pathology</i> , 2019, 72, 736-740.	2.0	5
33	Clinical Impact of Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features on the Risk of Malignancy in the Bethesda System for Reporting Thyroid Cytopathology: A Meta-Analysis of 14,153 Resected Thyroid Nodules. <i>Endocrine Practice</i> , 2019, 25, 491-502.	2.1	29
34	Efficacy and toxicity of sorafenib in the treatment of advanced medullary thyroid carcinoma: A systematic review and meta-analysis. <i>Head and Neck</i> , 2019, 41, 2823-2829.	2.0	5
35	Prognostic significance of genetic biomarkers in isocitrate dehydrogenase type lower grade glioma: the need to further stratify this tumor entity – a meta-analysis. <i>European Journal of Neurology</i> , 2019, 26, 379-387.	3.3	18
36	BRAF Mutation is Associated with an Improved Survival in Glioma – a Systematic Review and Meta-analysis. <i>Molecular Neurobiology</i> , 2018, 55, 3718-3724.	4.0	31

#	ARTICLE	IF	CITATIONS
37	Prognostic importance of solid variant papillary thyroid carcinoma: A systematic review and meta-analysis. <i>Head and Neck</i> , 2018, 40, 1588-1597.	2.0	36
38	Clinical significance of RET and RAS mutations in sporadic medullary thyroid carcinoma: a meta-analysis. <i>Endocrine-Related Cancer</i> , 2018, 25, 633-641.	3.1	39
39	Clinicopathological Risk Factors for Distant Metastasis in Differentiated Thyroid Carcinoma: A Meta-analysis. <i>World Journal of Surgery</i> , 2018, 42, 1005-1017.	1.6	40
40	Papillary thyroid carcinoma with tall cell features is as aggressive as tall cell variant: a meta-analysis. <i>Endocrine Connections</i> , 2018, 7, R286-R293.	1.9	26
41	High expression of CD10 in anaplastic thyroid carcinomas. <i>Histopathology</i> , 2018, 73, 492-499.	2.9	6
42	Clinicopathological implications of MET exon 14 mutations in non-small cell lung cancer – A systematic review and meta-analysis. <i>Lung Cancer</i> , 2018, 123, 76-82.	2.0	88
43	A meta-analysis of prognostic roles of molecular markers in papillary thyroid carcinoma. <i>Endocrine Connections</i> , 2017, 6, R8-R17.	1.9	68
44	Prognostic significance of diffuse sclerosing variant papillary thyroid carcinoma: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2017, 176, 433-441.	3.7	56
45	Paediatric follicular thyroid carcinoma – indolent cancer with low prevalence of RAS mutations and absence of PAX8 and PPARC fusion in a Japanese population. <i>Histopathology</i> , 2017, 71, 760-768.	2.9	24
46	Prognostic impact of vascular invasion in differentiated thyroid carcinoma: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2017, 177, 207-216.	3.7	30
47	TERT promoter mutation and its interaction with IDH mutations in glioma: Combined TERT promoter and IDH mutations stratifies lower-grade glioma into distinct survival subgroups – A meta-analysis of aggregate data. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 120, 1-9.	4.4	44
48	Role of molecular markers to predict distant metastasis in papillary thyroid carcinoma: Promising value of TERT promoter mutations and insignificant role of BRAF mutations – a meta-analysis. <i>Tumor Biology</i> , 2017, 39, 101042831771391.	1.8	38
49	Prognostic implication of BRAF and TERT promoter mutation combination in papillary thyroid carcinoma – A meta-analysis. <i>Clinical Endocrinology</i> , 2017, 87, 411-417.	2.4	99
50	Chromophobe renal cell carcinoma-like thyroid carcinoma: A novel clinicopathologic entity possibly associated with tuberous sclerosis complex. <i>Endocrine Journal</i> , 2017, 64, 843-850.	1.6	8
51	The changing characteristics and molecular profiles of papillary thyroid carcinoma over time: a systematic review. <i>Oncotarget</i> , 2017, 8, 10637-10649.	1.8	67
52	Genetic alterations of differentiated thyroid carcinoma in iodine-rich and iodine-deficient countries. <i>Cancer Medicine</i> , 2016, 5, 1883-1889.	2.8	45
53	Immunohistochemical detection of NRASQ61R protein in follicular-patterned thyroid tumors. <i>Human Pathology</i> , 2016, 53, 51-57.	2.0	26
54	Spindle cell oncocytoma of adenohypophysis: Report of a case and immunohistochemical review of literature. <i>Pathology Research and Practice</i> , 2016, 212, 222-225.	2.3	23

#	ARTICLE	IF	CITATIONS
55	The prognostic significance of HIST1H3B/C and H3F3A K27M mutations in diffuse midline gliomas is influenced by patient age. <i>Journal of Neuro-Oncology</i> , 0, , .	2.9	12