## Ceyda Ozfidan-Konakci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5809905/publications.pdf

Version: 2024-02-01

623734 677142 33 588 14 22 g-index citations h-index papers 33 33 33 639 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	The humic acid-induced changes in the water status, chlorophyll fluorescence and antioxidant defense systems of wheat leaves with cadmium stress. Ecotoxicology and Environmental Safety, 2018, 155, 66-75.	6.0	61
2	Hydrogen sulfide (H2S) and nitric oxide (NO) alleviate cobalt toxicity in wheat (Triticum aestivum L.) by modulating photosynthesis, chloroplastic redox and antioxidant capacity. Journal of Hazardous Materials, 2020, 388, 122061.	12.4	54
3	Flavonoid Naringenin Alleviates Short-Term Osmotic and Salinity Stresses Through Regulating Photosynthetic Machinery and Chloroplastic Antioxidant Metabolism in Phaseolus vulgaris. Frontiers in Plant Science, 2020, 11, 682.	3.6	40
4	Protective roles of exogenously applied gallic acid in Oryza sativa subjected to salt and osmotic stresses: effects on the total antioxidant capacity. Plant Growth Regulation, 2015, 75, 219-234.	3.4	35
5	The impact of selenium application on enzymatic and non-enzymatic antioxidant systems in <i>Zea mays &lt;  i&gt;roots treated with combined osmotic and heat stress. Archives of Agronomy and Soil Science, 2017, 63, 261-275.</i>	2.6	35
6	Naringenin induces tolerance to salt/osmotic stress through the regulation of nitrogen metabolism, cellular redox and ROS scavenging capacity in bean plants. Plant Physiology and Biochemistry, 2020, 157, 264-275.	5.8	32
7	The role of antioxidant responses on the tolerance range of extreme halophyte Salsola crassa grown under toxic salt concentrations. Ecotoxicology and Environmental Safety, 2014, 110, 21-30.	6.0	31
8	Exogenous Nitric Oxide (as Sodium Nitroprusside) Ameliorates Polyethylene Glycol-Induced Osmotic Stress in Hydroponically Grown Maize Roots. Journal of Plant Growth Regulation, 2014, 33, 683-696.	5.1	27
9	Upregulation of antioxidant enzymes by exogenous gallic acid contributes to the amelioration in Oryza sativa roots exposed to salt and osmotic stress. Environmental Science and Pollution Research, 2015, 22, 1487-1498.	5.3	25
10	Ferulic acid confers tolerance against excess boron by regulating ROS levels and inducing antioxidant system in wheat leaves (Triticum aestivum). Environmental and Experimental Botany, 2019, 161, 193-202.	4.2	23
11	Halophytes as a source of salt tolerance genes and mechanisms: a case study for the Salt Lake area, Turkey. Functional Plant Biology, 2016, 43, 575.	2.1	21
12	Rare-earth element scandium improves stomatal regulation and enhances salt and drought stress tolerance by up-regulating antioxidant responses of Oryza sativa. Plant Physiology and Biochemistry, 2020, 152, 157-169.	5.8	19
13	Exogenous hesperidin and chlorogenic acid alleviate oxidative damage induced by arsenic toxicity in Zea mays through regulating the water status, antioxidant capacity, redox balance and fatty acid composition. Environmental Pollution, 2022, 292, 118389.	7.5	17
14	The biphasic responses of nanomaterial fullerene on stomatal movement, water status, chlorophyll a fluorescence transient, radical scavenging system and aquaporin-related gene expression in Zea mays under cobalt stress. Science of the Total Environment, 2022, 826, 154213.	8.0	17
15	Sphaerophysa kotschyana, an endemic species from Central Anatolia: antioxidant system responses under salt stress. Journal of Plant Research, 2013, 126, 729-742.	2.4	15
16	Improvement of cold stress resistance via free radical scavenging ability and promoted water status and photosynthetic capacity of gallic acid in soybean leaves. Journal of Soil Science and Plant Nutrition, 2017, , 0-0.	3.4	13
17	Biochar Triggers Systemic Tolerance Against Cobalt Stress in Wheat Leaves Through Regulation of Water Status and Antioxidant Metabolism. Journal of Soil Science and Plant Nutrition, 2019, 19, 935-947.	3.4	13
18	Variations in osmotic adjustment and water relations of Sphaerophysa kotschyana: Glycine betaine, proline and choline accumulation in response to salinity., 2014, 55, 6.		11

#	Article	IF	CITATIONS
19	Cold stress in soybean (Glycine max L.) roots: Exogenous gallic acid promotes water status and increases antioxidant activities. Botanica Serbica, 2019, 43, 59-71.	1.0	11
20	Humic acid protects against oxidative damage induced by cadmium toxicity in wheat (Triticum) Tj ETQq0 0 0 rgl 2019, 43, 161-173.	BT /Overlo	ck 10 Tf 50 7 11
21	Nanomaterial sulfonated graphene oxide advances the tolerance against nitrate and ammonium toxicity by regulating chloroplastic redox balance, photochemistry of photosystems and antioxidant capacity in Triticum aestivum. Journal of Hazardous Materials, 2022, 424, 127310.	12.4	10
22	The hormetic dose-risks of polymethyl methacrylate nanoplastics on chlorophyllÂaÂfluorescence transient, lipid composition and antioxidant system inÂLactuca sativa. Environmental Pollution, 2022, 308, 119651.	7.5	10
23	Metabolomics and Physiological Insights into the Ability of Exogenously Applied Chlorogenic Acid and Hesperidin to Modulate Salt Stress in Lettuce Distinctively. Molecules, 2021, 26, 6291.	3.8	9
24	Profiling of rutinâ€mediated alleviation of cadmiumâ€induced oxidative stress in <i>Zygophyllum fabago</i> . Environmental Toxicology, 2015, 30, 816-835.	4.0	8
25	Assessment of antioxidant system and enzyme/nonenzyme regulation related to ascorbate-glutathione cycle in ferulic acid-treated Triticumaestivum L. roots under boron toxicity. Turkish Journal of Botany, 2020, 44, 47-61.	1.2	8
26	Modulation of osmotic adjustment and antioxidant status in salt-stressed leaves of Thermopsis turcica. Acta Physiologiae Plantarum, 2014, 36, 125-138.	2.1	6
27	The effects of fullerene on photosynthetic apparatus, chloroplastâ€encoded gene expression, and nitrogen assimilation in <i>Zea mays</i> under cobalt stress. Physiologia Plantarum, 2022, 174, .	5.2	6
28	Rosmarinic acid and hesperidin regulate gas exchange, chlorophyll fluorescence, antioxidant system and the fatty acid biosynthesis-related gene expression in Arabidopsis thaliana under heat stress. Phytochemistry, 2022, 198, 113157.	2.9	5
29	The Impacts of Gallic Acid on Redox State of Antioxidants Related to Ascorbate–Glutathione Cycle in Wheat (Triticum aestivum) Grown Under Cadmium Toxicity. Agricultural Research, 2020, 9, 543-553.	1.7	4
30	Influences of sulfonated graphene oxide on gas exchange performance, antioxidant systems and redox states of ascorbate and glutathione in nitrate and/or ammonium stressed-wheat (Triticum aestivum) Tj ETQq0 0	0 r <b>.g.B</b> T/O	ver#ock 10 Tf
31	Hydrogen Sulfide Protects Damage From Methyl Viologen-Mediated Oxidative Stress by Improving Gas Exchange, Fluorescence Kinetics of Photosystem II, and Antioxidant System in Arabidopsis thaliana. Journal of Plant Growth Regulation, 2023, 42, 1031-1050.	5.1	3
32	Multi-Walled Carbon Nanotubes Influence on Gas Exchange, Redox Reaction and Antioxidant System in Zea mays Exposed to Excessive Copper. Journal of Plant Growth Regulation, 0, , 1.	5.1	2
33	Ex-foliar applied extremolyte ectoine improves water management, photosystem, antioxidant system and redox homeostasis in Zea mays under cadmium toxicity. South African Journal of Botany, 2022, 147, 130-141	2.5	2