Nick F Ramsey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5810948/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Handedness, language lateralisation and anatomical asymmetry in schizophrenia. British Journal of Psychiatry, 2001, 178, 344-351.	1.7	406
2	Fully Implanted Brain–Computer Interface in a Locked-In Patient with ALS. New England Journal of Medicine, 2016, 375, 2060-2066.	13.9	392
3	Δ9-Tetrahydrocannabinol Induces Dopamine Release in the Human Striatum. Neuropsychopharmacology, 2009, 34, 759-766.	2.8	341
4	Exogenous Testosterone Enhances Responsiveness to Social Threat in the Neural Circuitry of Social Aggression in Humans. Biological Psychiatry, 2008, 63, 263-270.	0.7	332
5	Functional Magnetic Resonance Imaging Brain Mapping in Psychiatry: Methodological Issues Illustrated in a Study of Working Memory in Schizophrenia. Neuropsychopharmacology, 1998, 18, 186-196.	2.8	293
6	Development of a functional magnetic resonance imaging protocol for intraoperative localization of critical temporoparietal language areas. Annals of Neurology, 2002, 51, 350-360.	2.8	270
7	Language lateralization in schizophrenia, an fMRI study. Schizophrenia Research, 2001, 52, 57-67.	1.1	267
8	Automated electrocorticographic electrode localization on individually rendered brain surfaces. Journal of Neuroscience Methods, 2010, 185, 293-298.	1.3	257
9	Functional Anatomical Correlates of Controlled and Automatic Processing. Journal of Cognitive Neuroscience, 2001, 13, 730-743.	1.1	239
10	fMRI-Determined Language Lateralization in Patients with Unilateral or Mixed Language Dominance According to the Wada Test. NeuroImage, 2002, 17, 447-460.	2.1	231
11	The brain–computer interface cycle. Journal of Neural Engineering, 2009, 6, 041001.	1.8	220
12	Effects of exogenous testosterone on the ventral striatal BOLD response during reward anticipation in healthy women. NeuroImage, 2010, 52, 277-283.	2.1	218
13	Human Motor Cortical Activity Is Selectively Phase-Entrained on Underlying Rhythms. PLoS Computational Biology, 2012, 8, e1002655.	1.5	202
14	Reproducibility of fMRI-Determined Language Lateralization in Individual Subjects. Brain and Language, 2002, 80, 421-437.	0.8	196
15	Specific versus Nonspecific Brain Activity in a Parametric N-Back Task. NeuroImage, 2000, 12, 688-697.	2.1	188
16	Working memory capacity in schizophrenia: a parametric fMRI study. Schizophrenia Research, 2004, 68, 159-171.	1.1	185
17	Function of striatum beyond inhibition and execution of motor responses. Human Brain Mapping, 2005, 25, 336-344.	1.9	182
18	Long-term effects of frequent cannabis use on working memory and attention: an fMRI study. Psychopharmacology, 2006, 185, 358-368.	1.5	171

#	Article	IF	CITATIONS
19	Understanding upper limb recovery after stroke. Restorative Neurology and Neuroscience, 2013, 31, 707-722.	0.4	170
20	BNCI Horizon 2020: towards a roadmap for the BCI community. Brain-Computer Interfaces, 2015, 2, 1-10.	0.9	169
21	Combined Analysis of Language Tasks in fMRI Improves Assessment of Hemispheric Dominance for Language Functions in Individual Subjects. NeuroImage, 2001, 13, 719-733.	2.1	167
22	Neurophysiologic correlates of fMRI in human motor cortex. Human Brain Mapping, 2012, 33, 1689-1699.	1.9	166
23	Chronic effects of cannabis use on the human reward system: An fMRI study. European Neuropsychopharmacology, 2010, 20, 153-163.	0.3	150
24	Effects of frequent cannabis use on hippocampal activity during an associative memory task. European Neuropsychopharmacology, 2007, 17, 289-297.	0.3	149
25	Endogenous opioids and reward. European Journal of Pharmacology, 2000, 405, 89-101.	1.7	144
26	Three-dimensional functional magnetic resonance imaging of human brain on a clinical 1.5-T scanner Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 6906-6910.	3.3	142
27	A practical procedure for real-time functional mapping of eloquent cortex using electrocorticographic signals in humans. Epilepsy and Behavior, 2009, 15, 278-286.	0.9	140
28	Propagating Neocortical Gamma Bursts Are Coordinated by Traveling Alpha Waves. Journal of Neuroscience, 2013, 33, 18849-18854.	1.7	138
29	Interactions between ego- and allocentric neuronal representations of space. NeuroImage, 2006, 31, 320-331.	2.1	137
30	Can fMRI safely replace the Wada test for preoperative assessment of language lateralisation? A meta-analysis and systematic review. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 581-588.	0.9	137
31	Statistical analysis of functional MRI data in the wavelet domain. IEEE Transactions on Medical Imaging, 1998, 17, 142-154.	5.4	129
32	Emotional but not physical stress enhances intravenous cocaine self-administration in drug-naive rats. Brain Research, 1993, 608, 216-222.	1.1	124
33	Neuronal Substrate of the Saccadic Inhibition Deficit in Schizophrenia Investigated With 3-Dimensional Event-Related Functional Magnetic Resonance Imaging. Archives of General Psychiatry, 2002, 59, 313.	13.8	123
34	Language area localization with three-dimensional functional magnetic resonance imaging matches intrasulcal electrostimulation in Broca's area. Annals of Neurology, 1999, 46, 405-408.	2.8	120
35	Review: Functional Neuroimaging Studies of Early Upper Limb Recovery After Stroke: A Systematic Review of the Literature. Neurorehabilitation and Neural Repair, 2010, 24, 589-608.	1.4	120
36	Functional Mapping of Human Sensorimotor Cortex with 3D BOLD fMRI Correlates Highly with H215O PET rCBF. Journal of Cerebral Blood Flow and Metabolism, 1996, 16, 755-764.	2.4	119

#	Article	IF	CITATIONS
37	Test–retest reliability of fMRI activation during prosaccades and antisaccades. NeuroImage, 2007, 36, 532-542.	2.1	119
38	Spatial working memory deficits in obsessive compulsive disorder are associated with excessive engagement of the medial frontal cortex. NeuroImage, 2003, 20, 2271-2280.	2.1	118
39	Cortical Depth-Dependent Temporal Dynamics of the BOLD Response in the Human Brain. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 1999-2008.	2.4	118
40	Cardiorespiratory effects on defaultâ€node network activity as measured with fMRI. Human Brain Mapping, 2009, 30, 3031-3042.	1.9	113
41	A stereotactic method for image-guided transcranial magnetic stimulation validated with fMRI and motor-evoked potentials. NeuroImage, 2004, 21, 1805-1817.	2.1	112
42	Language lateralization in female patients with schizophrenia: an fMRI study. Schizophrenia Research, 2003, 60, 183-190.	1.1	110
43	Phase Navigator Correction in 3D fMRI Improves Detection of Brain Activation: Quantitative Assessment with a Graded Motor Activation Procedure. NeuroImage, 1998, 8, 240-248.	2.1	105
44	Striatal Dysfunction in Schizophrenia and Unaffected Relatives. Biological Psychiatry, 2006, 60, 32-39.	0.7	102
45	Contribution of the left and right inferior frontal gyrus in recovery from aphasia. A functional MRI study in stroke patients with preserved hemodynamic responsiveness. NeuroImage, 2010, 49, 885-893.	2.1	101
46	Decoding hand gestures from primary somatosensory cortex using high-density ECoG. NeuroImage, 2017, 147, 130-142.	2.1	101
47	Enhanced sensitivity with fast threeâ€dimensional bloodâ€oxygenâ€levelâ€dependent functional MRI: comparison of SENSE–PRESTO and 2Dâ€EPI at 3 T. NMR in Biomedicine, 2008, 21, 663-676.	1.6	100
48	Long-Term Consequences of Adolescent Cannabis Exposure on the Development of Cognition, Brain Structure and Function: An Overview of Animal and Human Research. Current Drug Abuse Reviews, 2008, 1, 114-123.	3.4	99
49	Activation of striate cortex in the absence of visual stimulation: an fMRI study of synesthesia. NeuroReport, 2001, 12, 2827-2830.	0.6	97
50	BOLD matches neuronal activity at the mm scale: A combined 7T fMRI and ECoG study in human sensorimotor cortex. NeuroImage, 2014, 101, 177-184.	2.1	97
51	iEEG-BIDS, extending the Brain Imaging Data Structure specification to human intracranial electrophysiology. Scientific Data, 2019, 6, 102.	2.4	96
52	Within-subject variation in BOLD-fMRI signal changes across repeated measurements: Quantification and implications for sample size. NeuroImage, 2008, 42, 196-206.	2.1	92
53	Cannabis Use and Memory Brain Function in Adolescent Boys: A Cross-Sectional Multicenter Functional Magnetic Resonance Imaging Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 561-572.e3.	0.3	89
54	Relation between functional magnetic resonance imaging (fMRI) and single neuron, local field potential (LFP) and electrocorticography (ECoG) activity in human cortex. Frontiers in Human Neuroscience, 2013, 7, 34.	1.0	89

#	Article	IF	CITATIONS
55	Decoding spoken phonemes from sensorimotor cortex with high-density ECoG grids. NeuroImage, 2018, 180, 301-311.	2.1	89
56	Brain–computer interfacing based on cognitive control. Annals of Neurology, 2010, 67, 809-816.	2.8	88
57	Testosterone administration modulates neural responses to crying infants in young females. Psychoneuroendocrinology, 2010, 35, 114-121.	1.3	87
58	The neural mechanisms by which testosterone acts on interpersonal trust. NeuroImage, 2012, 61, 730-737.	2.1	86
59	Excessive recruitment of neural systems subserving logical reasoning in schizophrenia. Brain, 2002, 125, 1793-1807.	3.7	81
60	Cannabis Use and Memory Brain Function in Adolescent Boys. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 561-572e3.	0.3	80
61	Testosterone administration in women increases amygdala responses to fearful and happy faces. Psychoneuroendocrinology, 2013, 38, 808-817.	1.3	79
62	Give me a sign: decoding four complex hand gestures based on high-density ECoG. Brain Structure and Function, 2016, 221, 203-216.	1.2	78
63	Lack of evidence for an involvement of nucleus accumbens dopamine D1 receptors in the initiation of heroin self-administration in the rat. Psychopharmacology, 1994, 114, 486-494.	1.5	77
64	Reward and Abuse of Opiates. Basic and Clinical Pharmacology and Toxicology, 1992, 71, 81-94.	0.0	76
65	Language activation in monozygotic twins discordant for schizophrenia. British Journal of Psychiatry, 2004, 184, 128-135.	1.7	75
66	The endocannabinoid system and emotional processing: A pharmacological fMRI study with â^†9-tetrahydrocannabinol. European Neuropsychopharmacology, 2013, 23, 1687-1697.	0.3	75
67	Frequency specific spatial interactions in human electrocorticography: V1 alpha oscillations reflect surround suppression. NeuroImage, 2013, 65, 424-432.	2.1	75
68	Effects of Δ9-Tetrahydrocannabinol on Human Working Memory Function. Biological Psychiatry, 2012, 71, 693-699.	0.7	74
69	Detailed somatotopy in primary motor and somatosensory cortex revealed by Gaussian population receptive fields. NeuroImage, 2018, 179, 337-347.	2.1	74
70	Fast 3D functional magnetic resonance imaging at 1.5 T with spiral acquisition. Magnetic Resonance in Medicine, 1996, 36, 620-626.	1.9	72
71	The role of functional magnetic resonance imaging in brain surgery. Neurosurgical Focus, 2010, 28, E4.	1.0	72
72	Language lateralization in monozygotic twin pairs concordant and discordant for handedness. Brain, 2002, 125, 2710-2718.	3.7	71

#	Article	IF	CITATIONS
73	Neurophysiological factors in human information processing capacity. Brain, 2003, 127, 517-525.	3.7	69
74	fMRI study of effort and information processing in a working memory task. Human Brain Mapping, 2007, 28, 431-440.	1.9	69
75	Brain Activation During Antisaccades in Unaffected Relatives of Schizophrenic Patients. Biological Psychiatry, 2006, 59, 530-535.	0.7	67
76	Tentative Evidence for Striatal Hyperactivity in Adolescent Cannabis-Using Boys: A Cross-Sectional Multicenter fMRI Study. Journal of Psychoactive Drugs, 2013, 45, 156-167.	1.0	67
77	Towards human BCI applications based on cognitive brain systems: an investigation of neural signals recorded from the dorsolateral prefrontal cortex. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2006, 14, 214-217.	2.7	66
78	The dopamine hypothesis of opiate reward challenged. European Journal of Pharmacology, 1987, 134, 239-243.	1.7	65
79	Naltrexone affects cocaine self-administration in naıÌ`ve rats through the ventral tegmental area rather than dopaminergic target regions. European Neuropsychopharmacology, 1999, 9, 93-99.	0.3	64
80	Sleep spindles are locally modulated by training on a brain–computer interface. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 18583-18588.	3.3	63
81	Involvement of the endocannabinoid system in reward processing in the human brain. Psychopharmacology, 2012, 219, 981-990.	1.5	63
82	Task and task-free FMRI reproducibility comparison for motor network identification. Human Brain Mapping, 2014, 35, 340-352.	1.9	62
83	Preservation of hand movement representation in the sensorimotor areas of amputees. Brain, 2017, 140, 3166-3178.	3.7	62
84	Left dorsolateral prefrontal cortex dysfunction in medication-naive schizophrenia. Schizophrenia Research, 2010, 123, 22-29.	1.1	60
85	Prefrontal lobe dysfunction predicts treatment response in medication-naive first-episode schizophrenia. Schizophrenia Research, 2011, 129, 156-162.	1.1	59
86	Physiological Challenges for Intracortical Electrodes. Brain Stimulation, 2014, 7, 1-6.	0.7	59
87	Intracerebroventricular naltrexone treatment attenuates acquisition of intravenous cocaine self-administration in rats. Pharmacology Biochemistry and Behavior, 1991, 40, 807-810.	1.3	56
88	Role of the endocannabinoid system in brain functions relevant for schizophrenia: An overview of human challenge studies with cannabis or â^†9-tetrahydrocannabinol (THC). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 52, 53-69.	2.5	56
89	Functional MRI-based identification of brain areas involved in motor imagery for implantable brain–computer interfaces. Journal of Neural Engineering, 2011, 8, 025007.	1.8	55
90	Patterns of resting state connectivity in human primary visual cortical areas: A 7T fMRI study. NeuroImage, 2014, 84, 911-921.	2.1	55

#	Article	IF	CITATIONS
91	Reproducibility of human 3D fMRI brain maps acquired during a motor task. , 1996, 4, 113-121.		54
92	BOLD Consistently Matches Electrophysiology in Human Sensorimotor Cortex at Increasing Movement Rates: A Combined 7T fMRI and ECoG Study on Neurovascular Coupling. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 1448-1456.	2.4	54
93	Evidence of altered cortical and amygdala activation during social decision-making in schizophrenia. NeuroImage, 2008, 40, 719-727.	2.1	53
94	Default Mode Network in the Effects of Δ9-Tetrahydrocannabinol (THC) on Human Executive Function. PLoS ONE, 2013, 8, e70074.	1.1	53
95	Prenatal exposure to morphine enhances cocaine and heroin self-administration in drug-naive rats. Drug and Alcohol Dependence, 1993, 33, 41-51.	1.6	51
96	Functional anatomy of top-down visuospatial processing in the human brain: evidence from rTMS. Cognitive Brain Research, 2002, 14, 300-302.	3.3	51
97	Effects of Δ9-Tetrahydrocannabinol Administration on Human Encoding and Recall Memory Function: A Pharmacological fMRI Study. Journal of Cognitive Neuroscience, 2012, 24, 588-599.	1.1	51
98	Decreased thalamic blood flow in obsessive-compulsive disorder patients responding to fluvoxamine. Psychiatry Research - Neuroimaging, 2005, 138, 89-97.	0.9	50
99	Effects of Aging on BOLD fMRI during Prosaccades and Antisaccades. Journal of Cognitive Neuroscience, 2006, 18, 594-603.	1.1	50
100	Advances in human intracranial electroencephalography research, guidelines and good practices. NeuroImage, 2022, 260, 119438.	2.1	50
101	Interhemispheric Reorganization of Motor Hand Function to the Primary Motor Cortex Predicted With Functional Magnetic Resonance Imaging and Transcranial Magnetic Stimulation. Journal of Child Neurology, 2002, 17, 292-297.	0.7	49
102	Effects of cross-sex hormones on cerebral activation during language and mental rotation: An fMRI study in transsexuals. European Neuropsychopharmacology, 2008, 18, 215-221.	0.3	49
103	Assessment of Cognitive Brain Function in Ecstasy Users and Contributions of Other Drugs of Abuse: Results from an fMRI Study. Neuropsychopharmacology, 2008, 33, 247-258.	2.8	49
104	BOLD Specificity and Dynamics Evaluated in Humans at 7 T: Comparing Gradient-Echo and Spin-Echo Hemodynamic Responses. PLoS ONE, 2013, 8, e54560.	1.1	49
105	Stability of a chronic implanted brain-computer interface in late-stage amyotrophic lateral sclerosis. Clinical Neurophysiology, 2019, 130, 1798-1803.	0.7	49
106	Cortical theta wanes for language. NeuroImage, 2014, 85, 738-748.	2.1	48
107	Brain-computer interfaces: Definitions and principles. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2020, 168, 15-23.	1.0	48
108	Evidence for involvement of the insula in the psychotropic effects of THC in humans: a double-blind, randomized pharmacological MRI study. International Journal of Neuropsychopharmacology, 2011, 14, 1377-1388.	1.0	47

#	Article	IF	CITATIONS
109	The Netherlands XTC Toxicity (NeXT) study: objectives and methods of a study investigating causality, course, and clinical relevance. International Journal of Methods in Psychiatric Research, 2005, 14, 167-185.	1.1	45
110	Cortical and subcortical contributions to saccade latency in the human brain. European Journal of Neuroscience, 2005, 21, 2853-2863.	1.2	44
111	Specific effects of ecstasy and other illicit drugs on cognition in poly-substance users. Psychological Medicine, 2008, 38, 1309-1317.	2.7	44
112	THC reduces the anticipatory nucleus accumbens response to reward in subjects with a nicotine addiction. Translational Psychiatry, 2013, 3, e234-e234.	2.4	44
113	Trait and state dependent functional impairments in bipolar disorder. Psychiatry Research - Neuroimaging, 2010, 184, 135-142.	0.9	43
114	Brain activation is related to smoothness of upper limb movements after stroke. Experimental Brain Research, 2016, 234, 2077-2089.	0.7	43
115	Test–retest variability underlying fMRI measurements. NeuroImage, 2012, 60, 717-727.	2.1	42
116	Knowing left from right: asymmetric functional connectivity during resting state. Brain Structure and Function, 2018, 223, 1909-1922.	1.2	42
117	Mismatch Between Electrocortical Stimulation and Electrocorticography Frequency Mapping of Language. Brain Stimulation, 2013, 6, 524-531.	0.7	41
118	Spatial working memory in obsessive–compulsive disorder improves with clinical response: A functional MRI study. European Neuropsychopharmacology, 2007, 17, 16-23.	0.3	40
119	Unimpaired sentence comprehension after anterior temporal cortex resection. Neuropsychologia, 2008, 46, 1170-1178.	0.7	40
120	Neural correlates of locative prepositions. Neuropsychologia, 2008, 46, 1576-1580.	0.7	40
121	ALICE: A tool for automatic localization of intra-cranial electrodes for clinical and high-density grids. Journal of Neuroscience Methods, 2018, 301, 43-51.	1.3	40
122	Dissociation between Neuronal Activity in Sensorimotor Cortex and Hand Movement Revealed as a Function of Movement Rate. Journal of Neuroscience, 2012, 32, 9736-9744.	1.7	39
123	Cerebral mirror-imaging in a monozygotic twin. Lancet, The, 1999, 354, 1445-1446.	6.3	38
124	Reliability of two clinically relevant fiber pathways reconstructed with constrained spherical deconvolution. Magnetic Resonance in Medicine, 2013, 70, 1544-1556.	1.9	38
125	Inter-hemispheric language functional reorganization in low-grade glioma patients after tumour surgery. Cortex, 2015, 64, 235-248.	1.1	37
126	Functional MRI experiments: acquisition, analysis and interpretation of data. European Neuropsychopharmacology, 2002, 12, 517-526.	0.3	36

#	Article	IF	CITATIONS
127	Amygdala responses to positively and negatively valenced baby faces in healthy female volunteers: Influences of individual differences in harm avoidance. Brain Research, 2009, 1296, 94-103.	1.1	36
128	Reduced language lateralization in first-episode medication-naive schizophrenia. Schizophrenia Research, 2011, 127, 195-201.	1.1	36
129	The PRESTO technique for fMRI. NeuroImage, 2012, 62, 676-681.	2.1	36
130	Intracortical Somatosensory Stimulation to Elicit Fingertip Sensations in an Individual With Spinal Cord Injury. Neurology, 2022, 98, .	1.5	36
131	Involuntary language switching in two bilingual patients during the Wada test and intraoperative electrocortical stimulation. Brain and Language, 2007, 101, 31-37.	0.8	35
132	Incidental use of ecstasy: no evidence for harmful effects on cognitive brain function in a prospective fMRI study. Psychopharmacology, 2007, 193, 403-414.	1.5	35
133	Neurotoxic effects of ecstasy on the thalamus. British Journal of Psychiatry, 2008, 193, 289-296.	1.7	33
134	Chronic pretreatment with naltrexone facilitates acquisition of intravenous cocaine self-administration in rats. European Neuropsychopharmacology, 1990, 1, 55-61.	0.3	32
135	Discrepant findings for Wada test and functional magnetic resonance imaging with regard to language function: use of electrocortical stimulation mapping to confirm results. Journal of Neurosurgery, 2005, 102, 169-173.	0.9	32
136	Task-free electrocorticography frequency mapping of the motor cortex. Clinical Neurophysiology, 2013, 124, 1169-1174.	0.7	32
137	Modulation of cocaine intravenous self-administration in drug-naive animals by dihydropyridine Ca2+ channel modulators. European Journal of Pharmacology, 1996, 295, 19-25.	1.7	31
138	Saccadic abnormalities in psychotropic-naive obsessive–compulsive disorder without co-morbidity. Psychological Medicine, 2006, 36, 1321-1326.	2.7	31
139	Real-Time Decoding of Brain Responses to Visuospatial Attention Using 7T fMRI. PLoS ONE, 2011, 6, e27638.	1.1	30
140	Real-time decoding of the direction of covert visuospatial attention. Journal of Neural Engineering, 2012, 9, 045004.	1.8	30
141	Give Me a Sign: Decoding Complex Coordinated Hand Movements Using High-Field fMRI. Brain Topography, 2014, 27, 248-257.	0.8	30
142	Neural Tuning to Low-Level Features of Speech throughout the Perisylvian Cortex. Journal of Neuroscience, 2017, 37, 7906-7920.	1.7	30
143	Automatization and working memory capacity in schizophrenia. Schizophrenia Research, 2008, 100, 161-171.	1.1	29
144	Navigation of a Telepresence Robot via Covert Visuospatial Attention and Real-Time fMRI. Brain Topography, 2013, 26, 177-185.	0.8	29

#	Article	IF	CITATIONS
145	Predictive coding for motion stimuli in human early visual cortex. Brain Structure and Function, 2016, 221, 879-890.	1.2	29
146	Reliability of the corticospinal tract and arcuate fasciculus reconstructed with DTI-based tractography: implications for clinical practice. European Radiology, 2013, 23, 28-36.	2.3	24
147	Spatiotemporal characteristics of electrocortical brain activity during mental calculation. Human Brain Mapping, 2014, 35, 5903-5920.	1.9	24
148	Workshops of the Sixth International Brain–Computer Interface Meeting: brain–computer interfaces past, present, and future. Brain-Computer Interfaces, 2017, 4, 3-36.	0.9	24
149	Encoding of kinetic and kinematic movement parameters in the sensorimotor cortex: A Brainâ€Computer Interface perspective. European Journal of Neuroscience, 2019, 50, 2755-2772.	1.2	23
150	Classification of mouth movements using 7 T fMRI. Journal of Neural Engineering, 2015, 12, 066026.	1.8	22
151	Lateralization of motor innervation in children with intractable focal epilepsy—A TMS and fMRI study. Epilepsy Research, 2010, 90, 140-150.	0.8	21
152	Intracranial Recordings Reveal Unique Shape and Timing of Responses in Human Visual Cortex during Illusory Visual Events. Current Biology, 2020, 30, 3089-3100.e4.	1.8	21
153	Toward functional neuronavigation: implementation of functional magnetic resonance imaging data in a surgical guidance system for intraoperative identification of motor and language cortices. Neurosurgical Focus, 2003, 15, 1-6.	1.0	20
154	The effects of blood vessels on electrocorticography. Journal of Neural Engineering, 2011, 8, 044002.	1.8	20
155	Estimated Prevalence of the Target Population for Brain-Computer Interface Neurotechnology in the Netherlands. Neurorehabilitation and Neural Repair, 2017, 31, 677-685.	1.4	20
156	Acute effects of â^†9-tetrahydrocannabinol (THC) on resting state brain function and their modulation by COMT genotype. European Neuropsychopharmacology, 2019, 29, 766-776.	0.3	20
157	Functional MRI. , 0, , 413-453.		19
158	The brain-computer interface researcher's questionnaire: from research to application. Brain-Computer Interfaces, 2017, 4, 236-247.	0.9	19
159	Reduced left subgenual anterior cingulate cortical activity during withdrawal-related emotions in melancholic depressed female patients. Journal of Affective Disorders, 2010, 127, 326-331.	2.0	18
160	Methods of the Pharmacological Imaging of the Cannabinoid System (<scp>PhICS</scp>) study: towards understanding the role of the brain endocannabinoid system in human cognition. International Journal of Methods in Psychiatric Research, 2011, 20, 10-27.	1.1	18
161	Detailed view on slow sinusoidal, hemodynamic oscillations on the human brain cortex by <scp>F</scp> ourier transforming oxy/deoxy hyperspectral images. Human Brain Mapping, 2018, 39, 3558-3573.	1.9	18
162	Classification of Articulator Movements and Movement Direction from Sensorimotor Cortex Activity. Scientific Reports, 2019, 9, 14165.	1.6	17

#	Article	IF	CITATIONS
163	Sensorimotor ECoG Signal Features for BCI Control: A Comparison Between People With Locked-In Syndrome and Able-Bodied Controls. Frontiers in Neuroscience, 2019, 13, 1058.	1.4	17
164	The physiological basis of visual hallucinations after damage to the primary visual cortex. NeuroReport, 2007, 18, 1177-1180.	0.6	16
165	Practice Induces Function-Specific Changes in Brain Activity. PLoS ONE, 2008, 3, e3270.	1.1	16
166	Brain-Computer Interfaces for Communication: Preferences of Individuals With Locked-in Syndrome. Neurorehabilitation and Neural Repair, 2021, 35, 267-279.	1.4	16
167	Negative priming in schizophrenia revisited. Schizophrenia Research, 2005, 79, 211-216.	1.1	15
168	Attentional modulation fails to attenuate the subjective pain experience in chronic, unexplained pain. European Journal of Pain, 2010, 14, 282.e1-10.	1.4	15
169	Intracranial Recordings of Occipital Cortex Responses to Illusory Visual Events. Journal of Neuroscience, 2016, 36, 6297-6311.	1.7	15
170	Correspondence between fMRI and electrophysiology during visual motion processing in human MT+. NeuroImage, 2017, 155, 480-489.	2.1	15
171	Brain-optimized extraction of complex sound features that drive continuous auditory perception. PLoS Computational Biology, 2020, 16, e1007992.	1.5	14
172	Novel intraoperative online functional mapping of somatosensory finger representations for targeted stimulating electrode placement: technical note. Journal of Neurosurgery, 2021, , 1-8.	0.9	14
173	Perceptual bias following visual target selection. NeuroImage, 2005, 25, 1168-1174.	2.1	13
174	Integration of Motion Responses Underlying Directional Motion Anisotropy in Human Early Visual Cortical Areas. PLoS ONE, 2013, 8, e67468.	1.1	13
175	GridLoc: An automatic and unsupervised localization method for high-density ECoG grids. NeuroImage, 2018, 179, 225-234.	2.1	13
176	No changes in functional connectivity during motor recovery beyond 5 weeks after stroke; A longitudinal resting-state fMRI study. PLoS ONE, 2017, 12, e0178017.	1.1	12
177	Fatigue in brain tumor patients, towards a neuronal biomarker. NeuroImage: Clinical, 2020, 28, 102406.	1.4	12
178	Brain activation related to retrosaccades in saccade experiments. NeuroReport, 2005, 16, 1043-1047.	0.6	11
179	Spatial-Temporal Dynamics of the Sensorimotor Cortex: Sustained and Transient Activity. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1084-1092.	2.7	11
180	High-frequency band temporal dynamics in response to a grasp force task. Journal of Neural Engineering, 2019, 16, 056009.	1.8	11

#	Article	IF	CITATIONS
181	FEMfuns: A Volume Conduction Modeling Pipeline that Includes Resistive, Capacitive or Dispersive Tissue and Electrodes. Neuroinformatics, 2020, 18, 569-580.	1.5	11
182	Brain-Computer interfaces for communication: preferences of individuals with locked-in syndrome, caregivers and researchers. Disability and Rehabilitation: Assistive Technology, 2023, 18, 963-973.	1.3	11
183	Brain Function and Upper Limb Outcome in Stroke: A Cross-Sectional fMRI Study. PLoS ONE, 2015, 10, e0139746.	1.1	11
184	The influence of amphetamine on language activation: an fMRI study. Psychopharmacology, 2006, 183, 387-393.	1.5	10
185	Working memory deficits after resection of the dorsolateral prefrontal cortex predicted by functional magnetic resonance imaging and electrocortical stimulation mapping. Journal of Neurosurgery: Pediatrics, 2007, 106, 501-505.	0.8	10
186	Rapid acquisition of dynamic control over DLPFC using real-time fMRI feedback. European Neuropsychopharmacology, 2018, 28, 1194-1205.	0.3	10
187	A functional MRI study of presurgical cognitive deficits in glioma patients. Neuro-Oncology Practice, 2021, 8, 81-90.	1.0	10
188	FMRI and intra-cranial electrocorticography recordings in the same human subjects reveals negative BOLD signal coupled with silenced neuronal activity. Brain Structure and Function, 2022, 227, 1371-1384.	1.2	10
189	Open multimodal iEEG-fMRI dataset from naturalistic stimulation with a short audiovisual film. Scientific Data, 2022, 9, 91.	2.4	10
190	Separate spatial and temporal frequency tuning to visual motion in human MT+ measured with ECoC. Human Brain Mapping, 2017, 38, 293-307.	1.9	9
191	The influence of prior pronunciations on sensorimotor cortex activity patterns during vowel production. Journal of Neural Engineering, 2018, 15, 066025.	1.8	9
192	Electrocorticography Evidence of Tactile Responses in Visual Cortices. Brain Topography, 2020, 33, 559-570.	0.8	8
193	Moving in on human motor cortex. Characterizing the relationship between body parts with non-rigid population response fields. PLoS Computational Biology, 2022, 18, e1009955.	1.5	8
194	fMRI Guided rTMS Evidence for Reduced Left Prefrontal Involvement after Task Practice. PLoS ONE, 2013, 8, e80256.	1.1	7
195	7T fMRI reveals feasibility of covert visual attention-based brain–computer interfacing with signals obtained solely from cortical grey matter accessible by subdural surface electrodes. Clinical Neurophysiology, 2013, 124, 2191-2197.	0.7	6
196	Brain Implants for Substituting Lost Motor Function: State of the Art and Potential Impact on the Lives of Motor-Impaired Seniors. Gerontology, 2014, 60, 366-372.	1.4	6
197	Optimization of sampling rate and smoothing improves classification of high frequency power in electrocorticographic brain signals. Biomedical Physics and Engineering Express, 2018, 4, 045012.	0.6	6
198	Brain Activity Associated With Expected Task Difficulty. Frontiers in Human Neuroscience, 2019, 13, 286.	1.0	6

#	Article	IF	CITATIONS
199	Repeated Vowel Production Affects Features of Neural Activity in Sensorimotor Cortex. Brain Topography, 2019, 32, 97-110.	0.8	6
200	Cortical network responses map onto data-driven features that capture visual semantics of movie fragments. Scientific Reports, 2020, 10, 12077.	1.6	6
201	Classification of Facial Expressions for Intended Display of Emotions Using Brain–Computer Interfaces. Annals of Neurology, 2020, 88, 631-636.	2.8	5
202	Functional MRI based simulations of ECoG grid configurations for optimal measurement of spatially distributed hand-gesture information. Journal of Neural Engineering, 2021, 18, 026013.	1.8	5
203	Reduced brain activation during spoken language processing in children with developmental language disorder and children with 22q11.2 deletion syndrome. Neuropsychologia, 2021, 158, 107907.	0.7	5
204	When to include ECoG electrode properties in volume conduction models. Journal of Neural Engineering, 2020, 17, 056031.	1.8	5
205	Distinct representation of ipsilateral hand movements in sensorimotor areas. European Journal of Neuroscience, 2021, 54, 7599-7608.	1.2	5
206	Function localisation in neurosurgery: new tools, new practices?. Clinical Neurology and Neurosurgery, 2004, 107, 17-19.	0.6	4
207	Detection of spontaneous class-specific visual stimuli with high temporal accuracy in human electrocorticography. , 2009, 2009, 6465-8.		4
208	fMRI based BCI control using spatial visual attention at 7T. , 2009, , .		4
209	An observation of anatomical clustering in inputs to primary motor cortex in cortico-cortical brain surface evoked potentials. , 2019, , .		4
210	Towards an intuitive communication-BCI: decoding visually imagined characters from the early visual cortex using high-field fMRI. Biomedical Physics and Engineering Express, 2019, 5, 055001.	0.6	4
211	Human brain function and brain-computer interfaces. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2020, 168, 1-13.	1.0	4
212	A Functional Magnetic Resonance Imaging Approach for Language Laterality Assessment in Young Children. Frontiers in Pediatrics, 2020, 8, 587593.	0.9	4
213	Investigating secondary white matter degeneration following ischemic stroke by modelling affected fiber tracts. NeuroImage: Clinical, 2022, 33, 102945.	1.4	4
214	BCI control using 4 direction spatial visual attention and real-time fMRI at 7T. , 2010, 2010, 4221-5.		3
215	Predictions to motion stimuli in human early visual cortex: Effects of motion displacement on motion predictability. NeuroImage, 2015, 118, 118-125.	2.1	3
216	Changes in fMRI BOLD dynamics reflect anticipation to moving objects. NeuroImage, 2017, 161, 188-195.	2.1	3

#	Article	lF	CITATIONS
217	The effect of response frequency on cognitive brain activity during an alertness task. NeuroReport, 2019, 30, 1166-1171.	0.6	3
218	Accurate Offline Asynchronous Detection of Individual Finger Movement From Intracranial Brain Signals Using a Novel Multiway Approach. IEEE Transactions on Biomedical Engineering, 2021, 68, 2176-2187.	2.5	3
219	Typical somatomotor physiology of the hand is preserved in a patient with an amputated arm: An ECoG case study. NeuroImage: Clinical, 2021, 31, 102728.	1.4	3
220	Size of the spatial correlation between ECoG and fMRI activity. NeuroImage, 2021, 242, 118459.	2.1	3
221	Give Me a Sign: Studies on the Decodability of Hand Gestures Using Activity of the Sensorimotor Cortex as a Potential Control Signal for Implanted Brain Computer Interfaces. Springer Briefs in Electrical and Computer Engineering, 2014, , 7-17.	0.3	3
222	Efectos crónicos del consumo de cannabis sobre el sistema de recompensa humano: un estudio de RMf. Psiquiatria Biologica, 2011, 18, 45-54.	0.0	2
223	Removal of epileptically compromised tissue in the frontal cortex restores oculomotor selection in the antisaccade task. Journal of Neuropsychology, 2019, 13, 289-304.	0.6	2
224	Automatic identification of atypical clinical fMRI results. Neuroradiology, 2020, 62, 1677-1688.	1.1	2
225	Processing of Targets and Non-targets in Verbal Working Memory. Neuroscience, 2020, 429, 273-281.	1.1	2
226	Detailed somatotopy of tongue movement in the human sensorimotor cortex: A case study. Brain Stimulation, 2021, 14, 287-289.	0.7	2
227	Associations of Regular Marijuana Use by Adolescent Boys With Verbal Memory and Perseveration. Psychological Reports, 2021, , 003329412198899.	0.9	2
228	Direct Comparison of Functional MRI and PET. Medical Radiology, 2000, , 421-431.	0.0	2
229	Functional neuroimaging in neurosurgical practice. , 2011, , 207-227.		2
230	Cortical reorganisation in a preterm born child with unilateral watershed infarction. European Journal of Paediatric Neurology, 2011, 15, 554-557.	0.7	1
231	Error probability of intracranial brain computer interfaces under non-task elicited brain states. Clinical Neurophysiology, 2012, 123, 2392-2401.	0.7	1
232	A Novel 2D Standard Cartesian Representation for the Human Sensorimotor Cortex. Neuroinformatics, 2020, 18, 283-293.	1.5	1
233	Endorphins, emotional stress and experimental cocaine addiction. European Neuropsychopharmacology, 1994, 4, 208-210.	0.3	0
234	Language Representation. Journal of Neurosurgery, 2007, 106, 726-727.	0.9	0

#	Article	IF	CITATIONS
235	Signals Reflecting Brain Metabolic Activity. , 2012, , 66-77.		0
236	OS4.5 Working memory deficits in brain tumor patients are related to reduced default mode inhibition. Neuro-Oncology, 2018, 20, iii223-iii223.	0.6	0
237	Decoding attempted phantom hand movements from ipsilateral sensorimotor areas after amputation. Journal of Neural Engineering, 2021, 18, 056037.	1.8	0
238	Decoding four hand gestures with a single bipolar pair of electrocorticography electrodes. Journal of Neural Engineering, 2021, 18, .	1.8	0
239	The dorsolateral pre-frontal cortex bi-polar error-related potential in a locked-in patient implanted with a daily use brain–computer interface. Control Theory and Technology, 2021, 19, 444-454.	1.0	0
240	Modeling the temporal dynamics of neural responses in human visual cortex. Journal of Vision, 2020, 20, 582.	0.1	0
241	Intracranial recordings reveal unique shape and timing of responses in human visual cortex during illusory visual events. Journal of Vision, 2020, 20, 375.	0.1	0
242	Brain-optimized extraction of complex sound features that drive continuous auditory perception. , 2020, 16, e1007992.		0
243	Brain-optimized extraction of complex sound features that drive continuous auditory perception. , 2020, 16, e1007992.		0
244	Brain-optimized extraction of complex sound features that drive continuous auditory perception. , 2020, 16, e1007992.		0
245	Brain-optimized extraction of complex sound features that drive continuous auditory perception. , 2020, 16, e1007992.		0
246	Brain-optimized extraction of complex sound features that drive continuous auditory perception. , 2020, 16, e1007992.		0
247	Brain-optimized extraction of complex sound features that drive continuous auditory perception. , 2020, 16, e1007992.		0