
Diogo Ayres-de-Campos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5811119/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Physical exercise at term for enhancing the spontaneous onset of labor: a randomized clinical trial. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 775-779. | 0.7 | 7 |
| 2 | Sonographic knowledge of occiput position to decrease failed operative vaginal delivery: a systematic review and meta-analysis of randomized controlled trials. American Journal of Obstetrics and Gynecology, 2022, 226, 499-509. | 0.7 | 6 |
| 3 | European Guidelines on Perinatal Care - Oxytocin for induction and augmentation of labor. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 7166-7172. | 0.7 | 6 |
| 4 | Use of external cephalic version in Portuguese public hospitals. International Journal of Gynecology and Obstetrics, 2022, , . | 1.0 | 0 |
| 5 | Provision of antenatal care in Europe-A scientific study commissioned by European Board and College of Obstetrics and Gynaecology (EBCOG). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 272, 30-36. | 0.5 | 4 |
| 6 | Maternal morbidity and mortality due to placenta accreta spectrum disorders. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2021, 72, 84-91. | 1.4 | 33 |
| 7 | External cephalic version: Predictors of success and influence on caesarean rates. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 211-214. | 0.5 | 3 |
| 8 | Transabdominal and transperineal ultrasound vs routine care before instrumental vaginal delivery – A randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1075-1081. | 1.3 | 15 |
| 9 | Can fetal heart rate variability obtained from cardiotocography provide the same diagnostic value like from electrophysiological interbeat intervals?. Physiological Measurement, 2021, 42, 015006. | 1.2 | 6 |
| 10 | Intrapartum ultrasound before instrumental vaginal delivery: We still have room left to grow. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 990-990. | 1.3 | 0 |
| 11 | FIGO (International Federation of Gynecology and Obstetrics) initiative on fetal growth: Best practice advice for screening, diagnosis, and management of fetal growth restriction. International Journal of Gynecology and Obstetrics, 2021, 152, 3-57. | 1.0 | 188 |
| 12 | Equity in coronavirus disease 2019 vaccine development and deployment. American Journal of Obstetrics and Gynecology, 2021, 224, 423-427. | 0.7 | 34 |
| 13 | EBCOG position statement on COVID-19 vaccination for pregnant and breastfeeding women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 262, 256-258. | 0.5 | 33 |
| 14 | Maternal outcomes and risk factors for COVID-19 severity among pregnant women. Scientific Reports, 2021, 11, 13898. | 1.6 | 77 |
| 15 | Intrapartum Fetal Monitoring. , 2021, , 389-397. | | 0 |
| 16 | Prevalence of SARS-CoV-2 infection in asymtomatic pregnant women and their partners in a tertiary care hospital in Portugal. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-2. | 0.7 | 1 |
| 17 | Global interim guidance on coronavirus disease 2019 (COVIDâ€19) during pregnancy and puerperium from FIGO and allied partners: Information for healthcare professionals. International Journal of Gynecology and Obstetrics, 2020, 149, 273-286. | 1.0 | 220 |
| 18 | Premature or Small for Gestational Age Discrimination: International Multicenter Trial Protocol for Classification of the Low-Birth-Weight Newborn Through the Optical Properties of the Skin. JMIR Research Protocols, 2020, 9, e16477. | 0.5 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Fetal electrocardiography ST-segment analysis forÂintrapartum monitoring: a critical appraisal of conflicting evidence and a way forward. American Journal of Obstetrics and Gynecology, 2019, 221, 577-601.e11. | 0.7 | 16 |
| 20 | Effect of simulation-based training on the accuracy of fetal head position determination in labor. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 242, 68-70. | 0.5 | 3 |
| 21 | <scp>FIGO</scp> classification for the clinical diagnosis of placenta accreta spectrum disorders,. International Journal of Gynecology and Obstetrics, 2019, 146, 20-24. | 1.0 | 312 |
| 22 | Affordable and lowâ€maintenance obstetric devices. International Journal of Gynecology and Obstetrics, 2019, 146, 25-28. | 1.0 | 10 |
| 23 | Computerized analysis of cardiotocograms and ST signals is associated with significant reductions in hypoxic-ischemic encephalopathy and cesarean delivery: an observational study in 38,466 deliveries. American Journal of Obstetrics and Gynecology, 2019, 220, 269.e1-269.e8. | 0.7 | 18 |
| 24 | FIGO consensus guidelines on placenta accreta spectrum disorders: Introduction,. International Journal of Gynecology and Obstetrics, 2018, 140, 261-264. | 1.0 | 142 |
| 25 | Evolution of linear and nonlinear fetal heart rate indices throughout pregnancy in appropriate, small for gestational age and preterm fetuses: A cohort study. Computer Methods and Programs in Biomedicine, 2018, 153, 191-199. | 2.6 | 17 |
| 26 | International survey of practices used in the diagnosis and management of placenta accreta spectrum disorders. International Journal of Gynecology and Obstetrics, 2018, 140, 307-311. | 1.0 | 33 |
| 27 | FIGO position paper: how to stop the caesarean section epidemic. Lancet, The, 2018, 392, 1286-1287. | 6.3 | 107 |
| 28 | Electronic fetal monitoring or cardiotocography, 50 years later: what'sÂinÂaÂname?. American Journal of Obstetrics and Gynecology, 2018, 218, 545-546. | 0.7 | 25 |
| 29 | SisPorto 4.0 – computer analysis following the 2015 FIGO Guidelines for intrapartum fetal monitoring. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 62-67. | 0.7 | 31 |
| 30 | Monitoring fetal maturation—objectives, techniques and indices of autonomic function. Physiological Measurement, 2017, 38, R61-R88. | 1.2 | 45 |
| 31 | Cardiotocographic parameters in smallâ€forâ€gestationalâ€age fetuses: How do they vary from normal at different gestational ages? A study of 11687 fetuses from 25 to 40 weeks of pregnancy. Journal of Obstetrics and Gynaecology Research, 2017, 43, 476-485. | 0.6 | 13 |
| 32 | Central Fetal Monitoring With and Without Computer Analysis. Obstetrics and Gynecology, 2017, 129, 83-90. | 1.2 | 49 |
| 33 | Gender-specific evolution of fetal heart rate variability throughout gestation: A study of 8823 cases. Early Human Development, 2017, 115, 38-45. | 0.8 | 24 |
| 34 | Simultaneous monitoring of maternal and fetal heart rate variability during labor in relation with fetal gender. Developmental Psychobiology, 2017, 59, 832-839. | 0.9 | 8 |
| 35 | Linear and non-linear analysis of uterine contraction signals obtained with tocodynamometry in prediction of operative vaginal delivery. Journal of Perinatal Medicine, 2017, 45, 327-332. | 0.6 | 4 |
| 36 | Longitudinal changes of cardiotocographic parameters throughout pregnancy: a prospective cohort study comparing small-for-gestational-age and normal fetuses from 24 to 40 weeks. Journal of Perinatal Medicine, 2017, 45, 493-501. | 0.6 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Agreement and accuracy using the FIGO, ACOG and NICE cardiotocography interpretation guidelines. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 166-175. | 1.3 | 60 |
| 38 | The impact of migration on women's mental health in the postpartum period. Revista De Saude Publica, 2016, 50, . | 0.7 | 20 |
| 39 | Longitudinal evaluation of computerized cardiotocographic parameters throughout pregnancy in normal fetuses: a prospective cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 1143-1152. | 1.3 | 20 |
| 40 | Electrocardiography versus photoplethysmography in assessment of maternal heart rate variability during labor. SpringerPlus, 2016, 5, 1079. | 1.2 | 15 |
| 41 | Linear and Nonlinear Analysis of Fetal Heart Rate Variability. , 2016, , 119-132. | | 4 |
| 42 | Interobserver agreement in CTG interpretation using the 2015 FIGO guidelines for intrapartum fetal monitoring. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 27-31. | 0.5 | 33 |
| 43 | Intrapartum fetal surveillance. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 30, 1-2. | 1.4 | 2 |
| 44 | Corrigendum to "FIGO consensus guidelines on intrapartum fetal monitoring: Adjunctive technologies―[Int J Gynecol Obstet 131 (2015) 25-9]. International Journal of Gynecology and Obstetrics, 2016, 133, 131-131. | 1.0 | 0 |
| 45 | Gender-specific reference charts for cardiotocographic parameters throughout normal pregnancy: a retrospective cross-sectional study of 9701 fetuses. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 199, 102-107. | 0.5 | 18 |
| 46 | Corrigendum to "FIGO consensus guidelines on intrapartum fetal monitoring: Cardiotocography―[Int J Gynecol Obstet 131 (2015) 13-24]. International Journal of Gynecology and Obstetrics, 2016, 133, 130-130. | 1.0 | 4 |
| 47 | Technical characteristics of current cardiotocographic monitors. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 30, 22-32. | 1.4 | 14 |
| 48 | Computer analysis of maternal–fetal heart rate recordings during labor in relation with maternal–fetal attachment and prediction of newborn acidemia. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1440-1444. | 0.7 | 7 |
| 49 | Computer analysis of foetal monitoring signals. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 30, 68-78. | 1.4 | 30 |
| 50 | Toward the improvement in fetal monitoring during labor with the inclusion of maternal heart rate analysis. Medical and Biological Engineering and Computing, 2016, 54, 691-699. | 1.6 | 14 |
| 51 | Introduction: Why is intrapartum foetal monitoring necessary – Impact on outcomes and interventions. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 30, 3-8. | 1.4 | 14 |
| 52 | FIGO consensus guidelines on intrapartum fetal monitoring: Physiology of fetal oxygenation and the main goals of intrapartum fetal monitoring. International Journal of Gynecology and Obstetrics, 2015, 131, 5-8. | 1.0 | 92 |
| 53 | Improvements in fetal heart rate analysis by the removal of maternal-fetal heart rate ambiguities. BMC Pregnancy and Childbirth, 2015, 15, 301. | 0.9 | 14 |
| 54 | Lowered national cesarean section rates after a concerted action. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 391-398. | 1.3 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Sex differences in the fetal heart rate variability indices of twins. Journal of Perinatal Medicine, 2015, 43, 221-225. | 0.6 | 11 |
| 56 | FIGO consensus guidelines on intrapartum fetal monitoring: Introduction. International Journal of Gynecology and Obstetrics, 2015, 131, 3-4. | 1.0 | 35 |
| 57 | FIGO consensus guidelines on intrapartum fetal monitoring: Cardiotocography. International Journal of Gynecology and Obstetrics, 2015, 131, 13-24. | 1.0 | 551 |
| 58 | FIGO consensus guidelines on intrapartum fetal monitoring: Adjunctive technologies. International Journal of Gynecology and Obstetrics, 2015, 131, 25-29. | 1.0 | 53 |
| 59 | On the evidence for intrapartum fetal monitoring with <scp>ECG</scp> â€ <scp>ST</scp> analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 117-118. | 1.3 | 1 |
| 60 | Comparison of the effect of different sampling modes on computer analysis of cardiotocograms. Computers in Biology and Medicine, 2015, 64, 62-66. | 3.9 | 11 |
| 61 | Obesity and the challenges of caesarean delivery: Prevention and management of wound complications. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2015, 29, 406-414. | 1.4 | 13 |
| 62 | Assessing maternal healthcare inequities among migrants: a qualitative study. Cadernos De Saude Publica, 2014, 30, 333-340. | 0.4 | 20 |
| 63 | A critical appraisal of the evidence for using cardiotocography plus <scp>ECG ST</scp> interval analysis for fetal surveillance in labor. Part I: the randomized controlled trials. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 556-568. | 1.3 | 22 |
| 64 | A critical appraisal of the evidence for using cardiotocography plus <scp>ECG ST</scp> interval analysis for fetal surveillance in labor. Part <scp>II</scp> : the metaâ€analyses. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 571-586. | 1.3 | 41 |
| 65 | Differences between external and internal fetal heart rate monitoring during the second stage of labor: a prospective observational study. Journal of Perinatal Medicine, 2014, 42, 493-498. | 0.6 | 8 |
| 66 | Complexity-loss in fetal heart rate dynamics during labor as a potential biomarker of acidemia. Early Human Development, 2014, 90, 67-71. | 0.8 | 25 |
| 67 | Development and evaluation of an algorithm for computer analysis of maternal heart rate during labor. Computers in Biology and Medicine, 2014, 49, 30-35. | 3.9 | 15 |
| 68 | Migrant Women's Perceptions of Healthcare During Pregnancy and Early Motherhood: Addressing the Social Determinants of Health. Journal of Immigrant and Minority Health, 2014, 16, 719-723. | 0.8 | 30 |
| 69 | Fetal behavioral dynamics in cephalic versus breech presentations. Developmental Psychobiology, 2014, 56, 1595-1600. | 0.9 | 5 |
| 70 | The effect of gender, gestational age and behavioral states on fetal heart rate variability. , 2014, , . | | 2 |
| 71 | Obstetric care in a migrant population with free access to health care. International Journal of Gynecology and Obstetrics, 2014, 126, 244-247. | 1.0 | 32 |
| 72 | Maternal Healthcare in Migrants: A Systematic Review. Maternal and Child Health Journal, 2013, 17, 1346-1354. | 0.7 | 178 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Comparison of real beat-to-beat signals with commercially available 4ÂHz sampling on the evaluation of foetal heart rate variability. Medical and Biological Engineering and Computing, 2013, 51, 665-676. | 1.6 | 42 |
| 74 | Gender-specific heart rate dynamics in severe intrauterine growth-restricted fetuses. Early Human Development, 2013, 89, 431-437. | 0.8 | 23 |
| 75 | A model for educational simulation of the effect of oxytocin on uterine contractions. Medical Engineering and Physics, 2013, 35, 524-531. | 0.8 | 7 |
| 76 | An overview of central fetal monitoring systems in labour. Journal of Perinatal Medicine, 2013, 41, 93-99. | 0.6 | 38 |
| 77 | Human factors affecting the interpretation of fetal heart rate tracings. Current Opinion in Obstetrics and Gynecology, 2012, 24, 84-88. | 0.9 | 29 |
| 78 | A model for educational simulation of the evolution of uterine contractions during labor. Computer Methods and Programs in Biomedicine, 2012, 107, 242-247. | 2.6 | 14 |
| 79 | Maternal heart rate analysis during labor. Has the time come for computerized analysis?. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 1474-1474. | 1.3 | 3 |
| 80 | Poor reliability of visual analysis of fetal heart rate tracings: what should be done about it?. American Journal of Obstetrics and Gynecology, 2012, 206, e6. | 0.7 | 1 |
| 81 | Self-perceived impact of simulation-based training on the management of real-life obstetrical emergencies. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 159, 72-76. | 0.5 | 31 |
| 82 | The limits of agreement and the intraclass correlation coefficient may be inconsistent in the interpretation of agreement. Journal of Clinical Epidemiology, 2011, 64, 264-269. | 2.4 | 83 |
| 83 | Observer reliability and agreement: differences, difficulties, and controversies. Journal of Clinical Epidemiology, 2011, 64, 702. | 2.4 | 2 |
| 84 | Erratum to "The limits of agreement and the intraclass correlation coefficient may be inconsistent in the interpretation of agreement―[J Clin Epidemiol 2011;64(3):264–9.]. Journal of Clinical Epidemiology, 2011, 64, 703. | 2.4 | 1 |
| 85 | Erratum to "The limits of agreement and the intraclass correlation coefficient may be inconsistent in the interpretation of agreement―[J Clin Epidemiol 2011;64:264–9]. Journal of Clinical Epidemiology, 2011, 64, 1049. | 2.4 | 0 |
| 86 | Knowledge of Adverse Neonatal Outcome Alters Clinicians' Interpretation of the Intrapartum Cardiotocograph. Obstetrical and Gynecological Survey, 2011, 66, 673-675. | 0.2 | 0 |
| 87 | Complexity and categorical analysis may improve the interpretation of agreement studies using continuous variables. Journal of Evaluation in Clinical Practice, 2011, 17, 511-514. | 0.9 | 4 |
| 88 | Knowledge of adverse neonatal outcome alters clinicians' interpretation of the intrapartum cardiotocograph. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 978-984. | 1.1 | 42 |
| 89 | Sustaining simulation training programmes – experience from maternity care. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 22-26. | 1.1 | 23 |
| 90 | Comparison of experts and computer analysis in fetal heart rate interpretation: we need to agree on what agreement is. American Journal of Obstetrics and Gynecology, 2011, 204, e11-e12. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Audit of a fetal central monitoring station in a clinical setting. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 1249-1253. | 0.7 | 6 |
| 92 | The persistent challenge of foetal heart rate monitoring. Current Opinion in Obstetrics and Gynecology, 2010, 22, 104-109. | 0.9 | 27 |
| 93 | A randomised clinical trial of intrapartum fetal monitoring with computer analysis and alerts versus previously available monitoring. BMC Pregnancy and Childbirth, 2010, 10, 71. | 0.9 | 32 |
| 94 | An intrauterine pressure generator for educational simulation of labour and delivery. Medical Engineering and Physics, 2010, 32, 740-745. | 0.8 | 17 |
| 95 | Access to computerised analysis of intrapartum cardiotocographs improves clinicians' prediction of newborn umbilical artery blood pH. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1288-1293. | 1.1 | 20 |
| 96 | Comparison of a computer system evaluation of intrapartum cardiotocographic events and a consensus of clinicians. Journal of Perinatal Medicine, 2010, 38, 191-5. | 0.6 | 28 |
| 97 | A Model for Educational Simulation of Hemodynamic Transitions at Birth. Pediatric Research, 2010, 67, 158-165. | 1.1 | 15 |
| 98 | Twentyâ€five years after the FIGO guidelines for the use of fetal monitoring: Time for a simplified approach?. International Journal of Gynecology and Obstetrics, 2010, 110, 1-6. | 1.0 | 69 |
| 99 | Sex differences in linear and complex fetal heart rate dynamics of normal and acidemic fetuses in the minutes preceding delivery. Journal of Perinatal Medicine, 2009, 37, 168-76. | 0.6 | 35 |
| 100 | Prediction of neonatal acidemia by computer analysis of fetal heart rate and ST event signals. American Journal of Obstetrics and Gynecology, 2009, 201, 464.e1-464.e6. | 0.7 | 56 |
| 101 | Policies for manual removal of placenta at vaginal delivery: variations in timing within Europe. BJOC: an International Journal of Obstetrics and Gynaecology, 2009, 116, 119-124. | 1.1 | 28 |
| 102 | Agreement on cardiotocogram interpretation and clinical decision using the STAN guidelines. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1540-1541. | 1.1 | 1 |
| 103 | Skin adhesive versus subcuticular suture for perineal skin repair after episiotomy – a randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 660-666. | 1.3 | 31 |
| 104 | Skin Adhesive Versus Subcuticular Suture for Perineal Skin Repair After Episiotomy: A Randomized Controlled Trial. Obstetrical and Gynecological Survey, 2009, 64, 582-583. | 0.2 | 0 |
| 105 | Assessment and reporting of the reproducibility of fetal heart rate monitoring. American Journal of Obstetrics and Gynecology, 2008, 198, 343. | 0.7 | 0 |
| 106 | Linear and complex heart rate dynamics vary with sex in relation to fetal behavioural states. Early Human Development, 2008, 84, 433-439. | 0.8 | 55 |
| 107 | Omniview-SisPorto® 3.5 – a central fetal monitoring station with online alerts based on computerized cardiotocogram+ST event analysis. Journal of Perinatal Medicine, 2008, 36, 260-4. | 0.6 | 71 |
| 108 | Impact of Labor and Delivery Simulation Classes in Undergraduate Medical Learning. Medical Education Online, 2008, 13, 14. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Frequency Domain and Entropy Analysis of Fetal Heart Rate: Appealing Tools for Fetal Surveillance and Pharmacodynamic Assessment of Drugs. Cardiovascular & Hematological Disorders Drug Targets, 2008, 8, 91-98. | 0.2 | 9 |
| 110 | Premature Rupture of Membranes at 20 Weeks: Report of a Successful Outcome after Transcervical Application of Fibrin Glue. Fetal Diagnosis and Therapy, 2007, 22, 14-17. | 0.6 | 8 |
| 111 | Variations in policies for management of the third stage of labour and the immediate management of postpartum haemorrhage in Europe. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 845-854. | 1.1 | 126 |
| 112 | Computer quantification of shortâ€ŧerm variability as an adjunct to fetal electrocardiographic monitoring. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 1445-1446. | 1.1 | 5 |
| 113 | Linear and nonlinear analysis of heart rate patterns associated with fetal behavioral states in the antepartum period. Early Human Development, 2007, 83, 585-591. | 0.8 | 79 |
| 114 | The Modified Misgav-Ladach versus the Pfannenstiel-Kerr Technique for Cesarean Section: A Randomized Trial. Obstetrical and Gynecological Survey, 2006, 61, 10-12. | 0.2 | 0 |
| 115 | Linear and nonlinear fetal heart rate analysis of normal and acidemic fetuses in the minutes preceding delivery. Medical and Biological Engineering and Computing, 2006, 44, 847-855. | 1.6 | 93 |
| 116 | Internal versus external intrapartum foetal heart rate monitoring: the effect on linear and nonlinear parameters. Physiological Measurement, 2006, 27, 307-319. | 1.2 | 61 |
| 117 | The modified Misgav-Ladach versus the Pfannenstiel-Kerr technique for cesarean section: a randomized trial. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 878-882. | 1.3 | 38 |
| 118 | Prediction of neonatal state by computer analysis of fetal heart rate tracings: the antepartum arm of the SisPorto® multicentre validation study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 52-60. | 0.5 | 64 |
| 119 | How should success be defined when attempting medical resolution of first-trimester missed abortion?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 71-76. | 0.5 | 33 |
| 120 | Comparison of fetal heart rate baseline estimation by SisPorto® 2.01 and a consensus of clinicians. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2004, 117, 174-178. | 0.5 | 34 |
| 121 | Can the reproducibility of fetal heart rate baseline estimation be improved?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2004, 112, 49-54. | 0.5 | 30 |
| 122 | Reply to P. Vargas Letter to the Editor: Comparative evaluation of the Misgav Ladach cesarean section with two traditional techniques. The first four years' experience (published in volume 80, 1). Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 285-285. | 1.3 | 1 |
| 123 | Further concerns about the National Institute of Child Health and Human Development guidelines for interpretation of electronic fetal heart rate monitoring. American Journal of Obstetrics and Gynecology, 2001, 184, 1587-1588. | 0.7 | 3 |
| 124 | Sisporto 2.0: A program for automated analysis of cardiotocograms. The Journal of Maternal-fetal Medicine, 2000, 9, 311-318. | 0.2 | 205 |
| 125 | An interactive web site for research on fetal heart rate monitoring. Obstetrics and Gynecology, 2000, 95, 309-311. | 1.2 | 5 |
| 126 | Vaginal misoprostol in the management of first-trimester missed abortions. International Journal of Gynecology and Obstetrics, 2000, 71, 53-57. | 1.0 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Sisporto 2.0: A program for automated analysis of cardiotocograms. , 2000, 9, 311. | | 11 |
| 128 | Inconsistencies in classification by experts of cardiotocograms and subsequent clinical decision. BJOG: an International Journal of Obstetrics and Gynaecology, 1999, 106, 1307-1310. | 1.1 | 152 |
| 129 | Early, variable and late decelerations: can a consensus be reached in their identification?. International Journal of Gynecology and Obstetrics, 1999, 65, 305-306. | 1.0 | 17 |
| 130 | Objective computerized fetal heart rate analysis. International Journal of Gynecology and Obstetrics, 1998, 62, 141-147. | 1.0 | 45 |
| 131 | Antepartum fetal cerebral hemorrhage not predicted by current surveillance methods in cholestasis or pregnancy. Obstetrics and Gynecology, 1997, 89, 803-804. | 1.2 | 18 |
| 132 | Evaluation of interobserver agreement of cardiotocograms. International Journal of Gynecology and Obstetrics, 1997, 57, 33-37. | 1.0 | 191 |
| 133 | Monitoring of cardiac-extracardiac haemodynamics and automated fetal heart rate preceding intrauterine death. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1996, 64, 3-6. | 0.5 | 16 |
| 134 | Infertility: Inter-observer agreement in analysis of basal body temperature graphs from infertile women. Human Reproduction, 1995, 10, 2010-2016. | 0.4 | 8 |