
Pujia Yu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5812237/publications.pdf Version: 2024-02-01



<u> </u>
Οιιιλ Υιι

#	Article	IF	CITATIONS
1	Selecting the minimum data set and quantitative soil quality indexing of alkaline soils under different land uses in northeastern China. Science of the Total Environment, 2018, 616-617, 564-571.	8.0	142
2	Spatiotemporal change of diurnal temperature range and its relationship with sunshine duration and precipitation in China. Journal of Geophysical Research D: Atmospheres, 2014, 119, 13,163.	3.3	108
3	Soil quality assessment under different land uses in an alpine grassland. Catena, 2018, 171, 280-287.	5.0	77
4	Divergent responses of ecosystem water-use efficiency to extreme seasonal droughts in Southwest China. Science of the Total Environment, 2021, 760, 143427.	8.0	77
5	Conversion of cropland to forage land and grassland increases soil labile carbon and enzyme activities in northeastern China. Agriculture, Ecosystems and Environment, 2017, 245, 83-91.	5.3	68
6	Grass–legume ratio can change soil carbon and nitrogen storage in a temperate steppe grassland. Soil and Tillage Research, 2016, 157, 23-31.	5.6	49
7	Influences of climate change and human activities on Tarim River runoffs in China over the past half century. Environmental Earth Sciences, 2012, 67, 231-241.	2.7	48
8	Soil organic carbon fractions are affected by different land uses in an agro-pastoral transitional zone in Northeastern China. Ecological Indicators, 2017, 73, 331-337.	6.3	48
9	Grass-legume mixtures impact soil N, species recruitment, and productivity in temperate steppe grassland. Plant and Soil, 2015, 394, 271-285.	3.7	46
10	Effect of Cultivation on Dynamics of Organic and Inorganic Carbon Stocks in Songnen Plain. Agronomy Journal, 2014, 106, 1574-1582.	1.8	43
11	Responses of soil specific enzyme activities to short-term land use conversions in a salt-affected region, northeastern China. Science of the Total Environment, 2019, 687, 939-945.	8.0	40
12	Oasis evolution and water resource utilization of a typical area in the inland river basin of an arid area: a case study of the Manas River valley. Environmental Earth Sciences, 2012, 66, 683-692.	2.7	39
13	Short-term land use conversions influence the profile distribution of soil salinity and sodicity in northeastern China. Ecological Indicators, 2018, 88, 79-87.	6.3	37
14	Afforestation-driven increases in terrestrial gross primary productivity are partly offset by urban expansion in Southwest China. Ecological Indicators, 2021, 127, 107641.	6.3	33
15	Afforestation influences soil organic carbon and its fractions associated with aggregates in a karst region of Southwest China. Science of the Total Environment, 2022, 814, 152710.	8.0	32
16	Impacts of grassland types and vegetation cover changes on surface air temperature in the regions of temperate grassland of China. Theoretical and Applied Climatology, 2016, 126, 141-150.	2.8	28
17	Overlooking soil erosion induces underestimation of the soil C loss in degraded land. Quaternary International, 2014, 349, 287-290.	1.5	27
18	Rapid microbial community evolution in initial Carex litter decomposition stages in Bayinbuluk alpine wetland during the freeze–thaw period. Ecological Indicators, 2021, 121, 107180.	6.3	25

Ρυjia Yu

#	Article	IF	CITATIONS
19	Response of soil nutrients and stoichiometric ratios to short-term land use conversions in a salt-affected region, northeastern China. Ecological Engineering, 2019, 129, 22-28.	3.6	22
20	Effects of ecological water conveyance on the ring increments of <i>Populus euphratica</i> in the lower reaches of Tarim River. Journal of Forest Research, 2012, 17, 413-420.	1.4	20
21	Effects and implications of ecological restoration projects on ecosystem water use efficiency in the karst region of Southwest China. Ecological Engineering, 2021, 170, 106356.	3.6	20
22	Carbon stocks and storage potential as affected by vegetation in the Songnen grassland of northeast China. Quaternary International, 2013, 306, 114-120.	1.5	19
23	Remotely monitoring ecosystem respiration from various grasslands along a large-scale east–west transect across northern China. Carbon Balance and Management, 2020, 15, 6.	3.2	16
24	Spatial distribution pattern changes of oasis soil types in Manasi River Basin, arid northwestern China. Catena, 2011, 87, 253-259.	5.0	14
25	Impact of Implementation of Large-Scale Drip Irrigation in Arid and Semi-arid Areas: Case Study of Manas River Valley. Communications in Soil Science and Plant Analysis, 2013, 44, 2064-2075.	1.4	14
26	Tillage and haymaking practices speed up belowground net productivity restoration in the degraded Songnen grassland. Soil and Tillage Research, 2018, 175, 62-70.	5.6	13
27	Effect of hydrological variation on vegetation dynamics for wintering waterfowl in China's Poyang Lake Wetland. Global Ecology and Conservation, 2020, 22, e01020.	2.1	12
28	Changes in Storage and the Stratification Ratio of Soil Organic Carbon under Different Vegetation Types in Northeastern China. Agronomy, 2020, 10, 290.	3.0	8
29	Effects of vegetation succession on soil organic carbon fractions and stability in a karst valley area, Southwest China. Environmental Monitoring and Assessment, 2022, 194, .	2.7	8
30	Facilitative and Inhibitory Effect of Litter on Seedling Emergence and Early Growth of Six Herbaceous Species in an Early Successional Old Field Ecosystem. Scientific World Journal, The, 2014, 2014, 1-11.	2.1	7
31	Changes in soil aggregate stability and aggregate-associated organic carbon during old-field succession in karst valley. Environmental Monitoring and Assessment, 2022, 194, 15.	2.7	5
32	Spatiotemporal Patterns of Ecosystem Restoration Activities and Their Effects on Changes in Terrestrial Gross Primary Production in Southwest China. Remote Sensing, 2021, 13, 1209.	4.0	4
33	Short Term Effects of Revegetation on Labile Carbon and Available Nutrients of Sodic Soils in Northeast China. Land, 2020, 9, 10.	2.9	4
34	The quantity and stability of soil organic carbon following vegetation degradation in a salt-affected region of Northeastern China. Catena, 2022, 211, 105984.	5.0	4
35	Soil Organic Carbon Dynamics Responses to Soil Fertility in the Agricultural Regions of China. Agricultural Research, 2017, 6, 281-295.	1.7	3
36	Conversion of alpine pastureland to artificial grassland altered CO ₂ and N ₂ O emissions by decreasing C and N in different soil aggregates. PeerJ, 2021, 9, e11807.	2.0	3

#	Article	IF	CITATIONS
37	THE OASIS SOIL TYPE CHANGE AND ITS FRACTAL IN MANASI RIVER BASIN BETWEEN 1987–2006, ARID NORTHWESTERN CHINA / MANASI UPÄ–S BASEINO SAUSRINGOJE ÅIAURÄ–S VAKARŲ KINIJOJE OAZIŲ DIRVOÅ POKYČIAI IR FRAKTALAI 1987–2006 M. Journal of Environmental Engineering and Landscape Management, 2012, 20, 177-184.	^{1/2} ЕМЮ Т	PÅ2

38Effects of the microhabitats on the seedling emergence during the flooding disturbance. Acta0.100.1