

Kwok Pui Fung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/581235/publications.pdf>

Version: 2024-02-01

391
papers

14,901
citations

19655

61
h-index

40976

93
g-index

393
all docs

393
docs citations

393
times ranked

17678
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypericin and Pheophorbide a Mediated Photodynamic Therapy Fighting MRSA Wound Infections: A Translational Study from In Vitro to In Vivo. <i>Pharmaceutics</i> , 2021, 13, 1399.	4.5	15
2	Is it safe to take Radix Salvia Miltiorrhiza “ Radix Pueraria Lobate product with warfarin and aspirin? A pilot study in healthy human subjects. <i>Journal of Ethnopharmacology</i> , 2020, 262, 113151.	4.1	7
3	Contemporary approaches and future perspectives of antibacterial photodynamic therapy (aPDT) against methicillin-resistant <i>Staphylococcus aureus</i> (MRSA): A systematic review. <i>European Journal of Medicinal Chemistry</i> , 2020, 200, 112341.	5.5	61
4	<p>Verticillin A suppresses HGF-induced migration and invasion via repression of the c-Met/FAK/Src pathway in human gastric and cervical cancer cells</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 5823-5833.	2.0	13
5	Multiple modulatory activities of <i>Andrographis paniculata</i> on immune responses and xenograft growth in esophageal cancer preclinical models. <i>Phytomedicine</i> , 2019, 60, 152886.	5.3	15
6	Natural small molecule bigelovin suppresses orthotopic colorectal tumor growth and inhibits colorectal cancer metastasis via IL6/STAT3 pathway. <i>Biochemical Pharmacology</i> , 2018, 150, 191-201.	4.4	30
7	Functional roles of eriocalyxin B in zebrafish revealed by transcriptome analysis. <i>Molecular Omics</i> , 2018, 14, 156-169.	2.8	6
8	Turmeric extract, with absorbable curcumin, has potent anti-metastatic effect in vitro and in vivo. <i>Phytomedicine</i> , 2018, 46, 131-141.	5.3	39
9	Gene expression profiling reveals the plausible mechanisms underlying the antitumor and antimetastasis effects of <scp><i>Andrographis paniculata</i></scp> in esophageal cancer. <i>Phytotherapy Research</i> , 2018, 32, 1388-1396.	5.8	16
10	Effects of low“dose melamine exposure during pregnancy on maternal and fetal kidneys in rats. <i>Environmental Toxicology</i> , 2018, 33, 370-380.	4.0	11
11	Isodon eriocalyx and its bioactive component Eriocalyxin B enhance cytotoxic and apoptotic effects of gemcitabine in pancreatic cancer. <i>Phytomedicine</i> , 2018, 44, 56-64.	5.3	10
12	An innovative anti-cancer Chinese herbal formula exhibited multi-targeted efficacies in metastatic breast cancer mouse model. <i>Chinese Medicine</i> , 2018, 13, 64.	4.0	24
13	Elaborating the Role of Natural Products on the Regulation of Autophagy and their Potentials in Breast Cancer Therapy. <i>Current Cancer Drug Targets</i> , 2018, 18, 239-255.	1.6	10
14	Adverse reproductive effects of maternal low“dose melamine exposure during pregnancy in rats. <i>Environmental Toxicology</i> , 2017, 32, 131-138.	4.0	13
15	Idiopathic Autism: Cellular and Molecular Phenotypes in Pluripotent Stem Cell-Derived Neurons. <i>Molecular Neurobiology</i> , 2017, 54, 4507-4523.	4.0	57
16	Bigelovin triggered apoptosis in colorectal cancer in vitro and in vivo via upregulating death receptor 5 and reactive oxidative species. <i>Scientific Reports</i> , 2017, 7, 42176.	3.3	44
17	The adjuvant value of <i>Andrographis paniculata</i> in metastatic esophageal cancer treatment “ from preclinical perspectives. <i>Scientific Reports</i> , 2017, 7, 854.	3.3	24
18	Eriocalyxin B, a novel autophagy inducer, exerts anti-tumor activity through the suppression of Akt/mTOR/p70S6K signaling pathway in breast cancer. <i>Biochemical Pharmacology</i> , 2017, 142, 58-70.	4.4	39

#	ARTICLE	IF	CITATIONS
19	DMFC (3,5-dimethyl-7H-furo[3,2-g]chromen-7-one) regulates Bim to trigger Bax and Bak activation to suppress drug-resistant human hepatoma. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2017, 22, 381-392.	4.9	5
20	The characterization of a full-thickness excision open foot wound model in n5-streptozotocin (STZ)-induced type 2 diabetic rats that mimics diabetic foot ulcer in terms of reduced blood circulation, higher C-reactive protein, elevated inflammation, and reduced cell proliferation. <i>Experimental Animals</i> , 2017, 66, 259-269.	1.1	18
21	Evaluating Efficacy and Safety of Combination Medication of Atorvastatin and a Herbal Formula Containing <i>Salvia miltiorrhiza</i> and <i>Pueraria lobata</i> on Hyperlipidemia. <i>Phytotherapy Research</i> , 2017, 31, 1579-1589.	5.8	13
22	Eriocalyxin B, a natural diterpenoid, inhibited VEGF-induced angiogenesis and diminished angiogenesis-dependent breast tumor growth by suppressing VEGFR-2 signaling. <i>Oncotarget</i> , 2016, 7, 82820-82835.	1.8	24
23	Multitargeted combination effects of a triherbal formulation containing ELP against osteoporosis: <i>in vitro</i> evidence. <i>Journal of Pharmacy and Pharmacology</i> , 2016, 68, 826-833.	2.4	2
24	The beneficial potential of polyphenol-enriched fraction from <i>Erigerontis Herba</i> on metabolic syndrome. <i>Journal of Ethnopharmacology</i> , 2016, 187, 94-103.	4.1	8
25	Clitocine potentiates TRAIL-mediated apoptosis in human colon cancer cells by promoting Mcl-1 degradation. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016, 21, 1144-1157.	4.9	14
26	Combined therapy using bevacizumab and turmeric ethanolic extract (with absorbable curcumin) exhibited beneficial efficacy in colon cancer mice. <i>Pharmacological Research</i> , 2016, 111, 43-57.	7.1	43
27	Hypnotic effects of a novel anti-insomnia formula on <i>Drosophila</i> insomnia model. <i>Chinese Journal of Integrative Medicine</i> , 2016, 22, 335-343.	1.6	16
28	The aqueous extract of rhizome of <i>Gastrodia elata</i> Blume attenuates locomotor defect and inflammation after traumatic brain injury in rats. <i>Journal of Ethnopharmacology</i> , 2016, 185, 87-95.	4.1	18
29	Turmeric ethanolic extract possesses stronger inhibitory activities on colon tumour growth than curcumin – The importance of turmerones. <i>Journal of Functional Foods</i> , 2016, 22, 565-577.	3.4	29
30	The hepatoprotective effect of the combination use of <i>Fructus Schisandrae</i> with statin – A preclinical evaluation. <i>Journal of Ethnopharmacology</i> , 2016, 178, 104-114.	4.1	18
31	TLR-4 may mediate signaling pathways of <i>Astragalus polysaccharide</i> RAP induced cytokine expression of RAW264.7 cells. <i>Journal of Ethnopharmacology</i> , 2016, 179, 243-252.	4.1	126
32	RA-XII inhibits tumour growth and metastasis in breast tumour-bearing mice via reducing cell adhesion and invasion and promoting matrix degradation. <i>Scientific Reports</i> , 2015, 5, 16985.	3.3	28
33	Novel PI3K/AKT targeting anti-angiogenic activities of 4-vinylphenol, a new therapeutic potential of a well-known styrene metabolite. <i>Scientific Reports</i> , 2015, 5, 11149.	3.3	34
34	Antifungal mode of action of macrocarpal C extracted from <i>Eucalyptus globulus</i> Labill (Lan An) towards the dermatophyte <i>Trichophyton mentagrophytes</i> . <i>Chinese Medicine</i> , 2015, 10, 34.	4.0	14
35	Identification of Target Genes Involved in Wound Healing Angiogenesis of Endothelial Cells with the Treatment of a Chinese 2-Herb Formula. <i>PLoS ONE</i> , 2015, 10, e0139342.	2.5	5
36	Bone protection effects of a novel Chinese herbal formula, Taikong Yangxin Prescription (太公養心散), in hindlimb unloaded rats against bone deterioration. <i>Chinese Journal of Integrative Medicine</i> , 2015, 21, 759-764.	1.6	2

#	ARTICLE	IF	CITATIONS
37	The combined use of <i>Camellia sinensis</i> and metronomic zoledronate in 4T1 mouse carcinoma against tumor growth and metastasis. <i>Oncology Reports</i> , 2015, 34, 477-487.	2.6	13
38	Herb-drug interaction between an anti-HIV Chinese herbal SH formula and atazanavir in vitro and in vivo. <i>Journal of Ethnopharmacology</i> , 2015, 162, 369-376.	4.1	15
39	The Antigluconeogenic Activity of Cucurbitacins from <i>Momordica charantia</i> . <i>Planta Medica</i> , 2015, 81, 327-332.	1.3	22
40	Novel anti-angiogenic effects of aromatic-turmerone, essential oil isolated from spice turmeric. <i>Journal of Functional Foods</i> , 2015, 15, 243-253.	3.4	33
41	Cyclopeptide RA-V inhibits cell adhesion and invasion in both estrogen receptor positive and negative breast cancer cells via PI3K/AKT and NF- κ B signaling pathways. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1827-1840.	4.1	24
42	The combined use of <i>Camellia sinensis</i> and metronomic zoledronic acid in a breast cancer-induced osteolysis mouse model. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 1025-1036.	2.5	11
43	Enumeration and functional investigation of endothelial progenitor cells in neovascularization of diabetic foot ulcer rats with a Chinese herb formula. <i>Journal of Diabetes</i> , 2015, 7, 718-728.	1.8	11
44	Effect of Chinese Herbal Supplement on Muscle Micro-damage after Eccentric Exercise in Healthy Young Males. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 732-733.	0.4	0
45	Effect of Chinese Herbal Supplement on Oxidative Stress after Eccentric Exercise in Healthy Young Males. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 732.	0.4	0
46	Anti-inflammatory Activities of an Active Fraction Isolated from the root of <i>Astragalus membranaceus</i> in RAW 264.7 Macrophages. <i>Phytotherapy Research</i> , 2014, 28, 395-404.	5.8	35
47	Comprehensive proteomic analysis of a Chinese herb formula (<i>Astragali Radix</i> and <i>Rehmanniae Radix</i>) on mature endothelial cells. <i>Proteomics</i> , 2014, 14, 2089-2103.	2.2	7
48	Clitocine targets Mcl-1 to induce drug-resistant human cancer cell apoptosis in vitro and tumor growth inhibition in vivo. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 871-882.	4.9	10
49	Green tea (<i>Camellia sinensis</i>) extract inhibits both the metastasis and osteolytic components of mammary cancer 4T1 lesions in mice. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 395-403.	4.2	53
50	A Chinese 2-herb formula (NF3) promotes hindlimb ischemia-induced neovascularization and wound healing of diabetic rats. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 436-447.	2.3	25
51	Molecular mechanisms of angiogenesis effect of active sub-fraction from root of <i>Rehmannia glutinosa</i> by zebrafish sprout angiogenesis-guided fractionation. <i>Journal of Ethnopharmacology</i> , 2014, 151, 565-575.	4.1	20
52	Mechanisms of the dilator action of the <i>Erigerontis Herba</i> on rat aorta. <i>Journal of Ethnopharmacology</i> , 2014, 155, 1561-1567.	4.1	12
53	Combating against methicillin-resistant <i>Staphylococcus aureus</i> two fatty acids from Purslane (<i>Portulaca oleracea</i>) exhibit synergistic effects with erythromycin. <i>Journal of Pharmacy and Pharmacology</i> , 2014, 67, 107-116.	2.4	53
54	Clitocine induces apoptosis and enhances the lethality of ABT-737 in human colon cancer cells by disrupting the interaction of Mcl-1 and Bak. <i>Cancer Letters</i> , 2014, 355, 253-263.	7.2	8

#	ARTICLE	IF	CITATIONS
55	Cerebral vasodilator properties of Danshen and Gegen: A study of their combined efficacy and mechanisms of actions. <i>Phytomedicine</i> , 2014, 21, 391-399.	5.3	18
56	Potent Airway Smooth Muscle Relaxant Effect of Cynatratoside B, a Steroidal Glycoside Isolated from <i>Cynanchum stauntonii</i> . <i>Journal of Natural Products</i> , 2014, 77, 1074-1077.	3.0	16
57	Structural characterization and immunomodulatory effect of a polysaccharide HCP-2 from <i>Houttuynia cordata</i> . <i>Carbohydrate Polymers</i> , 2014, 103, 244-249.	10.2	40
58	Anti-dermatophytic activity of bakuchiol: In vitro mechanistic studies and in vivo tinea pedis-inhibiting activity in a guinea pig model. <i>Phytomedicine</i> , 2014, 21, 942-945.	5.3	18
59	Imperatorin induces Mcl-1 degradation to cooperatively trigger Bax translocation and Bak activation to suppress drug-resistant human hepatoma. <i>Cancer Letters</i> , 2014, 348, 146-155.	7.2	42
60	In vivo and in vitro anti-tumor and anti-metastasis effects of <i>Coriolus versicolor</i> aqueous extract on mouse mammary 4T1 carcinoma. <i>Phytomedicine</i> , 2014, 21, 1078-1087.	5.3	60
61	Establishment of an Orthotopic Model of Pancreatic Cancer to Evaluate the Antitumor Effects of Irinotecan Through the Biomarker Carbohydrate Antigen 19-9 in Mice. <i>Pancreas</i> , 2014, 43, 1126-1128.	1.1	3
62	Eriocalyxin B-Induced Apoptosis in Pancreatic Adenocarcinoma Cells Through Thiol-Containing Antioxidant Systems and Downstream Signalling Pathways. <i>Current Molecular Medicine</i> , 2014, 14, 673-689.	1.3	22
63	Exogenous phytoestrogenic molecule icaritin incorporated into a porous scaffold for enhancing bone defect repair. <i>Journal of Orthopaedic Research</i> , 2013, 31, 164-172.	2.3	46
64	The Effects of an Antiosteoporosis Herbal Formula Containing <i>Epimedii Herba</i> , <i>Ligustri Lucidi Fructus</i> and <i>Psoraleae Fructus</i> on Density and Structure of Rat Long Bones Under Tailâ€¦ Suspension, and its Mechanisms of Action. <i>Phytotherapy Research</i> , 2013, 27, 484-492.	5.8	31
65	Isolation of Antiâ€¦Inflammatory Fractions and Compounds from the Root of <i>Astragalus membranaceus</i> . <i>Phytotherapy Research</i> , 2013, 27, 581-587.	5.8	58
66	A herbal formula for prevention of influenza-like syndrome: A double-blind randomized clinical trial. <i>Chinese Journal of Integrative Medicine</i> , 2013, 19, 253-259.	1.6	6
67	Two immunosuppressive compounds from the mushroom <i>Rubinoletus ballouii</i> using human peripheral blood mononuclear cells by bioactivity-guided fractionation. <i>Phytomedicine</i> , 2013, 20, 1196-1202.	5.3	6
68	Immunomodulatory Activities of <i>Ganoderma sinense</i> Polysaccharides in Human Immune Cells. <i>Nutrition and Cancer</i> , 2013, 65, 765-774.	2.0	37
69	Molecular angiogenic events of a twoâ€¦herb wound healing formula involving <i>MAPK</i> and <i>Akt</i> signaling pathways in human vascular endothelial cells. <i>Wound Repair and Regeneration</i> , 2013, 21, 579-587.	3.0	16
70	Anti-angiogenesis and immunomodulatory activities of an anti-tumor sesquiterpene bigelovin isolated from <i>Inula helianthus-aquatica</i> . <i>European Journal of Medicinal Chemistry</i> , 2013, 59, 243-252.	5.5	31
71	Anti-tumor and anti-osteolysis effects of the metronomic use of zoledronic acid in primary and metastatic breast cancer mouse models. <i>Cancer Letters</i> , 2013, 339, 42-48.	7.2	13
72	Melamine in prenatal and postnatal organs in rats. <i>Reproductive Toxicology</i> , 2013, 35, 40-47.	2.9	18

#	ARTICLE	IF	CITATIONS
73	Antiproliferative effect of pheophorbide aâ€‘mediated photodynamic therapy and its synergistic effect with doxorubicin on multiple drug-resistant uterine sarcoma cell MES-SA/Dx5. Drug and Chemical Toxicology, 2013, 36, 474-483.	2.3	13
74	Synergistic effects of diosmetin with erythromycin against ABC transporter over-expressed methicillin-resistant Staphylococcus aureus (MRSA) RN4220/pUL5054 and inhibition of MRSA pyruvate kinase. Phytomedicine, 2013, 20, 611-614.	5.3	72
75	A herbal formula containing roots of Salvia miltiorrhiza (Danshen) and Pueraria lobata (Gegen) inhibits inflammatory mediators in LPS-stimulated RAW 264.7 macrophages through inhibition of nuclear factor Î²B (NFÎ²B) pathway. Journal of Ethnopharmacology, 2013, 145, 776-783.	4.1	39
76	Pregnancy outcomes, embryonic and fetal development in maternal exposure to chinese medicines. Birth Defects Research Part C: Embryo Today Reviews, 2013, 99, 275-291.	3.6	12
77	Gene Expression Profiling on the Molecular Action of Danshen-Gegen Formula in a Randomized Placebo-Controlled Trial of Postmenopausal Women with Hypercholesterolemia. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-14.	1.2	5
78	Cardiovascular Protective Effects of Adjunctive Alternative Medicine (<i>Salvia) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (miltiorrhiza) and Alternative Medicine, 2013, 2013, 1-8.	1.2	31
79	Ten Yearsâ€™ Research on a Cardiovascular Tonic: A Comprehensive Approachâ€™From Quality Control and Mechanisms of Action to Clinical Trial. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-6.	1.2	5
80	Arenobufagin, a natural bufadienolide from toad venom, induces apoptosis and autophagy in human hepatocellular carcinoma cells through inhibition of PI3K/Akt/mTOR pathway. Carcinogenesis, 2013, 34, 1331-1342.	2.8	197
81	The Aqueous Extract of Rhizome of Gastrodia elata Protected Drosophila and PC12 Cells against Beta-Amyloid-Induced Neurotoxicity. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-12.	1.2	27
82	Bipiperidiny derivatives of 23-hydroxybetulinic acid reverse resistance of HepG2/ADM and MCF-7/ADR cells. Anti-Cancer Drugs, 2013, 24, 441-454.	1.4	10
83	Dhrs3 Protein Attenuates Retinoic Acid Signaling and Is Required for Early Embryonic Patterning. Journal of Biological Chemistry, 2013, 288, 31477-31487.	3.4	52
84	Angiogenic Effects of Danshen and Gegen Decoction on Human Endothelial Cells and Zebrafish Embryos. The American Journal of Chinese Medicine, 2013, 41, 887-900.	3.8	4
85	Effect of anti-osteoporotic agents on the prevention of bone loss in unloaded bone. Molecular Medicine Reports, 2013, 8, 1188-1194.	2.4	12
86	Anti-Inflammatory and Anti-Allergic Activities of Pentaherb Formula, Moutan Cortex (Danpi) and Gallic Acid. Molecules, 2013, 18, 2483-2500.	3.8	53
87	In Vivo Study on the Pharmacological Interactions between a Chinese Herbal Formula ELP and Antiresorptive Drugs to Counteract Osteoporosis. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-11.	1.2	6
88	Development of a simple chromatographic method for distinguishing between two easily confused species, Hedyotis diffusa and Hedyotis corymbosa. Natural Product Research, 2012, 26, 1446-1450.	1.8	16
89	Reversal of P-glycoprotein-mediated multidrug resistance in human hepatoma cells by hedyotiscone A, a compound isolated from <i>Hedyotis corymbosa</i>. Xenobiotica, 2012, 42, 562-570.	1.1	11
90	Involvements of calcium channel and potassium channel in Danshen and Gegen decoction induced vasodilation in porcine coronary LAD artery. Phytomedicine, 2012, 19, 1051-1058.	5.3	13

#	ARTICLE	IF	CITATIONS
91	The Role of Turmerones on Curcumin Transportation and P-Glycoprotein Activities in Intestinal Caco-2 Cells. <i>Journal of Medicinal Food</i> , 2012, 15, 242-252.	1.5	59
92	Isolation, Structure Characterization, and Immunomodulating Activity of a Hyperbranched Polysaccharide from the Fruiting Bodies of <i>Ganoderma sinense</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 4276-4281.	5.2	59
93	Mechanisms of the cerebral vasodilator actions of isoflavonoids of Gegen on rat isolated basilar artery. <i>Journal of Ethnopharmacology</i> , 2012, 139, 294-304.	4.1	39
94	The healing and anti-scar effects of astragaloside IV on the wound repair in vitro and in vivo. <i>Journal of Ethnopharmacology</i> , 2012, 139, 721-727.	4.1	85
95	Synergistic interaction between <i>Astragali Radix</i> and <i>Rehmanniae Radix</i> in a Chinese herbal formula to promote diabetic wound healing. <i>Journal of Ethnopharmacology</i> , 2012, 141, 250-256.	4.1	113
96	Ethyl acetate fraction of <i>Radix rubiae</i> inhibits cell growth and promotes terminal differentiation in cultured human keratinocytes. <i>Journal of Ethnopharmacology</i> , 2012, 142, 241-247.	4.1	10
97	Quick identification of kuraridin, a noncytotoxic anti-MRSA (methicillin-resistant <i>Staphylococcus</i>) Tj ETQq1 1 0.784314 rgBT /Overload of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 880, 157-162.	2.3	22
98	Epigenetic loss of CDH1 correlates with multidrug resistance in human hepatocellular carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 422, 739-744.	2.1	14
99	The cardioprotective effect of danshen and gegen decoction on rat hearts and cardiomyocytes with post-ischemia reperfusion injury. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 249.	3.7	18
100	Structural characterization and immuno-modulating activities of a polysaccharide from <i>Ganoderma sinense</i> . <i>International Journal of Biological Macromolecules</i> , 2012, 51, 597-603.	7.5	39
101	Pharmacokinetic and pharmacodynamic interaction of Danshenâ€œGegen extract with warfarin and aspirin. <i>Journal of Ethnopharmacology</i> , 2012, 143, 648-655.	4.1	32
102	The roots of <i>Salvia miltiorrhiza</i> (Danshen) and <i>Pueraria lobata</i> (Gegen) inhibit atherogenic events: A study of the combination effects of the 2-herb formula. <i>Journal of Ethnopharmacology</i> , 2012, 143, 859-866.	4.1	45
103	Bioassay-guided isolation of anti-inflammatory components from the root of <i>Rehmannia glutinosa</i> and its underlying mechanism via inhibition of iNOS pathway. <i>Journal of Ethnopharmacology</i> , 2012, 143, 867-875.	4.1	29
104	Bufotalin from <i>Venenum Bufonis</i> inhibits growth of multidrug resistant HepG2 cells through G2/M cell cycle arrest and apoptosis. <i>European Journal of Pharmacology</i> , 2012, 692, 19-28.	3.5	98
105	Herbal formula <i>Astragali Radix</i> and <i>Rehmanniae Radix</i> exerted wound healing effect on human skin fibroblast cell line Hs27 via the activation of transformation growth factor (TGF- β) pathway and promoting extracellular matrix (ECM) deposition. <i>Phytomedicine</i> , 2012, 20, 9-16.	5.3	45
106	Clitocine Reversal of P-Glycoprotein Associated Multi-Drug Resistance through Down-Regulation of Transcription Factor NF- κ B in R-HepG2 Cell Line. <i>PLoS ONE</i> , 2012, 7, e40720.	2.5	54
107	Mechanistic Studies on the Antidiabetic Activity of a Polysaccharideâ€œrich Extract of <i>Radix Ophiopogonis</i> . <i>Phytotherapy Research</i> , 2012, 26, 101-105.	5.8	19
108	Photodynamic Therapy of Pheophorbide a Inhibits the Proliferation of Human Breast Tumour via Both Caspaseâ€œdependent and â€œindependent Apoptotic Pathways in <i>In Vitro</i> and <i>In Vivo</i> Models. <i>Phytotherapy Research</i> , 2012, 26, 734-742.	5.8	31

#	ARTICLE	IF	CITATIONS
109	Screening for Anti-inflammatory and Bronchorelaxant Activities of 12 Commonly Used Chinese Herbal Medicines. <i>Phytotherapy Research</i> , 2012, 26, 915-925.	5.8	35
110	Extracts from <i>Radix Astragali</i> and <i>Radix Rehmanniae</i> Promote Keratinocyte Proliferation by Regulating Expression of Growth Factor Receptors. <i>Phytotherapy Research</i> , 2012, 26, 1547-1554.	5.8	8
111	Polyphyllin D induces apoptosis in human erythrocytes through Ca ²⁺ rise and membrane permeabilization. <i>Archives of Toxicology</i> , 2012, 86, 741-752.	4.2	83
112	Separation, structure characterization, conformation and immunomodulating effect of a hyperbranched heteroglycan from <i>Radix Astragali</i> . <i>Carbohydrate Polymers</i> , 2012, 87, 667-675.	10.2	70
113	Eriocalyxin B induces apoptosis and cell cycle arrest in pancreatic adenocarcinoma cells through caspase- and p53-dependent pathways. <i>Toxicology and Applied Pharmacology</i> , 2012, 262, 80-90.	2.8	45
114	Synthesis and biological evaluation of glycosylated psoralen derivatives. <i>Tetrahedron</i> , 2012, 68, 2598-2606.	1.9	20
115	Effects of <i>Radix Astragali</i> and <i>Radix Rehmanniae</i> , the components of an anti-diabetic foot ulcer herbal formula, on metabolism of model CYP1A2, CYP2C9, CYP2D6, CYP2E1 and CYP3A4 probe substrates in pooled human liver microsomes and specific CYP isoforms. <i>Phytomedicine</i> , 2012, 19, 535-544.	5.3	34
116	Electric Cell-Substrate Impedance Sensing as a Screening Tool for Wound Healing Agents. <i>Cancer Metastasis - Biology and Treatment</i> , 2012, , 203-216.	0.1	5
117	3,5-Dimethyl-7-H-Furo[3,2-g]Chromen-7-One as a Potential Anticancer Drug by Inducing p53-Dependent Apoptosis in Human Hepatoma HepG2 Cells. <i>Chemotherapy</i> , 2011, 57, 162-172.	1.6	13
118	Anticancer Effects of Imperatorin Isolated from <i>Angelica dahurica</i> : Induction of Apoptosis in HepG2 Cells through both Death-Receptor- and Mitochondria-Mediated Pathways. <i>Chemotherapy</i> , 2011, 57, 449-459.	1.6	123
119	Pro-bone and Antifat Effects of Green Tea and Its Polyphenol, Epigallocatechin, in Rat Mesenchymal Stem Cells in Vitro. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 9870-9876.	5.2	23
120	Indomethacin and SC236 enhance the cytotoxicity of doxorubicin in human hepatocellular carcinoma cells via inhibiting P-glycoprotein and MRP1 expression. <i>Cancer Letters</i> , 2011, 304, 90-96.	7.2	40
121	FHL2 exhibits anti-proliferative and anti-apoptotic activities in liver cancer cells. <i>Cancer Letters</i> , 2011, 304, 97-106.	7.2	29
122	Gestational and lactational transfer of melamine following gavage administration of a single dose to rats. <i>Food and Chemical Toxicology</i> , 2011, 49, 1544-1548.	3.6	30
123	Development of a novel mouse model of severe glucose-6-phosphate dehydrogenase (G6PD)-deficiency for in vitro and in vivo assessment of hemolytic toxicity to red blood cells. <i>Blood Cells, Molecules, and Diseases</i> , 2011, 47, 176-181.	1.4	10
124	The in vivo and in vitro diabetic wound healing effects of a 2-herb formula and its mechanisms of action. <i>Journal of Ethnopharmacology</i> , 2011, 134, 831-838.	4.1	110
125	Polyphyllin D, a steroidal saponin from <i>Paris polyphylla</i> , inhibits endothelial cell functions in vitro and angiogenesis in zebrafish embryos in vivo. <i>Journal of Ethnopharmacology</i> , 2011, 137, 64-69.	4.1	62
126	Anti-inflammatory activities of Chinese herbal medicine sinomenine and Liang Miao San on tumor necrosis factor- α -activated human fibroblast-like synoviocytes in rheumatoid arthritis. <i>Journal of Ethnopharmacology</i> , 2011, 137, 457-468.	4.1	69

#	ARTICLE	IF	CITATIONS
127	Bioassay-guided isolation of norviburtinal from the root of <i>Rehmannia glutinosa</i> , exhibited angiogenesis effect in zebrafish embryo model. <i>Journal of Ethnopharmacology</i> , 2011, 137, 1323-1327.	4.1	30
128	The anti-hypertensive effect of Danshen (<i>Salvia miltiorrhiza</i>) and Gegen (<i>Pueraria lobata</i>) formula in rats and its underlying mechanisms of vasorelaxation. <i>Journal of Ethnopharmacology</i> , 2011, 137, 1366-1372.	4.1	63
129	Danshenâ€œGegen decoction exerts proliferative effect on rat cardiac myoblasts H9c2 via MAPK and insulin pathways. <i>Journal of Ethnopharmacology</i> , 2011, 138, 60-66.	4.1	22
130	<i>Salviae Miltiorrhizae Radix</i> and <i>Puerariae Lobatae Radix</i> herbal formula mediates anti-atherosclerosis by modulating key atherogenic events both in vascular smooth muscle cells and endothelial cells. <i>Journal of Ethnopharmacology</i> , 2011, 138, 175-183.	4.1	34
131	Transcriptional profiling of human skin fibroblast cell line Hs27 induced by herbal formula <i>Astragali Radix</i> and <i>Rehmanniae Radix</i> . <i>Journal of Ethnopharmacology</i> , 2011, 138, 668-675.	4.1	17
132	<i>Cordyceps militaris</i> extract stimulates Clâˆ’ secretion across human bronchial epithelia by both Ca2+- and cAMP-dependent pathways. <i>Journal of Ethnopharmacology</i> , 2011, 138, 201-211.	4.1	10
133	Cyclopeptide RAâ€œV inhibits angiogenesis by downâ€œregulating ERK1/2 phosphorylation in HUVEC and HMECâ€œ1 endothelial cells. <i>British Journal of Pharmacology</i> , 2011, 164, 1883-1898.	5.4	50
134	Genetically manipulated adult stem cells for wound healing. <i>Drug Discovery Today</i> , 2011, 16, 957-966.	6.4	28
135	Celastrol-induced apoptosis in human HaCaT keratinocytes involves the inhibition of NF-Î²B activity. <i>European Journal of Pharmacology</i> , 2011, 670, 399-408.	3.5	45
136	Pheophorbide a: A photosensitizer with immunostimulating activities on mouse macrophage RAW 264.7 cells in the absence of irradiation. <i>Cellular Immunology</i> , 2011, 269, 60-67.	3.0	15
137	Synergistic effects of baicalein with ciprofloxacin against NorA over-expressed methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) and inhibition of MRSA pyruvate kinase. <i>Journal of Ethnopharmacology</i> , 2011, 137, 767-773.	4.1	163
138	P-glycoprotein enhances radiation-induced apoptotic cell death through the regulation of miR-16 and Bcl-2 expressions in hepatocellular carcinoma cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2011, 16, 524-535.	4.9	21
139	Suppression of low-density lipoprotein oxidation, vascular smooth muscle cell proliferation and migration by a herbal extract of <i>Radix Astragali</i> , <i>Radix Codonopsis</i> and <i>Cortex Lycii</i> . <i>BMC Complementary and Alternative Medicine</i> , 2011, 11, 32.	3.7	11
140	Efficacy and Durability in Direct Labeling of Mesenchymal Stem Cells Using Ultrasmall Superparamagnetic Iron Oxide Nanoparticles with Organosilica, Dextran, and PEG Coatings. <i>Materials</i> , 2011, 4, 703-715.	2.9	27
141	The Ethanol Extract of <i>Fructus trichosanthis</i> Promotes Fetal Hemoglobin Production via p38 MAPK Activation and ERK Inactivation in K562 Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-8.	1.2	11
142	Transcriptional regulation of IER3IP1 gene by tumor necrosis factorâ€œÎ± and Sp family proteins. <i>Cell Biochemistry and Function</i> , 2010, 28, 31-37.	2.9	3
143	Osteoprotective effects of <i>Fructus Ligustri Lucidi</i> aqueous extract in aged ovariectomized rats. <i>Chinese Medicine</i> , 2010, 5, 39.	4.0	32
144	Two Antifungal Components Isolated from <i>Fructus Psoraleae</i> and <i>Folium Eucalypti Globuli</i> by Bioassay-Guided Purification. <i>The American Journal of Chinese Medicine</i> , 2010, 38, 1005-1014.	3.8	34

#	ARTICLE	IF	CITATIONS
145	Apoptotic and necrotic effects of tumour necrosis factor-alpha potentiated with hyperthermia on L929 and tumour necrosis factor-alpha-resistant L929. International Journal of Hyperthermia, 2010, 26, 556-564.	2.5	10
146	Cryptotanshinone, an Acetylcholinesterase Inhibitor from <i>Salvia miltiorrhiza</i> , Ameliorates Scopolamine-Induced Amnesia in Morris Water Maze Task. Planta Medica, 2010, 76, 228-234.	1.3	69
147	Cytotoxic Effects of Tanshinones from <i>Salvia miltiorrhiza</i> on Doxorubicin-Resistant Human Liver Cancer Cells. Journal of Natural Products, 2010, 73, 854-859.	3.0	74
148	Immunostimulatory activities of polysaccharide extract isolated from <i>Curcuma longa</i> . International Journal of Biological Macromolecules, 2010, 47, 342-347.	7.5	77
149	Photo-activated pheophorbide-a, an active component of <i>Scutellaria barbata</i> , enhances apoptosis via the suppression of ERK-mediated autophagy in the estrogen receptor-negative human breast adenocarcinoma cells MDA-MB-231. Journal of Ethnopharmacology, 2010, 131, 95-103.	4.1	59
150	In vitro & in vivo assessment of a herbal formula used topically for bone fracture treatment. Journal of Ethnopharmacology, 2010, 131, 282-289.	4.1	56
151	Mechanisms of the relaxant effect of a Danshen and Gegen formulation on rat isolated cerebral basilar artery. Journal of Ethnopharmacology, 2010, 132, 186-192.	4.1	36
152	Ursolic acid induces doxorubicin-resistant HepG2 cell death via the release of apoptosis-inducing factor. Cancer Letters, 2010, 298, 128-138.	7.2	63
153	Epigenetic regulation of neonatal cardiomyocytes differentiation. Biochemical and Biophysical Research Communications, 2010, 400, 278-283.	2.1	28
154	Evaluation of in vitro anti-proliferative and immunomodulatory activities of compounds isolated from <i>Curcuma longa</i> . Food and Chemical Toxicology, 2010, 48, 2011-2020.	3.6	114
155	Quick identification of apoptosis inducer from <i>Isodon eriocalyx</i> by a drug discovery platform composed of analytical high-speed counter-current chromatography and the fluorescence-based caspase-3 biosensor detection. Talanta, 2010, 82, 1521-1527.	5.5	24
156	Distribution of melamine in rat fetuses and neonates. Toxicology Letters, 2010, 199, 398-402.	0.8	33
157	Pheophorbide a-Mediated Photodynamic Therapy Triggers HLA Class I-Restricted Antigen Presentation in Human Hepatocellular Carcinoma. Translational Oncology, 2010, 3, 114-122.	3.7	22
158	The Efficacy and Tolerability of Adjunctive Alternative Herbal Medicine (<i>Salvia miltiorrhiza</i> and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Complementary Medicine, 2009, 15, 415-421.	2.1	82
159	University Binge Drinking Patterns and Changes in Patterns of Alcohol Consumption Among Chinese Undergraduates in a Hong Kong University. Journal of American College Health, 2009, 58, 255-265.	1.5	27
160	Pheophorbide a based photodynamic therapy induces apoptosis via mitochondrial-mediated pathway in human uterine carcinosarcoma. Cancer Biology and Therapy, 2009, 8, 533-539.	3.4	51
161	Suillin from the mushroom <i>Suillus placidus</i> as potent apoptosis inducer in human hepatoma HepG2 cells. Chemico-Biological Interactions, 2009, 181, 168-174.	4.0	36
162	Expression of SARS-coronavirus spike glycoprotein in <i>Pichia pastoris</i> . Virus Genes, 2009, 38, 1-9.	1.6	17

#	ARTICLE	IF	CITATIONS
163	Radix Astragali and Radix Rehmanniae, the principal components of two antidiabetic foot ulcer herbal formulae, elicit viability-promoting effects on primary fibroblasts cultured from diabetic foot ulcer tissues. <i>Phytotherapy Research</i> , 2009, 23, 809-815.	5.8	28
164	Antihyperglycemic and antioxidative effects of a herbal formulation of <i>Radix Astragali</i> , <i>Radix Codonopsis</i> and <i>Cortex Lycii</i> in a mouse model of type 2 diabetes mellitus. <i>Phytotherapy Research</i> , 2009, 23, 658-665.	5.8	60
165	Transcriptional analysis of doxorubicin-induced cytotoxicity and resistance in human hepatocellular carcinoma cell lines. <i>Liver International</i> , 2009, 29, 1338-1347.	3.9	28
166	Inhibitory effects of <i>Agaricus blazei</i> extracts on human myeloid leukemia cells. <i>Journal of Ethnopharmacology</i> , 2009, 122, 320-326.	4.1	31
167	Pharmacological investigation on the wound healing effects of <i>Radix Rehmanniae</i> in an animal model of diabetic foot ulcer. <i>Journal of Ethnopharmacology</i> , 2009, 123, 155-162.	4.1	78
168	Photodynamic therapy inhibits p-glycoprotein mediated multidrug resistance via JNK activation in human hepatocellular carcinoma using the photosensitizer pheophorbide a. <i>Molecular Cancer</i> , 2009, 8, 56.	19.2	62
169	Protective effects of an herbal formulation of <i>Radix Astragali</i> , <i>Radix Codonopsis</i> and <i>Cortex Lycii</i> on streptozotocin-induced apoptosis in pancreatic β cells: an implication for its treatment of diabetes mellitus. <i>Phytotherapy Research</i> , 2008, 22, 190-196.	5.8	30
170	Dosing effects of an antiosteoporosis herbal formula – a preclinical investigation using a rat model. <i>Phytotherapy Research</i> , 2008, 22, 267-273.	5.8	27
171	Comparative studies on the immunomodulatory and antitumor activities of the different parts of fruiting body of <i>Ganoderma lucidum</i> and <i>Ganoderma</i> spores. <i>Phytotherapy Research</i> , 2008, 22, 1282-1291.	5.8	51
172	<i>In vitro</i> antidiabetic activities of five medicinal herbs used in Chinese medicinal formulae. <i>Phytotherapy Research</i> , 2008, 22, 1384-1388.	5.8	36
173	Photodynamic activity of BAM-SiPc, an unsymmetrical bisamino silicon(IV) phthalocyanine, in tumour-bearing nude mice. <i>British Journal of Pharmacology</i> , 2008, 154, 4-12.	5.4	35
174	<i>In vitro</i> and clinical immunomodulatory effects of a novel Pentaherbs concoction for atopic dermatitis. <i>British Journal of Dermatology</i> , 2008, 158, 1216-1223.	1.5	36
175	Identification of functionally important amino acid residues in the mitochondria targeting sequence of Hepatitis B virus X protein. <i>Virology</i> , 2008, 381, 81-88.	2.4	34
176	Anti-proliferative and pro-apoptotic effect of <i>Smilax glabra</i> Roxb. extract on hepatoma cell lines. <i>Chemico-Biological Interactions</i> , 2008, 171, 1-14.	4.0	66
177	An <i>in vivo</i> Investigation on the Wound-Healing Effect of Two Medicinal Herbs Using an Animal Model with Foot Ulcer. <i>European Surgical Research</i> , 2008, 41, 15-23.	1.3	65
178	Effects of <i>Cordyceps sinensis</i> , <i>Cordyceps militaris</i> and their isolated compounds on ion transport in Calu-3 human airway epithelial cells. <i>Journal of Ethnopharmacology</i> , 2008, 117, 92-101.	4.1	57
179	Immunomodulatory and anti-SARS activities of <i>Houttuynia cordata</i> . <i>Journal of Ethnopharmacology</i> , 2008, 118, 79-85.	4.1	263
180	Traditional Chinese medicine for atopic eczema: PentaHerbs formula suppresses inflammatory mediators release from mast cells. <i>Journal of Ethnopharmacology</i> , 2008, 120, 85-91.	4.1	70

#	ARTICLE	IF	CITATIONS
181	Pro-oxidative effects of Chinese herbal medicine on G6PD-deficient erythrocytes in vitro. <i>Toxicology in Vitro</i> , 2008, 22, 1222-1227.	2.4	11
182	Fructus Ligustri Lucidi enhances osteogenesis and represses adipogenesis of rat mesenchymal stem cells. <i>Bone</i> , 2008, 43, S108.	2.9	0
183	Polyphyllin D induces mitochondrial fragmentation and acts directly on the mitochondria to induce apoptosis in drug-resistant HepG2 cells. <i>Cancer Letters</i> , 2008, 261, 158-164.	7.2	71
184	Development of Human Single-Chain Antibodies against SARS-Associated Coronavirus. <i>Intervirology</i> , 2008, 51, 173-181.	2.8	2
185	Triterpenoid Saponins from <i>Androsace umbellata</i> and their Anti-proliferative Activities in Human Hepatoma Cells. <i>Planta Medica</i> , 2008, 74, 1280-1284.	1.3	22
186	Pheophorbide a, an active component in <i>scutellaria barbata</i> , reverses P-glycoprotein-mediated multidrug resistance on a human hepatoma cell line R-HepG2. <i>Cancer Biology and Therapy</i> , 2007, 6, 504-509.	3.4	33
187	Furanodiene induces G2/M cell cycle arrest and apoptosis through MAPK signaling and mitochondria-caspase pathway in human hepatocellular carcinoma cells. <i>Cancer Biology and Therapy</i> , 2007, 6, 1044-1050.	3.4	68
188	Molecular Authentication of <i>Radix Puerariae Lobatae</i> and <i>Radix Puerariae Thomsonii</i> by ITS and 5S rRNA Spacer Sequencing. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 173-175.	1.4	19
189	Effect of resveratrol on proliferation and differentiation of embryonic cardiomyoblasts. <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 173-180.	2.1	26
190	Saxifragifolin B from <i>Androsace umbellata</i> induced apoptosis on human hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 759-765.	2.1	23
191	Leachianone A as a potential anti-cancer drug by induction of apoptosis in human hepatoma HepG2 cells. <i>Cancer Letters</i> , 2007, 253, 224-235.	7.2	39
192	Influence of an anti-diabetic foot ulcer formula and its component herbs on tissue and systemic glucose homeostasis. <i>Journal of Ethnopharmacology</i> , 2007, 109, 10-20.	4.1	28
193	Investigation of the effects of Chinese medicine on fibroblast viability: implications in wound healing. <i>Phytotherapy Research</i> , 2007, 21, 938-947.	5.8	31
194	Efficacy and tolerability of a Chinese herbal medicine concoction for treatment of atopic dermatitis: a randomized, double-blind, placebo-controlled study. <i>British Journal of Dermatology</i> , 2007, 157, 357-363.	1.5	151
195	Pharmacological investigations of the anti-diabetic effect of <i>Cortex Moutan</i> and its active component paeonol. <i>Phytomedicine</i> , 2007, 14, 778-784.	5.3	124
196	Cordycepin induced eryptosis in mouse erythrocytes through a Ca ²⁺ -dependent pathway without caspase-3 activation. <i>Archives of Toxicology</i> , 2007, 81, 859-865.	4.2	61
197	Comparative Studies of Various <i>Ganoderma</i> Species and Their Different Parts with Regard to Their Antitumor and Immunomodulating Activities In Vitro. <i>Journal of Alternative and Complementary Medicine</i> , 2006, 12, 777-789.	2.1	54
198	Multiplex primer extension reaction screening and oxidative challenge of glucose-6-phosphate dehydrogenase mutants in hemizygous and heterozygous subjects. <i>Blood Cells, Molecules, and Diseases</i> , 2006, 37, 21-26.	1.4	5

#	ARTICLE	IF	CITATIONS
199	Effect of arsenic trioxide on multidrug resistant hepatocellular carcinoma cells. <i>Cancer Letters</i> , 2006, 236, 250-258.	7.2	27
200	In vitro anti-allergic activities of a newly concocted traditional Chinese medicine—The wheeze-relief formula. <i>Journal of Ethnopharmacology</i> , 2006, 103, 406-412.	4.1	14
201	Macrophage activation by polysaccharide biological response modifier isolated from <i>Aloe vera</i> L. var. <i>chinensis</i> (Haw.) Berg.. <i>International Immunopharmacology</i> , 2006, 6, 1634-1641.	3.8	66
202	<i>Coriolus versicolor</i> (Yunzhi) extract attenuates growth of human leukemia xenografts and induces apoptosis through the mitochondrial pathway. <i>Oncology Reports</i> , 2006, 16, 609.	2.6	7
203	In vitro immunomodulatory activities of a newly concocted traditional Chinese medicine formula: VI-28. <i>Phytotherapy Research</i> , 2006, 20, 883-888.	5.8	10
204	Polysaccharide biological response modifiers. <i>Immunology Letters</i> , 2006, 105, 101-114.	2.5	341
205	Raloxifene prevents endothelial dysfunction in aging ovariectomized female rats. <i>Vascular Pharmacology</i> , 2006, 44, 290-298.	2.1	31
206	Antiviral effect of <i>Phyllanthus nanus</i> ethanolic extract against hepatitis B virus (HBV) by expression microarray analysis. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 795-812.	2.6	32
207	Calcyclin binding protein promotes DNA synthesis and differentiation in rat neonatal cardiomyocytes. <i>Journal of Cellular Biochemistry</i> , 2006, 98, 555-566.	2.6	33
208	Pro-oxidative effects of tea and polyphenols, epigallocatechin-3-gallate and epigallocatechin, on G6PD-deficient erythrocytes in vitro. <i>International Journal of Molecular Medicine</i> , 2006, 18, 987.	4.0	10
209	Pheophorbide a, a Major Antitumor Component Purified from <i>Scutellaria barbata</i> , Induces Apoptosis in Human Hepatocellular Carcinoma Cells. <i>Planta Medica</i> , 2006, 72, 28-33.	1.3	105
210	BAM-SiPc, a novel agent for photodynamic therapy, Induces apoptosis in human hepatocarcinoma HepG2 cells by a direct mitochondrial action. <i>Cancer Biology and Therapy</i> , 2006, 5, 413-418.	3.4	31
211	Pheophorbide a, an active compound isolated from <i>Scutellaria barbata</i> , possesses photodynamic activities by inducing apoptosis in human hepatocellular carcinoma. <i>Cancer Biology and Therapy</i> , 2006, 5, 1111-1116.	3.4	85
212	Clinical Studies of Immunomodulatory Activities of Yunzhi-Danshen in Patients with Nasopharyngeal Carcinoma. <i>Journal of Alternative and Complementary Medicine</i> , 2006, 12, 771-776.	2.1	36
213	Immunomodulatory Effects of a Traditional Chinese Medicine with Potential Antiviral Activity: A Self-Control Study. <i>The American Journal of Chinese Medicine</i> , 2006, 34, 13-21.	3.8	76
214	Pro-oxidative effects of tea and polyphenols, epigallocatechin-3-gallate and epigallocatechin, on G6PD-deficient erythrocytes in vitro. <i>International Journal of Molecular Medicine</i> , 2006, 18, 987-94.	4.0	18
215	A phylogenetic analysis of <i>Epimedium</i> (Berberidaceae) based on nuclear ribosomal DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 287-291.	2.7	42
216	Developmental regulation and cellular distribution of human cytosolic malate dehydrogenase (MDH1). <i>Journal of Cellular Biochemistry</i> , 2005, 94, 763-773.	2.6	62

#	ARTICLE	IF	CITATIONS
217	Sodium valproate inhibits glucose transport and exacerbates Glut1 deficiency in vitro. <i>Journal of Cellular Biochemistry</i> , 2005, 96, 775-785.	2.6	46
218	p53-R175H mutant gains new function in regulation of doxorubicin-induced apoptosis. <i>International Journal of Cancer</i> , 2005, 114, 331-336.	5.1	29
219	Chemistry and Biological Activities of Caffeic Acid Derivatives from <i>Salvia miltiorrhiza</i> . <i>Current Medicinal Chemistry</i> , 2005, 12, 237-246.	2.4	305
220	Partial Neuroprotective Effect of Pretreatment with Tanshinone IIA on Neonatal Hypoxia-Ischemia Brain Damage. <i>Pediatric Research</i> , 2005, 58, 784-790.	2.3	69
221	The 3a Protein of SARS-coronavirus Induces Apoptosis in Vero E6 Cells. , 2005, 2005, 7482-5.		10
222	Differential anti-tumor activity of coriolus versicolor (Yunzhi) extract through p53- and/or Bcl-2-dependent apoptotic pathway in human breast cancer cells. <i>Cancer Biology and Therapy</i> , 2005, 4, 638-644.	3.4	45
223	Immunomodulatory Activities of Yunzhi and Danshen in Post-treatment Breast Cancer Patients. <i>The American Journal of Chinese Medicine</i> , 2005, 33, 381-395.	3.8	69
224	The 3a protein of severe acute respiratory syndrome-associated coronavirus induces apoptosis in Vero E6 cells. <i>Journal of General Virology</i> , 2005, 86, 1921-1930.	2.9	135
225	Effects of polyphyllin D, a steroidal saponin in <i>Paris Polyphylla</i> , in growth inhibition of human breast cancer cells and in xenograft. <i>Cancer Biology and Therapy</i> , 2005, 4, 1248-1254.	3.4	152
226	A comparative study on aqueous root extracts of <i>Pueraria thomsonii</i> and <i>Pueraria lobata</i> by antioxidant assay and HPLC fingerprint analysis. <i>Journal of Ethnopharmacology</i> , 2005, 96, 133-138.	4.1	113
227	Chinese herbs Danshen and Gegen modulate key early atherogenic events in vitro. <i>International Journal of Cardiology</i> , 2005, 105, 40-45.	1.7	69
228	The effects of phenytoin and its metabolite 5-(4-hydroxyphenyl)-5-phenylhydantoin on cellular glucose transport. <i>Life Sciences</i> , 2005, 76, 1859-1872.	4.3	5
229	In vivo functional characterization of the SARS-Coronavirus 3a protein in <i>Drosophila</i> . <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 720-729.	2.1	34
230	Polyphyllin D is a potent apoptosis inducer in drug-resistant HepG2 cells. <i>Cancer Letters</i> , 2005, 217, 203-211.	7.2	139
231	Characterization of Medicinal <i>Epimedium</i> Species by 5S rRNA Gene Spacer Sequencing. <i>Planta Medica</i> , 2004, 70, 287-288.	1.3	34
232	Mitochondria-Targeting Drug Oligomycin Blocked P-Glycoprotein Activity and Triggered Apoptosis in Doxorubicin-Resistant HepG2 Cells. <i>Chemotherapy</i> , 2004, 50, 55-62.	1.6	34
233	Suppression of cell proliferation and regulation of estrogen receptor alpha signaling pathway by arsenic trioxide on human breast cancer MCF-7 cells. <i>Journal of Endocrinology</i> , 2004, 182, 325-337.	2.6	38
234	Anti-Cancer and Pro-Apoptotic Effects of an Herbal Medicine and <i>Saccharomyces Cerevisiae</i> Product (CKBM) on Human Hepatocellular Carcinoma HepG2 Cells In Vitro and In Vivo. <i>Immunopharmacology and Immunotoxicology</i> , 2004, 26, 597-609.	2.4	20

#	ARTICLE	IF	CITATIONS
235	Chemical and biological characterization of a polysaccharide biological response modifier from Aloe vera L. var. chinensis (Haw.) Berg.. Glycobiology, 2004, 14, 501-510.	2.5	84
236	Activation of iberiotoxin-sensitive, Ca ²⁺ -activated K ⁺ channels of porcine isolated left anterior descending coronary artery by diosgenin. European Journal of Pharmacology, 2004, 502, 123-133.	3.5	47
237	Cloning and characterization of a novel endoplasmic reticulum localized G-patch domain protein, IER3IP1. Gene, 2004, 337, 37-44.	2.2	17
238	Inhibition of cell proliferation and the action mechanisms of arsenic trioxide (As ₂ O ₃) on human breast cancer cells. Journal of Cellular Biochemistry, 2004, 93, 173-187.	2.6	92
239	Inhibition of cell proliferation in human breast tumor cells by antisense oligonucleotides against facilitative glucose transporter 5. Journal of Cellular Biochemistry, 2004, 93, 1134-1142.	2.6	46
240	Synthetic Peptide Studies on the Severe Acute Respiratory Syndrome (SARS) Coronavirus Spike Glycoprotein: Perspective for SARS Vaccine Development. Clinical Chemistry, 2004, 50, 1036-1042.	3.2	31
241	cDNA microarray analysis of early gene expression profiles associated with hepatitis B virus X protein-mediated hepatocarcinogenesis. Biochemical and Biophysical Research Communications, 2004, 322, 827-835.	2.1	39
242	Immunomodulatory effects of Yun Zhi and Danshen capsules in health subjects—a randomized, double-blind, placebo-controlled, crossover study. International Immunopharmacology, 2004, 4, 201-211.	3.8	49
243	Differential effect of Coriolus versicolor (Yunzhi) extract on cytokine production by murine lymphocytes in vitro. International Immunopharmacology, 2004, 4, 1549-1557.	3.8	62
244	Cytotoxic activities of Coriolus versicolor (Yunzhi) extract on human leukemia and lymphoma cells by induction of apoptosis. Life Sciences, 2004, 75, 797-808.	4.3	132
245	Effect of Weightbearing on Bone Formation During Distraction Osteogenesis. Clinical Orthopaedics and Related Research, 2004, 419, 251-257.	1.5	33
246	Modulation of multidrug resistance-associated protein 1 (MRP1) by p53 mutant in Saos-2 cells. Cancer Chemotherapy and Pharmacology, 2003, 51, 161-166.	2.3	22
247	Molecular structures of two bicyclo-(3.2.1)-octanoid neolignans from Piper kadsura. Journal of Molecular Structure, 2003, 654, 177-182.	3.6	10
248	Double-blinded placebo-controlled study of Phyllanthus urinaris for the treatment of chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2003, 18, 339-345.	3.7	19
249	Antioxidative Glycosides from the Leaves of Ligustrum robustum. Journal of Natural Products, 2003, 66, 851-854.	3.0	47
250	Reactive oxygen species mediate doxorubicin induced p53-independent apoptosis. Life Sciences, 2003, 73, 2047-2058.	4.3	226
251	Genomic characterisation of the severe acute respiratory syndrome coronavirus of Amoy Gardens outbreak in Hong Kong. Lancet, The, 2003, 362, 1807-1808.	13.7	66
252	Bioengineering and Characterization of Physeal Transplant with Physeal Reconstruction Potential. Tissue Engineering, 2003, 9, 703-711.	4.6	14

#	ARTICLE	IF	CITATIONS
253	Biochemistry and Herbs. , 2003, , 113-142.		1
254	Synthesis of Antisense Oligonucleotide~Peptide Conjugate Targeting to GLUT-1 in HepG-2 and MCF-7 Cells. Bioconjugate Chemistry, 2002, 13, 525-529.	3.6	31
255	Sustained expression of transforming growth factor- β 1 by distraction during distraction osteogenesis. Life Sciences, 2002, 71, 67-79.	4.3	21
256	Effect of arsenic trioxide on human hepatocellular carcinoma HepG2 cells: Inhibition of proliferation and induction of apoptosis. Life Sciences, 2002, 71, 275-285.	4.3	47
257	Paeoniae Radix, a Chinese herbal extract, inhibit hepatoma cells growth by inducing apoptosis in a p53 independent pathway. Life Sciences, 2002, 71, 2267-2277.	4.3	125
258	Myocardial protection of MCI-186 in rabbit ischemia~reperfusion. Life Sciences, 2002, 71, 2249-2255.	4.3	114
259	Mitochondrial targeting drug lonidamine triggered apoptosis in doxorubicin-resistant HepG2 cells. Life Sciences, 2002, 71, 2729-2740.	4.3	39
260	Circumvention of multidrug resistance and reduction of cardiotoxicity of doxorubicin in vivo by coupling it with low density lipoprotein. Life Sciences, 2002, 72, 677-687.	4.3	14
261	Anti-oxidative, anti-inflammatory and hepato-protective effects of Ligustrum robustum. Journal of Ethnopharmacology, 2002, 83, 63-71.	4.1	70
262	Interaction of the heart-specific LIM domain protein, FHL2, with DNA-binding nuclear protein, hNP220. Journal of Cellular Biochemistry, 2002, 84, 556-566.	2.6	29
263	Interaction of the heart-specific LIM domain protein, FHL2, with DNA-binding nuclear protein, hNP220. Journal of Cellular Biochemistry, 2002, 84, 556.	2.6	0
264	Growth plate chondrocytes inhibit neo-angiogenesis ~ a possible mechanism for tumor control. Cancer Letters, 2001, 163, 25-32.	7.2	14
265	Induction of apoptosis by green tea catechins in human prostate cancer DU145 cells. Life Sciences, 2001, 68, 1207-1214.	4.3	157
266	Low density lipoprotein as a targeted carrier for doxorubicin in nude mice bearing human hepatoma HepG2 cells. Life Sciences, 2001, 70, 591-601.	4.3	40
267	Expression of Basic Fibroblast Growth Factor During Distraction Osteogenesis. Clinical Orthopaedics and Related Research, 2001, 385, 219-229.	1.5	32
268	Translocation of a human focal adhesion LIM-only protein, FHL2, during myofibrillogenesis and identification of LIM2 as the principal determinants of FHL2 focal adhesion localization. Cytoskeleton, 2001, 48, 11-23.	4.4	42
269	Protein-protein interaction of FHL3 with FHL2 and visualization of their interaction by green fluorescent proteins (GFP) two-fusion fluorescence resonance energy transfer (FRET). Journal of Cellular Biochemistry, 2001, 80, 293-303.	2.6	62
270	Characterization of tissue-specific LIM domain protein (FHL1C) which is an alternatively spliced isoform of a human LIM-only protein (FHL1). Journal of Cellular Biochemistry, 2001, 82, 1-10.	2.6	45

#	ARTICLE	IF	CITATIONS
271	Molecular cloning and characterization of a RING-H2 finger protein, ANAPC11, the human homolog of yeast Apc11p. <i>Journal of Cellular Biochemistry</i> , 2001, 83, 249-258.	2.6	6
272	Elfin is expressed during early heart development. <i>Journal of Cellular Biochemistry</i> , 2001, 83, 463-472.	2.6	29
273	An improved synthesis of the saponin, polyphyllin D. <i>Carbohydrate Research</i> , 2001, 331, 1-7.	2.3	68
274	Gliotoxin induces apoptosis in cultured macrophages via production of reactive oxygen species and cytochrome c release without mitochondrial depolarization. <i>Free Radical Research</i> , 2001, 35, 1-10.	3.3	50
275	FIRST INTERNATIONAL SYMPOSIUM ON CARDIOVASCULAR SCIENCE-FROM BENCH TO BEDSIDE. <i>Journal of Cardiac Surgery</i> , 2001, 17, 432-435.	0.7	14
276	Protein-protein interaction of FHL3 with FHL2 and visualization of their interaction by green fluorescent proteins (GFP) two-color fusion fluorescence resonance energy transfer (FRET). <i>Journal of Cellular Biochemistry</i> , 2001, 80, 293-303.	2.6	2
277	A Practical Comprehensive Approach to Chinese Medicine Research. , 2001, , 145-149.		0
278	Expression of replication factor C 40-kDa subunit is down-regulated during neonatal development in rat ventricular myocardium. <i>Journal of Cellular Biochemistry</i> , 2000, 78, 533-540.	2.6	4
279	Interaction of hCLIM1, an enigma family protein, with γ -actinin 2. <i>Journal of Cellular Biochemistry</i> , 2000, 78, 558-565.	2.6	53
280	Synthesis of (25R)-ruscogenin-1-yl β -D-xylopyranosyl-(1 \rightarrow 3)-[β -D-glucopyranosyl-(1 \rightarrow 2)]- β -D-fucopyranoside. <i>Carbohydrate Research</i> , 2000, 329, 745-754.	2.3	21
281	The immunostimulating activities of anti-tumor polysaccharide from K1 capsular (polysaccharide) antigen isolated from <i>Klebsiella pneumoniae</i> . <i>Immunopharmacology</i> , 2000, 46, 1-13.	2.0	10
282	In silico studies of energy metabolism of normal and diseased heart. <i>Molecular Biology Reports</i> , 2000, 27, 123-128.	2.3	2
283	Concanavalin A induced apoptosis in murine macrophage PU5-1.8 cells through clustering of mitochondria and release of cytochrome c. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2000, 5, 369-377.	4.9	59
284	Low-Level Doxorubicin Resistance in Benzo[a]pyrene-Treated KB-3-1 Cells Is Associated with Increased LRP Expression and Altered Subcellular Drug Distribution. <i>Toxicology and Applied Pharmacology</i> , 2000, 164, 134-142.	2.8	32
285	Assignment of liver-specific organic anion transporter (SLC22A7) to human chromosome 6 bands p21.2-p21.1 using radiation hybrids. <i>Cytogenetic and Genome Research</i> , 2000, 88, 76-77.	1.1	13
286	Modulation of the Ca ²⁺ -Activated Cl ⁻ Channel by 14-3-3 μ . <i>Biochemical and Biophysical Research Communications</i> , 2000, 270, 581-587.	2.1	23
287	Reversal of TNF- α resistance by hyperthermia. <i>Life Sciences</i> , 2000, 67, 3113-3121.	4.3	12
288	Morin hydrate. <i>Life Sciences</i> , 2000, 67, 91-99.	4.3	82

#	ARTICLE	IF	CITATIONS
289	Hyperthermia and tumour necrosis factor- α induced apoptosis via mitochondrial damage. Life Sciences, 2000, 67, 725-732.	4.3	27
290	The decrease of mitochondrial NADH dehydrogenase and drug induced apoptosis in doxorubicin resistant A431 cells. Life Sciences, 2000, 67, 1111-1118.	4.3	21
291	Inhibition of P-glycoprotein expression and reversal of drug resistance of human hepatoma HepG2 cells by multidrug resistance gene (mdr1) antisense RNA. Life Sciences, 2000, 67, 2117-2124.	4.3	60
292	MCI-186. Life Sciences, 2000, 67, 2387-2392.	4.3	57
293	Slow rise of Ca^{2+} and slow release of reactive oxygen species are two cross-talked events important in tumour necrosis factor- α -mediated apoptosis. Free Radical Research, 2000, 33, 295-304.	3.3	16
294	Protein-protein interaction of FHL2, a LIM domain protein preferentially expressed in human heart, with hCDC47. Journal of Cellular Biochemistry, 2000, 76, 499.	2.6	0
295	Radiation Hybrid Mapping of Human Cytosolic Malate Dehydrogenase (hcMDH) to the Short Arm of Chromosome 2. Somatic Cell and Molecular Genetics, 1999, 25, 109-113.	0.7	1
296	Characterization of the human 36-kDa carboxyl terminal LIM domain protein (hCLIM1)., 1999, 72, 279-285.		44
297	In vivo and in vitro association of 14-3-3 epsilon isoform with calmodulin: Implication for signal transduction and cell proliferation. Journal of Cellular Biochemistry, 1999, 73, 31-35.	2.6	30
298	Characterization of a brain-specific nuclear LIM domain protein (FHL1B) which is an alternatively spliced variant of FHL1. Gene, 1999, 237, 253-263.	2.2	36
299	Inhibition of glucose transporter gene expression by antisense nucleic acids in HL-60 leukemia cells. Life Sciences, 1999, 65, 63-70.	4.3	18
300	Enhanced cytotoxicity and suppression of glucose transport rate by combined treatment of recombinant human tumour necrosis factor- α and hyperthermia on L929 cells. Life Sciences, 1999, 65, PL81-PL86.	4.3	0
301	Inhibition of glucose uptake and suppression of glucose transporter 1 mRNA expression in L929 cells by tumour necrosis factor- α . Life Sciences, 1999, 65, PL215-PL220.	4.3	23
302	Mechanical characterization of regenerated osseous tissue during callotasis and its related biological phenomenon. Life Sciences, 1999, 66, 327-336.	4.3	8
303	Cloning and Characterization of a cDNA Encoding a Novel Fibroblast Growth Factor Preferentially Expressed in Human Heart. Biochemical and Biophysical Research Communications, 1999, 255, 717-721.	2.1	7
304	Chromosomal Mapping of a Skeletal Muscle Specific LIM-Only Protein FHL3 to the Distal End of the Short Arm of Human Chromosome 1. Somatic Cell and Molecular Genetics, 1998, 24, 197-202.	0.7	19
305	Velo-cardio-facial syndrome, schizophrenia and deletion at chromosome 22q11. Journal of Intellectual Disability Research, 1998, 42, 184-188.	2.0	8
306	Developmental regulation of 14-3-3 μ isoform in rat heart. , 1998, 68, 195-199.		16

#	ARTICLE	IF	CITATIONS
307	The rise of nuclear and cytosolic Ca ²⁺ can be uncoupled in HeLa cells. Pflugers Archiv European Journal of Physiology, 1998, 436, 371-376.	2.8	33
308	Molecular cloning and characterization of FHL2, a novel LIM domain protein preferentially expressed in human heart. Gene, 1998, 210, 345-350.	2.2	124
309	Chromosomal mapping, tissue distribution and cDNA sequence of Four-and-a-half LIM domain protein 1 (FHL1). Gene, 1998, 216, 163-170.	2.2	83
310	Mapping of the Human Cysteine-Rich Intestinal Protein Gene CRIP1 to the Human Chromosomal Segment 7q11.23. Genomics, 1998, 47, 419-422.	2.9	12
311	Slow Increase in Intranuclear and Cytosolic Free Calcium Concentrations in L929 Cells Is Important in Tumour Necrosis Factor-Alpha-Mediated Cell Death. Oncology, 1997, 54, 55-62.	1.9	29
312	Assignment of the human 14-3-3 epsilon isoform (YWHAE) to human chromosome 17p13 by in situ hybridization. Cytogenetic and Genome Research, 1997, 78, 105-106.	1.1	3
313	Mapping of the Human Ribosomal Large Subunit Protein Gene RPL29 to Human Chromosome 3q29-qter. Genomics, 1997, 46, 148-151.	2.9	6
314	Inhibitory effects of jasmine green tea epicatechin isomers on free radical-induced lysis of red blood cells. Life Sciences, 1997, 61, 383-394.	4.3	107
315	The isolation and characterization of an immunomodulatory and anti-tumor polysaccharide preparation from Flammulina velutipes. Immunopharmacology, 1997, 35, 255-263.	2.0	131
316	Title is missing!. Molecular and Cellular Biochemistry, 1997, 172, 81-87.	3.1	12
317	Increases in mRNA levels of glucose transporters types 1 and 3 in Ehrlich ascites tumor cells during tumor development. Journal of Cellular Biochemistry, 1997, 67, 131-135.	2.6	22
318	K1 and K3 capsular antigens of Klebsiella induce tumor necrosis factor activities. Life Sciences, 1996, 58, PL153-PL158.	4.3	3
319	Antioxidation of human low density lipoprotein by unconjugated and conjugated bilirubins. Biochemical Pharmacology, 1996, 51, 859-862.	4.4	198
320	Molecular structure and antioxidant specificity of purpurogallin in three types of human cardiovascular cells. Biochemical Pharmacology, 1996, 52, 1073-1080.	4.4	33
321	Isolation and characterization of a human heart cDNA encoding a new member of the small heat shock protein family - HSPL27. Biochimica Et Biophysica Acta - Molecular Cell Research, 1996, 1314, 120-124.	4.1	23
322	Effect of Methotrexate on the Intracellular Phosphoribosyl Pyrophosphate Level and Glucose Transport of Ehrlich Ascites Tumor Cells in vitro. Oncology, 1996, 53, 27-30.	1.9	3
323	Practical Considerations in Acquiring Biological Signals from Confocal Microscope: Solvent Effect and Temperature Effect. NeuroSignals, 1996, 5, 291-300.	0.9	5
324	Murine Cells Transfected with Human Hsp27 cDNA Resist TNF-Induced Cytotoxicity. Journal of Immunotherapy, 1996, 19, 9-20.	2.4	25

#	ARTICLE	IF	CITATIONS
325	Bone-Specific Alkaline Phosphatase in Plasma as Tumour Marker for Osteosarcoma. <i>Oncology</i> , 1996, 53, 275-280.	1.9	36
326	Purpurogallin Inhibits DNA Synthesis of Murine Fibrosarcoma L-929 and Human U-87 MG Glioblastoma Cells in vitro. <i>Chemotherapy</i> , 1996, 42, 199-205.	1.6	13
327	Primary structures and sequence analysis of human ribosomal proteins L39 and S27. <i>IUBMB Life</i> , 1996, 40, 611-616.	3.4	9
328	A novel cDNA encoding for a lim domain protein located at human chromosome 14q32 as a candidate for leukemic translocation. <i>IUBMB Life</i> , 1996, 39, 747-754.	3.4	6
329	Antioxidative effect of ethanol tea extracts on oxidation of canola oil. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 1996, 73, 375-380.	1.9	40
330	A novel cDNA encoding a human homologue of ribosomal protein L29. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1996, 1305, 105-108.	2.4	11
331	Identification and characterization of various differentiative growth plate chondrocytes from porcine by countercurrent centrifugal elutriation. , 1996, 60, 508-520.		7
332	Antioxidant activity of natural flavonoids is governed by number and location of their aromatic hydroxyl groups. <i>Chemistry and Physics of Lipids</i> , 1996, 79, 157-163.	3.2	278
333	Identification of a cDNA encoding 6-phosphogluconate dehydrogenase from a human heart cDNA library. <i>Biochemical Genetics</i> , 1996, 34, 367-373.	1.7	19
334	Endogenous Production of Tumor Necrosis Factor Alpha in Combination with Hyperthermia for the Treatment of Mice Bearing Ehrlich Ascites Tumor. <i>Chemotherapy</i> , 1995, 41, 378-383.	1.6	3
335	No change in bone-specific alkaline phosphatase activities in cultured rat osteoblastic cells under L-ascorbate and β -glycerophosphate-induced mineralization. <i>Cell Biology International</i> , 1995, 19, 979-986.	3.0	6
336	Activation of the anti-tumor effector cells by Radix bupleuri. <i>Immunopharmacology</i> , 1995, 30, 79-87.	2.0	28
337	Effect of Hyperthermia on Intracellular pH in Human U-87 MG Glioblastoma Cells. <i>Oncology</i> , 1995, 52, 492-497.	1.9	2
338	Analysis of Expressed Sequence Tags from a Fetal Human Heart cDNA Library. <i>Genomics</i> , 1995, 30, 293-298.	2.9	44
339	Human tumour necrosis factor- α inhibits glucose transport in cultured ehrlich ascites tumour cells. <i>Life Sciences</i> , 1995, 57, PL1-PL6.	4.3	6
340	Antioxidation of human low density lipoprotein by horin hydrate. <i>Life Sciences</i> , 1995, 57, PL51-PL56.	4.3	16
341	Bone-specific alkaline phosphatase activities in plasma and callus during callotaxis in rabbits. <i>Life Sciences</i> , 1995, 57, 637-643.	4.3	12
342	Morin hydrate inhibits azo-initiator induced oxidation of human low density lipoprotein. <i>Life Sciences</i> , 1995, 58, PL17-PL22.	4.3	17

#	ARTICLE	IF	CITATIONS
343	Molecular properties and myocardial salvage effects of morin hydrate. Biochemical Pharmacology, 1995, 49, 537-543.	4.4	50
344	The Induction of Cytokine Gene Expression in Murine Peritoneal Macrophs by Pseudostellaria Heterophylla. Immunopharmacology and Immunotoxicology, 1994, 16, 347-357.	2.4	14
345	Immunomodulatory and Anti-Tumour Polysaccharides from Medicinal Plants. Journal of International Medical Research, 1994, 22, 299-312.	1.0	75
346	Tumor necrosis factor eliciting fractions separated from Pseudostellaria heterophylla. International Journal of Immunopharmacology, 1994, 16, 271-277.	1.1	14
347	The immunostimulating activities of anti-tumor Polysaccharides from Pseudostellaria heterophylla. Immunopharmacology, 1994, 28, 47-54.	2.0	42
348	Propyl gallate as a hepatoprotector in vitro and in vivo. Biochemical Pharmacology, 1994, 48, 419-422.	4.4	67
349	Morin: A wood pigment that protects three types of human cells in the cardiovascular system against oxyradical damage. Biochemical Pharmacology, 1994, 47, 1099-1103.	4.4	72
350	The opposing effects of an inhibitor of nitric oxide synthesis and of a donor of nitric oxide in rabbits undergoing myocardial ischemia reperfusion. Life Sciences, 1994, 54, PL491-PL496.	4.3	8
351	Morin hydrate protects cultured rat glomerular mesangial cells against oxyradical damage. Life Sciences, 1994, 55, PL351-PL357.	4.3	21
352	Purpurogallin: In vivo evidence of a novel and effective cardioprotector. Life Sciences, 1994, 54, PL23-PL28.	4.3	10
353	Unconjugated bilirubin inhibits the oxidation of human low density lipoprotein better than trolox. Life Sciences, 1994, 54, PL477-PL481.	4.3	91
354	Effects of Pseudostellaria Heterophylla on Proliferation and Differentiation of Murine Bone Marrow Cells. Immunopharmacology and Immunotoxicology, 1994, 16, 71-84.	2.4	4
355	Effect of sodium tanshinone IIA sulfonate in the rabbit myocardium and on human cardiomyocytes and vascular endothelial cells. Biochemical Pharmacology, 1993, 46, 2327-2332.	4.4	111
356	Morin hydrate is a plant-derived and antioxidant-based hepatoprotector. Life Sciences, 1993, 53, PL213-PL218.	4.3	52
357	Demonstration of the myocardial salvage effect of lithospermic acid B isolated from the aqueous extract of. Life Sciences, 1993, 52, PL239-PL244.	4.3	46
358	Radiochemical quantitation of conjugated dienes in rat hepatocytes exposed to oxyradicals. Life Sciences, 1993, 53, 833-837.	4.3	4
359	Purpurogallin as an antioxidant protector of human erythrocytes against lysis by peroxy radicals. Life Sciences, 1993, 53, PL39-PL43.	4.3	50
360	Chemical syntheses of Trolox conjugates which protect human ventricular myocytes against in situ-generated oxyradicals. European Journal of Pharmacology - Environmental Toxicology and Pharmacology Section, 1993, 248, 313-318.	0.8	3

#	ARTICLE	IF	CITATIONS
361	Effects of hyperthermia on the nucleolar proteins in tumour cells. Cancer Letters, 1993, 70, 129-139.	7.2	2
362	Change of Membrane Potential is Not Required for the Tumour Necrosis Factor- α Mediated Cytotoxicity. Immunopharmacology and Immunotoxicology, 1993, 15, 57-68.	2.4	2
363	Membrane Depolarization Induced DNA Synthesis in PU5-1.8 Cells. NeuroSignals, 1992, 1, 12-22.	0.9	2
364	In vivo production of tumor necrosis factor for the treatment of ice bearing Ehrlich ascites tumor. Cancer Letters, 1992, 63, 7-13.	7.2	6
365	Mitogenic and tumor necrosis factor producing activities of Pseudostellaria heterophylla. International Journal of Immunopharmacology, 1992, 14, 1315-1320.	1.1	29
366	Membrane Depolarization was Required to Induce DNA Synthesis in Murine Macrophage Cell Line PU5-1.8. Immunopharmacology and Immunotoxicology, 1991, 13, 329-339.	2.4	10
367	cAMP activates Na ⁺ /H ⁺ antiporter in murine macrophages. Biochemical and Biophysical Research Communications, 1989, 165, 131-137.	2.1	11
368	Effect of L- and D-Lysine on the Growth of Ehrlich Ascites Tumour. Chemotherapy, 1989, 35, 119-122.	1.6	2
369	Intracellular phosphoribosyl diphosphate level and glucose carrier in Ehrlich ascites tumour cells during tumour growth and diabetes in tumour-bearing mice. Cancer Letters, 1988, 42, 43-48.	7.2	1
370	Effect of combined treatment of anti-inflammatory drug and mannoheptulose on the production of tumour necrosis factor and endotoxin shock in mice. Cancer Letters, 1988, 39, 137-143.	7.2	3
371	Effect of anti-inflammatory drugs on the production of tumour necrosis factor and lipopolysaccharide induced-mortality in mice. Cancer Letters, 1987, 34, 291-296.	7.2	4
372	Endotoxin shock and tumour necrosis factor release in mannoheptulose-treated mice. Cancer Letters, 1987, 37, 33-39.	7.2	4
373	Glucose regulates its own transport in Ehrlich ascites tumour cells. Biochemical and Biophysical Research Communications, 1986, 134, 1231-1237.	2.1	13
374	Hypotensive and renal effects of an extract of the edible mushroom. Life Sciences, 1986, 38, 1155-1161.	4.3	27
375	Suppression of Glucose Transport of Ehrlich Ascites Tumour Cell by Interferon Inducers. Chemotherapy, 1986, 32, 458-463.	1.6	3
376	L-Histidine Inhibits the Growth of Ehrlich Ascites Tumour. Chemotherapy, 1986, 32, 138-141.	1.6	3
377	Prevention by thymidine against toxicity and glucose uptake inhibition of methotrexate on cultured ehrlich ascites tumour cells. Pharmacological Research Communications, 1986, 18, 759-767.	0.2	4
378	Production of tumour necrosis factor in Listeria monocytogenes-infected animals. International Journal of Immunopharmacology, 1985, 7, 1-6.	1.1	17

#	ARTICLE	IF	CITATIONS
379	Suppression of Ehrlich ascites tumor growth in mice by starvation and streptozotocin-induced diabetes. <i>Cancer Letters</i> , 1985, 28, 273-280.	7.2	4
380	Role of lipid A of endotoxin in the production of tumour necrosis factor. <i>Molecular Immunology</i> , 1985, 22, 291-294.	2.2	14
381	Effect of tumour necrosis factor on growth of Ehrlich ascites tumour cells in vitro and in vivo. <i>Cancer Letters</i> , 1985, 27, 269-276.	7.2	14
382	Inhibition by N-(Phosphonacetyl)-L-aspartate of Ehrlich ascites tumour growth and glucose transport. <i>Cancer Letters</i> , 1984, 23, 183-188.	7.2	8
383	Glucose transport in developing Ehrlich ascites tumor cells: Parallel changes in the rate of glucose uptake and cytochalasin B binding activity during tumor development and methotrexate treatment. <i>Archives of Biochemistry and Biophysics</i> , 1983, 225, 458-466.	3.0	17
384	Effect of Garlic, Chinese Medicinal Drugs and Amino Acids on Growth of Erlich Ascites Tumor Cells in Mice. <i>The American Journal of Chinese Medicine</i> , 1983, 11, 69-73.	3.8	21
385	Effect of Electro-acupuncture on Behavioral Responses and Plasma Levels of ACTH and TSH in Naloxone-Induced Morphine Withdrawal in Rats. <i>The American Journal of Chinese Medicine</i> , 1980, 08, 167-169.	3.8	8
386	Heterocomplexes of human interferon and immunoglobulins: Formation and properties. <i>Archives of Virology</i> , 1978, 57, 133-141.	2.1	0
387	Purification of human diploid fibroblast interferon by immobilized neuraminidase. <i>Archives of Virology</i> , 1978, 56, 1-6.	2.1	6
388	Suppression of narcotic withdrawals and plasma ACTH by auricular electroacupuncture. <i>Biochemical and Biophysical Research Communications</i> , 1978, 82, 305-309.	2.1	29
389	Modulation of phytohemagglutinin-mediated lymphocyte stimulation by egg lecithin. <i>Experimental Cell Research</i> , 1978, 116, 387-395.	2.6	22
390	Comparison of plasma hormonal levels between heroin-addicted and normal subjects. <i>Clinica Chimica Acta</i> , 1977, 75, 415-419.	1.1	47
391	N-acetyl- β -glucosaminidase activity in hydatidiform mole. <i>Clinica Chimica Acta</i> , 1977, 74, 43-49.	1.1	2