

Johan Kvalvik Stanghelle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5812575/publications.pdf>

Version: 2024-02-01

25
papers

496
citations

858243

12
h-index

799663

21
g-index

25
all docs

25
docs citations

25
times ranked

604
citing authors

#	ARTICLE	IF	CITATIONS
1	Baseline walking ability as an indicator of overall walking ability and ADL at 3, 6, and 12 months after acute stroke. <i>European Journal of Physiotherapy</i> , 2022, 24, 311-319.	0.7	3
2	Organisation of services and systems of care in paediatric spinal cord injury rehabilitation in seven countries: a survey with a descriptive cross-sectional design. <i>Spinal Cord</i> , 2022, 60, 339-347.	0.9	1
3	Videoconferencing in Pressure Injury: Randomized Controlled Telemedicine Trial in Patients With Spinal Cord Injury. <i>JMIR Formative Research</i> , 2022, 6, e27692.	0.7	4
4	Pediatric spinal cord injury rehabilitation: A protocol for an international multicenter project (SINpedSCI). <i>Journal of Pediatric Rehabilitation Medicine</i> , 2022, 15, 395-403.	0.3	3
5	Sexual Satisfaction and Associated Biopsychosocial Factors in Stroke Patients Admitted to Specialized Cognitive Rehabilitation. <i>Sexual Medicine</i> , 2021, 9, 1-1.	0.9	2
6	Persons injured in the 2011 terror attacks in Norway - Relationship between post-traumatic stress symptoms, emotional distress, fatigue, sleep, and pain outcomes, and medical and psychosocial factors. <i>Disability and Rehabilitation</i> , 2020, 42, 3126-3134.	0.9	6
7	Spinal cord injury and development of pressure injury during acute rehabilitation in Norway: a national retrospective cross-sectional study. <i>Spinal Cord</i> , 2020, 58, 1069-1079.	0.9	2
8	Chronic pain among the hospitalized patients after the 22 July 2011 terror attacks in Oslo and at UtÅya Island. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 913-922.	0.7	1
9	Hospital based care at home; study protocol for a mixed epidemiological and randomized controlled trial. <i>Trials</i> , 2019, 20, 77.	0.7	8
10	Senior fitness test; a useful tool to measure physical fitness in persons with acquired brain injury. <i>Brain Injury</i> , 2019, 33, 183-188.	0.6	10
11	Return to work after specialized rehabilitation – An explorative longitudinal study in a cohort of severely disabled persons with stroke in seven countries. <i>Brain and Behavior</i> , 2018, 8, e01055.	1.0	27
12	Falls and fear of falling predict future falls and related injuries in ambulatory individuals with spinal cord injury: a longitudinal observational study. <i>Journal of Physiotherapy</i> , 2017, 63, 108-113.	0.7	50
13	Life satisfaction in persons with severe stroke – A longitudinal report from the Sunnaas International Network (SIN) stroke study. <i>European Stroke Journal</i> , 2017, 2, 154-162.	2.7	15
14	Factors enhancing activities of daily living after stroke in specialized rehabilitation: an observational multicenter study within the Sunnaas International Network. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 725-734.	1.1	19
15	Test-retest reliability at the item level and total score level of the Norwegian version of the Spinal Cord Injury Falls Concern Scale (SCI-FCS). <i>Journal of Spinal Cord Medicine</i> , 2016, 39, 317-326.	0.7	8
16	Factors Associated With Recurrent Falls in Individuals With Traumatic Spinal Cord Injury: A Multicenter Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1908-1916.	0.5	40
17	Specialized Stroke Rehabilitation Services in Seven Countries. <i>International Journal of Stroke</i> , 2015, 10, 1236-1246.	2.9	14
18	The Senior Fitness Test. <i>Journal of Physiotherapy</i> , 2015, 61, 163.	0.7	54

#	ARTICLE	IF	CITATIONS
19	Functional fitness in elderly Norwegians measured with the Senior Fitness Test. <i>Advances in Physiotherapy</i> , 2011, 13, 137-144.	0.2	28
20	No effect on gait function of progressive resistance exercise in adults with cerebral palsy – A single-blind randomized controlled trial. <i>Advances in Physiotherapy</i> , 2009, 11, 227-233.	0.2	15
21	An evaluation of two different exercise regimes during the first year following stroke: A randomised controlled trial. <i>Physiotherapy Theory and Practice</i> , 2009, 25, 55-68.	0.6	49
22	The relation between gait velocity and static and dynamic balance in the early rehabilitation of patients with acute stroke. <i>Advances in Physiotherapy</i> , 2006, 8, 60-65.	0.2	12
23	The Norwegian Polio Study 1994: a nation-wide survey of problems in long-standing poliomyelitis. <i>Spinal Cord</i> , 1998, 36, 280-284.	0.9	72
24	Postpolio syndrome: a 5 year follow-up. <i>Spinal Cord</i> , 1997, 35, 503-508.	0.9	52
25	Angina pectoris and cold. <i>International Rehabilitation Medicine</i> , 1983, 5, 189-191.	0.6	1