

Isabelle Sioen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5812697/isabelle-sioen-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

3,950
citations

37
h-index

57
g-index

124
ext. papers

4,480
ext. citations

5.5
avg, IF

5.02
L-index

#	Paper	IF	Citations
121	Early-life exposure to multiple persistent organic pollutants and metals and birth weight: Pooled analysis in four Flemish birth cohorts. <i>Environment International</i> , 2020 , 145, 106149	12.9	9
120	Dietary calcium intake and adiposity in children and adolescents: Cross-sectional and longitudinal results from IDEFICS/I.Family cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 440-449	4.5	8
119	Longitudinal association between psychosocial stress and retinal microvasculature in children and adolescents. <i>Psychoneuroendocrinology</i> , 2018 , 92, 50-56	5	4
118	Associations of leptin, insulin and lipids with retinal microvasculature in children and adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2018 , 31, 143-150	1.6	1
117	Caramel colour and process contaminants in foods and beverages: Part II - Occurrence data and exposure assessment of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole (THI) and 4-methylimidazole (4-MEI) in Belgium. <i>Food Chemistry</i> , 2018 , 255, 372-379	8.5	10
116	Caramel colour and process by-products in foods and beverages: Part I - Development of a UPLC-MS/MS isotope dilution method for determination of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole (THI), 4-methylimidazole (4-MEI) and 2-methylimidazol (2-MEI). <i>Food Chemistry</i> , 2018 , 255, 348-356	8.5	14
115	UV-filters and musk fragrances in seafood commercialized in Europe Union: Occurrence, risk and exposure assessment. <i>Environmental Research</i> , 2018 , 161, 399-408	7.9	53
114	Consumer response to health and environmental sustainability information regarding seafood consumption. <i>Environmental Research</i> , 2018 , 161, 492-504	7.9	10
113	Occurrence of cyclic imines in European commercial seafood and consumers risk assessment. <i>Environmental Research</i> , 2018 , 161, 392-398	7.9	23
112	Children's cortisol and externalizing stress symptoms are predictors of adiponectin evolution over two years. <i>Biological Psychology</i> , 2018 , 131, 89-95	3.2	2
111	Residential landscape as a predictor of psychosocial stress in the life course from childhood to adolescence. <i>Environment International</i> , 2018 , 120, 456-463	12.9	46
110	Prenatal and postnatal exposure to persistent organic pollutants and attention-deficit and hyperactivity disorder: a pooled analysis of seven European birth cohort studies. <i>International Journal of Epidemiology</i> , 2018 , 47, 1082-1097	7.8	18
109	Pharmaceuticals and endocrine disruptors in raw and cooked seafood from European market: Concentrations and human exposure levels. <i>Environment International</i> , 2018 , 119, 570-581	12.9	29
108	Fat and lean tissue accretion in relation to reward motivation in children. <i>Appetite</i> , 2017 , 108, 317-325	4.5	4
107	Three cycles of human biomonitoring in Flanders - Time trends observed in the Flemish Environment and Health Study. <i>International Journal of Hygiene and Environmental Health</i> , 2017 , 220, 36-45	6.9	55
106	Occurrence of halogenated flame retardants in commercial seafood species available in European markets. <i>Food and Chemical Toxicology</i> , 2017 , 104, 35-47	4.7	79
105	Phthalate-induced oxidative stress and association with asthma-related airway inflammation in adolescents. <i>International Journal of Hygiene and Environmental Health</i> , 2017 , 220, 468-477	6.9	51

104	Palatable food consumption in children: interplay between (food) reward motivation and the home food environment. <i>European Journal of Pediatrics</i> , 2017 , 176, 465-474	4.1	13
103	Body fat evolution as predictor of retinal microvasculature in children. <i>International Journal of Obesity</i> , 2017 , 41, 527-532	5.5	4
102	BIS/BAS Scale in Primary School Children: Parent-Child Agreement and Longitudinal Stability. <i>Behaviour Change</i> , 2017 , 34, 98-116	1.1	3
101	Hand-to-foot bioelectrical impedance analysis to measure fat mass in healthy children: A comparison with air-displacement plethysmography. <i>Nutrition and Dietetics</i> , 2017 , 74, 516-520	2.5	0
100	Systematic Review on N-3 and N-6 Polyunsaturated Fatty Acid Intake in European Countries in Light of the Current Recommendations - Focus on Specific Population Groups. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 39-50	4.5	76
99	Risk assessment of methylmercury in five European countries considering the national seafood consumption patterns. <i>Food and Chemical Toxicology</i> , 2017 , 104, 26-34	4.7	24
98	Environmental exposure to human carcinogens in teenagers and the association with DNA damage. <i>Environmental Research</i> , 2017 , 152, 165-174	7.9	26
97	Children's psychosocial stress and emotional eating: A role for leptin?. <i>International Journal of Eating Disorders</i> , 2017 , 50, 471-480	6.3	20
96	Social inequality in adolescents' healthy food intake: the interplay between economic, social and cultural capital. <i>European Journal of Public Health</i> , 2017 , 27, 279-286	2.1	17
95	Urinary t,t-muconic acid as a proxy-biomarker of car exhaust and neurobehavioral performance in 15-year olds. <i>Environmental Research</i> , 2016 , 151, 521-527	7.9	9
94	Associations Between Body Composition and Bone Health in Children and Adolescents: A Systematic Review. <i>Calcified Tissue International</i> , 2016 , 99, 557-577	3.9	59
93	Associations of reward sensitivity with food consumption, activity pattern, and BMI in children. <i>Appetite</i> , 2016 , 100, 189-96	4.5	37
92	Whole-blood fatty acids and inflammation in European children: the IDEFICS Study. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 819-23	5.2	7
91	Urinary Mineral Concentrations in European Pre-Adolescent Children and Their Association with Calcaneal Bone Quantitative Ultrasound Measurements. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	2
90	Combined Effects of Prenatal Exposures to Environmental Chemicals on Birth Weight. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	77
89	Different osteocalcin forms, markers of metabolic syndrome and anthropometric measures in children within the IDEFICS cohort. <i>Bone</i> , 2016 , 84, 230-236	4.7	8
88	Investigating unmetabolized polycyclic aromatic hydrocarbons in adolescents' urine as biomarkers of environmental exposure. <i>Chemosphere</i> , 2016 , 155, 48-56	8.4	30
87	Metabolic targets of endocrine disrupting chemicals assessed by cord blood transcriptome profiling. <i>Reproductive Toxicology</i> , 2016 , 65, 307-320	3.4	12

86	Intake of phytosterols from natural sources and risk of cardiovascular disease in the European Prospective Investigation into Cancer and Nutrition-the Netherlands (EPIC-NL) population. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1067-75	3.9	33
85	Endocrine actions of pesticides measured in the Flemish environment and health studies (FLEHS I and II). <i>Environmental Science and Pollution Research</i> , 2015 , 22, 14589-99	5.1	23
84	Integrated risk index for seafood contaminants (IRISC): Pilot study in five European countries. <i>Environmental Research</i> , 2015 , 143, 109-15	7.9	12
83	Association between bone stiffness and nutritional biomarkers combined with weight-bearing exercise, physical activity, and sedentary time in preadolescent children. A case-control study. <i>Bone</i> , 2015 , 78, 142-9	4.7	11
82	Cross-lagged associations between children's stress and adiposity: the Children's Body Composition and Stress study. <i>Psychosomatic Medicine</i> , 2015 , 77, 50-8	3.7	23
81	The influence of dairy consumption, sedentary behaviour and physical activity on bone mass in Flemish children: a cross-sectional study. <i>BMC Public Health</i> , 2015 , 15, 717	4.1	19
80	Human biomonitoring of multiple mycotoxins in the Belgian population: Results of the BIOMYCO study. <i>Environment International</i> , 2015 , 84, 82-9	12.9	137
79	Marine environmental contamination: public awareness, concern and perceived effectiveness in five European countries. <i>Environmental Research</i> , 2015 , 143, 4-10	7.9	21
78	Consumers' health risk-benefit perception of seafood and attitude toward the marine environment: Insights from five European countries. <i>Environmental Research</i> , 2015 , 143, 11-9	7.9	42
77	TDS exposure project: application of the analytic hierarchy process for the prioritization of substances to be analyzed in a total diet study. <i>Food and Chemical Toxicology</i> , 2015 , 76, 46-53	4.7	15
76	Neurobehavioral performance in adolescents is inversely associated with traffic exposure. <i>Environment International</i> , 2015 , 75, 136-43	12.9	48
75	Neurobehavioral function and low-level metal exposure in adolescents. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 139-46	6.9	18
74	The influence of dairy consumption and physical activity on ultrasound bone measurements in Flemish children. <i>Journal of Bone and Mineral Metabolism</i> , 2015 , 33, 192-200	2.9	18
73	Impact of physical activity, sedentary behaviour and muscle strength on bone stiffness in 2-10-year-old children-cross-sectional results from the IDEFICS study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 112	8.4	36
72	Dietary Carbohydrate and Nocturnal Sleep Duration in Relation to Children's BMI: Findings from the IDEFICS Study in Eight European Countries. <i>Nutrients</i> , 2015 , 7, 10223-36	6.7	17
71	Longitudinal association between child stress and lifestyle. <i>Health Psychology</i> , 2015 , 34, 40-50	5	41
70	Internal exposure to organochlorine pollutants and cadmium and self-reported health status: a prospective study. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 232-45	6.9	23
69	Exposure assessment within a Total Diet Study: a comparison of the use of the pan-European classification system FoodEx-1 with national food classification systems. <i>Food and Chemical Toxicology</i> , 2015 , 78, 221-9	4.7	5

68	Validity of parentally reported versus measured weight, length and waist in 7- to 9-year-old children for use in follow-up studies. <i>European Journal of Pediatrics</i> , 2014 , 173, 921-8	4.1	7
67	TDS exposure project: relevance of the total diet study approach for different groups of substances. <i>Food and Chemical Toxicology</i> , 2014 , 73, 21-34	4.7	22
66	Modelling the environmental transfer of phthalates and polychlorinated dibenzo-p-dioxins and dibenzofurans into agricultural products: the EN-forc model. <i>Environmental Research</i> , 2014 , 133, 282-93	7.9	7
65	Determinants of bisphenol A and phthalate metabolites in urine of Flemish adolescents. <i>Environmental Research</i> , 2014 , 134, 110-7	7.9	42
64	A semi-probabilistic modelling approach for the estimation of dietary exposure to phthalates in the Belgian adult population. <i>Environment International</i> , 2014 , 73, 117-27	12.9	15
63	Trace metals in blood and urine of newborn/mother pairs, adolescents and adults of the Flemish population (2007-2011). <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 878-90	6.9	47
62	Monitoring chlorinated persistent organic pollutants in adolescents in Flanders (Belgium): concentrations, trends and dose-effect relationships (FLEHS II). <i>Environment International</i> , 2014 , 71, 20-8	12.9	26
61	Children's sleep quality: relation with sleep duration and adiposity. <i>Public Health</i> , 2014 , 128, 488-90	4	23
60	Expression of the sFLT1 gene in cord blood cells is associated to maternal arsenic exposure and decreased birth weight. <i>PLoS ONE</i> , 2014 , 9, e92677	3.7	25
59	Percentile reference values for anthropometric body composition indices in European children from the IDEFICS study. <i>International Journal of Obesity</i> , 2014 , 38 Suppl 2, S15-25	5.5	81
58	Reference values of bone stiffness index and C-terminal telopeptide in healthy European children. <i>International Journal of Obesity</i> , 2014 , 38 Suppl 2, S76-85	5.5	23
57	C-reactive protein reference percentiles among pre-adolescent children in Europe based on the IDEFICS study population. <i>International Journal of Obesity</i> , 2014 , 38 Suppl 2, S26-31	5.5	19
56	Determination of contamination pathways of phthalates in food products sold on the Belgian market. <i>Environmental Research</i> , 2014 , 134, 345-52	7.9	37
55	Assessment of mycotoxin exposure in the Belgian population using biomarkers: aim, design and methods of the BIOMYCO study. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014 , 31, 924-31	3.2	19
54	Health effects in the Flemish population in relation to low levels of mercury exposure: from organ to transcriptome level. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 239-47	6.9	20
53	Prenatal exposure to environmental contaminants and body composition at age 7-9 years. <i>Environmental Research</i> , 2014 , 132, 24-32	7.9	51
52	Validity of 24-h recalls in (pre-)school aged children: comparison of proxy-reported energy intakes with measured energy expenditure. <i>Clinical Nutrition</i> , 2014 , 33, 79-84	5.9	45
51	Prenatal exposure to environmental contaminants and behavioural problems at age 7-8years. <i>Environment International</i> , 2013 , 59, 225-31	12.9	73

50	Dietary intake and food sources of total and individual polyunsaturated fatty acids in the Belgian population over 15 years old. <i>Lipids</i> , 2013 , 48, 729-38	1.6	12
49	Multimycotoxin analysis in urines to assess infant exposure: a case study in Cameroon. <i>Environment International</i> , 2013 , 57-58, 50-9	12.9	69
48	Associations of dietary calcium, vitamin D, milk intakes, and 25-hydroxyvitamin D with bone mass in Spanish adolescents: the HELENA study. <i>Journal of Clinical Densitometry</i> , 2013 , 16, 110-7	3.5	32
47	Parental and children's report of emotional problems: agreement, explanatory factors and event-emotion correlation. <i>Child and Adolescent Mental Health</i> , 2013 , 18, 180-186	2.2	13
46	Understanding the links among neuromedin U gene, beta2-adrenoceptor gene and bone health: an observational study in European children. <i>PLoS ONE</i> , 2013 , 8, e70632	3.7	8
45	Fortified Margarine and Fat Spreads 2013 , 159-171		1
44	Vitamin D status and physical activity interact to improve bone mass in adolescents. The HELENA Study. <i>Osteoporosis International</i> , 2012 , 23, 2227-37	5.3	27
43	Socioeconomic status and bone mass in Spanish adolescents. The HELENA Study. <i>Journal of Adolescent Health</i> , 2012 , 50, 484-90	5.8	19
42	Analysis of phthalates in food products and packaging materials sold on the Belgian market. <i>Food and Chemical Toxicology</i> , 2012 , 50, 2575-83	4.7	232
41	Phthalates in Belgian cows' milk and the role of feed and other contamination pathways at farm level. <i>Food and Chemical Toxicology</i> , 2012 , 50, 2945-53	4.7	31
40	Phthalates dietary exposure and food sources for Belgian preschool children and adults. <i>Environment International</i> , 2012 , 48, 102-8	12.9	64
39	Relationship between markers of body fat and calcaneal bone stiffness differs between preschool and primary school children: results from the IDEFICS baseline survey. <i>Calcified Tissue International</i> , 2012 , 91, 276-85	3.9	11
38	Influence of birth weight on calcaneal bone stiffness in Belgian preadolescent children. <i>Calcified Tissue International</i> , 2012 , 91, 267-75	3.9	7
37	Children's Body composition and Stress - the ChiBS study: aims, design, methods, population and participation characteristics. <i>Archives of Public Health</i> , 2012 , 70, 17	2.6	32
36	Concept of the Flemish human biomonitoring programme. <i>International Journal of Hygiene and Environmental Health</i> , 2012 , 215, 102-8	6.9	85
35	Long-term dietary exposure to lead in young European children: comparing a pan-European approach with a national exposure assessment. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012 , 29, 1701-15	3.2	12
34	Determinants of vitamin D status in young children: results from the Belgian arm of the IDEFICS (Identification and Prevention of Dietary- and Lifestyle-Induced Health Effects in Children and Infants) Study. <i>Public Health Nutrition</i> , 2012 , 15, 1093-9	3.3	29
33	Levels of physical activity that predict optimal bone mass in adolescents: the HELENA study. <i>American Journal of Preventive Medicine</i> , 2011 , 40, 599-607	6.1	79

32	Dietary sources and sociodemographic and economic factors affecting vitamin D and calcium intakes in Flemish preschoolers. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1039-47	5.2	25
31	The IDEFICS validation study on field methods for assessing physical activity and body composition in children: design and data collection. <i>International Journal of Obesity</i> , 2011 , 35 Suppl 1, S79-87	5.5	34
30	The relationship between paediatric calcaneal quantitative ultrasound measurements and dual energy X-ray absorptiometry (DXA) and DXA with laser (DXL) as well as body composition. <i>International Journal of Obesity</i> , 2011 , 35 Suppl 1, S125-30	5.5	8
29	Dietary exposure assessments for children in Europe (the EXPOCHI project): rationale, methods and design. <i>Archives of Public Health</i> , 2011 , 69, 4	2.6	84
28	Consumption of plant sterols in Belgium: estimated intakes and sources of naturally occurring plant sterols and β -carotene. <i>British Journal of Nutrition</i> , 2011 , 105, 960-6	3.6	18
27	Consumption of plant sterols in Belgium: consumption patterns of plant sterol-enriched foods in Flanders, Belgium. <i>British Journal of Nutrition</i> , 2011 , 105, 911-8	3.6	14
26	Harmonisation of food categorisation systems for dietary exposure assessments among European children. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2010 , 27, 1639-51	3.2	6
25	Consuming organic versus conventional vegetables: the effect on nutrient and contaminant intakes. <i>Food and Chemical Toxicology</i> , 2010 , 48, 3058-66	4.7	30
24	Long-term dietary exposure to selenium in young children living in different European countries. <i>EFSA Supporting Publications</i> , 2010 , 7,	1.1	3
23	Long-term dietary exposure to different food colours in young children living in different European countries. <i>EFSA Supporting Publications</i> , 2010 , 7, 53E	1.1	23
22	The influence of n-3 PUFA supplements and n-3 PUFA enriched foods on the n-3 LC PUFA intake of Flemish women. <i>Lipids</i> , 2010 , 45, 313-20	1.6	19
21	Nutritional-toxicological Dilemma on Fish Consumption 2010 , 305-320		
20	A literature-based comparison of nutrient and contaminant contents between organic and conventional vegetables and potatoes. <i>British Food Journal</i> , 2009 , 111, 1078-1097	2.8	47
19	Comparison of the nutritional-toxicological conflict related to seafood consumption in different regions worldwide. <i>Regulatory Toxicology and Pharmacology</i> , 2009 , 55, 219-28	3.4	61
18	Development of vegetable composition databases based on available data for probabilistic nutrient and contaminant intake assessments. <i>Food Chemistry</i> , 2009 , 113, 799-803	8.5	6
17	Effect of ALA-enriched food supply on cardiovascular risk factors in males. <i>Lipids</i> , 2009 , 44, 603-11	1.6	23
16	Communicating risks and benefits from fish consumption: impact on Belgian consumers' perception and intention to eat fish. <i>Risk Analysis</i> , 2008 , 28, 951-67	3.9	58
15	Probabilistic intake assessment of multiple compounds as a tool to quantify the nutritional-toxicological conflict related to seafood consumption. <i>Chemosphere</i> , 2008 , 71, 1056-66	8.4	58

14	Evaluation of the exposure methodology for risk-benefit assessment of seafood consumption. <i>Chemosphere</i> , 2008 , 73, 1582-8	8.4	13
13	Fish consumption is a safe solution to increase the intake of long-chain n-3 fatty acids. <i>Public Health Nutrition</i> , 2008 , 11, 1107-16	3.3	32
12	Probabilistic intake assessment of polybrominated diphenyl ethers and omega-3 fatty acids through fish consumption. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 250-7	5.9	19
11	Effect of pan-frying in different culinary fats on the fatty acid profile of pork. <i>Food Chemistry</i> , 2007 , 102, 857-864	8.5	30
10	Development of a nutrient database and distributions for use in a probabilistic risk-benefit analysis of human seafood consumption. <i>Journal of Food Composition and Analysis</i> , 2007 , 20, 662-670	4.1	41
9	Importance of seafood as nutrient source in the diet of Belgian adolescents. <i>Journal of Human Nutrition and Dietetics</i> , 2007 , 20, 580-9	3.1	41
8	Consumer perception versus scientific evidence of farmed and wild fish: exploratory insights from Belgium. <i>Aquaculture International</i> , 2007 , 15, 121-136	2.6	119
7	Perceived importance of sustainability and ethics related to fish: a consumer behavior perspective. <i>Ambio</i> , 2007 , 36, 580-5	6.5	89
6	How to Use Secondary Data on Seafood Contamination for Probabilistic Exposure Assessment Purposes? Main Problems and Potential Solutions. <i>Human and Ecological Risk Assessment (HERA)</i> , 2007 , 13, 632-657	4.9	23
5	n-6 and n-3 PUFA intakes of pre-school children in Flanders, Belgium. <i>British Journal of Nutrition</i> , 2007 , 98, 819-25	3.6	40
4	Evaluation of benefits and risks related to seafood consumption. <i>Verhandelingen - Koninklijke Academie Voor Geneeskunde Van België</i> , 2007 , 69, 249-89		4
3	Effects of pan-frying in margarine and olive oil on the fatty acid composition of cod and salmon. <i>Food Chemistry</i> , 2006 , 98, 609-617	8.5	80
2	Nutritional-toxicological conflict of fish consumption: a tool for combined intake assessment. <i>Communications in Agricultural and Applied Biological Sciences</i> , 2006 , 71, 263-6		
1	Consumer perception versus scientific evidence about health benefits and safety risks from fish consumption. <i>Public Health Nutrition</i> , 2005 , 8, 422-9	3.3	171