Rachel R Caspi

List of Publications by Citations

Source: https://exaly.com/author-pdf/5813085/rachel-r-caspi-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 4,496
papers citations h

34 h-index 66 g-index

203 ext. papers

5,173 ext. citations

avg, IF

8.6

5.87 L-index

#	Paper	IF	Citations
80	Either a Th17 or a Th1 effector response can drive autoimmunity: conditions of disease induction affect dominant effector category. <i>Journal of Experimental Medicine</i> , 2008 , 205, 799-810	16.6	556
79	Cutting edge: NKT cells constitutively express IL-23 receptor and RORgammat and rapidly produce IL-17 upon receptor ligation in an IL-6-independent fashion. <i>Journal of Immunology</i> , 2008 , 180, 5167-71	5.3	334
78	A look at autoimmunity and inflammation in the eye. <i>Journal of Clinical Investigation</i> , 2010 , 120, 3073-83	315.9	283
77	Th1 and Th17 cells: adversaries and collaborators. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1183, 211-21	6.5	276
76	Microbiota-Dependent Activation of an Autoreactive T Cell Receptor Provokes Autoimmunity in an Immunologically Privileged Site. <i>Immunity</i> , 2015 , 43, 343-53	32.3	246
75	Interleukin 12 protects from a T helper type 1-mediated autoimmune disease, experimental autoimmune uveitis, through a mechanism involving interferon gamma, nitric oxide, and apoptosis. <i>Journal of Experimental Medicine</i> , 1999 , 189, 219-30	16.6	183
74	An Ocular Commensal Protects against Corneal Infection by Driving an Interleukin-17 Response from Mucosal T Cells. <i>Immunity</i> , 2017 , 47, 148-158.e5	32.3	144
73	Essential role of the MyD88 pathway, but nonessential roles of TLRs 2, 4, and 9, in the adjuvant effect promoting Th1-mediated autoimmunity. <i>Journal of Immunology</i> , 2005 , 175, 6303-10	5.3	119
72	Cytokines in autoimmune uveitis. <i>Journal of Interferon and Cytokine Research</i> , 2011 , 31, 733-44	3.5	116
71	Ocular autoimmunity: the price of privilege?. Immunological Reviews, 2006, 213, 23-35	11.3	116
70	Immune mechanisms in inflammatory and degenerative eye disease. <i>Trends in Immunology</i> , 2015 , 36, 354-63	14.4	109
69	Th1 and Th2 responses in pathogenesis and regulation of experimental autoimmune uveoretinitis. <i>International Reviews of Immunology</i> , 2002 , 21, 197-208	4.6	108
68	IL-12p35 induces expansion of IL-10 and IL-35-expressing regulatory B cells and ameliorates autoimmune disease. <i>Nature Communications</i> , 2017 , 8, 719	17.4	96
67	Experimental autoimmune uveoretinitis in the rat and mouse. <i>Current Protocols in Immunology</i> , 2003 , Chapter 15, Unit 15.6	4	87
66	Mouse models of experimental autoimmune uveitis. <i>Ophthalmic Research</i> , 2008 , 40, 169-74	2.9	79
65	New perspectives on effector mechanisms in uveitis. Seminars in Immunopathology, 2008, 30, 135-43	12	76
64	T cell mechanisms in experimental autoimmune uveoretinitis: susceptibility is a function of the cytokine response profile. <i>Eye</i> , 1997 , 11 (Pt 2), 209-12	4.4	69

(2008-2008)

Autoimmunity in the immune privileged eye: pathogenic and regulatory T cells. <i>Immunologic Research</i> , 2008 , 42, 41-50	4.3	69	
Breakdown of immune privilege and spontaneous autoimmunity in mice expressing a transgenic T cell receptor specific for a retinal autoantigen. <i>Journal of Autoimmunity</i> , 2013 , 44, 21-33	15.5	68	
The living eye "disarms" uncommitted autoreactive T cells by converting them to Foxp3(+) regulatory cells following local antigen recognition. <i>Journal of Immunology</i> , 2012 , 188, 1742-50	5.3	68	
A humanized model of experimental autoimmune uveitis in HLA class II transgenic mice. <i>Journal of Clinical Investigation</i> , 2003 , 111, 1171-80	15.9	68	
Microbiome and Autoimmune Uveitis. Frontiers in Immunology, 2019, 10, 232	8.4	64	
Activation of invariant NKT cells ameliorates experimental ocular autoimmunity by a mechanism involving innate IFN-gamma production and dampening of the adaptive Th1 and Th17 responses. <i>Journal of Immunology</i> , 2008 , 181, 4791-7	5.3	57	
Retina-specific T regulatory cells bring about resolution and maintain remission of autoimmune uveitis. <i>Journal of Immunology</i> , 2015 , 194, 3011-9	5.3	56	
The role of TLR2, TRL3, TRL4, and TRL9 signaling in the pathogenesis of autoimmune disease in a retinal autoimmunity model 2010 , 51, 3092-9		51	
Divergent paths for the selection of immunodominant epitopes from distinct antigenic sources. <i>Nature Communications</i> , 2014 , 5, 5369	17.4	49	
Altered chemokine profile associated with exacerbated autoimmune pathology under conditions of genetic interferon-gamma deficiency. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 4616-2	5	49	
IL-27p28 inhibits central nervous system autoimmunity by concurrently antagonizing Th1 and Th17 responses. <i>Journal of Autoimmunity</i> , 2014 , 50, 12-22	15.5	47	
NK-DC crosstalk controls the autopathogenic Th17 response through an innate IFN-EL-27 axis. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1739-52	16.6	46	
Mincle Activation and the Syk/Card9 Signaling Axis Are Central to the Development of Autoimmune Disease of the Eye. <i>Journal of Immunology</i> , 2016 , 196, 3148-58	5.3	45	
Residues 1-20 of IRBP and whole IRBP elicit different uveitogenic and immunological responses in interferon gamma deficient mice. <i>Experimental Eye Research</i> , 2000 , 71, 111-8	3.7	40	
Dual effect of ciliary body cells on T lymphocyte proliferation. <i>European Journal of Immunology</i> , 1990 , 20, 2457-63	6.1	38	
Use of optical coherence tomography and electroretinography to evaluate retinal pathology in a mouse model of autoimmune uveitis. <i>PLoS ONE</i> , 2013 , 8, e63904	3.7	35	
Comparative analysis of induced vs. spontaneous models of autoimmune uveitis targeting the interphotoreceptor retinoid binding protein. <i>PLoS ONE</i> , 2013 , 8, e72161	3.7	34	
	Breakdown of immune privilege and spontaneous autoimmunity in mice expressing a transgenic T cell receptor specific for a retinal autoantigen. <i>Journal of Autoimmunity</i> , 2013, 44, 21-33 The living eye "disarms" uncommitted autoreactive T cells by converting them to Foxp3(+) regulatory cells following local antigen recognition. <i>Journal of Immunology</i> , 2012, 188, 1742-50 A humanized model of experimental autoimmune uveitis in HLA class II transgenic mice. <i>Journal of Clinical Investigation</i> , 2003, 111, 1171-80 Microbiome and Autoimmune Uveitis. <i>Frontiers in Immunology</i> , 2019, 10, 232 Activation of invariant NKT cells ameliorates experimental ocular autoimmunity by a mechanism involving innate IFN-gamma production and dampening of the adaptive Th1 and Th17 responses. <i>Journal of Immunology</i> , 2008, 181, 4791-7 Retina-specific T regulatory cells bring about resolution and maintain remission of autoimmune uveitis. <i>Journal of Immunology</i> , 2015, 194, 3011-9 The role of TLR2, TRL3, TRL4, and TRL9 signaling in the pathogenesis of autoimmune disease in a retinal autoimmunity model 2010, 51, 3092-9 Divergent paths for the selection of immunodominant epitopes from distinct antigenic sources. <i>Nature Communications</i> , 2014, 5, 5369 Altered chemokine profile associated with exacerbated autoimmune pathology under conditions of genetic interferon-gamma deficiency. <i>Investigative Ophthalmology and Visual Science</i> , 2007, 48, 4616-2 IL-27p28 inhibits central nervous system autoimmunity by concurrently antagonizing Th1 and Th17 responses. <i>Journal of Autoimmunity</i> , 2014, 50, 12-22 Miccle Activation and the Syk/Card9 Signaling Axis Are Central to the Development of Autoimmune Disease of the Eye. <i>Journal of Immunology</i> , 2016, 196, 3148-58 Residues 1-20 of IRBP and whole IRBP elicit different uveitogenic and immunological responses in interferon gamma deficient mice. <i>Experimental Eye Research</i> , 2000, 71, 111-8 Dual effect of ciliary body cells on T lymphocyte proliferation. <i>European Journal of Immunology</i> , 1990, 20, 2	Research, 2008, 42, 41-50 Breakdown of immune privilege and spontaneous autoimmunity in mice expressing a transgenic T cell receptor specific for a retinal autoantigen. Journal of Autoimmunity, 2013, 44, 21-33 The living eye "disarms" uncommitted autoreactive T cells by converting them to Foxp3(+) regulatory cells following local antigen recognition. Journal of Immunology, 2012, 188, 1742-50 A humanized model of experimental autoimmune uveitis in HLA class II transgenic mice. Journal of Clinical Investigation, 2003, 111, 1171-80 Microbiome and Autoimmune Uveitis. Frontiers in Immunology, 2019, 10, 232 84. Activation of invariant NKT cells ameliorates experimental ocular autoimmunity by a mechanism involving innate IFN-gamma production and dampening of the adaptive Th1 and Th17 responses. Journal of Immunology, 2008, 181, 4791-7 Retina-specific T regulatory cells bring about resolution and maintain remission of autoimmune uveitis. Journal of Immunology, 2015, 194, 3011-9 The role of TLR2, TRL3, TRL4, and TRL9 signaling in the pathogenesis of autoimmune disease in a retinal autoimmunity model 2010, 51, 3092-9 Divergent paths for the selection of immunodominant epitopes from distinct antigenic sources. Nature Communications, 2014, 5, 5369 Altered chemokine profile associated with exacerbated autoimmune pathology under conditions of genetic interferon-gamma deficiency. Investigative Ophthalmology and Visual Science, 2007, 48, 4616-25 IL-27p28 inhibits central nervous system autoimmunity by concurrently antagonizing Th1 and Th17 responses. Journal of Autoimmunity, 2014, 50, 12-22 NK-DC crosstalk controls the autopathogenic Th17 response through an innate IFN-BL-27 axis. Journal of Experimental Medicine, 2015, 212, 1739-52 Mincle Activation and the Syk/Card9 Signaling Axis Are Central to the Development of Autoimmune Disease of the Eye. Journal of Immunology, 2016, 196, 3148-58 53 Residues 1-20 of IRBP and whole IRBP elicit different uveitogenic and immunological responses in interferon gamma deficient	Research, 2008, 42, 41-50 Breakdown of immune privilege and spontaneous autoimmunity in mice expressing a transgenic T cell receptor specific for a retinal autoantigen. Journal of Autoimmunity, 2013, 44, 21-33 The living eye "disarms" uncommitted autoreactive T cells by converting them to Foxp3(+) regulatory cells following local antigen recognition. Journal of Immunology, 2012, 188, 1742-50 A humanized model of experimental autoimmune uveitis in HLA class II transgenic mice. Journal of Clinical Investigation, 2003, 111, 1171-80 Microbiome and Autoimmune Uveitis. Frontiers in Immunology, 2019, 10, 232 84, 64 Activation of invariant NKT cells ameliorates experimental ocular autoimmunity by a mechanism involving innate IRN-gamma production and dampening of the adaptive Th1 and Th17 responses. Journal of Immunology, 2018, 181, 4791-7. Retina-specific T regulatory cells bring about resolution and maintain remission of autoimmune uveitis. Journal of Immunology, 2015, 194, 3011-9 The role of TRR2, TRL3, TRL4, and TRL9 signaling in the pathogenesis of autoimmune disease in a retinal autoimmunity model 2010, 51, 3092-9 Divergent paths for the selection of immunodominant epitopes from distinct antigenic sources. Nature Communications, 2014, 5, 5369 Altered chemokine profile associated with exacerbated autoimmune pathology under conditions of genetic interferon-gamma deficiency. Investigative Ophthalmology and Visual Science, 2007, 48, 4616-25 49 IIL-27p28 inhibits central nervous system autoimmunity by concurrently antagonizing Th1 and Th17 responses. Journal of Autoimmunity, 2014, 50, 12-22 NK-DC crosstalk controls the autopathogenic Th17 response through an innate IFN-IIL-27 axis. Journal of Experimental Medicine, 2015, 212, 1739-52 Mincle Activation and the Syk/Card9 Signaling Axis Are Central to the Development of Autoimmune Disease of the Eye. Journal of Immunology, 2016, 196, 3148-58 Residues 1-20 of IRBP and whole IRBP elicit different uveitogenic and immunological responses in interferon gamma def

45	ZIKA virus infection causes persistent chorioretinal lesions. <i>Emerging Microbes and Infections</i> , 2018 , 7, 96	18.9	31
44	The Cytokine IL-17A Limits Th17 Pathogenicity via a Negative Feedback Loop Driven by Autocrine Induction of IL-24. <i>Immunity</i> , 2020 , 53, 384-397.e5	32.3	30
43	Gut microbiota as a source of a surrogate antigen that triggers autoimmunity in an immune privileged site. <i>Gut Microbes</i> , 2017 , 8, 59-66	8.8	29
42	Characterization of a New Epitope of IRBP That Induces Moderate to Severe Uveoretinitis in Mice With H-2b Haplotype 2015 , 56, 5439-49		26
41	Tertiary Lymphoid Tissue Forms in Retinas of Mice with Spontaneous Autoimmune Uveitis and Has Consequences on Visual Function. <i>Journal of Immunology</i> , 2016 , 196, 1013-25	5.3	25
40	IL-20 receptor cytokines in autoimmune diseases. <i>Journal of Leukocyte Biology</i> , 2018 , 104, 953-959	6.5	25
39	Complement anaphylatoxin receptors C3aR and C5aR are required in the pathogenesis of experimental autoimmune uveitis. <i>Journal of Leukocyte Biology</i> , 2016 , 99, 447-54	6.5	24
38	IL-12p35 Inhibits Neuroinflammation and Ameliorates Autoimmune Encephalomyelitis. <i>Frontiers in Immunology</i> , 2017 , 8, 1258	8.4	21
37	Susceptibility to autoimmune disease and drug addiction in inbred rats. Are there mechanistic factors in common related to abnormalities in hypothalamic-pituitary-adrenal axis and stress response function?. <i>Annals of the New York Academy of Sciences</i> , 2000 , 917, 784-96	6.5	20
36	Tolerance Induction in Relation to the Eye. Frontiers in Immunology, 2018, 9, 2304	8.4	20
35	Use of ACAID to suppress interphotoreceptor retinoid binding protein-induced experimental autoimmune uveitis. <i>Current Eye Research</i> , 1992 , 11 Suppl, 97-100	2.9	19
34	Understanding autoimmunity in the eye: from animal models to novel therapies. <i>Discovery Medicine</i> , 2014 , 17, 155-62	2.5	19
33	Visions of Eye Commensals: The Known and the Unknown About How the Microbiome Affects Eye Disease. <i>BioEssays</i> , 2018 , 40, e1800046	4.1	18
32	STAT-3-independent production of IL-17 by mouse innate-like IT cells controls ocular infection. <i>Journal of Experimental Medicine</i> , 2018 , 215, 1079-1090	16.6	17
31	AS101 ameliorates experimental autoimmune uveitis by regulating Th1 and Th17 responses and inducing Treg cells. <i>Journal of Autoimmunity</i> , 2019 , 100, 52-61	15.5	16
30	Regulation of Autoimmunity by the Microbiome. <i>DNA and Cell Biology</i> , 2016 , 35, 455-8	3.6	16
29	Immune privilege and the philosophy of immunology. Frontiers in Immunology, 2014, 5, 110	8.4	15
28	Pseudovirus rVSVII-ZEBOV-GP Infects Neurons in Retina and CNS, Causing Apoptosis and Neurodegeneration in Neonatal Mice. <i>Cell Reports</i> , 2019 , 26, 1718-1726.e4	10.6	15

(2018-2003)

27	Regulation, counter-regulation, and immunotherapy of autoimmune responses to immunologically privileged retinal antigens. <i>Immunologic Research</i> , 2003 , 27, 149-60	4.3	14
26	Antigen/MHC class II/Ig dimers for study of uveitogenic T cells: IRBP p161-180 presented by both IA and IE molecules. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 3769-76		14
25	Cyclosporine and dexamethasone inhibit T-lymphocyte MHC class II antigens and IL-2 receptor expression in experimental autoimmune uveitis. <i>Immunological Investigations</i> , 1987 , 16, 319-31	2.9	12
24	Clinical and Functional Evaluation of Ocular Inflammatory Disease Using the Model of Experimental Autoimmune Uveitis. <i>Methods in Molecular Biology</i> , 2019 , 1899, 211-227	1.4	12
23	Immunotolerance and prevention of ocular autoimmune disease. Current Eye Research, 1995, 14, 857-6-	42.9	11
22	Post-thymectomy murine experimental autoimmune oophoritis is associated with reduced natural killer cell activity. <i>American Journal of Reproductive Immunology</i> , 1997 , 38, 360-5	3.8	10
21	Analysis of Th Cell-related Cytokine Production in Behët Disease Patients with Uveitis Before and After Infliximab Treatment. <i>Ocular Immunology and Inflammation</i> , 2017 , 25, 52-61	2.8	9
20	Targeting CD6 for the treatment of experimental autoimmune uveitis. <i>Journal of Autoimmunity</i> , 2018 , 90, 84-93	15.5	9
19	Type I Interferon Therapy Limits CNS Autoimmunity by Inhibiting CXCR3-Mediated Trafficking of Pathogenic Effector T Cells. <i>Cell Reports</i> , 2019 , 28, 486-497.e4	10.6	8
18	Susceptibility to murine experimental autoimmune oophoritis is associated with genes outside the major histocompatibility complex (MHC). <i>American Journal of Reproductive Immunology</i> , 1996 , 36, 107-1	ا ه .8	8
17	Interleukin 22 ameliorates neuropathology and protects from central nervous system autoimmunity. <i>Journal of Autoimmunity</i> , 2019 , 102, 65-76	15.5	7
16	The Small Tellurium Compound AS101 Ameliorates Rat Crescentic Glomerulonephritis: Association with Inhibition of Macrophage Caspase-1 Activity Very Late Antigen-4 Inactivation. <i>Frontiers in Immunology</i> , 2017 , 8, 240	8.4	7
15	A novel role for lipoxin A in driving a lymph node-eye axis that controls autoimmunity to the neuroretina. <i>ELife</i> , 2020 , 9,	8.9	7
14	T cell-intrinsic role for Nod2 in protection against Th17-mediated uveitis. <i>Nature Communications</i> , 2020 , 11, 5406	17.4	7
13	Tellurium Compounds Prevent and Reverse Type-1 Diabetes in NOD Mice by Modulating And Integrin Activity, IL-1 and T Regulatory Cells. <i>Frontiers in Immunology</i> , 2019 , 10, 979	8.4	6
12	Complement Component C4 Regulates the Development of Experimental Autoimmune Uveitis through a T Cell-Intrinsic Mechanism. <i>Frontiers in Immunology</i> , 2017 , 8, 1116	8.4	6
11	Tofacitinib inhibits the development of experimental autoimmune uveitis and reduces the proportions of Th1 but not of Th17 cells. <i>Molecular Vision</i> , 2020 , 26, 641-651	2.3	6
10	TMP778, a selective inhibitor of RORL, suppresses experimental autoimmune uveitis development, but affects both Th17 and Th1 cell populations. <i>European Journal of Immunology</i> , 2018 , 48, 1810-1816	6.1	6

9	Prevention of experimental autoimmune uveoretinitis by intrathymic S-antigen injection. <i>Ocular Immunology and Inflammation</i> , 1997 , 5, 165-72	2.8	5
8	Autoimmunity to neuroretina in the concurrent absence of IFN-land IL-17A is mediated by a GM-CSF-driven eosinophilic inflammation. <i>Journal of Autoimmunity</i> , 2020 , 114, 102507	15.5	3
7	Preparation of Protein-containing Extracts from Microbiota-rich Intestinal Contents. <i>Bio-protocol</i> , 2016 , 6,	0.9	3
6	Microbiota as Drivers and as Therapeutic Targets in Ocular and Tissue Specific Autoimmunity. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 606751	5.7	3
5	Regulated Tristetraprolin Overexpression Dampens the Development and Pathogenesis of Experimental Autoimmune Uveitis. <i>Frontiers in Immunology</i> , 2020 , 11, 583510	8.4	1
4	Draft Reference Genome Sequence of Corynebacterium mastitidis RC, an Ocular Commensal, Isolated from Mouse Conjunctiva <i>Microbiology Resource Announcements</i> , 2022 , e0018722	1.3	1
3	Acute immunosuppression and syngeneic bone marrow transplantation in ocular autoimmunity abort disease, but do not result in induction of long-term protection. <i>Ocular Immunology and Inflammation</i> , 1998 , 6, 163-72	2.8	
2	Eosinophil-derived neurotoxin acts as an alarmin to activate TLR2-MyD88 signal pathway in dendritic cells and enhance Th2 immune responses. <i>FASEB Journal</i> , 2008 , 22, 672.17	0.9	
1	Uveitis-mediated immune cell invasion through the extracellular matrix of the lens capsule. <i>FASEB Journal</i> , 2022 , 36, e21995	0.9	