

Chun Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5813328/publications.pdf>

Version: 2024-02-01

16
papers

372
citations

933447

10
h-index

888059

17
g-index

22
all docs

22
docs citations

22
times ranked

457
citing authors

#	ARTICLE	IF	CITATIONS
1	Spinal P2X4 Receptors Involved in Visceral Hypersensitivity of Neonatal Maternal Separation Rats. <i>Purinergic Signalling</i> , 2023, 19, 113-122.	2.2	6
2	Effects of High-Voltage Pulsed Radiofrequency on the Ultrastructure and Nav1.7 Level of the Dorsal Root Ganglion in Rats With Spared Nerve Injury. <i>Neuromodulation</i> , 2022, 25, 980-988.	0.8	4
3	Contribution of Amygdala Histone Acetylation in Early Life Stress-Induced Visceral Hypersensitivity and Emotional Comorbidity. <i>Frontiers in Neuroscience</i> , 2022, 16, .	2.8	7
4	Melatonin directly binds and inhibits death-associated protein kinase 1 function in Alzheimer's disease. <i>Journal of Pineal Research</i> , 2020, 69, e12665.	7.4	37
5	Blockade of BDNF signalling attenuates chronic visceral hypersensitivity in an IBS-like rat model. <i>European Journal of Pain</i> , 2020, 24, 839-850.	2.8	27
6	Technology-Based Interventions in Oral Anticoagulation Management: Meta-Analysis of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2020, 22, e18386.	4.3	5
7	Hippocampal AMPA s involve the central sensitization of rats with irritable bowel syndrome. <i>Brain and Behavior</i> , 2017, 7, e00650.	2.2	25
8	Interleukin-1 receptor antagonist expression is inversely associated with outcomes of hepatitis B-related acute-on-chronic liver failure. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 2867-2875.	1.8	6
9	Zeta Inhibitory Peptide as a Novel Therapy to Control Chronic Visceral Hypersensitivity in a Rat Model. <i>PLoS ONE</i> , 2016, 11, e0163324.	2.5	15
10	Involvement of protein kinase $\text{I}\uparrow$ in the maintenance of hippocampal long-term potentiation in rats with chronic visceral hypersensitivity. <i>Journal of Neurophysiology</i> , 2015, 113, 3047-3055.	1.8	18
11	Hippocampal NR2B-containing NMDA receptors enhance long-term potentiation in rats with chronic visceral pain. <i>Brain Research</i> , 2014, 1570, 43-53.	2.2	37
12	Tyrosine phosphorylation of the NR2B subunit of the NMDA receptor in the spinal cord contributes to chronic visceral pain in rats. <i>Brain Research</i> , 2014, 1542, 167-175.	2.2	40
13	ZD 7288, an HCN channel blocker, attenuates chronic visceral pain in irritable bowel syndrome-like rats. <i>World Journal of Gastroenterology</i> , 2014, 20, 2091.	3.3	19
14	Baseline Prognostic Factors and Statistic Model to Predict Early Virological Response in Telbivudine-Treated Patients With Chronic Hepatitis B. <i>Hepatitis Monthly</i> , 2013, 13, e15573.	0.2	2
15	Differential effects of glutamate receptor antagonists on dorsal horn neurons responding to colorectal distension in a neonatal colon irritation rat model. <i>World Journal of Gastroenterology</i> , 2005, 11, 6495.	3.3	21
16	Long-term sensitization of primary afferents in adult rats exposed to neonatal colon pain. <i>Brain Research</i> , 2003, 971, 73-82.	2.2	100