Lia van Zuylen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5814045/publications.pdf

Version: 2024-02-01

257450 254184 2,013 62 24 43 h-index citations g-index papers 64 64 64 1977 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Role of formulation vehicles in taxane pharmacology. Investigational New Drugs, 2001, 19, 125-141.	2.6	261
2	The effect of the Liverpool Care Pathway for the dying: a multi-centre study. Palliative Medicine, 2008, 22, 145-151.	3.1	122
3	Pharmacokinetic modeling of paclitaxel encapsulation in Cremophor EL micelles. Cancer Chemotherapy and Pharmacology, 2001, 47, 309-318.	2.3	116
4	Palliative Sedation in a Specialized Unit for Acute Palliative Care in a Cancer Hospital: Comparing Patients Dying With and Without Palliative Sedation. Journal of Pain and Symptom Management, 2008, 36, 228-234.	1,2	106
5	Prevalence, Impact, and Treatment of Death Rattle: A Systematic Review. Journal of Pain and Symptom Management, 2014, 47, 105-122.	1.2	81
6	Development of multidrug-resistance convertors: sense or nonsense?. Investigational New Drugs, 2000, 18, 205-220.	2.6	75
7	Palliative care consultation in the Netherlands: a nationwide evaluation study. Journal of Pain and Symptom Management, 2004, 27, 53-60.	1.2	73
8	Understanding provision of chemotherapy to patients with end stage cancer: qualitative interview study. BMJ Supportive and Palliative Care, $2011, 1, 33-41$.	1.6	73
9	Inter-relationships of paclitaxel disposition, infusion duration and Cremophor EL kinetics in cancer patients. Anti-Cancer Drugs, 2000, 11, 331-337.	1.4	52
10	Considerations of physicians about the depth of palliative sedation at the end of life. Cmaj, 2012, 184, E360-E366.	2.0	49
11	Using the LCP: Bereaved Relatives' Assessments of Communication and Bereavement. American Journal of Hospice and Palliative Medicine, 2008, 25, 207-214.	1.4	45
12	Physicians' and Nurses' Experiences With Continuous Palliative Sedation in the Netherlands. Archives of Internal Medicine, 2010, 170, 1271.	3.8	44
13	Skeletal Retention of Bisphosphonate (Pamidronate) and Its Relation to the Rate of Bone Resorption in Patients With Breast Cancer and Bone Metastases. Journal of Bone and Mineral Research, 2005, 20, 1543-1547.	2.8	43
14	A Child With Severe Hearing Loss Associated With Maternal Cisplatin Treatment During Pregnancy. Obstetrics and Gynecology, 2014, 124, 454-456.	2.4	41
15	Dying in the Hospital: What Happens and What Matters, According to Bereaved Relatives. Journal of Pain and Symptom Management, 2015, 49, 203-213.	1.2	40
16	Issues and needs in end-of-life decision making: An international modified Delphi study. Palliative Medicine, 2012, 26, 947-953.	3.1	38
17	Awareness of dying: it needs words. Supportive Care in Cancer, 2012, 20, 1227-1233.	2.2	34
18	Exploration of Concerns of Relatives During Continuous Palliative Sedation of Their Family Members with Cancer. Journal of Pain and Symptom Management, 2009, 38, 452-459.	1.2	33

#	Article	IF	Citations
19	End-of-Life Decision Making for Cancer Patients in Different Clinical Settings and the Impact of the LCP. Journal of Pain and Symptom Management, 2010, 39, 33-43.	1.2	32
20	Hydration and symptoms in the last days of life. BMJ Supportive and Palliative Care, 2021, 11, 335-343.	1.6	31
21	Continuous Palliative Sedation for Cancer and Noncancer Patients. Journal of Pain and Symptom Management, 2012, 43, 172-181.	1.2	30
22	The last 3Âdays of life in three different care settings in The Netherlands. Supportive Care in Cancer, 2007, 15, 1117-1123.	2.2	29
23	The Prevalence and Associated Distress of Physical and Psychological Symptoms in Patients With Advanced Heart Failure Attending a South African Medical Center. Journal of Cardiovascular Nursing, 2016, 31, 313-322.	1.1	28
24	Variation in attitudes towards artificial hydration at the end of life. Current Opinion in Supportive and Palliative Care, 2011, 5, 265-272.	1.3	27
25	Determination of 5-fluorouracil in microvolumes of human plasma by solvent extraction and high-performance liquid chromatography. Biomedical Applications, 1999, 735, 293-297.	1.7	26
26	Continuous Palliative Sedation: Not Only a Response to Physical Suffering. Journal of Palliative Medicine, 2014, 17, 27-36.	1.1	26
27	Medication Use in the Last Days of Life in Hospital, Hospice, and Home Settings in the Netherlands. Journal of Palliative Medicine, 2018, 21, 149-155.	1.1	24
28	Perspectives of patients, close relatives, nurses, and physicians on end-of-life medication management. Palliative and Supportive Care, 2018, 16, 580-589.	1.0	23
29	Palliative care team consultation and quality of death and dying in a university hospital: A secondary analysis of a prospective study. PLoS ONE, 2018, 13, e0201191.	2.5	23
30	Bereaved relatives' perspectives of the patient's oral intake towards the end of life: A qualitative study. Palliative Medicine, 2013, 27, 665-672.	3.1	22
31	Swallowing Problems at the End of the Palliative Phase: Incidence and Severity in 164 Unsedated Patients. Dysphagia, 2015, 30, 145-151.	1.8	22
32	Medicinal Cannabis in Oncology Practice: Still a Bridge Too Far?. Journal of Clinical Oncology, 2005, 23, 2886-2891.	1.6	21
33	Changes in and correlates of individual quality of life in advanced cancer patients admitted to an academic unit for palliative care. Palliative Medicine, 2007, 21, 199-205.	3.1	21
34	Effect of palliative care nurse champions on the quality of dying in the hospital according to bereaved relatives: A controlled before-and-after study. Palliative Medicine, 2016, 30, 180-188.	3.1	21
35	Does Recognition of the Dying Phase Have an Effect on the Use of Medical Interventions?. Journal of Palliative Care, 2008, 24, 94-99.	1.0	20
36	How to Deal With Relatives of Patients Dying in the Hospital? Qualitative Content Analysis of Relatives' Experiences. Journal of Pain and Symptom Management, 2016, 52, 235-242.	1.2	18

#	Article	IF	CITATIONS
37	Continuous palliative sedation until death: practice after introduction of the Dutch national guideline. BMJ Supportive and Palliative Care, 2012, 2, 256-263.	1.6	17
38	Validation of the rotterdam MOVE2PC questionnaire for assessment of nurses' knowledge and opinions on palliative care. Research in Nursing and Health, 2013, 36, 512-523.	1.6	16
39	A Comparison Between Telephone and Bedside Consultations Given by Palliative Care Consultation Teams in The Netherlands: Results from a Two-Year Nationwide Registration. Journal of Pain and Symptom Management, 2005, 29, 552-558.	1.2	15
40	Spiritual issues in palliative care consultations in the Netherlands. Palliative Medicine, 2006, 20, 585-592.	3.1	15
41	Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. BMJ Supportive and Palliative Care, 2015, 5, 259-265.	1.6	15
42	Declining oral intake towards the end of life: how to talk about it? A qualitative study. International Journal of Palliative Nursing, 2017, 23, 74-82.	0.5	15
43	Phase I and Pharmacokinetic Study of the Polyamine Synthesis Inhibitor SAM486A in Combination with 5-Fluorouracil/ Leucovorin in Metastatic Colorectal Cancer. Clinical Cancer Research, 2004, 10, 1949-1955.	7.0	14
44	Understanding the Continuation of Potentially Inappropriate Medications at the End of Life: Perspectives from Individuals and Their Relatives and Physicians. Journal of the American Geriatrics Society, 2016, 64, 2602-2604.	2.6	13
45	Consultation in palliative care: The relevance of clarification of problems. European Journal of Cancer, 2007, 43, 316-322.	2.8	12
46	Medication Discontinuation at the End of Life: A Questionnaire Study on Physicians' Experiences and Opinions. Journal of Palliative Medicine, 2018, 21, 1166-1170.	1.1	11
47	Scopolaminebutyl given prophylactically for death rattle: study protocol of a randomized double-blind placebo-controlled trial in a frail patient population (the SILENCE study). BMC Palliative Care, 2018, 17, 105.	1.8	11
48	Effectiveness of a multidisciplinary consultation team for cancer pain and palliative care in a large university hospital in the Netherlands. BMJ Supportive and Palliative Care, 2011, 1, 322-328.	1.6	9
49	Cancer related maternal mortality and delay in diagnosis and treatment: a case series on 26 cases. BMC Pregnancy and Childbirth, 2018, 18, 10.	2.4	9
50	Role of nurses in medication management at the end of life: a qualitative interview study. BMC Palliative Care, 2020, 19, 68.	1.8	9
51	Is Physician Awareness of Impending Death in Hospital Related to Better Communication and Medical Care?. Journal of Palliative Medicine, 2014, 17, 1238-1243.	1.1	7
52	Sense and Nonsense of Treatment of Comorbid Diseases in Terminally III Patients. JAMA Internal Medicine, 2015, 175, 346.	5.1	7
53	Interventions in hospitalised patients with cancer: the importance of impending death awareness. BMJ Supportive and Palliative Care, 2018, 8, 278-281.	1.6	7
54	Ten-year experience of a national multidisciplinary tumour board for cancer and pregnancy in the Netherlands. European Journal of Cancer, 2022, 171, 13-21.	2.8	7

#	Article	IF	CITATIONS
55	Understanding relatives' experience of death rattle. BMC Psychology, 2020, 8, 62.	2.1	6
56	Physicians' perspectives on estimating and communicating prognosis in palliative care: a cross-sectional survey. BJGP Open, 2020, 4, bjgpopen20X101078.	1.8	6
57	Changes of zinc values in children during malignant disease. Biological Trace Element Research, 1991, 30, 197-204.	3.5	4
58	Phase I and pharmacologic study of the arotinoid Ro 40–8757 in combination with cisplatin and etoposide in patients with non-small cell lung cancer. Anti-Cancer Drugs, 1999, 10, 361-368.	1.4	4
59	Better drug use in advanced disease: an international Delphi study. BMJ Supportive and Palliative Care, 2018, , bmjspcare-2018-001623.	1.6	4
60	The COMPASS study: A descriptive study on the characteristics of palliative care team consultation for cancer patients in hospitals. European Journal of Cancer Care, 2020, 29, e13172.	1.5	4
61	Can the Dying Phase Be Masked by the Use of Dexamethasone? A Case Report. Journal of Pain and Palliative Care Pharmacotherapy, 2016, 30, 41-43.	0.8	2
62	The crystal ball in end-of-life care. Critical Care Medicine, 2008, 36, 2482.	0.9	1