

Thomas Mandl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5814507/publications.pdf>

Version: 2024-02-01

82
papers

3,731
citations

201674

27
h-index

133252

59
g-index

82
all docs

82
docs citations

82
times ranked

3264
citing authors

#	ARTICLE	IF	CITATIONS
1	Lymphoma and other malignancies in primary Sjogren's syndrome: a cohort study on cancer incidence and lymphoma predictors. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 796-803.	0.9	476
2	EULAR Sjogren's Syndrome Patient Reported Index (ESSPRI): development of a consensus patient index for primary Sjogren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 968-972.	0.9	383
3	EULAR recommendations for the management of Sjogren's syndrome with topical and systemic therapies. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 3-18.	0.9	307
4	EULAR Sjogren's syndrome disease activity index (ESSDAI): a user guide. <i>RMD Open</i> , 2015, 1, e000022-e000022.	3.8	229
5	Defining disease activity states and clinically meaningful improvement in primary Sjogren's syndrome with EULAR primary Sjogren's syndrome disease activity (ESSDAI) and patient-reported indexes (ESSPRI). <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 382-389.	0.9	225
6	Characterization of systemic disease in primary Sjogren's syndrome: EULAR-SS Task Force recommendations for articular, cutaneous, pulmonary and renal involvements. <i>Rheumatology</i> , 2015, 54, 2230-2238.	1.9	220
7	Validation of EULAR primary Sjogren's syndrome disease activity (ESSDAI) and patient indexes (ESSPRI). <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 859-866.	0.9	193
8	Primary Sjogren's Syndrome: Diagnostic and Prognostic Value of Salivary Gland Ultrasonography Using a Simplified Scoring System. <i>Arthritis Care and Research</i> , 2014, 66, 1102-1107.	3.4	143
9	Influence of geolocation and ethnicity on the phenotypic expression of primary Sjogren's syndrome at diagnosis in 8310 patients: a cross-sectional study from the Big Data Sjogren Project Consortium. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1042-1050.	0.9	132
10	Early diagnosis of primary Sjogren's syndrome: EULAR-SS task force clinical recommendations. <i>Expert Review of Clinical Immunology</i> , 2016, 12, 137-156.	3.0	118
11	Severe intestinal dysbiosis is prevalent in primary Sjogren's syndrome and is associated with systemic disease activity. <i>Arthritis Research and Therapy</i> , 2017, 19, 237.	3.5	103
12	Incidence, prevalence and clinical characteristics of Behcet's disease in southern Sweden. <i>Rheumatology</i> , 2013, 52, 304-310.	1.9	65
13	Dysphagia and dysmotility of the pharynx and oesophagus in patients with primary Sjogren's syndrome. <i>Scandinavian Journal of Rheumatology</i> , 2007, 36, 394-401.	1.1	61
14	Sleepiness or fatigue? Can we detect treatable causes of tiredness in primary Sjogren's syndrome?. <i>Rheumatology</i> , 2010, 49, 1177-1183.	1.9	61
15	Epidemiological profile and north-south gradient driving baseline systemic involvement of primary Sjogren's syndrome. <i>Rheumatology</i> , 2020, 59, 2350-2359.	1.9	54
16	Efficacy and safety of topical and systemic medications: a systematic literature review informing the EULAR recommendations for the management of Sjogren's syndrome. <i>RMD Open</i> , 2019, 5, e001064.	3.8	53
17	Autonomic nervous symptoms in primary Sjogren's; syndrome. <i>Rheumatology</i> , 2008, 47, 914-919.	1.9	47
18	CD4+ T-lymphocytopenia—a frequent finding in anti-SSA antibody seropositive patients with primary Sjogren's syndrome. <i>Journal of Rheumatology</i> , 2004, 31, 726-8.	2.0	44

#	ARTICLE	IF	CITATIONS
19	Takayasu Arteritis in Southern Sweden. <i>Journal of Rheumatology</i> , 2015, 42, 853-858.	2.0	42
20	Evaluation of gastrointestinal symptoms in different patient groups using the visual analogue scale for irritable bowel syndrome (VAS-IBS). <i>BMC Gastroenterology</i> , 2011, 11, 122.	2.0	41
21	Long-term follow-up in primary Sjögren's syndrome reveals differences in clinical presentation between female and male patients. <i>Biology of Sex Differences</i> , 2017, 8, 25.	4.1	39
22	Epidemiology of hypocomplementaemic urticarial vasculitis (anti-C1q vasculitis). <i>Rheumatology</i> , 2018, 57, 1400-1407.	1.9	39
23	How immunological profile drives clinical phenotype of primary Sjögren's syndrome at diagnosis: analysis of 10,500 patients (Sjögren Big Data Project). <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 112, 102-112.	0.8	37
24	Autoantibodies to Cytosolic 5'-Nucleotidase 1A in Primary Sjögren's Syndrome and Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2018, 9, 1200.	4.8	32
25	Autonomic nervous dysfunction development in patients with primary Sjögren's syndrome: a follow-up study. <i>Rheumatology</i> , 2010, 49, 1101-1106.	1.9	30
26	Infections increase the risk of developing Sjögren's syndrome. <i>Journal of Internal Medicine</i> , 2019, 285, 670-680.	6.0	30
27	Impaired Gastric Emptying in Primary Sjögren's Syndrome. <i>Journal of Rheumatology</i> , 2010, 37, 2313-2318.	2.0	28
28	Frequent development of chronic obstructive pulmonary disease in primary SS--results of a longitudinal follow-up. <i>Rheumatology</i> , 2012, 51, 941-946.	1.9	27
29	Sympathetic dysfunction in patients with primary Sjögren's syndrome. <i>Journal of Rheumatology</i> , 2001, 28, 296-301.	2.0	27
30	Autonomic and orthostatic dysfunction in primary Sjögren's syndrome. <i>Journal of Rheumatology</i> , 2007, 34, 1869-74.	2.0	27
31	Cigarette smoking and the risk of primary Sjögren's syndrome: a nested case control study. <i>Arthritis Research and Therapy</i> , 2017, 19, 50.	3.5	26
32	Childhood-onset of primary Sjögren's syndrome: phenotypic characterization at diagnosis of 158 children. <i>Rheumatology</i> , 2021, 60, 4558-4567.	1.9	24
33	Concomitant Ro/SSA and La/SSB antibodies are biomarkers for the risk of venous thromboembolism and cerebral infarction in primary Sjögren's syndrome. <i>Journal of Internal Medicine</i> , 2019, 286, 458-468.	6.0	22
34	Work Disability in Newly Diagnosed Patients with Primary Sjögren Syndrome. <i>Journal of Rheumatology</i> , 2017, 44, 209-215.	2.0	21
35	Disturbances of Autonomic Nervous Function in Primary Sjögren's Syndrome. <i>Scandinavian Journal of Rheumatology</i> , 1997, 26, 253-258.	1.1	20
36	Autoantibodies and gastrointestinal symptoms in infertile women in relation to in vitro fertilization. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 201.	2.4	20

#	ARTICLE	IF	CITATIONS
37	Erratum. Scandinavian Journal of Rheumatology, 1997, 26, 401-406.	1.1	18
38	Chronic Obstructive Pulmonary Disease Is Common in Never-smoking Patients with Primary Sjögren Syndrome. Journal of Rheumatology, 2015, 42, 464-471.	2.0	17
39	Complement C4 Copy Number Variation is Linked to SSA/Ro and SSB/La Autoantibodies in Systemic Inflammatory Autoimmune Diseases. Arthritis and Rheumatology, 2022, 74, 1440-1450.	5.6	17
40	Functional bowel symptoms and GnRH antibodies: common findings in patients with primary Sjögren's syndrome but not in systemic sclerosis. Scandinavian Journal of Rheumatology, 2009, 38, 391-393.	1.1	16
41	Faecal levels of calprotectin in systemic sclerosis are stable over time and are higher compared to primary Sjögren's syndrome and rheumatoid arthritis. Arthritis Research and Therapy, 2014, 16, R46.	3.5	16
42	Antibody response to 13-valent pneumococcal conjugate vaccine is not impaired in patients with rheumatoid arthritis or primary Sjögren's syndrome without disease modifying treatment. BMC Rheumatology, 2018, 2, 12.	1.6	16
43	Increased B-cell activating factor, interleukin-6, and interleukin-8 in induced sputum from primary Sjögren's syndrome patients. Scandinavian Journal of Rheumatology, 2019, 48, 149-156.	1.1	16
44	Smoking, disease characteristics and serum cytokine levels in patients with primary Sjögren's syndrome. Rheumatology International, 2018, 38, 1503-1510.	3.0	15
45	SARS-CoV-2 infection in patients with primary Sjögren syndrome: characterization and outcomes of 51 patients. Rheumatology, 2021, 60, 2946-2957.	1.9	15
46	OUP accepted manuscript. Rheumatology, 2021, 60, 837-848.	1.9	15
47	Elevated levels of faecal calprotectin in primary Sjögren's syndrome is common and associated with concomitant organic gastrointestinal disease. Arthritis Research and Therapy, 2016, 18, 9.	3.5	14
48	Respiratory symptoms are poor predictors of concomitant chronic obstructive pulmonary disease in patients with primary Sjögren's syndrome. Rheumatology International, 2017, 37, 813-818.	3.0	12
49	Characterization and outcomes of 414 patients with primary SS who developed haematological malignancies. Rheumatology, 2022, 62, 243-255.	1.9	12
50	Cigarette smoking patterns preceding primary Sjögren's syndrome. RMD Open, 2020, 6, e001402.	3.8	9
51	Assessment of autonomic symptoms in diabetics: the Swedish version of the Autonomic Symptom Profile. Clinical Physiology and Functional Imaging, 2008, 28, 312-317.	1.2	8
52	The forced oscillation technique is a sensitive method for detecting obstructive airway disease in patients with primary Sjögren's syndrome. Scandinavian Journal of Rheumatology, 2014, 43, 324-328.	1.1	8
53	Serum interferon- β measured by single-molecule array associates with systemic disease manifestations in Sjögren's syndrome. Rheumatology, 2022, 61, 2156-2166.	1.9	8
54	Associations of cigarette smoking with disease phenotype and type I interferon expression in primary Sjögren's syndrome. Rheumatology International, 2019, 39, 1575-1584.	3.0	7

#	ARTICLE	IF	CITATIONS
55	Increased intestinal permeability in primary Sjögren's syndrome and multiple sclerosis. <i>Journal of Translational Autoimmunity</i> , 2021, 4, 100082.	4.0	7
56	Genetic variants at the <i>RTP4/MASP1</i> locus are associated with fatigue in Scandinavian patients with primary Sjögren's syndrome. <i>RMD Open</i> , 2021, 7, e001832.	3.8	7
57	Increased risk of multiple myeloma in primary Sjögren's syndrome is limited to individuals with Ro/SSA and La/SSB autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 307-308.	0.9	5
58	Complications after minor salivary gland biopsy: a retrospective study of 630 patients from two Swedish centres. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 208-216.	1.1	5
59	Antibodies against GnRH and its receptor in patients with primary Sjögren's syndrome. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 338-348.	1.1	4
60	Mixed Airway and Pulmonary Parenchymal Disease in Patients With Primary Sjögren Syndrome: A 6-year Follow-up. <i>Journal of Rheumatology</i> , 2021, 48, 232-240.	2.0	4
61	Therapeutic Recommendations for the Management of Older Adult Patients with Sjögren's Syndrome. <i>Drugs and Aging</i> , 2021, 38, 265-284.	2.7	4
62	SP0190...2019 EULAR RECOMMENDATIONS FOR THE MANAGEMENT OF SJÖGREN'S SYNDROME WITH TOPICAL AND SYSTEMIC THERAPIES. , 2019, , .		3
63	Autoimmune congenital heart block and primary Sjögren's syndrome: characterisation and outcomes of 49 cases. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 126, 95-102.	0.8	2
64	Systemic phenotype related to primary Sjögren's syndrome in 279 patients carrying isolated anti-La/SSB antibodies. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 126, 85-94.	0.8	2
65	OP0087...Smokers Have Reduced Risk of Primary Sjögren's Syndrome (PSS), and Smoke Cessation May Trigger Development of the Disease. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 101.2-101.	0.9	1
66	FRIO419...Big Data Sjogren Project (Eular-SS Task Force International Network): Systemic Involvement at Diagnosis Evaluated by the Essdai in 3314 Patients with Primary Sjögren Syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 578.2-578.	0.9	1
67	Dysphagia in Systemic Disease. <i>Medical Radiology</i> , 2017, , 237-245.	0.1	1
68	Autonomic Neuropathy. , 2011, , 303-319.		0
69	Dysphagia in Systemic Disease. <i>Medical Radiology</i> , 2012, , 155-163.	0.1	0
70	SAT0220...Diagnostic utility and prognostic value of parotid gland ultrasonography in primary sjögren's syndrome: The classical hypoechogenic pattern of parenchymal abnormality is highly specific, associated with higher disease activity and systemic disease. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 546.2-546.	0.9	0
71	FRIO397...Obstructive Airway Symptoms (OAS) Precede the Onset and Diagnosis of Primary Sjögren's Syndrome (PSS) by Many Years.. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 570.2-570.	0.9	0
72	SAT0287...Ethnic Differences Strongly Influence The Phenotypic Expression of Primary Sjögren: Study of 7887 Patients from 20 Countries on 5 Continents (EULAR-SS Task Force Big Data Sjögren Project). <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 772.1-772.	0.9	0

#	ARTICLE	IF	CITATIONS
73	THU0352â€¦Worldwide Heterogeneous Diagnostic Approach To Primary Sjögren Syndrome in 8315 Patients (EULAR-SS Task Force Big Data Sjögren Project). <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 314.2-315.	0.9	0
74	P1_144 Hypocomplementemic Urticarial Vasculitis (HUV) Syndrome in Two Geographically Defined Populations of Sweden. <i>Rheumatology</i> , 2017, 56, iii88-iii88.	1.9	0
75	THU0681â€¦Baseline ESSDAI/DAS scores in 8061 patients with primary sjögren syndrome: characterization of systemic disease. , 2017, , .		0
76	SAT0302â€¦Analysis of 9302 patients from the big data international primary sjögren syndrome cohort: clinical presentation at diagnosis of european vs non-european patients. , 2017, , .		0
77	THU0284â€¦Predicting survival in 6240 patients with primary sjögren' syndrome (big data sjögren) Tj ETQq1 1 0.784314 rgBT /Over	1.0	0
78	FRIO162â€¦Antibody response to 13-valent pneumococcal conjugate vaccine is not impaired in patients with rheumatoid arthritis (RA) or sjogrens syndrome without dmard treatment compared to controls. , 2017, , .		0
79	AB0550â€¦PHENOTYPE OF BIOPSY-PROVEN PATIENTS WITH PRIMARY SJÖGREN SYNDROME LACKING RO AUTOANTIBODIES: HIGH FREQUENCY OF DRYNESS SYMPTOMS WITH LOW SYSTEMIC ACTIVITY (BIG DATA) Tj ETQq1 1 0.784314 rgBT	1.0	0
80	THU0277â€¦HOW THE AGE AT DIAGNOSIS MODIFIES THE PHENOTYPE OF PRIMARY SJÖGREN SYNDROME: ANALYSIS IN 11,420 PATIENTS (BIG DATA SJÖGREN PROJECT). , 2019, , .		0
81	Dysphagia Secondary to Systemic Diseases. , 2013, , 485-492.		0
82	OP0120â€¦Influence of epidemiology and ethnicity on systemic expression of primary sjögren syndrome in 9974 patients. , 2018, , .		0