Thomas Mandl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5814507/publications.pdf

Version: 2024-02-01

201674 133252 3,731 82 27 59 h-index citations g-index papers 82 82 82 3264 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Complications after minor salivary gland biopsy: a retrospective study of 630 patients from two Swedish centres. Scandinavian Journal of Rheumatology, 2023, 52, 208-216. | 1.1 | 5 |
| 2 | Serum interferon-α2 measured by single-molecule array associates with systemic disease manifestations in Sjögren's syndrome. Rheumatology, 2022, 61, 2156-2166. | 1.9 | 8 |
| 3 | Complement <i>C4</i> Copy Number Variation is Linked to SSA/Ro and SSB/La Autoantibodies in Systemic Inflammatory Autoimmune Diseases. Arthritis and Rheumatology, 2022, 74, 1440-1450. | 5.6 | 17 |
| 4 | Characterization and outcomes of 414 patients with primary SS who developed haematological malignancies. Rheumatology, 2022, 62, 243-255. | 1.9 | 12 |
| 5 | SARS-CoV-2 infection in patients with primary Sj \tilde{A} q gren syndrome: characterization and outcomes of 51 patients. Rheumatology, 2021, 60, 2946-2957. | 1.9 | 15 |
| 6 | Mixed Airway and Pulmonary Parenchymal Disease in Patients With Primary Sjögren Syndrome: A 6-year Follow-up. Journal of Rheumatology, 2021, 48, 232-240. | 2.0 | 4 |
| 7 | Childhood-onset of primary Sjögren's syndrome: phenotypic characterization at diagnosis of 158 children. Rheumatology, 2021, 60, 4558-4567. | 1.9 | 24 |
| 8 | Therapeutic Recommendations for the Management of Older Adult Patients with Sjögren's Syndrome. Drugs and Aging, 2021, 38, 265-284. | 2.7 | 4 |
| 9 | Increased intestinal permeability in primary Sjögren's syndrome and multiple sclerosis. Journal of Translational Autoimmunity, 2021, 4, 100082. | 4.0 | 7 |
| 10 | OUP accepted manuscript. Rheumatology, 2021, 60, 837-848. | 1.9 | 15 |
| 11 | Genetic variants at the <i>RTP4/MASP1</i> locus are associated with fatigue in Scandinavian patients with primary Sjögren's syndrome. RMD Open, 2021, 7, e001832. | 3.8 | 7 |
| 12 | Increased risk of multiple myeloma in primary Sjögren's syndrome is limited to individuals with Ro/SSA and La/SSB autoantibodies. Annals of the Rheumatic Diseases, 2020, 79, 307-308. | 0.9 | 5 |
| 13 | EULAR recommendations for the management of Sjögren's syndrome with topical and systemic therapies. Annals of the Rheumatic Diseases, 2020, 79, 3-18. | 0.9 | 307 |
| 14 | Epidemiological profile and north–south gradient driving baseline systemic involvement of primary Sjögren's syndrome. Rheumatology, 2020, 59, 2350-2359. | 1.9 | 54 |
| 15 | Cigarette smoking patterns preceding primary Sjögren's syndrome. RMD Open, 2020, 6, e001402. | 3.8 | 9 |
| 16 | Autoimmune congenital heart block and primary Sjögren's syndrome: characterisation and outcomes of 49 cases. Clinical and Experimental Rheumatology, 2020, 38 Suppl 126, 95-102. | 0.8 | 2 |
| 17 | Systemic phenotype related to primary Sjögren's syndrome in 279 patients carrying isolated anti-La/SSB antibodies. Clinical and Experimental Rheumatology, 2020, 38 Suppl 126, 85-94. | 0.8 | 2 |
| 18 | Efficacy and safety of topical and systemic medications: a systematic literature review informing the EULAR recommendations for the management of SjŶgren's syndrome. RMD Open, 2019, 5, e001064. | 3.8 | 53 |

| # | Article | IF | CITATIONS |
|----|--|-----------|--------------|
| 19 | Concomitant Ro/ <scp>SSA</scp> and La/ <scp>SSB</scp> antibodies are biomarkers for the risk of venous thromboembolism and cerebral infarction in primary Sjögren's syndrome. Journal of Internal Medicine, 2019, 286, 458-468. | 6.0 | 22 |
| 20 | Associations of cigarette smoking with disease phenotype and type I interferon expression in primary Sjögren's syndrome. Rheumatology International, 2019, 39, 1575-1584. | 3.0 | 7 |
| 21 | Infections increase the risk of developing SjĶgren's syndrome. Journal of Internal Medicine, 2019, 285, 670-680. | 6.0 | 30 |
| 22 | AB0550â€PHENOTYPE OF BIOPSY-PROVEN PATIENTS WITH PRIMARY SJÃ−GREN SYNDROME LACKING RO AUTOANTIBODIES: HIGH FREQUENCY OF DRYNESS SYMPTOMS WITH LOW SYSTEMIC ACTIVITY (BIG DATA) Tj ET | Qq0 0 0 r | gBoT /Overlo |
| 23 | THU0277â€HOW THE AGE AT DIAGNOSIS MODIFIES THE PHENOTYPE OF PRIMARY SJ×GREN SYNDROME: ANALYSIS IN 11,420 PATIENTS (BIG DATA SJ×GREN PROJECT). , 2019, , . | | 0 |
| 24 | SP0190â€2019 EULAR RECOMMENDATIONS FOR THE MANAGEMENT OF SJöGRENâ€S SYNDROME WITH TOP AND SYSTEMIC THERAPIES. , 2019, , . | ICAL | 3 |
| 25 | Increased B-cell activating factor, interleukin-6, and interleukin-8 in induced sputum from primary Sjögren's syndrome patients. Scandinavian Journal of Rheumatology, 2019, 48, 149-156. | 1.1 | 16 |
| 26 | Epidemiology of hypocomplementaemic urticarial vasculitis (anti-C1q vasculitis). Rheumatology, 2018, 57, 1400-1407. | 1.9 | 39 |
| 27 | Smoking, disease characteristics and serum cytokine levels in patients with primary Sjögren's syndrome. Rheumatology International, 2018, 38, 1503-1510. | 3.0 | 15 |
| 28 | Autoantibodies to Cytosolic 5′-Nucleotidase 1A in Primary Sjögren's Syndrome and Systemic Lupus Erythematosus. Frontiers in Immunology, 2018, 9, 1200. | 4.8 | 32 |
| 29 | Antibody response to 13-valent pneumococcal conjugate vaccine is not impaired in patients with rheumatoid arthritis or primary Sjögren's syndrome without disease modifying treatment. BMC Rheumatology, 2018, 2, 12. | 1.6 | 16 |
| 30 | OP0120â€Influence of epidemiology and ethnicity on systemic expression of primary sjÖgren syndrome in 9974 patients. , 2018, , . | | 0 |
| 31 | How immunological profile drives clinical phenotype of primary Sjögren's syndrome at diagnosis: analysis of 10,500 patients (Sjögren Big Data Project). Clinical and Experimental Rheumatology, 2018, 36 Suppl 112, 102-112. | 0.8 | 37 |
| 32 | Cigarette smoking and the risk of primary Sjögren's syndrome: a nested case control study. Arthritis Research and Therapy, 2017, 19, 50. | 3.5 | 26 |
| 33 | Respiratory symptoms are poor predictors of concomitant chronic obstructive pulmonary disease in patients with primary Sjögren's syndrome. Rheumatology International, 2017, 37, 813-818. | 3.0 | 12 |
| 34 | Influence of geolocation and ethnicity on the phenotypic expression of primary Sjögren's syndrome at diagnosis in 8310 patients: a cross-sectional study from the Big Data SjÁ¶gren Project Consortium. Annals of the Rheumatic Diseases, 2017, 76, 1042-1050. | 0.9 | 132 |
| 35 | P1_144 Hypocomplementemic Urticarial Vasculitis (HUV) Syndrome in Two Geographically Defined Populations of Sweden. Rheumatology, 2017, 56, iii88-iii88. | 1.9 | O |
| 36 | Dysphagia in Systemic Disease. Medical Radiology, 2017, , 237-245. | 0.1 | 1 |

| # | Article | IF | Citations |
|----|--|-----------|--------------|
| 37 | THU0681â€Baseline ESSDAI/DAS scores in 8061 patients with primary sj×gren syndrome: characterization of systemic disease. , 2017, , . | | O |
| 38 | SAT0302â€Analysis of 9302 patients from the big data international primary sjÃ−gren syndrome cohort: clinical presentation at diagnosis of european vs non-european patients. , 2017, , . | | 0 |
| 39 | THU0284â€Predicting survival in 6240 patients with primary sjÖgren' syndrome (big data sjÖgren) Tj ETQq1 | 1 0.78431 | 14 rgBT /Ove |
| 40 | FRIO162â€Antibody response to 13-valent pneumococcal conjugate vaccine is not impaired in patients with rheumatoid arthritis (RA) or sjogrens syndrome without dmard treatment compared to controls. , 2017, , . | | O |
| 41 | Work Disability in Newly Diagnosed Patients with Primary Sjögren Syndrome. Journal of Rheumatology, 2017, 44, 209-215. | 2.0 | 21 |
| 42 | Long-term follow-up in primary Sjögren's syndrome reveals differences in clinical presentation between female and male patients. Biology of Sex Differences, 2017, 8, 25. | 4.1 | 39 |
| 43 | Severe intestinal dysbiosis is prevalent in primary Sjögren's syndrome and is associated with systemic disease activity. Arthritis Research and Therapy, 2017, 19, 237. | 3.5 | 103 |
| 44 | SATO287â€Ethnic Differences Strongly Influence The Phenotypic Expression of Primary Sjögren: Study of 7887 Patients from 20 Countries on 5 Continents (EULAR-SS Task Force Big Data Sjögren Project). Annals of the Rheumatic Diseases, 2016, 75, 772.1-772. | 0.9 | 0 |
| 45 | THU0352â€Worldwide Heterogeneous Diagnostic Approach To Primary Sjögren Syndrome in 8315 Patients (EULAR-SS Task Force Big Data Sjögren Project). Annals of the Rheumatic Diseases, 2016, 75, 314.2-315. | 0.9 | O |
| 46 | Elevated levels of faecal calprotectin in primary Sjögren's syndrome is common and associated with concomitant organic gastrointestinal disease. Arthritis Research and Therapy, 2016, 18, 9. | 3.5 | 14 |
| 47 | Defining disease activity states and clinically meaningful improvement in primary Sjögren's syndrome with EULAR primary Sjögren's syndrome disease activity (ESSDAI) and patient-reported indexes (ESSPRI). Annals of the Rheumatic Diseases, 2016, 75, 382-389. | 0.9 | 225 |
| 48 | Early diagnosis of primary Sjögren's syndrome: EULAR-SS task force clinical recommendations. Expert Review of Clinical Immunology, 2016, 12, 137-156. | 3.0 | 118 |
| 49 | OP0087â€Smokers Have Reduced Risk of Primary Sjögren's Syndrome (PSS), and Smoke Cessation May Trigger Development of the Disease. Annals of the Rheumatic Diseases, 2015, 74, 101.2-101. | 0.9 | 1 |
| 50 | FRIO397â€Obstructive Airway Symptoms (OAS) Precede the Onset and Diagnosis of Primary Sjögren's Syndrome (PSS) by Many Years:. Annals of the Rheumatic Diseases, 2015, 74, 570.2-570. | 0.9 | O |
| 51 | EULAR Sjogren's syndrome disease activity index (ESSDAI): a user guide. RMD Open, 2015, 1, e000022-e000022. | 3.8 | 229 |
| 52 | Chronic Obstructive Pulmonary Disease Is Common in Never-smoking Patients with Primary Sjögren Syndrome. Journal of Rheumatology, 2015, 42, 464-471. | 2.0 | 17 |
| 53 | Characterization of systemic disease in primary SjĶgren's syndrome: EULAR-SS Task Force recommendations for articular, cutaneous, pulmonary and renal involvements. Rheumatology, 2015, 54, 2230-2238. | 1.9 | 220 |
| 54 | Takayasu Arteritis in Southern Sweden. Journal of Rheumatology, 2015, 42, 853-858. | 2.0 | 42 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | FRIO419â€Big Data Sjogren Project (Eular-SS Task Force International Network): Systemic Involvement at Diagnosis Evaluated by the Essdai in 3314 Patients with Primary Sjögren Syndrome. Annals of the Rheumatic Diseases, 2015, 74, 578.2-578. | 0.9 | 1 |
| 56 | Validation of EULAR primary SjĶgren's syndrome disease activity (ESSDAI) and patient indexes (ESSPRI). Annals of the Rheumatic Diseases, 2015, 74, 859-866. | 0.9 | 193 |
| 57 | The forced oscillation technique is a sensitive method for detecting obstructive airway disease in patients with primary Sjögren's syndrome. Scandinavian Journal of Rheumatology, 2014, 43, 324-328. | 1.1 | 8 |
| 58 | Antibodies against GnRH and its receptor in patients with primary Sjögren's syndrome. Scandinavian Journal of Rheumatology, 2014, 43, 338-348. | 1.1 | 4 |
| 59 | Primary Sjögren's Syndrome: Diagnostic and Prognostic Value of Salivary Cland Ultrasonography Using a Simplified Scoring System. Arthritis Care and Research, 2014, 66, 1102-1107. | 3.4 | 143 |
| 60 | Faecal levels of calprotectin in systemic sclerosis are stable over time and are higher compared to primary Sjögren's syndrome and rheumatoid arthritis. Arthritis Research and Therapy, 2014, 16, R46. | 3.5 | 16 |
| 61 | Autoantibodies and gastrointestinal symptoms in infertile women in relation to in vitro fertilization. BMC Pregnancy and Childbirth, 2013, 13, 201. | 2.4 | 20 |
| 62 | Incidence, prevalence and clinical characteristics of Behcet's disease in southern Sweden. Rheumatology, 2013, 52, 304-310. | 1.9 | 65 |
| 63 | SAT0220â€Diagnostic utility and prognostic value of parotid gland ultrasonography in primary sjögren's syndrome: The classical hypoechogenic pattern of parenchymal abnormality is highly specific, associated with higher disease activity and systemic disease. Annals of the Rheumatic Diseases. 2013. 71. 546.2-546. | 0.9 | O |
| 64 | Dysphagia Secondary to Systemic Diseases. , 2013, , 485-492. | | 0 |
| 65 | Frequent development of chronic obstructive pulmonary disease in primary SSresults of a longitudinal follow-up. Rheumatology, 2012, 51, 941-946. | 1.9 | 27 |
| 66 | Dysphagia in Systemic Disease. Medical Radiology, 2012, , 155-163. | 0.1 | 0 |
| 67 | EULAR Sjögren's Syndrome Patient Reported Index (ESSPRI): development of a consensus patient index for primary Sjögren's syndrome. Annals of the Rheumatic Diseases, 2011, 70, 968-972. | 0.9 | 383 |
| 68 | Evaluation of gastrointestinal symptoms in different patient groups using the visual analogue scale for irritable bowel syndrome (VAS-IBS). BMC Gastroenterology, 2011, 11, 122. | 2.0 | 41 |
| 69 | Autonomic Neuropathy., 2011, , 303-319. | | 0 |
| 70 | Autonomic nervous dysfunction development in patients with primary Sjogren's syndrome: a follow-up study. Rheumatology, 2010, 49, 1101-1106. | 1.9 | 30 |
| 71 | Sleepiness or fatigue? Can we detect treatable causes of tiredness in primary Sjogren's syndrome?. Rheumatology, 2010, 49, 1177-1183. | 1.9 | 61 |
| 72 | Impaired Gastric Emptying in Primary Sjögren's Syndrome. Journal of Rheumatology, 2010, 37, 2313-2318. | 2.0 | 28 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Functional bowel symptoms and GnRH antibodies: common findings in patients with primary Sj $	ilde{A}$ gren's syndrome but not in systemic sclerosis. Scandinavian Journal of Rheumatology, 2009, 38, 391-393. | 1.1 | 16 |
| 74 | Assessment of autonomic symptoms in diabetics: the Swedish version of the Autonomic Symptom Profile. Clinical Physiology and Functional Imaging, 2008, 28, 312-317. | 1.2 | 8 |
| 75 | Autonomic nervous symptoms in primary Sjogren's; syndrome. Rheumatology, 2008, 47, 914-919. | 1.9 | 47 |
| 76 | Dysphagia and dysmotility of the pharynx and oesophagus in patients with primary SjĶgren's syndrome. Scandinavian Journal of Rheumatology, 2007, 36, 394-401. | 1.1 | 61 |
| 77 | Autonomic and orthostatic dysfunction in primary Sjögren's syndrome. Journal of Rheumatology, 2007, 34, 1869-74. | 2.0 | 27 |
| 78 | Lymphoma and other malignancies in primary Sjogren's syndrome: a cohort study on cancer incidence and lymphoma predictors. Annals of the Rheumatic Diseases, 2006, 65, 796-803. | 0.9 | 476 |
| 79 | CD4+ T-lymphocytopeniaa frequent finding in anti-SSA antibody seropositive patients with primary Sjögren's syndrome. Journal of Rheumatology, 2004, 31, 726-8. | 2.0 | 44 |
| 80 | Sympathetic dysfunction in patients with primary Sjögren's syndrome. Journal of Rheumatology, 2001, 28, 296-301. | 2.0 | 27 |
| 81 | Erratum. Scandinavian Journal of Rheumatology, 1997, 26, 401-406. | 1.1 | 18 |
| 82 | Disturbances of Autonomic Nervous Function in Primary Sjögren's Syndrome. Scandinavian Journal of Rheumatology, 1997, 26, 253-258. | 1.1 | 20 |