


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5814627/publications.pdf Version: 2024-02-01



Ιτλριι

#	Article	IF	CITATIONS
1	Differential effects of chromosome and plasmid bla CTXâ€Mâ€15 genes on antibiotic susceptibilities in extendedâ€spectrum betaâ€lactamaseâ€producing Escherichia coli isolates from patients with urinary tract infection. International Journal of Urology, 2021, 28, 623-628.	1.0	8
2	Occurrence of Carriage of Multidrug Resistant Enterobacteriaceae among Pregnant Women in the Primary Health Center and Hospital Setting in Surabaya, Indonesia. Microbial Drug Resistance, 2021, , .	2.0	0
3	Analysis of the upstream genetic structures of the IS Ecp1 ―bla CTXâ€M transposition units in Escherichia coli isolates carrying bla CTXâ€M obtained from the Indonesian and Vietnamese communities. Microbiology and Immunology, 2021, 65, 542-550.	1.4	1
4	A high-throughput sequencing determination method for upstream genetic structure (UCS) of ISEcp1-blaCTX-M transposition unit and application of the UGS to classification of bacterial isolates possessing blaCTX-M. Journal of Infection and Chemotherapy, 2021, 27, 1288-1294.	1.7	1
5	High Prevalence of Colistin-Resistant Escherichia coli with Chromosomally Carried <i>mcr-1</i> in Healthy Residents in Vietnam. MSphere, 2020, 5, .	2.9	29
6	Characterization of CTX-M-type-extended-spectrum beta-lactamase (ESBL)-producing Enterobacteriaceae isolated from Indonesian undergraduate medical students of a university in Surabaya, Indonesia. Journal of Infection and Chemotherapy, 2020, 26, 575-581.	1.7	6
7	Characterization of blaCTX-M-14 transposition from plasmid to chromosome in Escherichia coli experimental strain. International Journal of Medical Microbiology, 2020, 310, 151395.	3.6	11
8	Characterisation of chromosomally-located blaCTX-M and its surrounding sequence in CTX-M-type extended-spectrum β-lactamase-producing Escherichia coli isolates. Journal of Global Antimicrobial Resistance, 2019, 17, 53-57.	2.2	33
9	A survey of extended-spectrum β-lactamase-producing Enterobacteriaceae in environmental water in Okinawa Prefecture of Japan and relationship with indicator organisms. Environmental Science and Pollution Research, 2019, 26, 7697-7710.	5.3	9
10	Wide dissemination of colistin-resistant <i>Escherichia coli</i> with the mobile resistance gene <i>mcr</i> in healthy residents in Vietnam. Journal of Antimicrobial Chemotherapy, 2019, 74, 523-524.	3.0	37
11	Characterization of CTX-M type ESBL-producing Enterobacteriaceae isolated from asymptomatic healthy individuals who live in a community of the Okinawa prefecture, Japan. Journal of Infection and Chemotherapy, 2019, 25, 314-317.	1.7	18
12	Potential transmission opportunity of CTX-M-producing Escherichia coli on a large-scale chicken farm in Vietnam. Journal of Global Antimicrobial Resistance, 2018, 13, 1-6.	2.2	13
13	Sanitary evaluation of domestic water supply facilities with storage tanks and detection of Aeromonas , enteric and related bacteria in domestic water facilities in Okinawa Prefecture of Japan. Water Research, 2017, 119, 171-177.	11.3	19
14	Distribution of Aeromonas species in environmental water used in daily life in Okinawa Prefecture, Japan. Environmental Health and Preventive Medicine, 2016, 21, 287-294.	3.4	18
15	High Prevalence of Chromosomal bla CTX-M-14 in Escherichia coli Isolates Possessing bla CTX-M-14. Antimicrobial Agents and Chemotherapy, 2016, 60, 2582-2584.	3.2	28
16	Current status of extended spectrum β-lactamase-producing Escherichia coli, Klebsiella pneumoniae and Proteus mirabilis in Okinawa prefecture, Japan. Journal of Infection and Chemotherapy, 2016, 22, 281-286.	1.7	12
17	Wide dissemination of extended-spectrum β-lactamase-producing Escherichia coli in community residents in the Indochinese peninsula. Infection and Drug Resistance, 2015, 8, 1.	2.7	53
18	Carriage of Escherichia coli Producing CTX-M-Type Extended-Spectrum β-Lactamase in Healthy Vietnamese Individuals. Antimicrobial Agents and Chemotherapy, 2015, 59, 6611-6614.	3.2	23

ITAR

#	Article	IF	CITATIONS
19	Evaluation of a Method Using Three Genomic Guided Escherichia coli Markers for Phylogenetic Typing of E. coli Isolates of Various Genetic Backgrounds. Journal of Clinical Microbiology, 2015, 53, 1848-1853.	3.9	3
20	Limited Transmission ofblaCTX-M-9-Type-Positive Escherichia coli between Humans and Poultry in Vietnam. Antimicrobial Agents and Chemotherapy, 2015, 59, 3574-3577.	3.2	22
21	Antibody with an engineered Fc region as a therapeutic agent against dengue virus infection. Antiviral Research, 2015, 124, 61-68.	4.1	22
22	A Highly Conserved Region Between Amino Acids 221 and 266 of Dengue Virus Non-Structural Protein 1 is a Major Epitope Region in Infected Patients. American Journal of Tropical Medicine and Hygiene, 2014, 91, 146-155.	1.4	14
23	Detection of chromosomal blaCTX-M-15 in Escherichia coli O25b-B2-ST131 isolates from the Kinki region of Japan. International Journal of Antimicrobial Agents, 2013, 42, 500-506.	2.5	44
24	Fecal carriage of CTX-M β-lactamase-producing Enterobacteriaceae in nursing homes in the Kinki region of Japan. Infection and Drug Resistance, 2013, 6, 67.	2.7	30
25	Prevalence of and risk factors associated with faecal carriage of CTX-M Â-lactamase-producing Enterobacteriaceae in rural Thai communities. Journal of Antimicrobial Chemotherapy, 2012, 67, 1769-1774.	3.0	95
26	Prevalence of fecal carriage of extended-spectrum β-lactamase-producing Enterobacteriaceae among healthy adult people in Japan. Journal of Infection and Chemotherapy, 2011, 17, 722-725.	1.7	57
27	Human Chorionic Somatomammotropin (hCS) and Growth Hormone (hGH) during Pregnancy. Nippon Naibunpi Gakkai Zasshi, 1974, 50, 987-997,974.	0.0	2