

Serge A Van De Pavert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5816265/publications.pdf>

Version: 2024-02-01

36
papers

2,846
citations

331259

21
h-index

360668

35
g-index

40
all docs

40
docs citations

40
times ranked

4683
citing authors

#	ARTICLE	IF	CITATIONS
1	Innate Lymphoid Cells in the Central Nervous System. <i>Frontiers in Immunology</i> , 2022, 13, 837250.	2.2	7
2	Fate mapping and scRNA sequencing reveal origin and diversity of lymph node stromal precursors. <i>Immunity</i> , 2022, 55, 606-622.e6.	6.6	8
3	Sympathetic axonal sprouting induces changes in macrophage populations and protects against pancreatic cancer. <i>Nature Communications</i> , 2022, 13, 1985.	5.8	14
4	Lymphoid Tissue inducer (LTi) cell ontogeny and functioning in embryo and adult. <i>Biomedical Journal</i> , 2021, 44, 123-132.	1.4	24
5	1-deoxysphingolipids bind to COUP-TF to modulate lymphatic and cardiac cell development. <i>Developmental Cell</i> , 2021, 56, 3128-3145.e15.	3.1	6
6	Distinct Waves from the Hemogenic Endothelium Give Rise to Layered Lymphoid Tissue Inducer Cell Ontogeny. <i>Cell Reports</i> , 2020, 32, 108004.	2.9	33
7	Deciphering the Crosstalk Between Myeloid-Derived Suppressor Cells and Regulatory T Cells in Pancreatic Ductal Adenocarcinoma. <i>Frontiers in Immunology</i> , 2019, 10, 3070.	2.2	90
8	SunRiSE: measuring translation elongation at single cell resolution by flow cytometry. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	32
9	CXCL12-mediated feedback from granule neurons regulates generation and positioning of new neurons in the dentate gyrus. <i>Glia</i> , 2018, 66, 1566-1576.	2.5	18
10	Expression of the Atypical Chemokine Receptor ACKR4 Identifies a Novel Population of Intestinal Submucosal Fibroblasts That Preferentially Expresses Endothelial Cell Regulators. <i>Journal of Immunology</i> , 2018, 201, 215-229.	0.4	31
11	An Evolutionarily Conserved Role for Polydom/Svep1 During Lymphatic Vessel Formation. <i>Circulation Research</i> , 2017, 120, 1263-1275.	2.0	59
12	Differentiation and function of group 3 innate lymphoid cells, from embryo to adult. <i>International Immunology</i> , 2016, 28, 35-42.	1.8	43
13	The evolution of innate lymphoid cells. <i>Nature Immunology</i> , 2016, 17, 790-794.	7.0	140
14	Identification of Natural ROR γ Ligands that Regulate the Development of Lymphoid Cells. <i>Cell Metabolism</i> , 2015, 21, 286-298.	7.2	193
15	Development of Secondary Lymphoid Organs in Relation to Lymphatic Vasculature. <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2014, 214, 81-91.	1.0	17
16	Maternal retinoids control type 3 innate lymphoid cells and set the offspring immunity. <i>Nature</i> , 2014, 508, 123-127.	13.7	321
17	Involvement of neurons and retinoic acid in lymphatic development: new insights in increased nuchal translucency. <i>Prenatal Diagnosis</i> , 2014, 34, 1312-1319.	1.1	18
18	Bone spicule pigment formation in retinitis pigmentosa: insights from a mouse model. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2010, 248, 1063-1070.	1.0	44

#	ARTICLE	IF	CITATIONS
19	New insights into the development of lymphoid tissues. <i>Nature Reviews Immunology</i> , 2010, 10, 664-674.	10.6	503
20	Noninvasive, In Vivo Assessment of Mouse Retinal Structure Using Optical Coherence Tomography. <i>PLoS ONE</i> , 2009, 4, e7507.	1.1	183
21	Cutting Edge: The Chemokine Receptor CXCR3 Retains Invariant NK T Cells in the Thymus. <i>Journal of Immunology</i> , 2009, 183, 2213-2216.	0.4	39
22	Lymph sacs are not required for the initiation of lymph node formation. <i>Development (Cambridge)</i> , 2009, 136, 29-34.	1.2	52
23	Chemokine CXCL13 is essential for lymph node initiation and is induced by retinoic acid and neuronal stimulation. <i>Nature Immunology</i> , 2009, 10, 1193-1199.	7.0	266
24	A CXCR3-dependent signaling event retains mature Valpha14 invariant natural killer T cells in the murine thymus. <i>FASEB Journal</i> , 2008, 22, 371-371.	0.2	0
25	A Single Amino Acid Substitution (Cys249Trp) in Crb1 Causes Retinal Degeneration and Deregulates Expression of Pituitary Tumor Transforming Gene Pttg1. <i>Journal of Neuroscience</i> , 2007, 27, 564-573.	1.7	77
26	Crb1 is a determinant of retinal apical Müller glia cell features. <i>Glia</i> , 2007, 55, 1486-1497.	2.5	62
27	Mpp4 recruits Psd95 and Veli3 towards the photoreceptor synapse. <i>Human Molecular Genetics</i> , 2006, 15, 1291-1302.	1.4	46
28	In vivo confocal imaging of the retina in animal models using scanning laser ophthalmoscopy. <i>Vision Research</i> , 2005, 45, 3512-3519.	0.7	172
29	Crumbs homologue 1 is required for maintenance of photoreceptor cell polarization and adhesion during light exposure. <i>Journal of Cell Science</i> , 2004, 117, 4169-4177.	1.2	220
30	Crumbs homologue 1 in polarity and blindness. <i>Biochemical Society Transactions</i> , 2004, 32, 828-830.	1.6	13
31	Comparison of anterior-posterior development in the porcine versus chicken embryo, using gooseoid expression as a marker. <i>Reproduction, Fertility and Development</i> , 2001, 13, 177.	0.1	6
32	Localization of an activin/activin receptor system in the porcine ovary. <i>Molecular Reproduction and Development</i> , 2001, 60, 463-471.	1.0	24
33	Uterine-embryonic interaction in pig: Activin, follistatin, and activin receptor II in uterus and embryo during early gestation. <i>Molecular Reproduction and Development</i> , 2001, 59, 390-399.	1.0	16
34	Expression of the organizer specific homeobox gene Gooseoid (gsc) in porcine embryos. <i>Molecular Reproduction and Development</i> , 2000, 55, 1-7.	1.0	17
35	Paracrine Interactions within the Pituitary Gland. <i>Annals of the New York Academy of Sciences</i> , 1998, 839, 239-243.	1.8	19
36	Effects of vasopressin and elimination of corticotropin-releasing hormone-target cells on pro-opiomelanocortin mRNA levels and adrenocorticotropin secretion in ovine anterior pituitary cells. <i>Journal of Endocrinology</i> , 1997, 154, 139-147.	1.2	30