Carlos SchA¶nfeldt-Lecuona

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5816368/publications.pdf

Version: 2024-02-01

70 papers 4,577 citations

304743 22 h-index 102487 66 g-index

78 all docs

78 docs citations

78 times ranked 5533 citing authors

#	Article	IF	CITATIONS
1	Evidence and expert consensus based German guidelines for the use of repetitive transcranial magnetic stimulation in depression. World Journal of Biological Psychiatry, 2022, 23, 327-348.	2.6	4
2	Incidence of inpatient cases with mental disorders due to use of cannabinoids in Germany: a nationwide evaluation. European Journal of Public Health, 2022, 32, 239-245.	0.3	7
3	Psychological Distress, Fear and Coping Strategies During the Second and Third Waves of the COVID-19 Pandemic in Southern Germany. Frontiers in Psychiatry, 2022, 13, 860683.	2.6	17
4	Arrhythmias related to antipsychotics and antidepressants: an analysis of the summaries of product characteristics of original products approved in Germany. European Journal of Clinical Pharmacology, 2021, 77, 767-775.	1.9	7
5	Factors related to age at depression onset: the role of SLC6A4 methylation, sex, exposure to stressful life events and personality in a sample of inpatients suffering from major depression. BMC Psychiatry, 2021, 21, 167.	2.6	16
6	Risk of Bleeding Associated with Antidepressant Drugs: The Competitive Impact of Antithrombotics in Quantitative Signal Detection. Drugs - Real World Outcomes, 2021, 8, 547-554.	1.6	3
7	Glial fibrillary acidic protein as blood biomarker for differential diagnosis and severity of major depressive disorder. Journal of Psychiatric Research, 2021, 144, 54-58.	3.1	34
8	Risk of Bleeding Associated With Antidepressants: Impact of Causality Assessment and Competition Bias on Signal Detection. Frontiers in Psychiatry, 2021, 12, 727687.	2.6	3
9	Plasminogen Activator Inhibitor $\hat{a}\in$ 1 Serum level in patients with major depressive disorder vs. healthy controls: a systematic review and meta-analysis. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	1
10	Retinal single-layer analysis with optical coherence tomography (OCT) in schizophrenia spectrum disorder. Schizophrenia Research, 2020, 219, 5-12.	2.0	25
11	Treatment of the Neuroleptic Malignant Syndrome in International Therapy Guidelines: A Comparative Analysis. Pharmacopsychiatry, 2020, 53, 51-59.	3.3	18
12	Relation of Promoter Methylation of the Oxytocin Gene to Stressful Life Events and Depression Severity. Journal of Molecular Neuroscience, 2020, 70, 201-211.	2.3	17
13	Depressive Disorder With Panic Attacks After Replacement of an Intrauterine Device Containing Levonorgestrel: A Case Report. Frontiers in Psychiatry, 2020, 11, 561685.	2.6	5
14	The neuroleptic malignant syndromeâ€"a systematic case series analysis focusing on therapy regimes and outcome. Acta Psychiatrica Scandinavica, 2020, 142, 233-241.	4.5	24
15	Depression, mitochondrial bioenergetics, and electroconvulsive therapy: a new approach towards personalized medicine in psychiatric treatment - a short review and current perspective. Translational Psychiatry, 2020, 10, 226.	4.8	22
16	Emotional Components of Pain Perception in Borderline Personality Disorder and Major Depression—A Repetitive Peripheral Magnetic Stimulation (rPMS) Study. Brain Sciences, 2020, 10, 905.	2.3	3
17	S-ketamine induces acute changes in the proteome of the mouse amygdala. Journal of Proteomics, 2020, 216, 103679.	2.4	6
18	Proteomic analysis reveals a biosignature of decreased synaptic protein in cerebrospinal fluid of major depressive disorder. Translational Psychiatry, 2020, 10, 144.	4.8	20

#	Article	IF	CITATIONS
19	Common Factors of Psychotherapy in Inpatients With Major Depressive Disorder: A Pilot Study. Frontiers in Psychiatry, 2019, 10, 463.	2.6	2
20	Neurofilament light chain as a blood biomarker to differentiate psychiatric disorders from behavioural variant frontotemporal dementia. Journal of Psychiatric Research, 2019, 113, 137-140.	3.1	81
21	Intranasal Pregabalin Administration: A Review of the Literature and the Worldwide Spontaneous Reporting System of Adverse Drug Reactions. Brain Sciences, 2019, 9, 322.	2.3	3
22	Psychiatrists' and dentists' knowledge and attitudes regarding adverse drug reactions of psychotropic drugs. Psychiatry Research, 2018, 266, 323-327.	3.3	2
23	Retinal changes in patients with major depressive disorder – A controlled optical coherence tomography study. Journal of Affective Disorders, 2018, 227, 665-671.	4.1	24
24	Response letter: Retinal changes in patients with major depressive disorder - a controlled optical coherence tomography study. Journal of Affective Disorders, 2018, 239, 123.	4.1	2
25	Major depressive disorder: insight into candidate cerebrospinal fluid protein biomarkers from proteomics studies. Expert Review of Proteomics, 2017, 14, 499-514.	3.0	26
26	Extending the aceruloplasminemia phenotype: NBIA on imaging and acanthocytosis, yet only minor neurological findings. Journal of the Neurological Sciences, 2017, 376, 151-152.	0.6	10
27	Drug safety and adverse drug reaction reporting behavior related to outpatient opioid replacement therapy: Results from a survey among physicians. Journal of Substance Abuse Treatment, 2017, 74, 7-15.	2.8	5
28	Brain activity to transitional objects in patients with borderline personality disorder. Scientific Reports, 2017, 7, 13121.	3.3	5
29	1-Hz rTMS in the treatment of tinnitus: A sham-controlled, randomized multicenter trial. Brain Stimulation, 2017, 10, 1112-1120.	1.6	38
30	EVIDENCE MAPS FOR DRUG THERAPY IN FRAIL OLDER ADULTS. Innovation in Aging, 2017, 1, 1321-1322.	0.1	0
31	Sensitivity of Quantitative Signal Detection in Regards to Pharmacological Neuroenhancement. International Journal of Molecular Sciences, 2017, 18, 101.	4.1	3
32	Successful Treatment of Major Depressive Disorder With Add-On Buprenorphine in a Patient With Previous Nonresponse to Standard Antidepressants. primary care companion for CNS disorders, The, 2017, 19, .	0.6	1
33	From Imaging the Brain to Imaging the Retina: Optical Coherence Tomography (OCT) in Schizophrenia. Schizophrenia Bulletin, 2016, 42, sbv073.	4.3	52
34	Non-Invasive Brain Stimulation in Conversion (Functional) Weakness and Paralysis: A Systematic Review and Future Perspectives. Frontiers in Neuroscience, 2016, 10, 140.	2.8	17
35	Drugâ€Induced Liver Injury Associated With Antidepressive Psychopharmacotherapy: An Explorative Assessment Based on Quantitative Signal Detection Using Different MedDRA Terms. Journal of Clinical Pharmacology, 2016, 56, 769-778.	2.0	13
36	Subjective Reasons for Non-Reporting of Adverse Drug Reactions in a Sample of Physicians in Outpatient Care. Pharmacopsychiatry, 2016, 49, 57-61.	3.3	17

#	Article	IF	Citations
37	Psychiatrische NotfAlle im Notfall- und Rettungswesen. , 2016, , 29-42.		O
38	Risk of Bleeding Related to Selective and Non-selective Serotonergic Antidepressants: A Case/Non-case Approach Using Data from Two Pharmacovigilance Databases. Pharmacopsychiatry, 2015, 48, 19-24.	3.3	12
39	The neural correlates of movement intentions: A pilot study comparing hypnotic and simulated paralysis. Consciousness and Cognition, 2015, 35, 158-170.	1.5	8
40	Hepatotoxicity associated with agomelatine and other antidepressants: Disproportionality analysis using pooled pharmacovigilance data from the Uppsala Monitoring Centre. Journal of Clinical Pharmacology, 2015, 55, 768-773.	2.0	9
41	From benzodiazepine to pregabalin dependence: Different agents, similar problems. Indian Journal of Psychiatry, 2015, 57, 111.	0.7	6
42	Association between haemorrhages and treatment with selective and non-selective serotonergic antidepressants: Possible implications of quantitative signal detection. Psychiatry Research, 2015, 229, 257-263.	3.3	17
43	Risk of Bleeding Related to Selective and Non-selective Serotonergic Antidepressants: A Case/Non-case Approach Using Data from Two Pharmacovigilance Databases. Pharmacopsychiatry, 2015, 48, e1-e1.	3.3	0
44	Abuse liability of centrally acting non-opioid analgesics and muscle relaxants – a brief update based on a comparison of pharmacovigilance data and evidence from the literature. International Journal of Neuropsychopharmacology, 2014, 17, 957-959.	2.1	9
45	Rapid relapse in depression following initialization of oral contraception with ethinyl estradiol and chlormadinone acetate. General Hospital Psychiatry, 2014, 36, 230.e1-230.e2.	2.4	2
46	Abuse of methylphenidate in Germany: Data from spontaneous reports of adverse drug reactions. Psychiatry Research, 2014, 215, 252-254.	3.3	31
47	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS). Clinical Neurophysiology, 2014, 125, 2150-2206.	1.5	1,647
48	Psychiatrische Notfallsituationen. , 2013, , 337-350.		0
49	Pregabalin-associated Elevation of Clozapine Serum Levels. Pharmacopsychiatry, 2012, 45, e2-e2.	3.3	0
50	Effect of 1ÂHz Repetitive Transcranial Magnetic Stimulation Over the Auditory Cortex on Audiometry and Otoacustic Emissions. Brain Topography, 2012, 25, 241-247.	1.8	15
51	Liver failure under valproic acid. European Psychiatry, 2011, 26, 1282-1282.	0.2	0
52	Bone marrow, depression― transmission of psychiatric diseases through hematologic stem cell transplantation ? - Aetilogic considerations and a clinical case report. European Psychiatry, 2011, 26, 704-704.	0.2	0
53	Pain perception in borderline personality disorder explored using PMS. European Psychiatry, 2011, 26, 1003-1003.	0.2	1
54	Exploring the affective component of pain perception during aversive stimulation in borderline personality disorder. Psychiatry Research, 2011, 186, 458-460.	3.3	27

#	Article	IF	CITATIONS
55	Mechanisms and Applications of Theta-burst rTMS on the Human Motor Cortex. Brain Topography, 2010, 22, 294-306.	1.8	202
56	Transcranial magnetic stimulation in depression – Lessons from the multicentre trials. Restorative Neurology and Neuroscience, 2010, 28, 569-576.	0.7	33
57	The value of neuronavigated rTMS for the treatment of depression. Neurophysiologie Clinique, 2010, 40, 37-43.	2.2	64
58	Sham or realâ€"Post hoc estimation of stimulation condition in a randomized transcranial magnetic stimulation trial. Neuroscience Letters, 2010, 471, 30-33.	2.1	35
59	Continuous theta-burst stimulation over the dorsal premotor cortex interferes with associative learning during object lifting. Cortex, 2009, 45, 473-482.	2.4	27
60	Antidepressant effects of augmentative transcranial magnetic stimulation. British Journal of Psychiatry, 2007, 191, 441-448.	2.8	174
61	Transcranial Magnetic Stimulation in Motor Conversion Disorder: A Short Case Series. Journal of Clinical Neurophysiology, 2006, 23, 473-476.	1.7	49
62	Investigating directed influences between activated brain areas in a motor-response task using fMRI. Magnetic Resonance Imaging, 2006, 24, 181-185.	1.8	95
63	Accuracy of Stereotaxic Positioning of Transcranial Magnetic Stimulation. Brain Topography, 2005, 17, 253-259.	1.8	84
64	Acute psychosis with a mediastinal carcinoma metastasis. Medical Science Monitor, 2005, 11, CS6-8.	1,1	4
65	Stereotaxic rTMS for the treatment of auditory hallucinations in schizophrenia. NeuroReport, 2004, 15, 1669-1673.	1.2	94
66	Using the International 10-20 EEG System for Positioning of Transcranial Magnetic Stimulation. Brain Topography, 2003, 16, 95-99.	1.8	848
67	Add-on rTMS for treatment of depression: a pilot study using stereotaxic coil-navigation according to PET data. Journal of Psychiatric Research, 2003, 37, 267-275.	3.1	112
68	Transcranial Magnetic Stimulation in the Reversal of Motor Conversion Disorder. Psychotherapy and Psychosomatics, 2003, 72, 286-288.	8.8	22
69	Intracortical excitability is modulated by a norepinephrine-reuptake inhibitor as measured with paired-pulse transcranial magnetic stimulation. Psychopharmacology, 2002, 164, 228-232.	3.1	54
70	Transcranial magnetic stimulation in therapy studies: examination of the reliability of "standard―coil positioning by neuronavigation. Biological Psychiatry, 2001, 50, 58-61.	1.3	330