

Michael C Phillips

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5816439/michael-c-phillips-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

16,756
citations

70
h-index

125
g-index

182
ext. papers

17,868
ext. citations

5.9
avg, IF

6.47
L-index

#	Paper	IF	Citations
179	Is ABCA1 a lipid transfer protein?. <i>Journal of Lipid Research</i> , 2018 , 59, 749-763	6.3	74
178	Reference Parameters for Protein Hydrogen Exchange Rates. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 1936-1939	3.5	28
177	Directional ABCA1-mediated cholesterol efflux and apoB-lipoprotein secretion in the retinal pigment epithelium. <i>Journal of Lipid Research</i> , 2018 , 59, 1927-1939	6.3	12
176	Helical structure, stability, and dynamics in human apolipoprotein E3 and E4 by hydrogen exchange and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 968-973	11.5	27
175	ATP-Binding Cassette Transporter A1 Deficiency in Human Induced Pluripotent Stem Cell-Derived Hepatocytes Abrogates HDL Biogenesis and Enhances Triglyceride Secretion. <i>EBioMedicine</i> , 2017 , 18, 139-145	8.8	20
174	A human APOC3 missense variant and monoclonal antibody accelerate apoC-III clearance and lower triglyceride-rich lipoprotein levels. <i>Nature Medicine</i> , 2017 , 23, 1086-1094	50.5	63
173	A consensus model of human apolipoprotein A-I in its monomeric and lipid-free state. <i>Nature Structural and Molecular Biology</i> , 2017 , 24, 1093-1099	17.6	36
172	Cell lipid metabolism modulators 2-bromopalmitate, D609, monensin, U18666A and probucol shift discoidal HDL formation to the smaller-sized particles: implications for the mechanism of HDL assembly. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 1968-1979	5	4
171	Robust passive and active efflux of cellular cholesterol to a designer functional mimic of high density lipoprotein. <i>Journal of Lipid Research</i> , 2015 , 56, 972-85	6.3	34
170	Kinetic and thermodynamic analyses of spontaneous exchange between high-density lipoprotein-bound and lipid-free apolipoprotein A-I. <i>Biochemistry</i> , 2015 , 54, 1123-31	3.2	21
169	Interaction of thioflavin T with amyloid fibrils of apolipoprotein A-I N-terminal fragment: resonance energy transfer study. <i>Journal of Structural Biology</i> , 2014 , 185, 116-24	3.4	19
168	Apolipoprotein E isoforms and lipoprotein metabolism. <i>IUBMB Life</i> , 2014 , 66, 616-23	4.7	158
167	Influence of domain stability on the properties of human apolipoprotein E3 and E4 and mouse apolipoprotein E. <i>Biochemistry</i> , 2014 , 53, 4025-33	3.2	16
166	Fluorescence study of domain structure and lipid interaction of human apolipoproteins E3 and E4. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1841, 1716-24	5	9
165	The roles of C-terminal helices of human apolipoprotein A-I in formation of high-density lipoprotein particles. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1841, 80-7	5	27
164	Molecular mechanisms of cellular cholesterol efflux. <i>Journal of Biological Chemistry</i> , 2014 , 289, 24020-9	5.4	362
163	Dual role of an N-terminal amyloidogenic mutation in apolipoprotein A-I: destabilization of helix bundle and enhancement of fibril formation. <i>Journal of Biological Chemistry</i> , 2013 , 288, 2848-56	5.4	31

162	Apolipoprotein E-mediated cell cycle arrest linked to p27 and the Cox2-dependent repression of miR221/222. <i>Atherosclerosis</i> , 2013 , 227, 65-71	3.1	18
161	Interactions of apolipoprotein A-I with high-density lipoprotein particles. <i>Biochemistry</i> , 2013 , 52, 1963-73	3.2	19
160	Factors controlling nascent high-density lipoprotein particle heterogeneity: ATP-binding cassette transporter A1 activity and cell lipid and apolipoprotein AI availability. <i>FASEB Journal</i> , 2013 , 27, 2880-92	0.9	28
159	Influence of apolipoprotein A-I and apolipoprotein A-II availability on nascent HDL heterogeneity. <i>Journal of Lipid Research</i> , 2013 , 54, 3464-70	6.3	2
158	Molecular mechanisms responsible for the differential effects of apoE3 and apoE4 on plasma lipoprotein-cholesterol levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 687-93	9.4	36
157	Comparison of apoA-I helical structure and stability in discoidal and spherical HDL particles by HX and mass spectrometry. <i>Journal of Lipid Research</i> , 2013 , 54, 1589-1597	6.3	26
156	Mechanisms responsible for the compositional heterogeneity of nascent high density lipoprotein. <i>Journal of Biological Chemistry</i> , 2013 , 288, 23150-60	5.4	32
155	Serum albumin acts as a shuttle to enhance cholesterol efflux from cells. <i>Journal of Lipid Research</i> , 2013 , 54, 671-676	6.3	67
154	New insights into the determination of HDL structure by apolipoproteins: Thematic review series: high density lipoprotein structure, function, and metabolism. <i>Journal of Lipid Research</i> , 2013 , 54, 2034-2048	6.3	112
153	Effects of the Iowa and Milano mutations on apolipoprotein A-I structure and dynamics determined by hydrogen exchange and mass spectrometry. <i>Biochemistry</i> , 2012 , 51, 8993-9001	3.2	23
152	Cardiovascular protection by ApoE and ApoE-HDL linked to suppression of ECM gene expression and arterial stiffening. <i>Cell Reports</i> , 2012 , 2, 1259-71	10.6	121
151	Apolipoprotein A-I helical structure and stability in discoidal high-density lipoprotein (HDL) particles by hydrogen exchange and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 11687-92	11.5	58
150	Influence of C-terminal helix hydrophobicity and aromatic amino acid content on apolipoprotein A-I functionality. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012 , 1821, 456-63	5	27
149	Cytoskeleton disruption in J774 macrophages: consequences for lipid droplet formation and cholesterol flux. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012 , 1821, 464-72	5	13
148	Fluorescence analysis of the lipid binding-induced conformational change of apolipoprotein E4. <i>Biochemistry</i> , 2012 , 51, 5580-8	3.2	19
147	Cholesterol efflux and atheroprotection: advancing the concept of reverse cholesterol transport. <i>Circulation</i> , 2012 , 125, 1905-19	16.7	614
146	Hepatic sortilin regulates both apolipoprotein B secretion and LDL catabolism. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2807-16	15.9	151
145	Influence of N-terminal helix bundle stability on the lipid-binding properties of human apolipoprotein A-I. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011 , 1811, 25-30	5	20

144	A sensitive assay for ABCA1-mediated cholesterol efflux using BODIPY-cholesterol. <i>Journal of Lipid Research</i> , 2011 , 52, 2332-2340	6.3	145
143	Novel in vivo method for measuring cholesterol mass flux in peripheral macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2865-71	9.4	13
142	Influence of apolipoprotein A-I domain structure on macrophage reverse cholesterol transport in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 320-7	9.4	22
141	From noncoding variant to phenotype via SORT1 at the 1p13 cholesterol locus. <i>Nature</i> , 2010 , 466, 714-9	50.4	820
140	Surface plasmon resonance analysis of the mechanism of binding of apoA-I to high density lipoprotein particles. <i>Journal of Lipid Research</i> , 2010 , 51, 606-17	6.3	29
139	Disruption of the C-terminal helix by single amino acid deletion is directly responsible for impaired cholesterol efflux ability of apolipoprotein A-I Nishinan. <i>Journal of Lipid Research</i> , 2010 , 51, 809-18	6.3	20
138	High density lipoprotein structure-function and role in reverse cholesterol transport. <i>Sub-Cellular Biochemistry</i> , 2010 , 51, 183-227	5.5	167
137	Influence of apolipoprotein (Apo) A-I structure on nascent high density lipoprotein (HDL) particle size distribution. <i>Journal of Biological Chemistry</i> , 2010 , 285, 31965-73	5.4	36
136	Pathways by which reconstituted high-density lipoprotein mobilizes free cholesterol from whole body and from macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 526-32	9.4	40
135	Molecular basis for the differences in lipid and lipoprotein binding properties of human apolipoproteins E3 and E4. <i>Biochemistry</i> , 2010 , 49, 10881-9	3.2	40
134	High-density lipoprotein heterogeneity and function in reverse cholesterol transport. <i>Current Opinion in Lipidology</i> , 2010 , 21, 229-38	4.4	247
133	Structural and functional consequences of the Milano mutation (R173C) in human apolipoprotein A-I. <i>Journal of Lipid Research</i> , 2009 , 50, 1409-19	6.3	51
132	Influence of class B scavenger receptors on cholesterol flux across the brush border membrane and intestinal absorption. <i>Journal of Lipid Research</i> , 2009 , 50, 2235-44	6.3	34
131	Effects of acceptor composition and mechanism of ABCG1-mediated cellular free cholesterol efflux. <i>Journal of Lipid Research</i> , 2009 , 50, 275-84	6.3	128
130	Macrophage reverse cholesterol transport in mice expressing ApoA-I Milano. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1496-501	9.4	45
129	Helical structure and stability in human apolipoprotein A-I by hydrogen exchange and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 19005-10	11.5	125
128	Mechanism underlying apolipoprotein E (ApoE) isoform-dependent lipid efflux from neural cells in culture. <i>Journal of Neuroscience Research</i> , 2009 , 87, 2498-508	4.4	48
127	Molecular mechanism of apolipoprotein E binding to lipoprotein particles. <i>Biochemistry</i> , 2009 , 48, 3025-32	4.4	44

126	Interaction between the N- and C-terminal domains modulates the stability and lipid binding of apolipoprotein A-I. <i>Biochemistry</i> , 2009 , 48, 2529-37	3.2	39
125	Structure-function properties of the apoE-dependent COX-2 pathway in vascular smooth muscle cells. <i>Atherosclerosis</i> , 2008 , 196, 201-209	3.1	12
124	Influence of tertiary structure domain properties on the functionality of apolipoprotein A-I. <i>Biochemistry</i> , 2008 , 47, 2172-80	3.2	41
123	Conformational flexibility of the N-terminal domain of apolipoprotein a-I bound to spherical lipid particles. <i>Biochemistry</i> , 2008 , 47, 11340-7	3.2	41
122	Contributions of the carboxyl-terminal helical segment to the self-association and lipoprotein preferences of human apolipoprotein E3 and E4 isoforms. <i>Biochemistry</i> , 2008 , 47, 2968-77	3.2	40
121	Role of the N- and C-terminal domains in binding of apolipoprotein E isoforms to heparan sulfate and dermatan sulfate: a surface plasmon resonance study. <i>Biochemistry</i> , 2008 , 47, 6702-10	3.2	23
120	CD36 mediates both cellular uptake of very long chain fatty acids and their intestinal absorption in mice. <i>Journal of Biological Chemistry</i> , 2008 , 283, 13108-15	5.4	108
119	Characterization and properties of pre beta-HDL particles formed by ABCA1-mediated cellular lipid efflux to apoA-I. <i>Journal of Lipid Research</i> , 2008 , 49, 1006-14	6.3	65
118	Lipoprotein structure 2008 , 485-506		29
117	Effects of amino acid substitutions at glycine 420 on SR-BI cholesterol transport function. <i>Journal of Lipid Research</i> , 2007 , 48, 1386-95	6.3	7
116	Wild-type ApoA-I and the Milano variant have similar abilities to stimulate cellular lipid mobilization and efflux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 2022-9	9.4	43
115	The roles of different pathways in the release of cholesterol from macrophages. <i>Journal of Lipid Research</i> , 2007 , 48, 2453-62	6.3	246
114	ABCA1-induced cell surface binding sites for ApoA-I. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 1603-9	9.4	111
113	Mechanism of ATP-binding cassette transporter A1-mediated cellular lipid efflux to apolipoprotein A-I and formation of high density lipoprotein particles. <i>Journal of Biological Chemistry</i> , 2007 , 282, 25123-30	5.4	270
112	Multiple plasma membrane receptors but not NPC1L1 mediate high-affinity, ezetimibe-sensitive cholesterol uptake into the intestinal brush border membrane. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007 , 1771, 1140-7	5	42
111	The C-terminal lipid-binding domain of apolipoprotein E is a highly efficient mediator of ABCA1-dependent cholesterol efflux that promotes the assembly of high-density lipoproteins. <i>Biochemistry</i> , 2007 , 46, 2583-93	3.2	87
110	Characterization of nascent HDL particles and microparticles formed by ABCA1-mediated efflux of cellular lipids to apoA-I. <i>Journal of Lipid Research</i> , 2006 , 47, 832-43	6.3	151
109	Contributions of the N- and C-terminal helical segments to the lipid-free structure and lipid interaction of apolipoprotein A-I. <i>Biochemistry</i> , 2006 , 45, 10351-8	3.2	67

108	Effect of carboxyl-terminal truncation on structure and lipid interaction of human apolipoprotein E4. <i>Biochemistry</i> , 2006 , 45, 4240-7	3.2	40
107	Effects of the core lipid on the energetics of binding of ApoA-I to model lipoprotein particles of different sizes. <i>Biochemistry</i> , 2005 , 44, 10689-95	3.2	12
106	Class B scavenger receptor-mediated intestinal absorption of dietary beta-carotene and cholesterol. <i>Biochemistry</i> , 2005 , 44, 4517-25	3.2	234
105	Structural analysis of lipoprotein E particles. <i>Biochemistry</i> , 2005 , 44, 12525-34	3.2	34
104	Mechanisms of cholesterol-lowering effects of dietary insoluble fibres: relationships with intestinal and hepatic cholesterol parameters. <i>British Journal of Nutrition</i> , 2005 , 94, 331-7	3.6	100
103	Two-step mechanism of binding of apolipoprotein E to heparin: implications for the kinetics of apolipoprotein E-heparan sulfate proteoglycan complex formation on cell surfaces. <i>Journal of Biological Chemistry</i> , 2005 , 280, 5414-22	5.4	64
102	Identification of an apolipoprotein A-I structural element that mediates cellular cholesterol efflux and stabilizes ATP binding cassette transporter A1. <i>Journal of Biological Chemistry</i> , 2004 , 279, 24044-52	5.4	57
101	Scavenger receptor BI (SR-BI) clustered on microvillar extensions suggests that this plasma membrane domain is a way station for cholesterol trafficking between cells and high-density lipoprotein. <i>Molecular Biology of the Cell</i> , 2004 , 15, 384-96	3.5	80
100	Aromatic residue position on the nonpolar face of class a amphipathic helical peptides determines biological activity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 26509-17	5.4	69
99	Alpha-helix formation is required for high affinity binding of human apolipoprotein A-I to lipids. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20974-81	5.4	92
98	Scavenger receptor class B type I-mediated cholesteryl ester-selective uptake and efflux of unesterified cholesterol. Influence of high density lipoprotein size and structure. <i>Journal of Biological Chemistry</i> , 2004 , 279, 12448-55	5.4	71
97	Influence of ApoA-I structure on the ABCA1-mediated efflux of cellular lipids. <i>Journal of Biological Chemistry</i> , 2004 , 279, 49931-9	5.4	69
96	Apolipoprotein A-I-stimulated apolipoprotein E secretion from human macrophages is independent of cholesterol efflux. <i>Journal of Biological Chemistry</i> , 2004 , 279, 25966-77	5.4	39
95	Helix orientation of the functional domains in apolipoprotein e in discoidal high density lipoprotein particles. <i>Journal of Biological Chemistry</i> , 2004 , 279, 14273-9	5.4	66
94	Structure of human apolipoprotein A-IV: a distinct domain architecture among exchangeable apolipoproteins with potential functional implications. <i>Biochemistry</i> , 2004 , 43, 10719-29	3.2	31
93	Contributions of domain structure and lipid interaction to the functionality of exchangeable human apolipoproteins. <i>Progress in Lipid Research</i> , 2004 , 43, 350-80	14.3	166
92	Antimitogenic effects of HDL and APOE mediated by Cox-2-dependent IP activation. <i>Journal of Clinical Investigation</i> , 2004 , 113, 609-18	15.9	32
91	Characterization of the heparin binding sites in human apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2003 , 278, 14782-7	5.4	57

90	Domain structure and lipid interaction in human apolipoproteins A-I and E, a general model. <i>Journal of Biological Chemistry</i> , 2003 , 278, 23227-32	5.4	137
89	Effects of polymorphism on the lipid interaction of human apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2003 , 278, 40723-9	5.4	66
88	Increased low-density lipoprotein oxidation and impaired high-density lipoprotein antioxidant defense are associated with increased macrophage homing and atherosclerosis in dyslipidemic obese mice: LCAT gene transfer decreases atherosclerosis. <i>Circulation</i> , 2003 , 107, 1640-6	16.7	142
87	Effects of apolipoprotein A-I on ATP-binding cassette transporter A1-mediated efflux of macrophage phospholipid and cholesterol: formation of nascent high density lipoprotein particles. <i>Journal of Biological Chemistry</i> , 2003 , 278, 42976-84	5.4	104
86	Importance of different pathways of cellular cholesterol efflux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 712-9	9.4	412
85	A quantitative analysis of apolipoprotein binding to SR-BI: multiple binding sites for lipid-free and lipid-associated apolipoproteins. <i>Journal of Lipid Research</i> , 2003 , 44, 1132-42	6.3	58
84	High density lipoprotein structure. <i>Frontiers in Bioscience - Landmark</i> , 2003 , 8, d1044-54	2.8	71
83	Effects of enrichment of fibroblasts with unesterified cholesterol on the efflux of cellular lipids to apolipoprotein A-I. <i>Journal of Biological Chemistry</i> , 2002 , 277, 11811-20	5.4	42
82	Influence of apoE domain structure and polymorphism on the kinetics of phospholipid vesicle solubilization. <i>Journal of Lipid Research</i> , 2002 , 43, 1688-700	6.3	80
81	Comparison of the stabilities and unfolding pathways of human apolipoprotein E isoforms by differential scanning calorimetry and circular dichroism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2002 , 1584, 9-19	5	59
80	Lipid binding-induced conformational change in human apolipoprotein E. Evidence for two lipid-bound states on spherical particles. <i>Journal of Biological Chemistry</i> , 2001 , 276, 40949-54	5.4	95
79	Scavenger receptor class B, type I-mediated uptake of various lipids into cells. Influence of the nature of the donor particle interaction with the receptor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 43801-8	5.4	103
78	Arg123-Tyr166 domain of human ApoA-I is critical for HDL-mediated inhibition of macrophage homing and early atherosclerosis in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 1977-83	9.4	48
77	New insights into the heparan sulfate proteoglycan-binding activity of apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2001 , 276, 39138-44	5.4	77
76	Effects of increasing hydrophobicity on the physical-chemical and biological properties of a class A amphipathic helical peptide. <i>Journal of Lipid Research</i> , 2001 , 42, 1096-1104	6.3	174
75	Effects of polymorphism on the microenvironment of the LDL receptor-binding region of human apoE. <i>Journal of Lipid Research</i> , 2001 , 42, 894-901	6.3	30
74	Effects of lipid interaction on the lysine microenvironments in apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2000 , 275, 34459-64	5.4	49
73	Binding and cross-linking studies show that scavenger receptor BI interacts with multiple sites in apolipoprotein A-I and identify the class A amphipathic alpha-helix as a recognition motif. <i>Journal of Biological Chemistry</i> , 2000 , 275, 18897-904	5.4	94

72	Differences in stability among the human apolipoprotein E isoforms determined by the amino-terminal domain. <i>Biochemistry</i> , 2000 , 39, 11657-66	3.2	255
71	Intestinal sterol absorption mediated by scavenger receptors is competitively inhibited by amphipathic peptides and proteins. <i>Biochemistry</i> , 2000 , 39, 12623-31	3.2	42
70	Efflux of cholesterol from different cellular pools. <i>Biochemistry</i> , 2000 , 39, 4508-17	3.2	114
69	Apolipoprotein E ₂ density lipoprotein receptor interaction: influences of basic residue and amphipathic helix organization in the ligand. <i>Journal of Lipid Research</i> , 2000 , 41, 1087-1095	6.3	54
68	Apolipoprotein-mediated plasma membrane microsolubilization. Role of lipid affinity and membrane penetration in the efflux of cellular cholesterol and phospholipid. <i>Journal of Biological Chemistry</i> , 1999 , 274, 2021-8	5.4	153
67	Mechanism of scavenger receptor class B type I-mediated selective uptake of cholesteryl esters from high density lipoprotein to adrenal cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 20344-50	5.4	156
66	Kinetics and mechanism of exchange of apolipoprotein C-III molecules from very low density lipoprotein particles. <i>BBA - Proteins and Proteomics</i> , 1999 , 1430, 302-12		15
65	Induction of cellular cholesterol efflux to lipid-free apolipoprotein A-I by cAMP. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999 , 1438, 85-98	5	77
64	Scavenger receptor BI and cholesterol trafficking. <i>Current Opinion in Lipidology</i> , 1999 , 10, 329-39	4.4	146
63	Cell cholesterol efflux: integration of old and new observations provides new insights. <i>Journal of Lipid Research</i> , 1999 , 40, 781-796	6.3	375
62	Scavenger receptor BI (SR-BI) mediates free cholesterol flux independently of HDL tethering to the cell surface. <i>Journal of Lipid Research</i> , 1999 , 40, 575-580	6.3	174
61	Structural and metabolic consequences of liposome-lipoprotein interactions. <i>Advanced Drug Delivery Reviews</i> , 1998 , 32, 31-43	18.5	40
60	Studies of synthetic peptides of human apolipoprotein A-I containing tandem amphipathic alpha-helices. <i>Biochemistry</i> , 1998 , 37, 10313-24	3.2	72
59	Apolipoprotein B-100 conformation and particle surface charge in human LDL subspecies: implication for LDL receptor interaction. <i>Biochemistry</i> , 1998 , 37, 12867-74	3.2	108
58	Identification of a receptor mediating absorption of dietary cholesterol in the intestine. <i>Biochemistry</i> , 1998 , 37, 17843-50	3.2	217
57	Mechanisms of high density lipoprotein-mediated efflux of cholesterol from cell plasma membranes. <i>Atherosclerosis</i> , 1998 , 137 Suppl, S13-7	3.1	73
56	Scavenger receptor class B type I as a mediator of cellular cholesterol efflux to lipoproteins and phospholipid acceptors. <i>Journal of Biological Chemistry</i> , 1998 , 273, 5599-606	5.4	244
55	Removal of cellular cholesterol by pre-HDL involves plasma membrane microsolubilization. <i>Journal of Lipid Research</i> , 1998 , 39, 1918-1928	6.3	73

54	Dietary modification of high density lipoprotein phospholipid and influence on cellular cholesterol efflux. <i>Journal of Lipid Research</i> , 1998 , 39, 2065-2075	6.3	24
53	Scavenger receptor BI promotes high density lipoprotein-mediated cellular cholesterol efflux. <i>Journal of Biological Chemistry</i> , 1997 , 272, 20982-5	5.4	577
52	Truncation of the amino terminus of human apolipoprotein A-I substantially alters only the lipid-free conformation. <i>Biochemistry</i> , 1997 , 36, 288-300	3.2	112
51	The uptake of cholesterol at the small-intestinal brush border membrane is inhibited by apolipoproteins. <i>FEBS Letters</i> , 1997 , 411, 7-11	3.8	19
50	Remodeling and shuttling. Mechanisms for the synergistic effects between different acceptor particles in the mobilization of cellular cholesterol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 383-93	9.4	40
49	Lipoproteins and cellular cholesterol homeostasis. <i>Sub-Cellular Biochemistry</i> , 1997 , 28, 235-76	5.5	21
48	Cellular cholesterol efflux mediated by cyclodextrins. Demonstration Of kinetic pools and mechanism of efflux. <i>Journal of Biological Chemistry</i> , 1996 , 271, 16026-34	5.4	362
47	Apolipoprotein A-I structural modification and the functionality of reconstituted high density lipoprotein particles in cellular cholesterol efflux. <i>Journal of Biological Chemistry</i> , 1996 , 271, 23792-8	5.4	41
46	Only the two end helices of eight tandem amphipathic helical domains of human apo A-I have significant lipid affinity. Implications for HDL assembly. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 328-38	9.4	167
45	Effects of acceptor particle size on the efflux of cellular free cholesterol. <i>Journal of Biological Chemistry</i> , 1995 , 270, 17106-113	5.4	105
44	Effect of the cholesterol content of reconstituted LpA-I on lecithin:cholesterol acyltransferase activity. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5151-7	5.4	32
43	Effect of the arrangement of tandem repeating units of class A amphipathic alpha-helices on lipid interaction. <i>Journal of Biological Chemistry</i> , 1995 , 270, 1602-11	5.4	32
42	The effect of high density lipoprotein phospholipid acyl chain composition on the efflux of cellular free cholesterol. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5882-90	5.4	119
41	Efflux of newly synthesized cholesterol and biosynthetic sterol intermediates from cells. Dependence on acceptor type and on enrichment of cells with cholesterol. <i>Journal of Biological Chemistry</i> , 1995 , 270, 25037-46	5.4	30
40	Effects of the neutral lipid content of high density lipoprotein on apolipoprotein A-I structure and particle stability. <i>Journal of Biological Chemistry</i> , 1995 , 270, 26910-7	5.4	92
39	Molecular determinants of plasma cholesteryl ester transfer protein binding to high density lipoproteins. <i>Journal of Biological Chemistry</i> , 1995 , 270, 11532-42	5.4	35
38	Cellular cholesterol efflux mediated by cyclodextrins. <i>Journal of Biological Chemistry</i> , 1995 , 270, 17250-6	5.4	643
37	Efflux of cellular cholesterol and phospholipid to lipid-free apolipoproteins and class A amphipathic peptides. <i>Biochemistry</i> , 1995 , 34, 7955-65	3.2	190

36	Effect of end group blockage on the properties of a class A amphipathic helical peptide. <i>Proteins: Structure, Function and Bioinformatics</i> , 1993 , 15, 349-59	4.2	109
35	Effects of membrane lipids and -proteins and cytoskeletal proteins on the kinetics of cholesterol exchange between high density lipoprotein and human red blood cells, ghosts and microvesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1992 , 1111, 103-10	3.8	5
34	A technique to estimate the apparent surface pressure of emulsion particles using apolipoproteins as probes. <i>Advances in Colloid and Interface Science</i> , 1992 , 41, 1-8	14.3	10
33	Cholesterol efflux from arterial wall cells. <i>Current Opinion in Lipidology</i> , 1991 , 2, 288-294	4.4	17
32	Effects of apolipoprotein structure on the kinetics of apolipoprotein transfer between phospholipid vesicles. <i>Lipids and Lipid Metabolism</i> , 1991 , 1081, 220-8		12
31	Cholesterol transport between cells and high-density lipoproteins. <i>Lipids and Lipid Metabolism</i> , 1991 , 1085, 273-98		383
30	Effects of apolipoproteins on the kinetics of cholesterol exchange. <i>Biochemistry</i> , 1991 , 30, 866-73	3.2	24
29	Kinetics and mechanism of transfer of reduced and carboxymethylated apolipoprotein A-II between phospholipid vesicles. <i>Biochemistry</i> , 1990 , 29, 3472-9	3.2	6
28	Effects of membrane lipid composition on the kinetics of cholesterol exchange between lipoproteins and different species of red blood cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990 , 1027, 85-92	3.8	36
27	Effect of substrate physical state on the activity of acid cholesteryl ester hydrolase. <i>Lipids and Lipid Metabolism</i> , 1990 , 1042, 301-9		13
26	The surface properties of apolipoproteins A-I and A-II at the lipid/water interface. <i>Lipids and Lipid Metabolism</i> , 1989 , 1004, 300-8		52
25	Molecular packing of high-density and low-density lipoprotein surface lipids and apolipoprotein A-I binding. <i>Biochemistry</i> , 1989 , 28, 1126-33	3.2	88
24	Physical state of cholesteryl esters deposited in cultured macrophages. <i>Biochemistry</i> , 1988 , 27, 3640-6	3.2	19
23	Effects of lipid composition and packing on the adsorption of apolipoprotein A-I to lipid monolayers. <i>Biochemistry</i> , 1988 , 27, 7155-62	3.2	72
22	A comparison of the surface activities of human apolipoproteins A-I and A-II at the air/water interface. <i>Lipids and Lipid Metabolism</i> , 1988 , 959, 229-37		48
21	Influence of molecular packing and phospholipid type on rates of cholesterol exchange. <i>Biochemistry</i> , 1988 , 27, 3416-23	3.2	220
20	Mechanisms and consequences of cellular cholesterol exchange and transfer. <i>BBA - Biomembranes</i> , 1987 , 906, 223-76		453
19	Reverse cholesterol transport. <i>Methods in Enzymology</i> , 1986 , 129, 628-44	1.7	68

18	Studies of apolipoproteins at the air-water interface. <i>Methods in Enzymology</i> , 1986 , 128, 387-403	1.7	49
17	Interaction between the 35 kDa apolipoprotein of pulmonary surfactant and saturated phosphatidylcholines. Effects of temperature. <i>Lipids and Lipid Metabolism</i> , 1986 , 879, 1-13		26
16	Hydrolysis of lipid monolayers and the substrate specificity of hepatic lipase. <i>Lipids and Lipid Metabolism</i> , 1986 , 876, 233-42		38
15	Packing of cholesterol molecules in human low-density lipoprotein. <i>Biochemistry</i> , 1986 , 25, 1562-8	3.2	107
14	Mechanism of the hepatic lipase induced accumulation of high-density lipoprotein cholesterol by cells in culture. <i>Biochemistry</i> , 1985 , 24, 3693-701	3.2	122
13	Closing Comments and Summary. <i>Experimental Lung Research</i> , 1984 , 6, 271-272	2.3	
12	Packing of cholesterol molecules in human high-density lipoproteins. <i>Biochemistry</i> , 1984 , 23, 1130-8	3.2	45
11	Influence of cholesterol on bilayers of ester- and ether-linked phospholipids. Permeability and ¹³ C-nuclear magnetic resonance measurements. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984 , 772, 117-26	3.8	55
10	Cholesterol transfer from small and large unilamellar vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984 , 776, 21-6	3.8	69
9	Kinetics of phosphatidylcholine and lysophosphatidylcholine exchange between unilamellar vesicles. <i>Biochemistry</i> , 1984 , 23, 4624-30	3.2	121
8	The helical hydrophobic moments and surface activities of serum apolipoproteins. <i>Lipids and Lipid Metabolism</i> , 1983 , 754, 227-30		31
7	A comparison of the surface activities of rat plasma apolipoproteins C-II, C-III-0, C-III-3. <i>Lipids and Lipid Metabolism</i> , 1983 , 751, 470-3		21
6	Cholesterol desorption from clusters of phosphatidylcholine and cholesterol in unilamellar vesicle bilayers during lipid transfer or exchange. <i>Biochemistry</i> , 1982 , 21, 4053-9	3.2	66
5	Location and motion of free cholesterol molecules in high density lipoprotein. <i>Biochemical and Biophysical Research Communications</i> , 1981 , 100, 1735-42	3.4	12
4	Ion-binding to phospholipids. Interaction of calcium with phosphatidylserine. <i>FEBS Journal</i> , 1976 , 62, 335-44		119
3	Interaction of apoprotein from porcine high-density lipoprotein with dimyristoyl lecithin. 2. Nature of lipid-protein interaction. <i>FEBS Journal</i> , 1976 , 64, 549-63		70
2	Ion-binding to phospholipids. Interaction of calcium and lanthanide ions with phosphatidylcholine (lecithin). <i>FEBS Journal</i> , 1975 , 58, 133-44		144
1	Structures of Aqueous Dispersions of Phosphatidylserine. <i>Journal of Biological Chemistry</i> , 1973 , 248, 8585-8591	5.4	40

