

Qiming Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5817521/publications.pdf>

Version: 2024-02-01

281
papers

22,139
citations

8732

75
h-index

9311

143
g-index

283
all docs

283
docs citations

283
times ranked

10735
citing authors

#	ARTICLE	IF	CITATIONS
1	A Dielectric Polymer with High Electric Energy Density and Fast Discharge Speed. <i>Science</i> , 2006, 313, 334-336.	6.0	2,068
2	Giant Electrostriction and Relaxor Ferroelectric Behavior in Electron-Irradiated Poly(vinylidene fluoride-trifluoroethylene-chlorofluoropolymer). <i>Advanced Materials</i> , 2009, 21, 1450-1455.	6.0	1,455
3	Large Electrocaloric Effect in Ferroelectric Polymers Near Room Temperature. <i>Science</i> , 2008, 321, 821-823.	6.0	1,004
4	An all-organic composite actuator material with a high dielectric constant. <i>Nature</i> , 2002, 419, 284-287.	13.7	985
5	Polymer-Based Dielectrics with High Energy Storage Density. <i>Annual Review of Materials Research</i> , 2015, 45, 433-458.	4.3	513
6	Nanocomposites of Ferroelectric Polymers with TiO ₂ Nanoparticles Exhibiting Significantly Enhanced Electrical Energy Density. <i>Advanced Materials</i> , 2009, 21, 217-221.	11.1	471
7	Electrocaloric Materials for Solid-State Refrigeration. <i>Advanced Materials</i> , 2009, 21, 1983-1987.	11.1	390
8	Giant Electrocaloric Response Over A Broad Temperature Range in Modified BaTiO ₃ Ceramics. <i>Advanced Functional Materials</i> , 2014, 24, 1300-1305.	7.8	377
9	Topological Structure Modulated Polymer Nanocomposites Exhibiting Highly Enhanced Dielectric Strength and Energy Density. <i>Advanced Functional Materials</i> , 2014, 24, 3172-3178.	7.8	371
10	High Electromechanical Responses in a Poly(vinylidene fluoride-trifluoroethylene-chlorofluoropolymer) Terpolymer. <i>Advanced Materials</i> , 2010, 22, 382-387.	11.1	287
11	Organic and inorganic relaxor ferroelectrics with giant electrocaloric effect. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	287
12	Aromatic Polythiourea Dielectrics with Ultrahigh Breakdown Field Strength, Low Dielectric Loss, and High Electric Energy Density. <i>Advanced Materials</i> , 2013, 25, 1734-1738.	11.1	285
13	Ferroelectric and electromechanical properties of poly(vinylidene fluoride-trifluoroethylene-chlorotrifluoroethylene) terpolymer. <i>Applied Physics Letters</i> , 2001, 78, 2360-2362.	1.5	280
14	Electroactive Polymer Actuators and Sensors. <i>MRS Bulletin</i> , 2008, 33, 173-181.	1.7	271
15	Recent development of high energy density polymers for dielectric capacitors. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2010, 17, 1036-1042.	1.8	269
16	Novel polymer ferroelectric behavior via crystal isomorphism and the nanoconfinement effect. <i>Polymer</i> , 2013, 54, 1709-1728.	1.8	251
17	Electrical breakdown and ultrahigh electrical energy density in poly(vinylidene fluoride-trifluoroethylene-chlorofluoropolymer) terpolymer. <i>Advanced Materials</i> , 2011, 23, 102-107.	1.5	242
18	Phase transitional behavior and piezoelectric properties of the orthorhombic phase of Pb(Mg _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ single crystals. <i>Applied Physics Letters</i> , 2001, 78, 3109-3111.	1.5	239

#	ARTICLE	IF	CITATIONS
19	Electrocaloric Cooling Materials and Devices for Zero-Global-Warming-Potential, High-Efficiency Refrigeration. <i>Joule</i> , 2019, 3, 1200-1225.	11.7	236
20	Domain wall excitations and their contributions to the weak signal response of doped lead zirconate titanate ceramics. <i>Journal of Applied Physics</i> , 1988, 64, 6445-6451.	1.1	224
21	Enhancement of the dielectric response in polymer nanocomposites with low dielectric constant fillers. <i>Nanoscale</i> , 2017, 9, 10992-10997.	2.8	216
22	Electrical Energy Density and Discharge Characteristics of a Poly(vinylidene fluoride-chloroethylene) Copolymer. <i>Journal of Applied Physics</i> , 2007, 102, 044101.	1.8	214
23	High-dielectric-constant all-polymer percolative composites. <i>Applied Physics Letters</i> , 2003, 82, 3502-3504.	1.5	213
24	Pyroelectric and electrocaloric materials. <i>Journal of Materials Chemistry C</i> , 2013, 1, 23-37.	2.7	202
25	All-organic dielectric-percolative three-component composite materials with high electromechanical response. <i>Applied Physics Letters</i> , 2004, 84, 4391-4393.	1.5	198
26	Comparison of directly and indirectly measured electrocaloric effect in relaxor ferroelectric polymers. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	198
27	Creating an Eco-Friendly Building Coating with Smart Subambient Radiative Cooling. <i>Advanced Materials</i> , 2020, 32, e1906751.	11.1	196
28	Ferroelectric Polymer Nanocomposites for Room-Temperature Electrocaloric Refrigeration. <i>Advanced Materials</i> , 2015, 27, 1450-1454.	11.1	192
29	Influence of the critical point on the electrocaloric response of relaxor ferroelectrics. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	190
30	A highly scalable dielectric metamaterial with superior capacitor performance over a broad temperature. <i>Science Advances</i> , 2020, 6, eaax6622.	4.7	184
31	A Modular Approach to Ferroelectric Polymers with Chemically Tunable Curie Temperatures and Dielectric Constants. <i>Journal of the American Chemical Society</i> , 2006, 128, 8120-8121.	6.6	183
32	Advanced dielectric polymers for energy storage. <i>Energy Storage Materials</i> , 2022, 44, 29-47.	9.5	178
33	A chip scale electrocaloric effect based cooling device. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	159
34	Next-generation electrocaloric and pyroelectric materials for solid-state electrothermal energy interconversion. <i>MRS Bulletin</i> , 2014, 39, 1099-1111.	1.7	155
35	Electrostrictive poly(vinylidene fluoride-trifluoroethylene) copolymers. <i>Sensors and Actuators A: Physical</i> , 2001, 90, 138-147.	2.0	148
36	Electromechanical properties of lead zirconate titanate piezoceramics under the influence of mechanical stresses. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 1999, 46, 1518-1526.	1.7	143

#	ARTICLE	IF	CITATIONS
37	Electrocaloric effect in relaxor ferroelectrics. Journal of Applied Physics, 2011, 110, .	1.1	143
38	Critical thickness of crystallization and discontinuous change in ferroelectric behavior with thickness in ferroelectric polymer thin films. Journal of Applied Physics, 2001, 89, 2613-2616.	1.1	136
39	High Electromechanical Response of Ionic Polymer Actuators with Controlled Morphology Aligned Carbon Nanotube/Nafion Nanocomposite Electrodes. Advanced Functional Materials, 2010, 20, 3266-3271.	7.8	130
40	Enhancing the magnetoelectric response of Metglas/polyvinylidene fluoride laminates by exploiting the flux concentration effect. Applied Physics Letters, 2009, 95, .	1.5	126

41

#	ARTICLE	IF	CITATIONS
55	High-Volumetric Performance Aligned Nano-Porous Microwave Exfoliated Graphite Oxide-based Electrochemical Capacitors. <i>Advanced Materials</i> , 2013, 25, 4879-4885.	11.1	102
56	Electroactive polymer based microfluidic pump. <i>Sensors and Actuators A: Physical</i> , 2006, 125, 346-352.	2.0	101
57	Microstructures and Dielectric Properties of the Ferroelectric Fluoropolymers Synthesized via Reductive Dechlorination of Poly(vinylidene fluoride-co-chlorotrifluoroethylene)s. <i>Macromolecules</i> , 2006, 39, 6962-6968.	2.2	100
58	High-temperature polymers with record-high breakdown strength enabled by rationally designed chain-packing behavior in blends. <i>Matter</i> , 2021, 4, 2448-2459.	5.0	100
59	Polymer nanocomposites with high energy storage densities. <i>MRS Bulletin</i> , 2015, 40, 753-759.	1.7	99
60	Dielectric Properties of Relaxor-like Vinylidene Fluoride-Trifluoroethylene-Based Electroactive Polymers. <i>Macromolecules</i> , 2003, 36, 4436-4442.	2.2	97
61	Advanced asymmetric supercapacitor based on conducting polymer and aligned carbon nanotubes with controlled nanomorphology. <i>Nano Energy</i> , 2014, 9, 176-185.	8.2	93
62	High-energy density in aromatic polyurea thin films. <i>Applied Physics Letters</i> , 2009, 94, 202905.	1.5	90
63	Transverse strain responses in the electrostrictive poly(vinylidene fluoride-trifluoroethylene) copolymer. <i>Applied Physics Letters</i> , 1999, 74, 1901-1903.	1.5	89
64	Generating high dielectric constant blends from lower dielectric constant dipolar polymers using nanostructure engineering. <i>Nano Energy</i> , 2017, 32, 73-79.	8.2	89
65	Space-charge-enhanced electromechanical response in thin-film polyurethane elastomers. <i>Applied Physics Letters</i> , 1997, 71, 386-388.	1.5	85
66	Electromechanical properties of electrostrictive poly(vinylidene fluoride-trifluoroethylene) copolymer. <i>Applied Physics Letters</i> , 1998, 73, 2054-2056.	1.5	85
67	Giant electrocaloric effect in BaZr _{0.2} Ti _{0.8} O ₃ thick film. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	84
68	Large enhancement in polarization response and energy density of poly(vinylidene fluoride-trifluoroethylene) copolymer. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	83
69	Structural Changes and Transitional Behavior Studied from Both Micro- and Macroscale in the High-Energy Electron-Irradiated Poly(vinylidene fluoride-trifluoroethylene) Copolymer. <i>Macromolecules</i> , 2002, 35, 664-672.	2.2	82
70	Recent advances in highly electrostrictive P(VDF-TrFE-CFE) terpolymers. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2006, 13, 1149-1154.	1.8	82
71	Ferroelectric copolymers and terpolymers for electrostrictors: synthesis and properties. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2004, 11, 293-298.	1.8	81
72	Microstructure and Dielectric Properties of P(VDF-TrFE-CFE) with Partially Grafted Copper Phthalocyanine Oligomer. <i>Macromolecules</i> , 2005, 38, 2247-2252.	2.2	81

#	ARTICLE	IF	CITATIONS
73	Field-Activated Electroactive Polymers. MRS Bulletin, 2008, 33, 183-187.	1.7	79
74	An active energy harvesting scheme with an electroactive polymer. Applied Physics Letters, 2007, 91, .	1.5	78
75	Influence of composition on relaxor ferroelectric and electromechanical properties of poly(vinylidene fluoride-trifluoroethylene- chlorofluoroethylene). Journal of Applied Physics, 2005, 97, 094105.	1.1	77
76	Giant electrocaloric effect in ferroelectric poly(vinylidene fluoride-trifluoroethylene) copolymers near a first-order ferroelectric transition. Applied Physics Letters, 2012, 101, .	1.5	77
77	A fast and efficient pre-doping approach to high energy density lithium-ion hybrid capacitors. Journal of Materials Chemistry A, 2014, 2, 10029-10033.	5.2	77
78	Dependence of threshold thickness of crystallization and film morphology on film processing conditions in poly(vinylidene fluoride-trifluoroethylene) copolymer thin films. Journal of Applied Physics, 2002, 92, 3111-3115.	1.1	75
79	Maximizing the number of coexisting phases near invariant critical points for giant electrocaloric and electromechanical responses in ferroelectrics. Applied Physics Letters, 2012, 101, 082904.	1.5	75
80	Transverse strain responses in electrostrictive poly(vinylidene fluoride-trifluoroethylene) films and development of a dilatometer for the measurement. Journal of Applied Physics, 1999, 86, 2208-2214.	1.1	74
81	Relaxor ferroelectric polymer exhibits ultrahigh electromechanical coupling at low electric field. Science, 2022, 375, 1418-1422.	6.0	74
82	Multiferroic Polymer Composites with Greatly Enhanced Magnetoelectric Effect under a Low Magnetic Bias. Advanced Materials, 2011, 23, 3853-3858.	11.1	72
83	Colossal dielectric and electromechanical responses in self-assembled polymeric nanocomposites. Applied Physics Letters, 2005, 87, 182901.	1.5	70
84	Conduction Mechanisms and Structure-Property Relationships in High Energy Density Aromatic Polythiourea Dielectric Films. Advanced Energy Materials, 2013, 3, 1051-1055.	10.2	70
85	High-performance micromachined unimorph actuators based on electrostrictive poly(vinylidene fluoride) terpolymer. Applied Physics Letters, 2007, 91, 152903.	1.5	69
86	A polymer blend approach to tailor the ferroelectric responses in P(VDF-TrFE) based copolymers. Polymer, 2013, 54, 2373-2381.	1.8	69
87	Structural, Conformational, and Polarization Changes of Poly(vinylidene fluoride) Terpolymer. Macromolecules, 2000, 33, 4125-4131.	2.2	68
88	Enhancement of dielectric energy density in the poly(vinylidene fluoride)-based terpolymer/copolymer blends. Applied Physics Letters, 2008, 93, 152903.	1.5	67
89	Influence of imidazolium-based ionic liquids on the performance of ionic polymer conductor network composite actuators. Polymer International, 2010, 59, 321-328.	1.6	67
90	Dielectric study of the relaxor ferroelectric poly(vinylidene fluoride-trifluoroethylene) copolymer system. Physical Review B, 2001, 63, .	1.1	66

#	ARTICLE	IF	CITATIONS
91	Ion transport and storage of ionic liquids in ionic polymer conductor network composites. Applied Physics Letters, 2010, 96, .	1.5	66
92	Internal Biasing in Relaxor Ferroelectric Polymer to Enhance the Electrocaloric Effect. Advanced Functional Materials, 2015, 25, 5134-5139.	7.8	64
93	An electrocaloric refrigerator with direct solid to solid regeneration. Applied Physics Letters, 2017, 110, .	1.5	62
94	Nematic Anisotropic Liquid-Crystal Gels Self-Assembled Nanocomposites with High Electromechanical Response. Advanced Functional Materials, 2003, 13, 525-529.	7.8	61
95	Piezoelectric responses in poly(vinylidene fluoride/hexafluoropropylene) copolymers. Applied Physics Letters, 2007, 90, 2429-17.	1.5	60
96	Polar-fluoropolymer blends with tailored nanostructures for high energy density low loss capacitor applications. Applied Physics Letters, 2011, 99, .	1.5	58
97	A high performance hybrid asymmetric supercapacitor via nano-scale morphology control of graphene, conducting polymer, and carbon nanotube electrodes. Journal of Materials Chemistry A, 2014, 2, 9964-9969.	5.2	57
98	An electrocaloric refrigerator without external regenerator. Applied Physics Letters, 2014, 105, .	1.5	57
99	Realizing excellent energy storage properties in Na _{0.5} Bi _{0.5} TiO ₃ -based lead-free relaxor ferroelectrics. Journal of the European Ceramic Society, 2022, 42, 2221-2229.	2.8	57
100	Meta-aromatic polyurea with high dipole moment and dipole density for energy storage capacitors. Applied Physics Letters, 2014, 104, .	1.5	56
101	Semicrystalline polymers with high dielectric constant, melting temperature, and charge-discharge efficiency. IEEE Transactions on Dielectrics and Electrical Insulation, 2012, 19, 1158-1166.	1.8	55
102	Large piezoelectric properties in KNN-based lead-free single crystals grown by a seed-free solid-state crystal growth method. Applied Physics Letters, 2016, 108, .	1.5	54
103	Distinctive Contributions from Organic Filler and Relaxorlike Polymer Matrix to Dielectric Response of CuPc-P(VDF-TrFE-CFE) Composite. Physical Review Letters, 2004, 92, 047604.	2.9	52
104	Characteristics of the electromechanical response and polarization of electric field biased ferroelectrics. Journal of Applied Physics, 1995, 77, 2549-2555.	1.1	51
105	A bimorph based dilatometer for field induced strain measurement in soft and thin free standing polymer films. Review of Scientific Instruments, 1998, 69, 2480-2483.	0.6	51
106	Flexible Ionic Diodes for Low-Frequency Mechanical Energy Harvesting. Advanced Energy Materials, 2017, 7, 1601983.	10.2	51
107	Schottky emission at the metal polymer interface and its effect on the polarization switching of ferroelectric poly(vinylidene fluoride-trifluoroethylene) copolymer thin films. Applied Physics Letters, 2004, 85, 1719-1721.	1.5	50
108	Normal ferroelectric to ferroelectric relaxor conversion in fluorinated polymers and the relaxor dynamics. Journal of Materials Science, 2006, 41, 271-280.	1.7	50

#	ARTICLE	IF	CITATIONS
109	Charge dynamics and bending actuation in Aquivion membrane swelled with ionic liquids. <i>Polymer</i> , 2011, 52, 540-546.	1.8	49
110	Simulation of chip-size electrocaloric refrigerator with high cooling-power density. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	48
111	Hydrogel Ionic Diodes toward Harvesting Ultralow-Frequency Mechanical Energy. <i>Advanced Materials</i> , 2021, 33, e2103056.	11.1	48
112	Influence of the conductor network composites on the electromechanical performance of ionic polymer conductor network composite actuators. <i>Sensors and Actuators A: Physical</i> , 2010, 157, 267-275.	2.0	46
113	Thickness dependence of curvature, strain, and response time in ionic electroactive polymer actuators fabricated via layer-by-layer assembly. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	46
114	A high-K ferroelectric relaxor terpolymer as a gate dielectric for organic thin film transistors. <i>Applied Physics Letters</i> , 2013, 102, 013301.	1.5	46
115	Aromatic poly(arylene ether urea) with high dipole moment for high thermal stability and high energy density capacitors. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	46
116	Enhanced Electromechanical Response of Ionic Polymer Actuators by Improving Mechanical Coupling between Ions and Polymer Matrix. <i>Macromolecules</i> , 2012, 45, 5128-5133.	2.2	45
117	Microstructure and electromechanical responses in semicrystalline ferroelectric relaxor polymer blends. <i>Journal of Applied Physics</i> , 2006, 100, 044113.	1.1	44
118	Enhanced electrocaloric effect in poly(vinylidene fluoride-trifluoroethylene)-based terpolymer/copolymer blends. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	44
119	Electrocaloric effect in ferroelectric polymers. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 559-566.	1.1	44
120	Optimizing nanostructure to achieve high dielectric response with low loss in strongly dipolar polymers. <i>Nano Energy</i> , 2015, 16, 227-234.	8.2	44
121	Structural and ferroelectric response in vinylidene fluoride/trifluoroethylene/hexafluoropropylene terpolymers. <i>Polymer</i> , 2007, 48, 2124-2129.	1.8	43
122	Strongly Dipolar Polythiourea and Polyurea Dielectrics with High Electrical Breakdown, Low Loss, and High Electrical Energy Density. <i>Journal of Electronic Materials</i> , 2014, 43, 4548-4551.	1.0	43
123	Reducing conduction losses in high energy density polymer using nanocomposites. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	43
124	Resonance modes and losses in 1-3 piezocomposites for ultrasonic transducer applications. <i>Journal of Applied Physics</i> , 1999, 85, 1342-1350.	1.1	42
125	High volumetric electrochemical performance of ultra-high density aligned carbon nanotube supercapacitors with controlled nanomorphology. <i>Electrochimica Acta</i> , 2013, 111, 608-613.	2.6	42
126	Polarization responses in lead magnesium niobate based relaxor ferroelectrics. <i>Applied Physics Letters</i> , 1997, 71, 1649-1651.	1.5	41

#	ARTICLE	IF	CITATIONS
127	Interfaces in poly(vinylidene fluoride) terpolymer/ZrO ₂ nanocomposites and their effect on dielectric properties. <i>Journal of Applied Physics</i> , 2009, 105, .	1.1	41
128	Direct Observation of Ion Distributions near Electrodes in Ionic Polymer Actuators Containing Ionic Liquids. <i>Scientific Reports</i> , 2013, 3, 973.	1.6	41
129	Layer-by-layer self-assembled conductor network composites in ionic polymer metal composite actuators with high strain response. <i>Applied Physics Letters</i> , 2009, 95, 023505.	1.5	39
130	Graphene enabled percolative nanocomposites with large electrocaloric efficient under low electric fields over a broad temperature range. <i>Nano Energy</i> , 2016, 22, 461-467.	8.2	39
131	Giant permittivity materials with low dielectric loss over a broad temperature range enabled by weakening intermolecular hydrogen bonds. <i>Nano Energy</i> , 2019, 64, 103916.	8.2	39
132	Intrinsic dielectric properties and charge transport in oligomers of organic semiconductor copper phthalocyanine. <i>Physical Review B</i> , 2005, 71, .	1.1	38
133	Effective optical properties associated with wave propagation in photonic crystals of finite length along the propagation direction. <i>Journal of Applied Physics</i> , 2002, 92, 4194-4200.	1.1	37
134	Large Electrocaloric Effect in a Dielectric Liquid Possessing a Large Dielectric Anisotropy Near the Isotropic-Nematic Transition. <i>Advanced Functional Materials</i> , 2013, 23, 2894-2898.	7.8	37
135	Hybrid supercapacitor materials from poly(3,4-ethylenedioxythiophene) conformally coated aligned carbon nanotubes. <i>Electrochimica Acta</i> , 2013, 112, 522-528.	2.6	36
136	Tailoring the dipole properties in dielectric polymers to realize high energy density with high breakdown strength and low dielectric loss. <i>Journal of Applied Physics</i> , 2015, 117, .	1.1	36
137	High performance supercapacitor under extremely low environmental temperature. <i>RSC Advances</i> , 2015, 5, 71699-71703.	1.7	34
138	LARGE ELECTROCALORIC EFFECT IN RELAXOR FERROELECTRICS. <i>Journal of Advanced Dielectrics</i> , 2012, 02, 1230011.	1.5	33
139	A nanocomposite approach to tailor electrocaloric effect in ferroelectric polymer. <i>Polymer</i> , 2013, 54, 5299-5302.	1.8	33
140	Electrical field dependence of electrocaloric effect in relaxor ferroelectrics. <i>Ceramics International</i> , 2015, 41, S15-S18.	2.3	33
141	Evaluation of piezocomposites for ultrasonic transducer applications influence of the unit cell dimensions and the properties of constituents on the performance of 2-2 piezocomposites. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 1997, 44, 857-872.	1.7	32
142	High Performance Electroactive Polymers and Nano-composites for Artificial Muscles. <i>Journal of Intelligent Material Systems and Structures</i> , 2007, 18, 133-145.	1.4	32
143	Enhanced dielectric response in all-organic polyaniline-poly(vinylidene fluoride) terpolymer nanocomposites. <i>Journal of Applied Physics</i> , 2007, 102, 205-209.	1.5	32
144	Direct spectroscopic evidence of field-induced solid-state chain conformation transformation in a ferroelectric relaxor polymer. <i>Journal of Applied Physics</i> , 2006, 99, 044107.	1.1	31

#	ARTICLE	IF	CITATIONS
145	Equivalent circuit modeling of ionomer and ionic polymer conductive network composite actuators containing ionic liquids. <i>Sensors and Actuators A: Physical</i> , 2012, 181, 70-76.	2.0	31
146	Towards electrocaloric heat pump—A relaxor ferroelectric polymer exhibiting large electrocaloric response at low electric field. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	31
147	Effect of high energy electron irradiation on the electromechanical properties of poly (vinylidene fluoride)/Terfenol-D laminates. <i>Ferroelectrics, and Frequency Control</i> , 2000, 47, 1296-1307.	1.7	30
148	Enhancing the magnetoelectric response of Terfenol-D/polyvinylidene fluoride/Terfenol-D laminates by exploiting the shear mode effect. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	29
149	Biocompatible and Flexible Hydrogel Diode-Based Mechanical Energy Harvesting. <i>Advanced Materials Technologies</i> , 2017, 2, 1700118.	3.0	29
150	Nanocomposites with very large electro-optic effect and widely tunable refractive index. <i>Applied Physics Letters</i> , 2006, 89, 141121.	1.5	28
151	Relaxor Ferroelectric Polymers—Fundamentals and Applications. <i>Ferroelectrics</i> , 2007, 354, 178-191.	0.3	28
152	Tailoring Thickness of Conformal Conducting Polymer Decorated Aligned Carbon Nanotube Electrodes for Energy Storage. <i>Advanced Materials Interfaces</i> , 2014, 1, 1400076.	1.9	28
153	Anomalous negative electrocaloric effect in a relaxor/normal ferroelectric polymer blend with controlled nano- and meso-dipolar couplings. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	28
154	Morphology-induced dielectric enhancement in polymer nanocomposites. <i>Nanoscale</i> , 2021, 13, 10933-10942.	2.8	27
155	The refrigerant is also the pump. <i>Science</i> , 2017, 357, 1094-1095.	6.0	25
156	Enhancing the electrocaloric effect in a relaxor polymer by including minor normal ferroelectric phase. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	24
157	Electrocaloric Effect in Ferroelectric P(VDF-TrFE) Copolymers. <i>Integrated Ferroelectrics</i> , 2011, 125, 176-185.	0.3	23
158	Core-free rolled actuators for Braille displays using P(VDF-TrFE-CFE). <i>Smart Materials and Structures</i> , 2012, 21, 012001.	1.8	23
159	Electrocaloric response near room temperature in Zr- and Sn-doped BaTiO ₃ systems. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20160055.	1.6	23
160	Piezoelectric property of hot pressed electrospun poly(L-glutamate) fibers. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 639-646.	1.1	22
161	Ferroelectric polymers as multifunctional electroactive materials: recent advances, potential, and challenges. <i>MRS Communications</i> , 2015, 5, 115-129.	0.8	22
162	Photoelastic effects in tetragonal Pb(Zn _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ single crystals near the morphotropic phase boundary. <i>Journal of Applied Physics</i> , 2001, 89, 5075-5078.	1.1	21

#	ARTICLE	IF	CITATIONS
163	Enhanced electrocaloric effect in composition gradient bilayer thick films. Applied Physics Letters, 2016, 108, .	1.5	21
164	Relaxor Ferroelectric Polymer—Poly(vinylidene fluoride-trifluoroethylene-chlorofluoroethylene) Terpolymer High Electric Energy Density and Field Dependent Dielectric Response. Ferroelectrics, 2006, 331, 35-42.	0.3	20
165	Electrocaloric effect in the relaxor ferroelectric polymer composition $P(\text{VDF}_{0.90}\text{TrFE}_{0.10}\text{CFE})$. Phase Transitions, 2010, 83, 819-823. ^{0.6}		20
166	Influence of the Electrolyte Film Thickness on Charge Dynamics of Ionic Liquids in Ionic Electroactive Devices. Macromolecules, 2012, 45, 2050-2056.	2.2	19
167	Large Displacement in Relaxor Ferroelectric Terpolymer Blend Derived Actuators Using Al Electrode for Braille Displays. Scientific Reports, 2015, 5, 11361.	1.6	19
168	Influence of the annealing conditions on the polarization and electromechanical response of high-energy-electron-irradiated poly(vinylidene fluoride trifluoroethylene) copolymer. Journal of Polymer Science, Part B: Polymer Physics, 2003, 41, 797-806.	2.4	18
169	Dielectric behavior of bilayer films of P(VDF-CTFE) and low temperature PECVD fabricated Si_3N_4 . IEEE Transactions on Dielectrics and Electrical Insulation, 2011, 18, 463-470.	1.8	18
170	Aromatic Polyurea Possessing High Electrical Energy Density and Low Loss. Journal of Electronic Materials, 2016, 45, 4721-4725.	1.0	18
171	A Room Temperature Ultrasensitive Magnetoelectric Susceptometer for Quantitative Tissue Iron Detection. Scientific Reports, 2016, 6, 29740.	1.6	18
172	Maxwell relation, giant (negative) electrocaloric effect, and polarization hysteresis. Applied Physics Letters, 2021, 118, .	1.5	18
173	Piezoelectric stepper motor with direct coupling mechanism to achieve high efficiency and precise control of motion. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2000, 47, 1059-1067.	1.7	17
174	Thermally mediated multiferroic composites for the magnetoelectric materials. Applied Physics Letters, 2010, 96, 102902.	1.5	17
175	Dielectric Properties and Charge Transport in All-Organic Relaxorlike $\text{CuPc-P(VDF-TrFE-CFE)}$ Composite and its Constituents. Ferroelectrics, 2006, 338, 107-116.	0.3	16
176	A type of poly(vinylidene fluoride-trifluoroethylene) copolymer exhibiting ferroelectric relaxor behavior at high temperature ($\sim 100^\circ\text{C}$). Applied Physics Letters, 2008, 92, 042903.	1.5	16
177	Topological structure enhanced nanostructure of high temperature polymer exhibiting more than ten times enhancement of dipolar response. Nano Energy, 2021, 88, 106225.	8.2	16
178	Investigation of tuning characteristics of electrically tunable long-period gratings with a precise four-Layer model. Journal of Lightwave Technology, 2006, 24, 2954-2962.	2.7	15
179	Tailoring electrically induced properties by stretching relaxor polymer films. Journal of Applied Physics, 2012, 111, 083515.	1.1	15
180	Dielectric and electrocaloric responses of $\text{Ba}(\text{Zr}_{0.2}\text{Ti}_{0.8}\text{O})_3$ bulk ceramics and thick films with sintering aids. IEEE Transactions on Dielectrics and Electrical Insulation, 2015, 22, 1501-1505.	1.8	15

#	ARTICLE	IF	CITATIONS
181	Dielectric relaxation of relaxor ferroelectric P(VDF-TrFE-CFE) terpolymer over broad frequency range. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2009, 56, 444-449.	1.7	14
182	Low-frequency voltage mode sensing of magnetoelectric sensor in package. Electronics Letters, 2010, 46, 1132.	0.5	14
183	PEN/Si3N4 bilayer film for dc bus capacitors in power converters in hybrid electric vehicles. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2011, 29, .	0.6	14
184	Interface Effect on Polarization Switching and Critical Thickness of Crystallization in P(VDF-TRFE) Copolymer Thin Films. Ferroelectrics, 2002, 273, 377-382.	0.3	13
185	Large electric tunability in poly(vinylidene fluoride-trifluoroethylene) based polymers. Applied Physics Letters, 2008, 93, 042905.	1.5	13
186	An investigation of a thermally steerable electroactive polymer/shape memory polymer hybrid actuator. Applied Physics Letters, 2016, 108, .	1.5	13
187	Relaxor Ferroelectric Polymers. Ferroelectrics, 2006, 339, 37-45.	0.3	12
188	Magnetoelectric Sensors With Directly Integrated Charge Sensitive Readout Circuitâ€”Improved Field Sensitivity and Signal-to-Noise Ratio. IEEE Sensors Journal, 2011, 11, 2260-2265.	2.4	12
189	Investigation into the Atomistic Scale Mechanisms Responsible for the Enhanced Dielectric Response in the Interfacial Region of Polymer Nanocomposites. Journal of Physical Chemistry C, 2020, 124, 11558-11563.	1.5	12
190	Electrical tunable Fabryâ€”Perot interferometer using a poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (fluoride-trifluoroethylene) terpolymer. Applied Physics Letters, 2016, 108, 4857-4859.	1.5	11
191	The effect of defects on the electronic structure of long chain ferroelectric polymers. Journal of Applied Physics, 2009, 106, .	1.1	11
192	Self-biased magnetoelectric effect in (Pb, Zr)TiO3/metglas laminates by annealing method. Science Bulletin, 2016, 61, 378-382.	4.3	11
193	Aligned Nanoâ€”Porous Microwave Exfoliated Graphite Oxide Ionic Actuators with High Strain and Elastic Energy Density. Advanced Materials, 2013, 25, 6277-6283.	11.1	10
194	Influencing dielectric properties of relaxor polymer system by blending vinylidene fluorideâ€”trifluoroethylene-based terpolymer with a ferroelectric copolymer. Journal of Applied Physics, 2014, 115, .	1.1	10
195	Sintering aids modified electrocaloric response in BaZr0.2Ti0.8O3 bilayer films. Journal of Alloys and Compounds, 2017, 724, 8-13.	2.8	10
196	Relaxor Ferroelectric Capacitors Embrace Polymorphic Nanodomains. Joule, 2019, 3, 2296-2298.	11.7	10
197	Dielectric enhancement over a broad temperature by nanofiller at ultra-low volume content in poly(ether methyl ether urea). Applied Physics Letters, 2020, 117, 072905.	1.5	10
198	Finite-size effect on highly dispersive photonic-crystal optical components. Applied Physics Letters, 2003, 82, 2380-2382.	1.5	9

#	ARTICLE	IF	CITATIONS
199	A highly aromatic and sulfonated ionomer for high elastic modulus ionic polymer membrane micro-actuators. <i>Smart Materials and Structures</i> , 2012, 21, 055015.	1.8	9
200	Magnetolectric Flexural Gate Transistor With Nanotesla Sensitivity. <i>Journal of Microelectromechanical Systems</i> , 2013, 22, 71-79.	1.7	9
201	Flicker-Noise Improvement in 100-nm $\text{Si}_{0.50}\text{Ge}_{0.50}$ Strained Quantum-Well Transistors Using Ultrathin Si Cap Layer. <i>IEEE Electron Device Letters</i> , 2010, 31, 47-49.	2.2	8
202	Electrocaloric Effect and Dipolar Entropy Change in Ferroelectric Polymers. <i>Ferroelectrics</i> , 2012, 426, 38-44.	0.3	8
203	Electrocaloric response in a relaxor ferroelectric polymer at temperatures far below the dielectric maximum. <i>Phase Transitions</i> , 2017, 90, 99-103.	0.6	8
204	Wavelength tuning range enhanced single resonant band fiber filter using a long period grating (LPG) with ultra thin cladding layer. , 0, , .		8
205	The influence of the external stress on the electromechanical response of electrostrictive $0.9\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3 \sim 0.1\text{PbTiO}_3$ in the dc electrical field-biased state. <i>Journal of Materials Research</i> , 1999, 14, 948-956.	1.2	7
206	Electrical and thermal properties of vinylidene fluoride-trifluoroethylene-based polymer system with coexisting ferroelectric and relaxor states. <i>Journal of Materials Science</i> , 2013, 48, 7920-7926.	1.7	7
207	Polymer film capacitors with high dielectric constant, high capacitance density, and high energy density. , 2010, , .		6
208	Electrocaloric Materials: Giant Electrocaloric Response Over A Broad Temperature Range in Modified BaTiO_3 Ceramics (<i>Adv. Funct. Mater.</i> 9/2014). <i>Advanced Functional Materials</i> , 2014, 24, 1336-1336.	7.8	6
209	Stable dielectric response of low-loss aromatic polythiourea thin films on Pt/SiO_2 substrate. <i>Journal of Advanced Dielectrics</i> , 2016, 06, 1650003.	1.5	6
210	Effect of Composition on Polarization Hysteresis and Energy Storage Ability of P(VDF-TrFE-CFE) Relaxor Terpolymers. <i>Polymers</i> , 2021, 13, 1343.	2.0	6
211	High dielectric response in dilute nanocomposites via hierarchical tailored polymer nanostructures. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	6
212	Recent advances in highly electrostrictive P(VDF-TrFE-CFE) terpolymers. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2006, 13, 1149-1154.	1.8	5
213	Evolution of relaxor ferroelectric behavior of poly(vinylidene fluoride trifluoroethylene) Tj ETQq1 1 0.784314 rgBT /Qverlock 10 Tf 50 18	1.5	5
214	Electrocaloric and electrostrictive effect of polar P(VDF-TrFE-CFE) terpolymers. <i>Journal of Advanced Dielectrics</i> , 2013, 03, 1350015.	1.5	5
215	High electromechanical reponses of ultra-high-density aligned nano-porous microwave exfoliated graphite oxide/polymer nano-composites ionic actuators. <i>International Journal of Smart and Nano Materials</i> , 2014, 5, 114-122.	2.0	5
216	COMSOL Multiphysics Modeling of Architected Acoustic Transducers in Oil Drilling. <i>MRS Advances</i> , 2016, 1, 1755-1760.	0.5	5

#	ARTICLE	IF	CITATIONS
217	Room temperature magnetoelectric sensor arrays for application of detecting iron profiles in organs. Sensors and Actuators A: Physical, 2020, 311, 112064.	2.0	5
218	Composition Dependence of Microstructures and Ferroelectric Properties in Poly(vinylidene Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T Macromolecules, 2020, 53, 3139-3147.	2.2	5
219	Influence of Metal Electrodes on the Ferroelectric Responses of Poly(vinylidene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td 2002, 734, 9201.	0.1	4
220	High Performance P(VDF-TrFE-CFE) Terpolymer for BioMEMs and Microfluidic Devices. Materials Research Society Symposia Proceedings, 2003, 785, 581.	0.1	4
221	Ink-jet printing of ferroelectric poly(vinylidene fluoride-trifluoroethylene) copolymers. Materials Research Society Symposia Proceedings, 2005, 889, 1.	0.1	4
222	Relaxor Ferroelectric Polymers, Thin Film Devices, and Ink-Jet Microprinting for Thin Film Device Fabrication. Ferroelectrics, 2006, 342, 43-56.	0.3	4
223	High Energy Storage Density in Nanocomposites of P(VDF-TrFE-CFE) Terpolymer and BaZr0.2Ti0.8O3 Nanoparticles. Materials, 2022, 15, 3151.	1.3	4
224	Poly(vinylidene fluoroethylene-trifluoroethylene) based high performance electroactive polymers. , 0, , .		3
225	High-dielectric-constant polymers as high-energy-density (HED) field effect actuator and capacitor materials. , 2004, 5385, 87.		3
226	P6H-10 High Piezoelectric Responses in P(VDF HFP) Copolymers for Sensors and Transducers. Proceedings IEEE Ultrasonics Symposium, 2007, , .	0.0	3
227	Giant Electrocaloric Effect in High-Energy Electron Irradiated P(VDF-TrFE) Copolymers. Materials Research Society Symposia Proceedings, 2011, 1310, 1.	0.1	3
228	Ion distribution in ionic electroactive polymer actuators. , 2011, , .		3
229	Introducing free volume in strongly dipolar polymers to achieve high dielectric constant. , 2015, , .		3
230	Comment on "Giant pyroelectric energy harvesting and a negative electrocaloric effect in multilayered nanostructures" by G. Vats, A. Kumar, N. Ortega, C. R. Bowen and R. S. Katiyar, Energy Environ. Sci., 2016, 9, 1335. Energy and Environmental Science, 2021, 14, 1612-1614.	15.6	3
231	Electrocaloric Polymers. Engineering Materials, 2014, , 107-124.	0.3	3
232	Electromechanical coupling factor of electrostrictive P(VDF-TrFE) copolymer. , 0, , .		2
233	Direct integration of magnetoelectric sensors with microelectronics. , 2010, , .		2
234	Transports of ionic liquids in ionic polymer conductor network composite actuators. Proceedings of SPIE, 2010, , .	0.8	2

#	ARTICLE	IF	CITATIONS
235	Enhanced Electrocaloric Effect in Poly(vinylidene fluoride-trifluoroethylene)-based Composites. Materials Research Society Symposia Proceedings, 2013, 1490, 235-240.	0.1	2
236	Giant strain response in ionic nanoporous graphene actuator with hierarchical structures. IEEE Transactions on Dielectrics and Electrical Insulation, 2015, 22, 1389-1393.	1.8	2
237	An ultrasensitive magnetoelectric sensor system for the quantitative detection of liver iron. , 2016, ,		2
238	Equivalent circuit analysis of a shear-shear mode resonance LiNbO3/Metglas bilayer composites with giant magnetoelectric response. Measurement: Journal of the International Measurement Confederation, 2021, 176, 109210.	2.5	2
239	High-Dielectric-Constant All-Organic/Polymeric Composite Actuator Materials. Materials Research Society Symposia Proceedings, 2003, 785, 361.	0.1	1
240	Electroactive polymer (EAP)-based deformable micromirrors and light-valve technology for MOEMS display and imaging systems. , 2004, , .		1
241	Electroactive-polymer-based microfluidic pump. , 2004, , .		1
242	Recent Advances of All-Fiber Tunable Filter and Its Applications to Reconfigurable WDM Add/Drop Module and Tunable Receiver. , 2006, , .		1
243	Conductive filler morphology effect on performance of ionic polymer conductive network composite actuators. Proceedings of SPIE, 2010, , .	0.8	1
244	Giant magnetoelectric effect in nanofabricated $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3\text{-Fe}_{85}\text{B}_5\text{Si}_{10}$ cantilevers and resonant gate transistors. , 2011, , .		1
245	Polar-fluoropolymer Blends for High Energy Density Low Loss Capacitor Applications. Materials Research Society Symposia Proceedings, 2011, 1312, 1.	0.1	1
246	Novel Polar-fluoropolymer Blends with Tailored Nanostructures for High Energy Density and Low Loss Capacitor Applications. Materials Research Society Symposia Proceedings, 2012, 1403, 102.	0.1	1
247	Compact cooling devices based on giant electrocaloric effect dielectrics. , 2012, , .		1
248	Compact Cooling Devices Based on Giant Electrocaloric Effect Dielectrics. , 2012, , .		1
249	Ultra-sensitive magnetoelectric sensor with high saturation field. , 2012, , .		1
250	Large Electrocaloric Effect from Electrical Field Induced Orientational Order-Disorder Transition in Nematic Liquid Crystals Possessing Large Dielectric Anisotropy. Materials Research Society Symposia Proceedings, 2013, 1543, 13-20.	0.1	1
251	An Epoxy Bonding Apparatus for Applications under Extreme Environment. MRS Advances, 2016, 1, 1525-1530.	0.5	1
252	Mitigation of conduction loss in a semi-crystalline polymer with high dielectric constant and high charge-discharge efficiency. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
253	Improving the Charge/Discharge Efficiency and Dielectric Breakdown in High Temperature Polymer Dielectrics. , 2018, , .		1
254	A novel magnetoelectric biomagnetic susceptometer on iron level detection with mice tissue in vitro. Medical Devices & Sensors, 2018, 1, e10004.	2.7	1
255	Improving electric thermal stability of polypropylene by chemically linking small amount of hindered phenol groups. MRS Advances, 2021, 6, 321-326.	0.5	1
256	Acoustic and electromechanical behavior of 1-3 piezocomposites for ultrasonic transducer applications. , 0, , .		1
257	Uniaxial stress dependence of electromechanical and dielectric properties of 0.9PMN-0.1PT electroceramics. , 0, , .		0
258	Relaxor ferroelectric polymers. , 0, , .		0
259	Relaxor ferroelectric polymers for actuators and transducers. , 0, , .		0
260	Torsional inchworm ultrasonic piezomotor combining continuous rotation with precise control over angular positions and high torque output. , 1999, , .		0
261	High performance micromachined transducer based on electrostrictive P(VDF-TrFE) polymer. , 0, , .		0
262	Effect of Interface and Crystallinity on the Ferroelectric Properties of Poly(Vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Fluoropolymers) . Materials Research Society Symposia Proceedings, 2001, 665, 1.	0.1	0
263	Investigation of Polymer Micro-Actuators Based on Electrostrictive Poly(vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 347 Td (Fluoropolymers) . Materials Research Society Symposia Proceedings, 2001, 665, 1.	0.1	0
264	Electroactive Polymer Deformable Micromirrors (EAPDM) for Biomedical Optics. Materials Research Society Symposia Proceedings, 2004, 820, 170.	0.1	0
265	Dynamics in relaxor ferroelectric polymers. , 0, , .		0
266	Poly(Vinylidene Fluoride-Trifluoroethylene-Chlorofluoroethylene) Terpolymer as High-energy-density Capacitor Materials. Materials Research Society Symposia Proceedings, 2005, 889, 1.	0.1	0
267	High Dielectric Constant Polymer Nano-Composites Actuator Materials. , 0, , .		0
268	Nanocomposite with Very Large Electro-optic Effect and Widely Tunable Refractive Index. Materials Research Society Symposia Proceedings, 2006, 949, 1.	0.1	0
269	Ferroelectric Polymers with Chemically Tunable Dielectric Constants. Materials Research Society Symposia Proceedings, 2006, 949, 1.	0.1	0
270	A New Method to Increase the Magnetoelectric Voltage Coefficients of Metglas/PVDF Laminate Composites. Materials Research Society Symposia Proceedings, 2009, 1199, 103.	0.1	0

#	ARTICLE	IF	CITATIONS
271	Beyond the traditional polarization response in electrets: Some amazing properties of the ferrorelaxor polymers. , 2011, , .		0
272	Holographic imaging of electrical breakdown in air. IEEE Transactions on Dielectrics and Electrical Insulation, 2011, 18, 819-821.	1.8	0
273	Ion Transport and Storage in Ionic Polymer Bending Actuators. Materials Research Society Symposia Proceedings, 2011, 1312, 1.	0.1	0
274	Ionic Electroactive Polymer Actuators with Aligned Carbon Nanotube/Nafion Nanocomposite Electrodes. Materials Research Society Symposia Proceedings, 2011, 1304, 1.	0.1	0
275	Relaxor fluorinated polymers: novel applications and recent developments. , 2011, , .		0
276	A High-Modulus Electroactive Polymer Acting as a Robust Ionomer for Ionic Micro-Actuators. Materials Research Society Symposia Proceedings, 2012, 1403, 97.	0.1	0
277	Nonlinear dielectric response of polymer system with coexisting ferroelectric and relaxor states. , 2013, , .		0
278	Call for papers - Special Issue of the IEEE Transactions on Dielectrics and Electrical Insulation on Electrets and Related Phenomena. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 927-927.	1.8	0
279	Doped dielectric polymers with low dielectric constant nanofillers. , 2017, , .		0
280	Enhancing discharged energy density of polymer dielectrics at high temperature by nanofillers. , 2019, , .		0
281	Influence of nanoparticle interface on enhancing dielectric constant by low loading nanofillers. , 2020, , .		0