
## Weijie Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5818710/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Organic hydroperoxide induces prodigiosin biosynthesis in Serratia sp. ATCC 39006 in an OhrR-dependent manner. Applied and Environmental Microbiology, 2022, , AEM0204121.	3.1	1
2	One-step fermentation for producing xylo-oligosaccharides from wheat bran by recombinant Escherichia coli containing an alkaline xylanase. BMC Biotechnology, 2022, 22, 6.	3.3	11
3	cAMP and c-di-GMP synergistically support biofilm maintenance through the direct interaction of their effectors. Nature Communications, 2022, 13, 1493.	12.8	24
4	Antibiotic resistance genes and bacterial community on the surfaces of five cultivars of fresh tomatoes. Ecotoxicology, 2021, 30, 1550-1558.	2.4	8
5	Carbohydrate-binding modules targeting branched polysaccharides: overcoming side-chain recalcitrance in a non-catalytic approach. Bioresources and Bioprocessing, 2021, 8, .	4.2	10
6	Recent advances and perspectives in efforts to reduce the production and application cost of microbial flocculants. Bioresources and Bioprocessing, 2021, 8, .	4.2	13
7	Fnr Negatively Regulates Prodigiosin Synthesis in Serratia sp. ATCC 39006 During Aerobic Fermentation. Frontiers in Microbiology, 2021, 12, 734854.	3.5	5
8	The Regulation of Bacterial Biofilm Formation by cAMP-CRP: A Mini-Review. Frontiers in Microbiology, 2020, 11, 802.	3.5	50
9	Production of bioflocculant using feather waste as nitrogen source and its use in recycling of straw ash-washing wastewater with low-density and high pH property. Chemosphere, 2020, 252, 126495.	8.2	15
10	The Cyclic AMP Receptor Protein, Crp, Is Required for the Decolorization of Acid Yellow 36 in Shewanella putrefaciens CN32. Frontiers in Microbiology, 2020, 11, 596372.	3.5	6
11	Aerobic decolorization and detoxification of Acid Scarlet GR by a newly isolated salt-tolerant yeast strain Galactomyces geotrichum GG. International Biodeterioration and Biodegradation, 2019, 145, 104818.	3.9	31
12	Bioconversion of kitchen wastes into bioflocculant and its pilot-scale application in treating iron mineral processing wastewater. Bioresource Technology, 2019, 288, 121505.	9.6	46
13	Decolorization and detoxification of water-insoluble Sudan dye by Shewanella putrefaciens CN32 co-cultured with Bacillus circulans BWL1061. Ecotoxicology and Environmental Safety, 2018, 166, 11-17.	6.0	24
14	Two-Component Signal Transduction Systems: A Major Strategy for Connecting Input Stimuli to Biofilm Formation. Frontiers in Microbiology, 2018, 9, 3279.	3.5	68
15	Sodium Lactate Negatively Regulates Shewanella putrefaciens CN32 Biofilm Formation via a Three-Component Regulatory System (LrbS-LrbA-LrbR). Applied and Environmental Microbiology, 2017, 83, .	3.1	16
16	Valorization of untreated rice bran towards bioflocculant using a lignocellulose-degrading strain and its use in microalgal biomass harvest. Biotechnology for Biofuels, 2017, 10, 90.	6.2	41
17	Simultaneous decolorization of sulfonated azo dyes and reduction of hexavalent chromium under high salt condition by a newly isolated salt-tolerant strain Bacillus circulans BWL1061. Ecotoxicology and Environmental Safety, 2017, 141, 9-16.	6.0	63
18	Complete Genome Sequence of a Novel Bioflocculant-Producing Strain, Microbacterium paludicola CC3. Genome Announcements, 2017, 5, .	0.8	1

Weijie Liu

#	Article	IF	CITATIONS
19	Biosurfactant production from Pseudomonas taiwanensis L1011 and its application in accelerating the chemical and biological decolorization of azo dyes. Ecotoxicology and Environmental Safety, 2017, 145, 8-15.	6.0	29
20	Connecting Metabolic Pathways: Sigma Factors in Streptomyces spp Frontiers in Microbiology, 2017, 8, 2546.	3.5	31
21	Biopolymeric flocculant extracted from potato residues using alkaline extraction method and its application in removing coal fly ash from ash-flushing wastewater generated from coal fired power plant. AIMS Environmental Science, 2017, 4, 27-41.	1.4	2
22	Production of a bioflocculant from Pseudomonas veronii L918 using the hydrolyzate of peanut hull and its application in the treatment of ash-flushing wastewater generated from coal fired power plant. Bioresource Technology, 2016, 218, 318-325.	9.6	45
23	Methylene blue enhances the anaerobic decolorization and detoxication of azo dye by Shewanella onediensis MR-1. Biochemical Engineering Journal, 2016, 110, 115-124.	3.6	58
24	Bioflocculant production from untreated corn stover using Cellulosimicrobium cellulans L804 isolate and its application to harvesting microalgae. Biotechnology for Biofuels, 2015, 8, 170.	6.2	52
25	Transformation of organic matters in animal wastes during composting. Journal of Hazardous Materials, 2015, 300, 745-753.	12.4	82
26	The mechanism of kaolin clay flocculation by a cation-independent bioflocculant produced by <em>Chryseobacterium daeguense </em> W6. AIMS Environmental Science, 2015, 2, 169-179.	1.4	23
27	Production and characterization of an intracellular bioflocculant by Chryseobacterium daeguense W6 cultured in low nutrition medium. Bioresource Technology, 2010, 101, 1044-1048.	9.6	138
28	Characterization of bioflocculants from biologically aerated filter backwashed sludge and its application in dying wastewater treatment. Bioresource Technology, 2009, 100, 2629-2632.	9.6	84
29	Application of the biosurfactant produced by <scp> <i>Bacillus velezensis</i> MMB </scp> â€51 as an efficient synergist of sweet potato foliar fertilizer. Journal of Surfactants and Detergents, 0, , .	2.1	2