David A Gonzalez-Chica

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5819028/david-a-gonzalez-chica-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 119 | 1,588 | 17 | 34 |
|-------------|----------------|--------------------|---------|
| papers | citations | h-index | g-index |
| 142 | 2,209 | 3.2 avg, IF | 5.93 |
| ext. papers | ext. citations | | L-index |

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 119 | Trajectories of physical health-related quality of life and the risk of incident cardiovascular disease events and all-cause mortality in older people. <i>American Heart Journal Plus</i> , 2022 , 13, 100117 | | O |
| 118 | Long-term benzodiazepines and z-drug prescribing in Australian general practice between 2011 and 2018: A national study <i>Pharmacology Research and Perspectives</i> , 2022 , 10, e00896 | 3.1 | 2 |
| 117 | Diabetes Mellitus Diagnosis and Screening in Australian General Practice: A National Study <i>Journal of Diabetes Research</i> , 2022 , 2022, 1566408 | 3.9 | O |
| 116 | Muscle Strength Assessed by Handgrip Strength Moderates the Relationship Between Overweight and Obesity With Cardiometabolic Risk Markers Among Adults and Older Adults <i>Research Quarterly for Exercise and Sport</i> , 2022 , 1-9 | 1.9 | |
| 115 | Moderator role of vitamin D concentrations on the association between metabolic syndrome and C-reactive protein among adults. <i>Archives of Endocrinology and Metabolism</i> , 2021 , 64, 695-703 | 2.2 | 1 |
| 114 | Impact of economic factors, social health and stressful life events on physical health-related quality of life trajectories in older Australians. <i>Quality of Life Research</i> , 2021 , 1 | 3.7 | 2 |
| 113 | Health care need and health disparities: Findings from the Regional South Australia Health (RESONATE) survey. <i>Health and Social Care in the Community</i> , 2021 , 29, 905-917 | 2.6 | 1 |
| 112 | The Utility of Assessing Health-Related Quality of Life to Predict Cognitive Decline and Dementia. Journal of Alzheimeris Disease, 2021 , 80, 895-904 | 4.3 | 3 |
| 111 | Trends in long-term opioid prescriptions for musculoskeletal conditions in Australian general practice: a national longitudinal study using MedicineInsight, 2012-2018. <i>BMJ Open</i> , 2021 , 11, e045418 | 3 | 4 |
| 110 | The independent and joint associations among muscle strength, abdominal obesity and cardiometabolic variables among adults. <i>European Journal of Sport Science</i> , 2021 , 1-10 | 3.9 | 0 |
| 109 | Pregnancy-related aeromedical retrievals in rural and remote Australia: national evidence from the Royal Flying Doctor Service. <i>BMC Health Services Research</i> , 2021 , 21, 390 | 2.9 | 1 |
| 108 | Muscle strength cut-points for metabolic syndrome detection among adults and the elderly from Brazil. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 379-388 | 3 | 2 |
| 107 | Cumulative annual coverage of meningococcal B vaccination in Australian general practice for three at-risk groups, 2014 to 2019. <i>Human Vaccines and Immunotherapeutics</i> , 2021 , 17, 3692-3701 | 4.4 | |
| 106 | Trends in the prescription of drugs used for insomnia: an open-cohort study in Australian general practice, 2011-2018. <i>British Journal of General Practice</i> , 2021 , 71, e877-e886 | 1.6 | 7 |
| 105 | Skin checks and skin cancer diagnosis in Australian general practice before and during the COVID-19 pandemic, 2011-2020. <i>British Journal of Dermatology</i> , 2021 , 185, 853-855 | 4 | 1 |
| 104 | Are Australian rural clinical school students Lareer choices influenced by perceived opinions of primary care? Evidence from the national Federation of Rural Australian Medical Educators survey. <i>Australian Journal of Rural Health</i> , 2021 , 29, 373-381 | 1.3 | |
| 103 | Social isolation, social support and loneliness as independent concepts, and their relationship with health-related quality of life among older women. <i>Aging and Mental Health</i> , 2021 , 1-10 | 3.5 | 7 |

(2020-2021)

| 102 | Clusters of Cardiometabolic Risk Factors and Their Association with Atherosclerosis and Chronic Inflammation among Adults and Elderly in Florian Polis, Southern Brazil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 39-48 | 1.2 | 0 |
|-----|--|-----|----|
| 101 | Burden and health state utility values of eating disorders: results from a population-based survey. <i>Psychological Medicine</i> , 2021 , 51, 130-137 | 6.9 | 7 |
| 100 | Blood pressure control in Australian general practice: analysis using general practice records of 1.2 million patients from the MedicineInsight database. <i>Journal of Hypertension</i> , 2021 , 39, 1134-1142 | 1.9 | 2 |
| 99 | Chronic breathlessness and sleep problems: a population-based survey. <i>BMJ Open</i> , 2021 , 11, e046425 | 3 | 1 |
| 98 | Individual and Combined Association Between Healthy Lifestyle Habits With Muscle Strength According to Cardiovascular Health Status in Adults and Older Adults. <i>Journal of Physical Activity and Health</i> , 2021 , 18, 973-980 | 2.5 | |
| 97 | Health-related quality of life and incident cardiovascular disease events in community-dwelling older people: A prospective cohort study. <i>International Journal of Cardiology</i> , 2021 , 339, 170-178 | 3.2 | 2 |
| 96 | Health-related quality of life and all-cause mortality among older healthy individuals in Australia and the United States: a prospective cohort study. <i>Quality of Life Research</i> , 2021 , 30, 1037-1048 | 3.7 | 9 |
| 95 | Trends in prescription of psychotropic medications to children and adolescents in Australian primary care from 2011 to 2018 <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211067 | 726 | O |
| 94 | The independent and joint associations between muscle strength, health variables and cardiovascular disease among adults. <i>Physician and Sportsmedicine</i> , 2020 , 1-9 | 2.4 | 1 |
| 93 | Influenza-like illness in Australia: A comparison of general practice surveillance system with electronic medical records. <i>Influenza and Other Respiratory Viruses</i> , 2020 , 14, 605-609 | 5.6 | 3 |
| 92 | Multimorbidity, health-related quality of life and health service use among individuals with mental health problems: Urban-rural differences in South Australia. <i>Australian Journal of Rural Health</i> , 2020 , 28, 110-119 | 1.3 | 2 |
| 91 | Availability and quality of publicly available health workforce data sources in Australia: a scoping review protocol. <i>BMJ Open</i> , 2020 , 10, e034400 | 3 | 2 |
| 90 | Level of leisure-time physical activity and its association with the prevalence of metabolic syndrome in adults: a population-based study. <i>Revista Brasileira De Epidemiologia</i> , 2020 , 23, e200070 | 1.3 | 1 |
| 89 | Clusters of cardiovascular risk factors and its association with muscle strength in adults. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020 , 60, 479-485 | 1.4 | 2 |
| 88 | Beyond the black stump: rapid reviews of health research issues affecting regional, rural and remote Australia. <i>Medical Journal of Australia</i> , 2020 , 213 Suppl 11, S3-S32.e1 | 4 | 6 |
| 87 | Education and Income Levels are Associated With Energy and Micronutrient Intake. <i>International Journal for Vitamin and Nutrition Research</i> , 2020 , 90, 228-238 | 1.7 | 4 |
| 86 | Pneumococcal vaccination uptake among patients aged 65 years or over in Australian general practice. <i>Human Vaccines and Immunotherapeutics</i> , 2020 , 16, 965-971 | 4.4 | 11 |
| 85 | Healthy lifestyle moderates the relationship between cardiovascular disease with blood pressure, body composition, carotid intima-media thickness, and glycated hemoglobin among adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, 539-546 | 3 | 5 |

| 84 | General practitioner and mental healthcare use in a community sample of people with diagnostic threshold symptoms of bulimia nervosa, binge-eating disorder, and other eating disorders. <i>International Journal of Eating Disorders</i> , 2020 , 53, 61-68 | 6.3 | 12 |
|----|---|------|-----|
| 83 | Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020 , 8, e123-e133 | 13.6 | 36 |
| 82 | Quality of life and mortality in the general population: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020 , 20, 1596 | 4.1 | 21 |
| 81 | Impact of funding influenza vaccination on coverage among Australian children: a national study using MedicineInsight, a large general practice database. <i>Human Vaccines and Immunotherapeutics</i> , 2020 , 16, 630-635 | 4.4 | 5 |
| 80 | Gout, flares, and allopurinol use: a population-based study. Arthritis Research and Therapy, 2019, 21, 132 | 25.7 | 9 |
| 79 | Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264 | 50.4 | 278 |
| 78 | Impact of gastrointestinal conditions, restrictive diets and mental health on health-related quality of life: cross-sectional population-based study in Australia. <i>BMJ Open</i> , 2019 , 9, e026035 | 3 | 4 |
| 77 | Influenza immunisation coverage from 2015 to 2017: A national study of adult patients from Australian general practice. <i>Vaccine</i> , 2019 , 37, 4268-4274 | 4.1 | 8 |
| 76 | Obesity and 25(OH)D Serum Concentration Are More Important than Vitamin D Intake for Changes in Nutritional Status Indicators: A Population-Based Longitudinal Study in a State Capital City in Southern Brazil. <i>Nutrients</i> , 2019 , 11, | 6.7 | 3 |
| 75 | Associations between self-reported diabetes mellitus, disordered eating behaviours, weight/shape overvaluation, and health-related quality of life. <i>Journal of Eating Disorders</i> , 2019 , 7, 35 | 4.1 | 4 |
| 74 | Influenza-like illness and antimicrobial prescribing in Australian general practice from 2015 to 2017: a national longitudinal study using the MedicineInsight dataset. <i>BMJ Open</i> , 2019 , 9, e026396 | 3 | 10 |
| 73 | Changes to the frequency and appropriateness of vitamin D testing after the introduction of new Medicare criteria for rebates in Australian general practice: evidence from 1.5 million patients in the NPS MedicineInsight database. <i>BMJ Open</i> , 2019 , 9, e024797 | 3 | 12 |
| 72 | Patient-reported GP health assessments rather than individual cardiovascular risk burden are associated with the engagement in lifestyle changes: population-based survey in South Australia. BMC Family Practice, 2019 , 20, 173 | 2.6 | 3 |
| 71 | Quality of Life for 19,114 participants in the ASPREE (ASPirin in Reducing Events in the Elderly) study and their association with sociodemographic and modifiable lifestyle risk factors. <i>Quality of Life Research</i> , 2019 , 28, 935-946 | 3.7 | 10 |
| 7º | Bullying and sexual abuse and their association with harmful behaviours, antidepressant use and health-related quality of life in adulthood: a population-based study in South Australia. <i>BMC Public Health</i> , 2019 , 19, 26 | 4.1 | 4 |
| 69 | Sociodemographic disparities in the consumption of ultra-processed food and drink products in Southern Brazil: a population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2019 , 27, 649-658 | 1.4 | 2 |
| 68 | Trends of mortality attributable to child and maternal undernutrition, overweight/obesity and dietary risk factors of non-communicable diseases in sub-Saharan Africa, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Public Health Nutrition</i> , 2019 , 22, 827-840 | 3.3 | 7 |
| 67 | Shared associations between histories of victimisation among people with eating disorder symptoms and higher weight. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 540-549 | 2.6 | 4 |

(2017-2019)

| Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>European Journal of Nutrition</i> , 2019 , 58, 1299-1313 | 5.2 | 27 |
|---|--|--|
| Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2018 , 4, 13-19 | 4 | 46 |
| Indicators of healthy food consumption among older adults with diabetes and/or hypertension are similar to healthy older adults: results from a population based study in Southern Brazil. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018 , 26, 331-338 | 1.4 | 1 |
| Chronic diseases and socioeconomic inequalities in quality of life among Brazilian adults: findings from a population-based study in Southern Brazil. <i>European Journal of Public Health</i> , 2018 , 28, 603-610 | 2.1 | 9 |
| Gout prevalence and predictors of urate-lowering therapy use: results from a population-based study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 143 | 5.7 | 25 |
| Epidemiology of arthritis, chronic back pain, gout, osteoporosis, spondyloarthropathies and rheumatoid arthritis among 1.5 million patients in Australian general practice: NPS MedicineWise MedicineInsight dataset. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 20 | 2.8 | 34 |
| Physical activity moderates the deleterious relationship between cardiovascular disease, or its risk factors, and quality of life: Findings from two population-based cohort studies in Southern Brazil and South Australia. <i>PLoS ONE</i> , 2018 , 13, e0198769 | 3.7 | 7 |
| Comparison of mental health treatment status and use of antidepressants in men and women with eating disorders. <i>Eating Disorders</i> , 2018 , 26, 248-262 | 3.9 | 11 |
| Clinical Significance of Serum Adiponectin and Resistin Levels in Liver Cirrhosis. <i>Annals of Hepatology</i> , 2018 , 17, 286-299 | 3.1 | 15 |
| Severe obesity increases the prevalence but not the incidence of depressive symptoms in the elderly-population-based cohort in Southern Brazil. <i>International Psychogeriatrics</i> , 2017 , 29, 1307-1316 | 3.4 | 2 |
| Are we reducing the risk of cardiovascular disease and improving the quality of life through preventive health care? Results of a population-based study in South Australia. <i>Preventive Medicine</i> , 2017 , 99, 164-170 | 4.3 | 12 |
| Lower educational level and unemployment increase the impact of cardiometabolic conditions on the quality of life: results of a population-based study in South Australia. <i>Quality of Life Research</i> , 2017 , 26, 1521-1530 | 3.7 | 15 |
| How abnormal is binge eating? 18-Year time trends in population prevalence and burden. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 147-155 | 6.5 | 35 |
| Do sociodemographic, behavioral or health status variables affect longitudinal anthropometric changes in older adults? Population-based cohort study in Southern Brazil. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 2074-2082 | 2.9 | 1 |
| Interpersonal discrimination and markers of adiposity in longitudinal studies: a systematic review. <i>Obesity Reviews</i> , 2017 , 18, 1040-1049 | 10.6 | 15 |
| Anthropometric measures change and incidence of high blood pressure levels among adults: a population-based prospective study in Southern Brazil. <i>Journal of Hypertension</i> , 2017 , 35, 39-46 | 1.9 | 4 |
| Individual diseases or clustering of health conditions? Association between multiple chronic diseases and health-related quality of life in adults. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 244 | 3 | 16 |
| Burden and health-related quality of life of eating disorders, including Avoidant/Restrictive Food Intake Disorder (ARFID), in the Australian population. <i>Journal of Eating Disorders</i> , 2017 , 5, 21 | 4.1 | 130 |
| | OECD countries, 1990-2015, findings from the Global Burden of Disease Study 2015. European Journal of Nutrition, 2019, 58, 1299-1313 Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation national survey. Sleep Health, 2018, 4, 13-19 Indicators of healthy food consumption among older adults with diabetes and/or hypertension are similar to healthy older adults: results from a population based study in Southern Brazil. Zeitschrift Fur Gesundheitswissenschaften, 2018, 26, 331-338 Chronic diseases and socioeconomic inequalities in quality of life among Brazilian adults: findings from a population-based study in Southern Brazil. European Journal of Public Health, 2018, 28, 603-610 Gout prevalence and predictors of urate-lowering therapy use: results from a population-based study. Arthritis Research and Therapy, 2018, 20, 143 Epidemiology of arthritis, chronic back pain, gout, osteoporosis, spondyloarthropathies and rheumatoid arthritis among 1.5 million patients in Australian general practice: NPS MedicineWise MedicineInsight dataset. BMC Musculoskelatal Disorders, 2018, 19, 20 Physical activity moderates the deleterious relationship between cardiovascular disease, or its risk factors, and quality of life: Findings from two population-based cohort studies in Southern Brazili and South Australia. PLoS ONE, 2018, 13, e0198769 Comparison of mental health treatment status and use of antidepressants in men and women with eating disorders. Eating Disorders, 2018, 26, 248-262 Clinical Significance of Serum Adiponectin and Resistin Levels in Liver Cirrhosis. Annals of Hepatology, 2018, 17, 286-299 Severe obesity increases the prevalence but not the incidence of depressive symptoms in the elderly-population-based cohort in Southern Brazil. International Psychogeriatrics, 2017, 29, 1307-1316 Are we reducing the risk of cardiovascular disease and improving the quality of life through reventive health care? Results of a population-based study in South Australia. Preventive Me | OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. European Journal of Nutrition, 2019, 58, 1299-1313 Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation ational survey. Sleep Health, 2018, 4, 13-19 Indicators of healthy food consumption among older adults with diabetes and/or hypertension are similar to healthy older adults: results from a population based study in Southern Brazil. Zeitschrift Fur Gesundheitswissenschuffen, 2018, 26, 331-338 Chronic diseases and socioeconomic inequalities in quality of life among Brazilian adults: findings from a population-based study in Southern Brazil. European Journal of Public Health, 2018, 28, 603-610 Cout prevalence and predictors of urate-lowering therapy use: results from a population-based study in Southern Brazil. European Journal of Public Health, 2018, 28, 603-610 Cout prevalence and predictors of urate-lowering therapy use: results from a population-based study. Arthritis Research and Therapy, 2018, 20, 143 Epidemiology of arthritis, chronic back pain, gout, osteoporosis, spondyloarthropathies and rheumatoid arthritis among 1.5 million patients in Australian general practice: NP5 MedicineWise MedicineInsight dataset. BMC Musculoskeletal Disorders, 2018, 19, 20 Physical activity moderates the deleterious relationship between cardiovascular disease, or its risk factors, and quality of life: Findings from two population-based cohort studies in Southern Brazil and South Australia. PLoS ORL, 2018, 13, e0198769 Comparison of mental health treatment status and use of antidepressants in men and women with eating disorders. Eating Disorders, 2018, 26, 248-262 Clinical Significance of Serum Adiponectin and Resistin Levels in Liver Cirrhosis. Annals of Hepatology, 2018, 17, 286-299 Severe obesity increases the prevalence but not the incidence of depressive symptoms in the eating disorders. Eating Disorders, 2017, 28, 121-121. Are we reducing the risk of cardiovascular disease and improvi |

| 48 | Breastfeeding and complementary feeding associated with body composition in 18-19 years old adolescents in the 1993 Pelotas Birth Cohort. <i>BMC Nutrition</i> , 2017 , 3, 84 | 2.5 | 1 |
|----|--|-----|----|
| 47 | Describing numerical variables: which are the most appropriate parameters to describe the data?. <i>Anais Brasileiros De Dermatologia</i> , 2017 , 92, 841-843 | 1.6 | O |
| 46 | Socioeconomic differences in diet composition of the adult population in southern Brazil: a population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2017 , 25, 635-644 | 1.4 | 1 |
| 45 | Obesity and Periodontal Outcomes: A Population-Based Cohort Study in Brazil. <i>Journal of Periodontology</i> , 2017 , 88, 50-58 | 4.6 | 14 |
| 44 | INADEQUACIES IN THE TREATMENT OF IRON DEFICIENCY ANEMIA AMONG CHILDREN REGISTERED IN THE NATIONAL PROGRAM OF IRON SUPPLEMENTATION IN FLORIANOPOLIS, SANTA CATARINA, BRAZIL. <i>Texto E Contexto Enfermagem</i> , 2017 , 26, | 1.1 | 2 |
| 43 | Exclusive breastfeeding, complementary feeding and association with body fat excess among schoolchildren in Florian polis, Santa Catarina, Brazil. <i>Revista Brasileira De Saude Materno Infantil</i> , 2017 , 17, 115-125 | 0.3 | 5 |
| 42 | Prediction of Areal Bone Mineral Density and Bone Mineral Content in Children and Adolescents Living With HIV Based on Anthropometric Variables. <i>Journal of Clinical Densitometry</i> , 2016 , 19, 457-464 | 3.5 | 7 |
| 41 | Serving size on nutrition labeling for processed foods sold in Brazil: Relationship to energy value. <i>Revista De Nutricao</i> , 2016 , 29, 741-750 | 1.8 | 7 |
| 40 | Effect of Health Literacy on Quality of Life amongst Patients with Ischaemic Heart Disease in Australian General Practice. <i>PLoS ONE</i> , 2016 , 11, e0151079 | 3.7 | 44 |
| 39 | Sampling: how to select participants in my research study?. <i>Anais Brasileiros De Dermatologia</i> , 2016 , 91, 326-30 | 1.6 | 88 |
| 38 | Anthropometric measures change and quality of life in elderly people: a longitudinal population-based study in Southern Brazil. <i>Quality of Life Research</i> , 2016 , 25, 3057-3066 | 3.7 | 6 |
| 37 | Sodium content on processed foods for snacks. <i>Public Health Nutrition</i> , 2016 , 19, 967-75 | 3.3 | 14 |
| 36 | Maternal depression and anxiety predicts the pattern of offspring symptoms during their transition to adulthood. <i>Psychological Medicine</i> , 2016 , 46, 415-24 | 6.9 | 19 |
| 35 | Sodium content and labelling of processed and ultra-processed food products marketed in Brazil. Public Health Nutrition, 2015, 18, 1206-14 | 3.3 | 13 |
| 34 | Dietary practices among individuals with diabetes and hypertension are similar to those of healthy people: a population-based study. <i>BMC Public Health</i> , 2015 , 15, 479 | 4.1 | 7 |
| 33 | Nutrition education intervention for women with breast cancer: effect on nutritional factors and oxidative stress. <i>Journal of Nutrition Education and Behavior</i> , 2015 , 47, 2-9 | 2 | 17 |
| 32 | The Brazilian population consumes larger serving sizes than those informed on labels. <i>British Food Journal</i> , 2015 , 117, 719-730 | 2.8 | 9 |
| 31 | Test of association: which one is the most appropriate for my study?. <i>Anais Brasileiros De Dermatologia</i> , 2015 , 90, 523-8 | 1.6 | 3 |

(2013-2015)

| 30 | TAMANHO DA POR^ [] [D E GORDURA TRANS: OS R^ [] TULOS DE ALIMENTOS INDUSTRIALIZADOS BRASILEIROS EST^ [D ADEQUADOS?. <i>DEMETRA: Alimentalo, Nutrilo & Salde, 2015, 10,</i> | 0.2 | 1 |
|----|--|-----|----|
| 29 | Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 99-107 | 3.1 | 6 |
| 28 | Changes in total and central adiposity and body fat distribution among 7-10-year-old schoolchildren in Brazil. <i>Public Health Nutrition</i> , 2015 , 18, 2105-14 | 3.3 | 8 |
| 27 | Effect of breastfeeding on obesity of schoolchildren: influence of maternal education. <i>Revista Paulista De Pediatria (English Edition)</i> , 2015 , 33, 294-301 | | 1 |
| 26 | Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 99-107 | 3.1 | 3 |
| 25 | Accuracy and adequacy of waist circumference cut-off points currently recommended in Brazilian adults. <i>Public Health Nutrition</i> , 2014 , 17, 861-9 | 3.3 | 9 |
| 24 | Presenting data in tables and charts. Anais Brasileiros De Dermatologia, 2014, 89, 280-5 | 1.6 | 15 |
| 23 | Field work I: selecting the instrument for data collection. <i>Anais Brasileiros De Dermatologia</i> , 2014 , 89, 918-23 | 1.6 | 13 |
| 22 | Sample size: how many participants do I need in my research?. <i>Anais Brasileiros De Dermatologia</i> , 2014 , 89, 609-15 | 1.6 | 49 |
| 21 | Aggregation of the four main risk factors to non-communicable diseases among adolescents. <i>Revista Brasileira De Epidemiologia</i> , 2014 , 17, 465-78 | 1.3 | 16 |
| 20 | Reference serving sizes for the Brazilian population: An analysis of processed food labels. <i>Revista De Nutricao</i> , 2014 , 27, 329-341 | 1.8 | 7 |
| 19 | Trends in adiposity in Brazilian 7-10-year-old schoolchildren: evidence for increasing overweight but not obesity between 2002 and 2007. <i>Annals of Human Biology</i> , 2014 , 41, 255-62 | 1.7 | 8 |
| 18 | Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18years old. The 1993 Pelotas Birth Cohort. <i>Early Human Development</i> , 2014 , 90, 901-6 | 2.2 | 7 |
| 17 | Organic food-related educational actions developed by dieticians in Brazilian municipal schools. <i>Revista De Nutricao</i> , 2014 , 27, 525-535 | 1.8 | O |
| 16 | Brazilian healthy eating index revised (BHEI-R) of women before and during adjuvant treatment for breast cancer. <i>Nutricion Hospitalaria</i> , 2014 , 30, 1101-9 | 1 | 10 |
| 15 | Is the serving size and household measure information on labels clear and standardized? Analysis of the labels of processed foods sold in Brazil. <i>Vigilឯcia Sanitឯia Em Debate: Sociedade, Ciàcia & Tecnologia</i> , 2014 , 2, | 1.1 | 2 |
| 14 | Efetividade de uma interven [^] [] [] de base escolar sobre as pr [^] [] [cas alimentares em estudantes do ensino m [^] dio. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2014 , 16, 36 | 0.1 | 5 |
| 13 | Clustering of risk behaviors for chronic noncommunicable diseases: a population-based study in southern Brazil. <i>Preventive Medicine</i> , 2013 , 56, 20-4 | 4.3 | 38 |

| 12 | Diagnostic accuracy of handgrip strength in the assessment of malnutrition in hemodialyzed patients. <i>E-SPEN Journal</i> , 2013 , 8, e181-e186 | | 12 |
|----|---|-----|----|
| 11 | Bed-sharing and risk of hospitalisation due to pneumonia and diarrhoea in infancy: the 2004 Pelotas Birth Cohort. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 245-9 | 5.1 | 7 |
| 10 | Reporting of trans-fat on labels of Brazilian food products. <i>Public Health Nutrition</i> , 2013 , 16, 2146-53 | 3.3 | 17 |
| 9 | Coverage and adequacy of ferrous sulfate supplementation in the prevention of anemia among children treated at health centers of Florianopolis, Santa Catarina. <i>Revista Paulista De Pediatria</i> , 2013 , 31, 315-23 | 1.2 | 4 |
| 8 | HIV/AIDS transmission knowledge among adolescents aged 11 years from Southern Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2013 , 16, 420-31 | 1.3 | 5 |
| 7 | Caracteriza [^] 🗓 B do Programa Nacional de Alimenta [^] 🗓 B Escolar no Estado de Santa Catarina. <i>Revista De Nutricao</i> , 2013 , 26, 715-725 | 1.8 | 3 |
| 6 | Percep [^] 🛮 🗗 dos cozinheiros escolares sobre o processo de utiliza [^] 🗓 🗗 de produtos org [^] flicos na alimenta [^] 🗓 🗗 escolar em munic [^] flios catarinenses. <i>Revista De Nutricao</i> , 2013 , 26, 407-418 | 1.8 | |
| 5 | Rela^ 🛮 B entre por^ 🗓 B, medida caseira e presen^ 🖥 de gordura trans em r^ Eulos de produtos aliment^ Bios. <i>Mundo Da Saude</i> , 2013 , 37, 299-311 | 1.8 | 3 |
| 4 | Efetividade da suplementa [^] [] [] de sulfato ferroso na preven [^] [] [] da anemia em crian [^] []s: revis [^] [] sistem [^] []ica da literatura e metan [^] []se. <i>Cadernos De Saude Publica</i> , 2013 , 29, 1731-1751 | 3.2 | 6 |
| 3 | Seasonality of infant feeding practices in three Brazilian birth cohorts. <i>International Journal of Epidemiology</i> , 2012 , 41, 743-52 | 7.8 | 13 |
| 2 | Automedica [^] [] B em menores de cinco anos em munic [^] Bios do Par [^] [e Piau [^] Epreval [^] Bicia e fatores associados. <i>Revista Brasileira De Saude Materno Infantil</i> , 2012 , 12, 165-172 | 0.3 | |
| 1 | Iniquidade na assist^ ficia ^ gesta^ [] [] e ao parto em munic^ [pio do semi^ fido brasileiro. <i>Revista</i> Brasileira De Saude Materno Infantil, 2011 , 11, 381-388 | 0.3 | 4 |