

Shankar Subramaniam

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5819267/shankar-subramaniam-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

1,594
citations

20
h-index

37
g-index

124
ext. papers

1,992
ext. citations

1.8
avg, IF

5.37
L-index

#	Paper	IF	Citations
113	Tensile and flexural properties of snake grass natural fiber reinforced isophthallic polyester composites. <i>Composites Science and Technology</i> , 2012 , 72, 1183-1190	8.6	194
112	Characterization of natural fiber and composites [A] review. <i>Journal of Reinforced Plastics and Composites</i> , 2013 , 32, 1457-1476	2.9	186
111	Characterization of new cellulose sansevieria ehrenbergii fibers for polymer composites. <i>Composite Interfaces</i> , 2013 , 20, 575-593	2.3	141
110	Tool condition monitoring techniques in milling process [B] review. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 1032-1042	5.5	90
109	Mechanical properties of randomly oriented snake grass fiber with banana and coir fiber-reinforced hybrid composites. <i>Journal of Composite Materials</i> , 2013 , 47, 2181-2191	2.7	52
108	Prediction of cutting tool wear during milling process using artificial intelligence techniques. <i>International Journal of Computer Integrated Manufacturing</i> , 2019 , 32, 174-182	4.3	51
107	Effect of Particle Size on Tribological Behavior of Rice Husk Ash Reinforced Aluminum Alloy (AlSi10Mg) Matrix Composites. <i>Tribology Transactions</i> , 2013 , 56, 1156-1167	1.8	49
106	Influence of surface texture shape, geometry and orientation on hydrodynamic lubrication performance of plane-to-plane slider surfaces. <i>Lubrication Science</i> , 2017 , 29, 153-181	1.3	46
105	Effect of strain hardening in elastic-plastic transition behavior in a hemisphere in contact with a rigid flat. <i>International Journal of Solids and Structures</i> , 2008 , 45, 3009-3020	3.1	42
104	Effect of Pretreatment Methods on Properties of Natural Fiber Composites: A Review. <i>Polymers and Polymer Composites</i> , 2016 , 24, 555-566	0.8	40
103	Experimental Investigation of Friction Drilling on Brass, Aluminium and Stainless Steel. <i>Procedia Engineering</i> , 2013 , 64, 1219-1226		34
102	Mechanical properties and water absorption of short snake grass fiber reinforced isophthallic polyester composites. <i>Fibers and Polymers</i> , 2014 , 15, 1927-1934	2	31
101	A Finite Element Based Study on the Elastic-Plastic Transition Behavior in a Hemisphere in Contact With a Rigid Flat. <i>Journal of Tribology</i> , 2008 , 130,	1.8	31
100	Tool Condition Monitoring While Using Vegetable Based Cutting Fluids During Milling of Inconel 625. <i>Journal of Advanced Manufacturing Systems</i> , 2019 , 18, 563-581	1.8	27
99	Investigations on mechanical and tribological properties of Al-Si10-Mg alloy/sugarcane bagasse ash particulate composites. <i>Particulate Science and Technology</i> , 2018 , 36, 762-770	2	24
98	Dry sliding wear and friction behavior of aluminum-rice husk ash composite using Taguchi technique. <i>Journal of Composite Materials</i> , 2015 , 49, 2241-2250	2.7	23
97	Tool wear prediction in hard turning of EN8 steel using cutting force and surface roughness with artificial neural network. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2020 , 234, 329-342	1.3	23

96	Investigation of work-related musculoskeletal disorders among male kitchen workers in South India. <i>International Journal of Occupational Safety and Ergonomics</i> , 2015 , 21, 524-31	2.1	22
95	Burr formation and its treatments—review. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 107, 2189-2210	3.2	21
94	Finite element analysis of different contact bearing couples for human hip prosthesis. <i>International Journal of Biomedical Engineering and Technology</i> , 2013 , 11, 66	1.3	21
93	Mechanical properties and water absorption of snake grass longitudinal fiber reinforced isophthalic polyester composites. <i>Journal of Reinforced Plastics and Composites</i> , 2013 , 32, 1211-1223	2.9	20
92	Multi-response milling process optimization using the Taguchi method coupled to grey relational analysis. <i>Materialpruefung/Materials Testing</i> , 2016 , 58, 462-470	1.9	20
91	Tool condition monitoring in the milling process with vegetable based cutting fluids using vibration signatures. <i>Materialpruefung/Materials Testing</i> , 2019 , 61, 282-288	1.9	20
90	Investigation of chemically treated longitudinally oriented snake grass fiber-reinforced isophthalic polyester composites. <i>Journal of Reinforced Plastics and Composites</i> , 2013 , 32, 1698-1714	2.9	16
89	Effect of Radial Clearance on Wear and Contact Pressure of Hard-on-Hard Hip Prostheses Using Finite Element Concepts. <i>Tribology Transactions</i> , 2014 , 57, 814-820	1.8	16
88	Prevalence of work-related musculoskeletal injuries among South Indian hand screen-printing workers. <i>Work</i> , 2017 , 58, 163-172	1.6	14
87	Dry Sliding Wear Behavior of Palmyra Shell Ash Reinforced Aluminum Matrix (AlSi10Mg) Composites. <i>Tribology Transactions</i> , 2017 , 60, 469-478	1.8	13
86	Burr formation during drilling of mild steel at different machining conditions. <i>Materials and Manufacturing Processes</i> , 2019 , 34, 726-735	4.1	13
85	Wear prediction on silicon nitride bearing couple in human hip prosthesis using finite element concepts. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2014 , 228, 717-724	1.4	13
84	Experimental study on frictional characteristics of tungsten carbide versus carbon as mechanical seals under dry and eco-friendly lubrications. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016 , 54, 39-45	4.1	12
83	Computational wear assessment of hard on hard hip implants subject to physically demanding tasks. <i>Medical and Biological Engineering and Computing</i> , 2018 , 56, 899-910	3.1	12
82	Investigations on tribo-mechanical behaviour of Al-Si10-Mg/sugarcane bagasse ash/SiC hybrid composites. <i>China Foundry</i> , 2019 , 16, 277-284	0.8	11
81	Investigation of chemically treated randomly oriented sansevieria ehrenbergii fiber reinforced isophthalic polyester composites. <i>Journal of Composite Materials</i> , 2014 , 48, 2961-2975	2.7	11
80	Prediction of Cutting Force in Turning Process—an Experimental Approach. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 310, 012119	0.4	10
79	Workplace factors and prevalence of low back pain among male commercial kitchen workers. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2015 , 28, 481-8	1.4	10

78	Prediction of cutting force in turning process: An experimental and fuzzy approach. <i>Journal of Intelligent and Fuzzy Systems</i> , 2015 , 28, 1785-1793	1.6	9
77	Finite element submodeling technique to analyze the contact pressure and wear of hard bearing couples in hip prosthesis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2020 , 23, 422-431	2.1	9
76	Material selection of acetabular component in human hip prosthesis using finite element concepts. <i>International Journal of Experimental and Computational Biomechanics</i> , 2013 , 2, 118		9
75	Management of musculoskeletal shoulder and neck pain through ergonomic intervention: a pre-post design analysis in hand screen printing industry. <i>International Journal of Business Innovation and Research</i> , 2019 , 18, 392	0.7	8
74	Quasi-Static Crushing and Energy Absorption Characteristics of Thin-Walled Cylinders with Geometric Discontinuities of Various Aspect Ratios. <i>Latin American Journal of Solids and Structures</i> , 2017 , 14, 1767-1787	1.4	8
73	Milling of Nanoparticles Reinforced Al-Based Metal Matrix Composites. <i>Journal of Composites Science</i> , 2018 , 2, 13	3	8
72	Experimental and Finite Element Wear Study of Silicon Nitride Against Alumina for Hip Implants with Bio-Lubricant for Various Gait Activities. <i>Silicon</i> , 2021 , 13, 633-644	2.4	8
71	Predicting long-term wear performance of hard-on-hard bearing couples: effect of cup orientation. <i>Medical and Biological Engineering and Computing</i> , 2016 , 54, 1541-52	3.1	7
70	PREDICTING THE WEAR OF SOFT-ON-HARD BEARING COUPLES FOR HUMAN HIP PROSTHESIS USING FINITE ELEMENT CONCEPTS. <i>Journal of Mechanics in Medicine and Biology</i> , 2016 , 16, 1650020	0.7	7
69	DYNAMIC CONTACT ANALYSIS OF TOTAL HIP PROSTHESIS DURING STUMBLING CYCLE. <i>Journal of Mechanics in Medicine and Biology</i> , 2014 , 14, 1450041	0.7	7
68	Experimental and submodeling technique to investigate the wear of silicon nitride against Ti6Al4V alloy with bio-lubricants for various gait activities. <i>Tribology International</i> , 2020 , 151, 106529	4.9	6
67	Evaluation of tribological properties of Ceiba pentandra (kapok) seed oil as an alternative lubricant. <i>Industrial Lubrication and Tribology</i> , 2018 , 70, 506-511	1.3	6
66	Evaluation of vibrant muscles over the shoulder region among workers of the hand screen printing industry. <i>International Journal of Occupational Safety and Ergonomics</i> , 2018 , 24, 278-285	2.1	6
65	Frictional characteristics of PVD coated mechanical seals against carbon under various classes of liquid lubricants. <i>Industrial Lubrication and Tribology</i> , 2016 , 68, 597-602	1.3	6
64	Effect of Strain Hardening during Unloading for an Elastic-Plastic Hemisphere in Contact with a Rigid Flat. <i>Mechanics of Advanced Materials and Structures</i> , 2014 , 21, 139-144	1.8	6
63	Experimental investigations of vibration and acoustics signals in milling process using kapok oil as cutting fluid. <i>Mechanics and Industry</i> , 2020 , 21, 521	0.8	6
62	Prevalence of work related musculoskeletal disorders among occupational bus drivers of Karnataka, South India. <i>Work</i> , 2020 , 66, 73-84	1.6	5
61	Experimental and CFD Investigations of Mechanical Seals under Dry/Compressed Air/Liquid Lubricating Conditions. <i>Procedia Engineering</i> , 2013 , 64, 419-425		5

60	Experimental and CFD investigations of carbon/SS316 mechanical face seals under different lubricating conditions. <i>Industrial Lubrication and Tribology</i> , 2015 , 67, 124-132	1.3	5
59	Dynamic contact analysis of total hip prosthesis during normal active walking cycle. <i>International Journal of Biomedical Engineering and Technology</i> , 2014 , 15, 114	1.3	5
58	Sliding interaction and wear studies between two hemispherical asperities based on finite element approach. <i>International Journal of Surface Science and Engineering</i> , 2008 , 2, 71	1	5
57	Contact Stress and Wear Analysis of Zirconia Against Alumina for Normal and Physically Demanding Loads in Hip Prosthesis. <i>Journal of Bionic Engineering</i> , 2020 , 17, 1045-1058	2.7	5
56	Drilling of titanium alloy (Ti6Al4V) a review. <i>Machining Science and Technology</i> , 1-66	2	5
55	Low back pain assessment using surface electromyography among industry workers during the repetitive bending tasks. <i>International Journal of Human Factors and Ergonomics</i> , 2018 , 5, 277	0.4	5
54	Ergonomic evaluation of ergonomically designed chalkboard erasers on shoulder and hand-arm muscle activity among college professors. <i>International Journal of Industrial Ergonomics</i> , 2021 , 84, 103170 ⁹	2.9	5
53	Substantial reduction of carbon black and balancing the technical properties of styrene butadiene rubber compounds using nanoclay. <i>Journal of Rubber Research (Kuala Lumpur, Malaysia)</i> , 2020 , 23, 79-87 ^{0.9}	0.9	4
52	Association of Job and Demographical Risk Factor with Occurrence of Neck Pain Among Hand Screen Printing Workers 2018 , 131-137		4
51	Optimization of turning parameters for AlSi10Mg/SCBA/SiC hybrid metal matrix composite using response surface methodology. <i>Materials Research Express</i> , 2019 , 6, 106553	1.7	4
50	Design, development, calibration, and testing of indigenously developed strain gauge based dynamometer for cutting force measurement in the milling process. <i>Journal of Mechanical Engineering and Sciences</i> , 2020 , 14, 6594-6609	2	4
49	Partial replacement of carbon black by nanoclay in butyl rubber compounds for tubeless tires. <i>Materialpruefung/Materials Testing</i> , 2017 , 59, 1054-1060	1.9	4
48	Investigations on the tribological behaviour, toxicity, and biodegradability of kapok oil bio-lubricant blended with (SAE20W40) mineral oil. <i>Biomass Conversion and Biorefinery</i> , 1	2.3	4
47	Experimental studies on viscosity, thermal and tribological properties of vegetable oil (kapok oil) with boric acid as an additive. <i>Micro and Nano Letters</i> , 2021 , 16, 290-298	0.9	4
46	Recast Layer Formation during Wire Electrical Discharge Machining of Titanium (Ti-Al6-V4) Alloy. <i>Journal of Materials Engineering and Performance</i> , 1	1.6	4
45	WEAR PREDICTION OF THE LUMBAR TOTAL DISC REPLACEMENT USING FINITE ELEMENT METHOD. <i>Journal of Mechanics in Medicine and Biology</i> , 2016 , 16, 1650004	0.7	3
44	Frictional study of alumina, 316 stainless steel, phosphor bronze versus carbon as mechanical seals under dry sliding conformal contact. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2015 , 229, 1292-1299	1.4	3
43	Frictional characteristics of diamond like carbon and tungsten carbide/carbon coated high carbon high chromium steel against carbon in dry sliding conformal contact for mechanical seals. <i>Mechanics and Industry</i> , 2017 , 18, 115	0.8	3

42	Analysis of pile-up/sink-in during spherical indentation for various strain hardening levels. <i>Structural Engineering and Mechanics</i> , 2015 , 53, 429-442		3
41	Experimental study and optimisation in turning process of EN8 steel using RSM with hybrid algorithm approach. <i>International Journal of Bio-Inspired Computation</i> , 2019 , 13, 242	2.9	3
40	Mechanical loading characteristics of total hip prosthetics subjected to dynamic loading cycles. <i>Bio-Medical Materials and Engineering</i> , 2018 , 29, 723-737	1	3
39	Assessment of shoulder and low back muscle activity of male kitchen workers using surface electromyography. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2018 , 31, 81-90	1.5	2
38	Long-term wear prediction of zirconia on alumina ceramic for hip prosthesis. <i>International Journal of Surface Science and Engineering</i> , 2020 , 14, 192	1	2
37	Occupational physical risk factors and prevalence of musculoskeletal disorders among the traditional lacquerware toy makers of South India. <i>Work</i> , 2021 , 70, 405-418	1.6	2
36	Investigating the Efficacy of Adhesive Tape for Drilling Carbon Fibre Reinforced Polymers. <i>Materials</i> , 2021 , 14,	3.5	2
35	Ergonomics for Hand Screen Printing Workers: Cognitive Perception. <i>Managing the Asian Century</i> , 2018 , 155-162		2
34	Wear prediction of hard carbon coated hard-on-hard hip implants using finite element method. <i>International Journal of Computer Aided Engineering and Technology</i> , 2018 , 10, 440	0.5	2
33	Prevalence of Upper Limb Disorders and Investigation of Risk Factors Among Commercial Kitchen Male Workers in South India 2018 , 27-33		1
32	Study of citation networks in tribology research. <i>Collnet Journal of Scientometrics and Information Management</i> , 2016 , 10, 71-96	0.5	1
31	Wear in ceramic on ceramic type lumbar total disc replacement: effect of radial clearance. <i>Bio-Medical Materials and Engineering</i> , 2015 , 26, 89-96	1	1
30	Sustainability in drilling of aluminum alloy. <i>Cleaner Materials</i> , 2022 , 3, 100048		1
29	Tribological behavior of zirconia-toughened alumina (ZTA) against Ti6Al4V under different bio-lubricants in hip prosthesis using experimental and finite element concepts. <i>Materials Letters</i> , 2022 , 307, 131107	3.3	1
28	Hand arm vibration measurement using micro-accelerometer in different brick structures. <i>Smart Structures and Systems</i> , 2014 , 13, 959-974		1
27	EXAMINATION OF B4C/BeCrC COMPOSITE LAYER DURING DRY SLIDING USING STATISTICAL METHOD. <i>Surface Review and Letters</i> , 2021 , 28, 2150034	1.1	1
26	Short term tribological behavior of ceramic and polyethylene biomaterials for hip prosthesis. <i>Materialpruefung/Materials Testing</i> , 2021 , 63, 470-473	1.9	1
25	Use of duck feather waste as a reinforcement medium in polymer composites. <i>Cleaner Materials</i> , 2021 , 1, 100014		1

24	Augmentation of crashworthiness design of circular tubular structures by engraving grooves of varying depths. <i>Mechanics of Advanced Materials and Structures</i> , 1-14	1.8	1
23	Application of coolants during tool-based machining [A review]. <i>Ain Shams Engineering Journal</i> , 2022 , 101830	4.4	1
22	Combined effect of cup abduction and anteversion angles on long-term wear evolution of PCD-on-PCD hip bearing couple. <i>International Journal of Biomedical Engineering and Technology</i> , 2017 , 24, 169	1.3	0
21	Predicting wear of ceramic-ceramic hip prosthesis using finite element method for different radial clearances. <i>Tribology - Materials, Surfaces and Interfaces</i> , 2014 , 8, 194-200	1.4	0
20	Understanding the Micro-Mechanical Behaviour of Recast Layer Formed during WEDM of Titanium Alloy. <i>Metals</i> , 2022 , 12, 188	2.3	0
19	In-vitro tribological study and submodeling finite element technique in analyzing wear of zirconia toughened alumina against alumina with bio-lubricants for hip implants. <i>Medical Engineering and Physics</i> , 2021 , 98, 83-90	2.4	0
18	Investigating the Impact of the Hoe handle Length and Angle on the Shoulder and Arm Muscle Activity during Manual Farming Activities. <i>Journal of the Institution of Engineers (India): Series A</i> , 2021 , 102, 1053	1	0
17	Experimental investigation on material removal rate, kerf width, surface roughness and the dimensional accuracy the accuracy of hole in Inconel 718 using wire electric discharge. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 095440892210960	1.5	0
16	Studies on diesel engine exhaust gas for retrieving the waste heat through Triple Tube Heat Exchanger (TTHE) through different tubes. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2022 , 44, 4149-4164	1.6	0
15	Experimental and numerical analysis of impact strength of Al6082 for automotive structural applications. <i>Materials Today: Proceedings</i> , 2020 , 33, 2863-2867	1.4	
14	Experimental and numerical investigations on plasma sprayed ceramic coatings with varying coating thickness. <i>International Journal of Computational Materials Science and Surface Engineering</i> , 2017 , 7, 26	0.4	
13	New Star-Like Surface texture for Enhanced Hydrodynamic Lubrication Performance. <i>Archives of Metallurgy and Materials</i> , 2017 , 62, 1863-1869		
12	Effect of temperature on an elastic-plastic hemispherical asperity in contact with a rigid flat. <i>International Journal of Computational Materials Science and Surface Engineering</i> , 2011 , 4, 292	0.4	
11	Evaluation of Contact Parameters Using Single Asperity Contact Model for the Normal Contact of Rough Surfaces 2006 , 1507		
10	A Finite Element Study of Elastic-Plastic Contact Between Multiple Hemispherical Asperities 2005 , 395		
9	Impact of digital boards on hand and neck muscle activity during online teaching process.. <i>Education and Information Technologies</i> , 2022 , 1-14	3.6	
8	Strength and durability performance of modified cement-based concrete incorporated immobilized bacteria. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	
7	Use of Smart Technologies on Textile Industry Workers to Evaluate the Effect of Work Posture on Lower Extremity Distress in Southern Region of India 2021 , 1-17		

- 6 Tribological Study on Titanium Based Composite Materials in Biomedical Applications. *Composites Science and Technology*, **2021**, 215-241
- 5 FEA of SAW penetration of Ramor 500 steel. *Materialpruefung/Materials Testing*, **2020**, 62, 1192-1198 1.9
- 4 Analysis of motor cycle helmet under static and dynamic conditions considering different materials. *Materials Today: Proceedings*, **2021**, 43, 1098-1102 1.4
- 3 Significance of Bracing Accessories for Improved Workability: An EMG Assessment **2021**, 1-15
- 2 Design and fabrication of fresh juice vending machine for commercial applications. *IOP Conference Series: Materials Science and Engineering*, **2021**, 1055, 012010 0.4
- 1 EFFECT OF LOADS AND BIO-LUBRICANTS ON TRIBOLOGICAL STUDY OF ZIRCONIA AND ZIRCONIA TOUGHENED ALUMINA AGAINST Ti6Al4V FOR HIP PROSTHESIS. *Surface Review and Letters*, 2141006 1.1