

Merc Brunet Serra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5819801/merce-brunet-serra-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

2,277
citations

22
h-index

47
g-index

50
ext. papers

2,556
ext. citations

3.9
avg, IF

3.86
L-index

#	Paper	IF	Citations
48	Monitoring of Donor-Derived Cell-Free DNA by Short Tandem Repeats: Concentration of Total Cell-Free DNA and Fragment Size for Acute Rejection Risk Assessment in Liver Transplantation. <i>Liver Transplantation</i> , 2021 ,	4.5	2
47	Monitoring of miR-181a-5p and miR-155-5p Plasmatic Expression as Prognostic Biomarkers for Acute and Subclinical Rejection in Adult Liver Transplant Recipients. <i>Frontiers in Immunology</i> , 2019 , 10, 873	8.4	12
46	Pharmacodynamics of T cell function for monitoring pharmacologic immunosuppression after allogeneic hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2017 , 105, 497-505	2.3	4
45	High proportion of CD95(+) and CD38(+) in cultured CD8(+) T cells predicts acute rejection and infection, respectively, in kidney recipients. <i>Transplant Immunology</i> , 2016 , 34, 33-41	1.7	8
44	Voriconazole and cobicistat-boosted antiretroviral salvage regimen co-administration to treat invasive aspergillosis in an HIV-infected patient. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 1125-7 ^{5.1}	5.1	5
43	High expression of CD38, CD69, CD95 and CD154 biomarkers in cultured peripheral T lymphocytes correlates with an increased risk of acute rejection in liver allograft recipients. <i>Immunobiology</i> , 2016 , 221, 595-603	3.4	6
42	High frequency of central memory regulatory T cells allows detection of liver recipients at risk of early acute rejection within the first month after transplantation. <i>International Immunology</i> , 2016 , 28, 55-64	4.9	17
41	Barcelona Consensus on Biomarker-Based Immunosuppressive Drugs Management in Solid Organ Transplantation. <i>Therapeutic Drug Monitoring</i> , 2016 , 38 Suppl 1, S1-20	3.2	57
40	T-Cell Cytokines as Predictive Markers of the Risk of Allograft Rejection. <i>Therapeutic Drug Monitoring</i> , 2016 , 38 Suppl 1, S21-8	3.2	10
39	Therapeutic Drug Monitoring of Everolimus: A Consensus Report. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 143-69	3.2	71
38	Assuring the Proper Analytical Performance of Measurement Procedures for Immunosuppressive Drug Concentrations in Clinical Practice: Recommendations of the International Association of Therapeutic Drug Monitoring and Clinical Toxicology Immunosuppressive Drug Scientific Committee. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 176-89	3.2	65
37	Flow Cytometry as Platform for Biomarker Discovery and Clinical Validation. <i>Biomarkers in Disease</i> , 2015 , 141-164		1
36	Efficacy and safety of fosfomycin plus imipenem as rescue therapy for complicated bacteremia and endocarditis due to methicillin-resistant <i>Staphylococcus aureus</i> : a multicenter clinical trial. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1105-12	11.6	57
35	Development and validation of a UHPLC diode array detector method for meropenem quantification in human plasma. <i>Clinical Biochemistry</i> , 2014 , 47, 223-7	3.5	16
34	Pharmacokinetic modeling of enterohepatic circulation of mycophenolic acid in renal transplant recipients. <i>Kidney International</i> , 2014 , 85, 1434-43	9.9	32
33	High proportion of pretransplantation activated regulatory T cells (CD4+CD25 ^{high} CD62L+CD45RO+) predicts acute rejection in kidney transplantation: results of a multicenter study. <i>Transplantation</i> , 2014 , 98, 1213-8	1.8	29
32	Pharmacokinetic study of dual therapy with raltegravir 400 mg twice daily and Darunavir/Ritonavir 800/100 mg once daily in HIV-1-infected patients. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 552-6	3.2	4

31	Risk factors for a low linezolid trough plasma concentration in acute infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 1913-7	5.9	45
30	Impact of donor and recipient CYP3A5 and ABCB1 genetic polymorphisms on tacrolimus dosage requirements and rejection in Caucasian Spanish liver transplant patients. <i>Journal of Clinical Pharmacology</i> , 2013 , 53, 1146-54	2.9	13
29	Antimicrobial and immunosuppressive drug interactions in solid organ transplant recipients. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2012 , 30 Suppl 2, 86-92	0.9	8
28	Decreased serum linezolid concentrations in two patients receiving linezolid and rifampicin due to bone infections. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 548-50		30
27	Desarrollo y validaci3n de un m3todo para la determinaci3n de darunavir en plasma mediante LC-MS/MS. <i>Revista Del Laboratorio Cl3nico</i> , 2011 , 4, 127-133	0	1
26	Determinaci3n de linezolid en plasma mediante cromatograf3a l3quida de alta resoluci3n para la monitorizaci3n terap3utica en pacientes. <i>Revista Del Laboratorio Cl3nico</i> , 2011 , 4, 207-213	0	
25	Mycophenolate, clinical pharmacokinetics, formulations, and methods for assessing drug exposure. <i>Transplantation Reviews</i> , 2011 , 25, 47-57	3.3	89
24	Influence of MRP2 on MPA pharmacokinetics in renal transplant recipients-results of the Pharmacogenomic Substudy within the Symphony Study. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3784-93	4.3	27
23	Pharmacokinetic study of saquinavir 500 mg plus ritonavir (1000/100 mg twice a day) in HIV-positive pregnant women. <i>Therapeutic Drug Monitoring</i> , 2011 , 33, 772-7	3.2	14
22	Individually tailored immunosuppression: is there a role for biomarkers?. <i>Clinical Chemistry</i> , 2011 , 57, 376-81	5.5	3
21	Interaction between everolimus and tacrolimus in renal transplant recipients: a pharmacokinetic controlled trial. <i>Transplantation</i> , 2010 , 89, 994-1000	1.8	34
20	Biomarkers of immunoregulatory status in stable liver transplant recipients undergoing weaning of immunosuppressive therapy. <i>Clinical Immunology</i> , 2010 , 137, 337-46	9	37
19	The pharmacokinetics of mycophenolate mofetil in renal transplant recipients receiving standard-dose or low-dose cyclosporine, low-dose tacrolimus or low-dose sirolimus: the Symphony pharmacokinetic substudy. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2269-76	4.3	69
18	Biomarkers of the immunomodulatory effect of immunosuppressive drugs in transplant recipients. <i>Transplantation Reviews</i> , 2009 , 23, 120-8	3.3	14
17	Determination of atorvastatin and its metabolite ortho-hydroxyatorvastatin in human plasma by on-line anion-exchange solid-phase extraction and liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 1687-96	4.4	21
16	Proteomic analysis of the secretome of human umbilical vein endothelial cells using a combination of free-flow electrophoresis and nanoflow LC-MS/MS. <i>Proteomics</i> , 2009 , 9, 4991-6	4.8	39
15	Opportunities to optimize tacrolimus therapy in solid organ transplantation: report of the European consensus conference. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 139-52	3.2	347
14	Is the intracellular ATP concentration of CD4+ T-Cells a predictive biomarker of immune status in stable transplant recipients?. <i>Transplantation</i> , 2009 , 88, S78-84	1.8	28

13	Effects of cyclosporine, tacrolimus and sirolimus on vascular changes related to immune response. <i>Journal of Heart and Lung Transplantation</i> , 2008 , 27, 416-22	5.8	21
12	Improved renal function, with similar proteinuria, after two years of early tacrolimus withdrawal from a regimen of sirolimus plus tacrolimus. <i>Transplantation</i> , 2008 , 86, 620-2	1.8	13
11	Mammalian target of rapamycin inhibition halts the progression of proteinuria in a rat model of reduced renal mass. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 2653-60	12.7	48
10	Chemoembolization of hepatocellular carcinoma with drug eluting beads: efficacy and doxorubicin pharmacokinetics. <i>Journal of Hepatology</i> , 2007 , 46, 474-81	13.4	734
9	Sequential determination of pharmacokinetics and pharmacodynamics of mycophenolic acid in liver transplant patients treated with mycophenolate mofetil. <i>Transplantation</i> , 2006 , 81, 541-6	1.8	52
8	Pharmacokinetics and pharmacodynamics of low dose mycophenolate mofetil in HIV-infected patients treated with abacavir, efavirenz and nelfinavir. <i>Clinical Pharmacokinetics</i> , 2005 , 44, 525-38	6.2	13
7	Effect of mycophenolate mofetil on immune response and plasma and lymphatic tissue viral load during and after interruption of highly active antiretroviral therapy for patients with chronic HIV infection: a randomized pilot study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004 , 36, 823-30	3.1	63
6	Low-dose cyclosporine with mycophenolate mofetil induces similar calcineurin activity and cytokine inhibition as does standard-dose cyclosporine in stable renal allografts. <i>Transplantation</i> , 2004 , 78, 1400-3	1.8	27
5	Pharmacodynamic approach to immunosuppressive therapies using calcineurin inhibitors and mycophenolate mofetil. <i>Clinical Chemistry</i> , 2003 , 49, 1891-9	5.5	46
4	Therapeutic drug monitoring of tacrolimus in liver transplantation, phase III FK506 multicenter Spanish Study Group: a two-year follow-up. <i>Therapeutic Drug Monitoring</i> , 1998 , 20, 602-6	3.2	9
3	Multicenter comparison of first- and second-generation IMx tacrolimus microparticle enzyme immunoassays in liver and kidney transplantation. <i>Therapeutic Drug Monitoring</i> , 1998 , 20, 676-9	3.2	9
2	Effects of long-term antiepileptic therapy on the catabolism of testosterone. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1995 , 76, 371-5		14
1	Positive versus negative symptoms in schizophrenia: response to haloperidol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994 , 18, 155-64	5.5	10